

How many faces does a cube have?

Faces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B1-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 65 • BACKWARD 1 • Q1/5

2401

QUESTION ID

S65-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B1-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 65 • BACKWARD 1 • Q1/5

How many faces does a rectangular prism have?

- A.** 4
- B.** 6
- C.** 8
- D.** 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B1-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 65 • BACKWARD 1 • Q2/5

2402

QUESTION ID

S65-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B1-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 65 • BACKWARD 1 • Q2/5

True or false?

A square pyramid has 5 faces.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B1-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 65 • BACKWARD 1 • Q3/5

2403

QUESTION ID

S65-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B1-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 65 • BACKWARD 1 • Q3/5

How many faces does a triangular prism have?

Faces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B1-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 65 • BACKWARD 1 • Q4/5

2404

QUESTION ID

S65-B1-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B1-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 65 • BACKWARD 1 • Q4/5

How many triangular faces does a square pyramid have?

- A.** 1
- B.** 3
- C.** 4
- D.** 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B1-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 65 • BACKWARD 1 • Q5/5

2405

QUESTION ID

S65-B1-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B1-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 65 • BACKWARD 1 • Q5/5

SET 65 • 6.G.A.4

BACKWARD 2

Shapes of faces • Grade 3 • Geometry • 3.G.A.1

What shape are the faces of a cube?

- A.** Triangles
- B.** Pentagons
- C.** Circles
- D.** Squares

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B2-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 65 • BACKWARD 2 • Q1/5

2407

QUESTION ID

S65-B2-Q1

TYPE

Multiple choice

CORRECT ANSWER

D. Squares

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B2-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 65 • BACKWARD 2 • Q1/5

True or false?

Every square is also a rectangle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B2-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 65 • BACKWARD 2 • Q2/5

2408

QUESTION ID

S65-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B2-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 65 • BACKWARD 2 • Q2/5

What shape is the base of a square pyramid?

- A.** Square
- B.** Circle
- C.** Triangle
- D.** Rectangle that is not a square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B2-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 65 • BACKWARD 2 • Q3/5

2409

QUESTION ID

S65-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. Square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B2-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 65 • BACKWARD 2 • Q3/5

True or false?

The two ends of a triangular prism are triangles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B2-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 65 • BACKWARD 2 • Q4/5

2410

QUESTION ID

S65-B2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B2-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 65 • BACKWARD 2 • Q4/5

What shape are the side faces of a triangular prism?

Shape: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B2-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 65 • BACKWARD 2 • Q5/5

2411

QUESTION ID

S65-B2-Q5

TYPE

Short answer

CORRECT ANSWER

Rectangles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-B2-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 65 • BACKWARD 2 • Q5/5

SET 65 • 6.G.A.4

FORWARD 1

Cross sections of three-dimensional figures • Grade 7 • Geometry • 7.G.A.3

A rectangular prism is sliced parallel to its base.

What shape is the cross section?

- A.** Rectangle
- B.** Circle
- C.** Pentagon
- D.** Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F1-Q1

Grade 7 • Geometry • 7.G.A.3 • Set 65 • FORWARD 1 • Q1/5

2413

QUESTION ID

S65-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. Rectangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F1-Q1

Grade 7 • Geometry • 7.G.A.3 • Set 65 • FORWARD 1 • Q1/5

A square pyramid is sliced parallel to its base.

What shape is the cross section?

- A.** Square
- B.** Rectangle that is not a square
- C.** Circle
- D.** Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F1-Q2

Grade 7 • Geometry • 7.G.A.3 • Set 65 • FORWARD 1 • Q2/5

2414

QUESTION ID

S65-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. Square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F1-Q2

Grade 7 • Geometry • 7.G.A.3 • Set 65 • FORWARD 1 • Q2/5

A cube is sliced through the middle, parallel to one face.
What shape is the cross section?

Shape: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F1-Q3

Grade 7 • Geometry • 7.G.A.3 • Set 65 • FORWARD 1 • Q3/5

2415

QUESTION ID

S65-F1-Q3

TYPE

Short answer

CORRECT ANSWER

A square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F1-Q3

Grade 7 • Geometry • 7.G.A.3 • Set 65 • FORWARD 1 • Q3/5

A square pyramid is sliced vertically through its top vertex.

What shape is the cross section?

- A.** Pentagon
- B.** Square
- C.** Rectangle
- D.** Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F1-Q4

Grade 7 • Geometry • 7.G.A.3 • Set 65 • FORWARD 1 • Q4/5

2416

QUESTION ID

S65-F1-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F1-Q4

Grade 7 • Geometry • 7.G.A.3 • Set 65 • FORWARD 1 • Q4/5

True or false?

A triangular prism sliced parallel to its triangular bases makes a triangle cross section.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F1-Q5

Grade 7 • Geometry • 7.G.A.3 • Set 65 • FORWARD 1 • Q5/5

2417

QUESTION ID

S65-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F1-Q5

Grade 7 • Geometry • 7.G.A.3 • Set 65 • FORWARD 1 • Q5/5

SET 65 • 6.G.A.4

FORWARD 2

Volume of a cylinder described by its net • Grade 8 • Geometry • 8.G.C.9

A net of a cylinder has two circles with a radius of 3 cm and a rectangle that is 8 cm tall.

What is the volume of the cylinder in terms of π ?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F2-Q1

Grade 8 • Geometry • 8.G.C.9 • Set 65 • FORWARD 2 • Q1/5

2419

QUESTION ID

S65-F2-Q1

TYPE

Short answer

CORRECT ANSWER

72π cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F2-Q1

Grade 8 • Geometry • 8.G.C.9 • Set 65 • FORWARD 2 • Q1/5

A net of a cylinder has two circles with a radius of 5 in. and a rectangle that is 4 in. tall.

What is the volume in terms of π ?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F2-Q2

Grade 8 • Geometry • 8.G.C.9 • Set 65 • FORWARD 2 • Q2/5

2420

QUESTION ID

S65-F2-Q2

TYPE

Short answer

CORRECT ANSWER

100π cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F2-Q2

Grade 8 • Geometry • 8.G.C.9 • Set 65 • FORWARD 2 • Q2/5

A net of a cylinder has circles with a diameter of 6 m.
The rectangle is 10 m tall.

What is the volume?

- A.** 30π cubic meters **B.** 90π cubic meters
C. 360π cubic meters **D.** 60π cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F2-Q3

Grade 8 • Geometry • 8.G.C.9 • Set 65 • FORWARD 2 • Q3/5

2421

QUESTION ID

S65-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 90π cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F2-Q3

Grade 8 • Geometry • 8.G.C.9 • Set 65 • FORWARD 2 • Q3/5

A net of a cylinder has two circles with a radius of 2 ft and a rectangle that is 7 ft tall.

What is the volume? Use 3.14 for π .

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F2-Q4

Grade 8 • Geometry • 8.G.C.9 • Set 65 • FORWARD 2 • Q4/5

2422

QUESTION ID

S65-F2-Q4

TYPE

Short answer

CORRECT ANSWER

87.92 cubic feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F2-Q4

Grade 8 • Geometry • 8.G.C.9 • Set 65 • FORWARD 2 • Q4/5

True or false?

In the net of a cylinder, the height of the rectangle is the height of the cylinder.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F2-Q5

Grade 8 • Geometry • 8.G.C.9 • Set 65 • FORWARD 2 • Q5/5

2423

QUESTION ID

S65-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S65-F2-Q5

Grade 8 • Geometry • 8.G.C.9 • Set 65 • FORWARD 2 • Q5/5

Use nets to find surface area

MAIN	Grade 6 main question	6.G.A.4
BACKWARD 1	Area of rectangles	3.MD.C.7.b
BACKWARD 2	Area of triangles	6.G.A.1
BACKWARD 3	Adding the areas of parts	3.MD.C.7.d
FORWARD 1	Surface area of prisms in real-world problems	7.G.B.6
FORWARD 2	Pythagorean Theorem in three dimensions	8.G.B.7


SET 66 • 6.G.A.4

MAIN

Grade 6 main question • Grade 6 • Geometry • 6.G.A.4

The net folds into a rectangular prism.

What is the surface area of the prism?



Surface area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-M-Q1

Grade 6 • Geometry • 6.G.A.4 • Set 66 • MAIN • Q1/5

2426

QUESTION ID

S66-M-Q1

TYPE

Short answer

CORRECT ANSWER

52 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S66-M-Q1

Grade 6 • Geometry • 6.G.A.4 • Set 66 • MAIN • Q1/5

The net folds into a square pyramid.

What is the surface area of the pyramid?

Surface area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-M-Q2

Grade 6 • Geometry • 6.G.A.4 • Set 66 • MAIN • Q2/5

2427

QUESTION ID

S66-M-Q2

TYPE

Short answer

CORRECT ANSWER

96 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S66-M-Q2

Grade 6 • Geometry • 6.G.A.4 • Set 66 • MAIN • Q2/5

The net folds into a cube.

What is the surface area of the cube?

Surface area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-M-Q3

Grade 6 • Geometry • 6.G.A.4 • Set 66 • MAIN • Q3/5

2428

QUESTION ID

S66-M-Q3

TYPE

Short answer

CORRECT ANSWER

150 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S66-M-Q3

Grade 6 • Geometry • 6.G.A.4 • Set 66 • MAIN • Q3/5

The net folds into a triangular prism.

What is the surface area of the prism?

Surface area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-M-Q4

Grade 6 • Geometry • 6.G.A.4 • Set 66 • MAIN • Q4/5

2429

QUESTION ID

S66-M-Q4

TYPE

Short answer

CORRECT ANSWER

132 square cm


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-M-Q4

Grade 6 • Geometry • 6.G.A.4 • Set 66 • MAIN • Q4/5

The net folds into a rectangular prism.

What is the surface area of the prism?



Surface area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-M-Q5

Grade 6 • Geometry • 6.G.A.4 • Set 66 • MAIN • Q5/5

2430

QUESTION ID

S66-M-Q5

TYPE

Short answer

CORRECT ANSWER

72 square feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-M-Q5

Grade 6 • Geometry • 6.G.A.4 • Set 66 • MAIN • Q5/5

SET 66 • 6.G.A.4

BACKWARD 1

Area of rectangles • Grade 3 • Measurement & Data • 3.MD.C.7.b

Find the area of the rectangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 66 • BACKWARD 1 • Q1/5

2432

QUESTION ID

S66-B1-Q1

TYPE

Short answer

CORRECT ANSWER

8 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 66 • BACKWARD 1 • Q1/5

A rectangle is 5 m by 7 m.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 66 • BACKWARD 1 • Q2/5

2433

QUESTION ID

S66-B1-Q2

TYPE

Short answer

CORRECT ANSWER

35 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 66 • BACKWARD 1 • Q2/5

True or false?

A rectangle that is 3 units by 6 units has an area of 18 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 66 • BACKWARD 1 • Q3/5

2434

QUESTION ID

S66-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 66 • BACKWARD 1 • Q3/5

A rectangle is 6 m by 2 m.

What is its area?

- A.** 8 square meters
- B.** 12 square meters
- C.** 16 square meters
- D.** 24 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 66 • BACKWARD 1 • Q4/5

2435

QUESTION ID

S66-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 12 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 66 • BACKWARD 1 • Q4/5

A square face has 5-inch edges.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 66 • BACKWARD 1 • Q5/5

2436

QUESTION ID

S66-B1-Q5

TYPE

Short answer

CORRECT ANSWER

25 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 66 • BACKWARD 1 • Q5/5


SET 66 • 6.G.A.4

BACKWARD 2

Area of triangles • Grade 6 • Geometry • 6.G.A.1

Find the area of the triangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B2-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 66 • BACKWARD 2 • Q1/5

2438

QUESTION ID

S66-B2-Q1

TYPE

Short answer

CORRECT ANSWER

15 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B2-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 66 • BACKWARD 2 • Q1/5

A triangle has a base of 8 cm and a height of 3 cm.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B2-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 66 • BACKWARD 2 • Q2/5

2439

QUESTION ID

S66-B2-Q2

TYPE

Short answer

CORRECT ANSWER

12 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B2-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 66 • BACKWARD 2 • Q2/5

True or false?

A triangle with a base of 10 and a height of 4 has an area of 40 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B2-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 66 • BACKWARD 2 • Q3/5

2440

QUESTION ID

S66-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B2-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 66 • BACKWARD 2 • Q3/5

A right triangle has legs of 3 cm and 4 cm.

What is its area?

- A. 6 square cm
- B. 7 square cm
- C. 10 square cm
- D. 12 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B2-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 66 • BACKWARD 2 • Q4/5

2441

QUESTION ID

S66-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. 6 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B2-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 66 • BACKWARD 2 • Q4/5

Four triangles each have a base of 6 m and a height of 5 m.

What is their total area?

Total area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B2-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 66 • BACKWARD 2 • Q5/5

2442

QUESTION ID

S66-B2-Q5

TYPE

Short answer

CORRECT ANSWER

60 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B2-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 66 • BACKWARD 2 • Q5/5

SET 66 • 6.G.A.4

BACKWARD 3

Adding the areas of parts • Grade 3 • Measurement & Data • 3.MD.C.7.d

A figure is made of a 4-by-3 rectangle and a 4-by-2 rectangle that do not overlap.

What is its total area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B3-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 66 • BACKWARD 3 • Q1/5

2444

QUESTION ID

S66-B3-Q1

TYPE

Short answer

CORRECT ANSWER

20 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B3-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 66 • BACKWARD 3 • Q1/5

True or false?

A figure made of two 5-by-5 squares has an area of 50 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B3-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 66 • BACKWARD 3 • Q2/5

2445

QUESTION ID

S66-B3-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B3-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 66 • BACKWARD 3 • Q2/5

A figure is made of rectangles with areas of 12, 8, and 6 square units.

What is its total area?

- A.** 14 square units **B.** 20 square units
C. 26 square units **D.** 576 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B3-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 66 • BACKWARD 3 • Q3/5

2446

QUESTION ID

S66-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 26 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B3-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 66 • BACKWARD 3 • Q3/5

Six squares each have an area of 9 square inches.

What is their total area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B3-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 66 • BACKWARD 3 • Q4/5

2447

QUESTION ID

S66-B3-Q4

TYPE

Short answer

CORRECT ANSWER

54 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B3-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 66 • BACKWARD 3 • Q4/5

A figure is made of rectangles that are 2 by 6, 2 by 6,
and 3 by 6.

What is its total area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B3-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 66 • BACKWARD 3 • Q5/5

2448

QUESTION ID

S66-B3-Q5

TYPE

Short answer

CORRECT ANSWER

42 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-B3-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 66 • BACKWARD 3 • Q5/5

SET 66 • 6.G.A.4

FORWARD 1

Surface area of prisms in real-world problems • Grade 7 • Geometry • 7.G.B.6

A cube has edges of 2.5 cm.

What is its surface area?

Surface area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F1-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 66 • FORWARD 1 • Q1/5

2450

QUESTION ID

S66-F1-Q1

TYPE

Short answer

CORRECT ANSWER

37.5 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F1-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 66 • FORWARD 1 • Q1/5

A rectangular prism is 5 in. by 4 in. by 2.5 in.

What is its surface area?

- A.** 42.5 square inches
- B.** 50 square inches
- C.** 65 square inches
- D.** 85 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F1-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 66 • FORWARD 1 • Q2/5

2451

QUESTION ID

S66-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 85 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F1-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 66 • FORWARD 1 • Q2/5

A gift box is 8 in. by 6 in. by 4 in.

How much wrapping paper covers the box exactly?

Paper: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F1-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 66 • FORWARD 1 • Q3/5

2452

QUESTION ID

S66-F1-Q3

TYPE

Short answer

CORRECT ANSWER

208 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F1-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 66 • FORWARD 1 • Q3/5

A box with no lid is 10 in. long, 4 in. wide, and 3 in. tall.

How much cardboard is needed to make its 5 faces?

Cardboard: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F1-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 66 • FORWARD 1 • Q4/5

2453

QUESTION ID

S66-F1-Q4

TYPE

Short answer

CORRECT ANSWER

124 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F1-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 66 • FORWARD 1 • Q4/5

True or false?

The surface area of a prism is the sum of the areas of all of its faces.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F1-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 66 • FORWARD 1 • Q5/5

2454

QUESTION ID

S66-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F1-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 66 • FORWARD 1 • Q5/5

SET 66 • 6.G.A.4


FORWARD 2

Pythagorean Theorem in three dimensions • Grade 8 • Geometry • 8.G.B.7

The square pyramid has a base edge of 10 cm and a height of 12 cm.

What is its slant height s ?

$S =$ _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F2-Q1

Grade 8 • Geometry • 8.G.B.7 • Set 66 • FORWARD 2 • Q1/5

2456

QUESTION ID

S66-F2-Q1

TYPE

Short answer

CORRECT ANSWER

13 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F2-Q1

Grade 8 • Geometry • 8.G.B.7 • Set 66 • FORWARD 2 • Q1/5

A box is 3 in. by 4 in. by 12 in.

How long is the longest diagonal from one corner to the opposite corner?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F2-Q2

Grade 8 • Geometry • 8.G.B.7 • Set 66 • FORWARD 2 • Q2/5

2457

QUESTION ID

S66-F2-Q2

TYPE

Short answer

CORRECT ANSWER

13 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F2-Q2

Grade 8 • Geometry • 8.G.B.7 • Set 66 • FORWARD 2 • Q2/5

A square pyramid has a base edge of 16 cm and a slant height of 10 cm.

What is its height?

- A.** 6 cm **B.** 8 cm
C. 12.8 cm **D.** 18.9 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F2-Q3

Grade 8 • Geometry • 8.G.B.7 • Set 66 • FORWARD 2 • Q3/5

2458

QUESTION ID

S66-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 6 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F2-Q3

Grade 8 • Geometry • 8.G.B.7 • Set 66 • FORWARD 2 • Q3/5

A cone has a radius of 5 in. and a slant height of 13 in.
What is its height?

Height: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F2-Q4

Grade 8 • Geometry • 8.G.B.7 • Set 66 • FORWARD 2 • Q4/5

2459

QUESTION ID

S66-F2-Q4

TYPE

Short answer

CORRECT ANSWER

12 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F2-Q4

Grade 8 • Geometry • 8.G.B.7 • Set 66 • FORWARD 2 • Q4/5

True or false?

The bottom of a box is 6 in. by 8 in. The diagonal across the bottom is 10 in.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F2-Q5

Grade 8 • Geometry • 8.G.B.7 • Set 66 • FORWARD 2 • Q5/5

2460

QUESTION ID

S66-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S66-F2-Q5

Grade 8 • Geometry • 8.G.B.7 • Set 66 • FORWARD 2 • Q5/5

Recognize statistical questions

MAIN Grade 6 main question

BACKWARD 1 Reading a bar graph

BACKWARD 2 Reading a line plot

FORWARD 1 Random samples and representative samples

FORWARD 2 Statistical questions about two variables and scatter plots

6.SP.A.1

3.MD.B.3

4.MD.B.4

7.SP.A.1

8.SP.A.1

SET 67 • 6.SP.A.1

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.A.1

Which question is a statistical question?

- A. How many hours did I sleep last night?
- B. How many days are in a week?
- C. What time does our school start?
- D. How many hours of sleep do students in my class get each night?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-M-Q1

Grade 6 • Statistics & Probability • 6.SP.A.1 • Set 67 • MAIN • Q1/5

2463

QUESTION ID

S67-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

D. How many hours of sleep do students in my class get each night?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-M-Q1

Grade 6 • Statistics & Probability • 6.SP.A.1 • Set 67 • MAIN • Q1/5

True or false?

"How tall is the flagpole at our school?" is a statistical question.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-M-Q2

Grade 6 • Statistics & Probability • 6.SP.A.1 • Set 67 • MAIN • Q2/5

2464

QUESTION ID

S67-M-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-M-Q2

Grade 6 • Statistics & Probability • 6.SP.A.1 • Set 67 • MAIN • Q2/5

Which question is NOT a statistical question?

- A. How much do the dogs at the shelter weigh?
- B. What is the population of our city right now?
- C. How long do students spend on homework each day?
- D. How many pets do the students in grade 6 have?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-M-Q3

Grade 6 • Statistics & Probability • 6.SP.A.1 • Set 67 • MAIN • Q3/5

2465

QUESTION ID

S67-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. What is the population of our city right now?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-M-Q3

Grade 6 • Statistics & Probability • 6.SP.A.1 • Set 67 • MAIN • Q3/5

True or false?

"What are the ages of the teachers at our school?" is a statistical question.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-M-Q4

Grade 6 • Statistics & Probability • 6.SP.A.1 • Set 67 • MAIN • Q4/5

2466

QUESTION ID

S67-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-M-Q4

Grade 6 • Statistics & Probability • 6.SP.A.1 • Set 67 • MAIN • Q4/5

Which question is a statistical question?

- A. How many minutes do the players on our team practice each week?
- B. How many minutes are in an hour?
- C. How many minutes did Coach Lee practice today?
- D. How many players are on a soccer field at once?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-M-Q5

Grade 6 • Statistics & Probability • 6.SP.A.1 • Set 67 • MAIN • Q5/5

2467

QUESTION ID

S67-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. How many minutes do the players on our team practice each week?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-M-Q5

Grade 6 • Statistics & Probability • 6.SP.A.1 • Set 67 • MAIN • Q5/5


SET 67 • 6.SP.A.1

BACKWARD 1

Reading a bar graph • Grade 3 • Measurement & Data • 3.MD.B.3

The graph shows the favorite sports of a class.

How many students chose basketball?



Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B1-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 67 • BACKWARD 1 • Q1/5

2469

QUESTION ID

S67-B1-Q1

TYPE

Short answer

CORRECT ANSWER

5


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B1-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 67 • BACKWARD 1 • Q1/5

The graph shows the favorite sports of a class.

How many more students chose soccer than baseball?



Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B1-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 67 • BACKWARD 1 • Q2/5

2470

QUESTION ID

S67-B1-Q2

TYPE

Short answer

CORRECT ANSWER


4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B1-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 67 • BACKWARD 1 • Q2/5

Which sport did 3 students choose?



A. Baseball **B.** Tennis **C.** Soccer **D.** Basketball

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B1-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 67 • BACKWARD 1 • Q3/5

2471

QUESTION ID

S67-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. Baseball


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B1-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 67 • BACKWARD 1 • Q3/5

The graph shows the favorite sports of a class.

How many students answered in all?



Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B1-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 67 • BACKWARD 1 • Q4/5

2472

QUESTION ID

S67-B1-Q4

TYPE

Short answer

CORRECT ANSWER

16


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B1-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 67 • BACKWARD 1 • Q4/5

True or false?

More students chose basketball than soccer.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B1-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 67 • BACKWARD 1 • Q5/5

2473

QUESTION ID

S67-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B1-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 67 • BACKWARD 1 • Q5/5


SET 67 • 6.SP.A.1

BACKWARD 2

Reading a line plot • Grade 4 • Measurement & Data • 4.MD.B.4

The line plot shows the heights of plants.

How many plants are $\frac{1}{2}$ inch tall?



Plants: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B2-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 67 • BACKWARD 2 • Q1/5

2475

QUESTION ID

S67-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B2-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 67 • BACKWARD 2 • Q1/5

The line plot shows the heights of plants.

How many plants were measured?



Plants: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B2-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 67 • BACKWARD 2 • Q2/5

2476

QUESTION ID

S67-B2-Q2

TYPE

Short answer

CORRECT ANSWER

8


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B2-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 67 • BACKWARD 2 • Q2/5

True or false?

The most common plant height is $\frac{3}{4}$ inch.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B2-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 67 • BACKWARD 2 • Q3/5

2477

QUESTION ID

S67-B2-Q3

TYPE

True or false

CORRECT ANSWER


B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B2-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 67 • BACKWARD 2 • Q3/5

Which height appears least often?



- A. $\frac{1}{4}$ inch B. $\frac{1}{2}$ inch C. $\frac{3}{4}$ inch D. 1 inch

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B2-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 67 • BACKWARD 2 • Q4/5

2478

QUESTION ID

S67-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER


C. $\frac{3}{4}$ inch

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B2-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 67 • BACKWARD 2 • Q4/5

What is the difference between the tallest and the shortest plant heights?



Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B2-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 67 • BACKWARD 2 • Q5/5

2479

QUESTION ID

S67-B2-Q5

TYPE

Short answer

CORRECT ANSWER

3/4 inch

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-B2-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 67 • BACKWARD 2 • Q5/5

SET 67 • 6.SP.A.1

FORWARD 1

Random samples and representative samples • Grade 7 • Statistics & Probability • 7.SP.A.1

A principal wants to know the favorite lunch of all 600 students.

Which sample is most likely to represent all students?

- A.** The students on the soccer team
- B.** 50 students chosen at random from the whole school
- C.** The 30 students in one class
- D.** The first 50 students in line on pizza day

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 67 • FORWARD 1 • Q1/5

2481

QUESTION ID

S67-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

**B. 50 students
chosen at random
from the whole
school**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 67 • FORWARD 1 • Q1/5

True or false?

A random sample is more likely to represent a population than a sample of your friends.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 67 • FORWARD 1 • Q2/5

2482

QUESTION ID

S67-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 67 • FORWARD 1 • Q2/5

A reporter asks only basketball players, "What is your favorite sport?"

Why is this sample biased?

Reason: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 67 • FORWARD 1 • Q3/5

2483

QUESTION ID

S67-F1-Q3

TYPE

Short answer

CORRECT ANSWER

Only basketball players were asked, so the sample favors basketball and does not represent all people.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 67 • FORWARD 1 • Q3/5

A random sample of 40 students out of 800 shows that 10 walk to school.

About how many of the 800 students walk to school?

- A.** 10 **B.** 40
C. 80 **D.** 200

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 67 • FORWARD 1 • Q4/5

2484

QUESTION ID

S67-F1-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 200

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 67 • FORWARD 1 • Q4/5

True or false?

Conclusions about a population from a sample are valid only if the sample represents the population.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 67 • FORWARD 1 • Q5/5

2485

QUESTION ID

S67-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 67 • FORWARD 1 • Q5/5


SET 67 • 6.SP.A.1

FORWARD 2

Statistical questions about two variables and scatter plots • Grade 8 • Statistics & Probability • 8.SP.A.1

What type of association does the scatter plot show?

- A. No association
- B. Nonlinear
- C. Positive linear
- D. Negative linear



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 67 • FORWARD 2 • Q1/5

2487

QUESTION ID

S67-F2-Q1

TYPE

Multiple choice

CORRECT ANSWER

C. Positive linear


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 67 • FORWARD 2 • Q1/5

What type of association does the scatter plot show?

- A. Negative linear
- B. Positive linear
- C. No association
- D. Nonlinear



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 67 • FORWARD 2 • Q2/5

2488

QUESTION ID

S67-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. Negative linear

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 67 • FORWARD 2 • Q2/5

True or false?

A scatter plot shows data about two variables for each person or object.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 67 • FORWARD 2 • Q3/5

2489

QUESTION ID

S67-F2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 67 • FORWARD 2 • Q3/5

Which question would be best answered with a scatter plot?

- A. How many students ride the bus?
- B. What is the most common eye color?
- C. Is there a relationship between height and arm span?
- D. What is the median age in the class?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 67 • FORWARD 2 • Q4/5

2490

QUESTION ID

S67-F2-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. Is there a relationship between height and arm span?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S67-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 67 • FORWARD 2 • Q4/5

Which point is an outlier?

Write its coordinates.

Outlier: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 67 • FORWARD 2 • Q5/5

2491

QUESTION ID

S67-F2-Q5

TYPE

Short answer

CORRECT ANSWER

(7, 55)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S67-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 67 • FORWARD 2 • Q5/5

Describe the overall shape of a distribution


MAIN	Grade 6 main question	6.SP.A.2
BACKWARD 1	Reading a line plot	4.MD.B.4
BACKWARD 2	Most and least in a bar graph	3.MD.B.3
FORWARD 1	Compare two distributions visually	7.SP.B.3
FORWARD 2	Linear and nonlinear patterns in scatter plots	8.SP.A.1

SET 68 • 6.SP.A.2

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.A.2

Which word best describes the shape of the data?



- A.** Uniform **B.** Symmetric
C. Skewed left **D.** Skewed right

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-M-Q1

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 68 • MAIN • Q1/5

2494

QUESTION ID

S68-M-Q1

TYPE

Multiple choice

CORRECT ANSWER


B. Symmetric

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-M-Q1

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 68 • MAIN • Q1/5

Which word best describes the shape of the data?



- A.** Skewed left **B.** Symmetric
- C.** Skewed right **D.** Uniform

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-M-Q2

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 68 • MAIN • Q2/5

2495

QUESTION ID

S68-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. Skewed right

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-M-Q2

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 68 • MAIN • Q2/5

Which word best describes the shape of the data?



- A.** Symmetric **B.** Skewed left
C. Skewed right **D.** Uniform

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-M-Q3

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 68 • MAIN • Q3/5

2496

QUESTION ID

S68-M-Q3

TYPE

Multiple choice

CORRECT ANSWER


B. Skewed left

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-M-Q3

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 68 • MAIN • Q3/5

Which word best describes the shape of the data in the histogram?



- A.** Skewed right **B.** Skewed left
C. Uniform **D.** Symmetric

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-M-Q4

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 68 • MAIN • Q4/5

2497

QUESTION ID

S68-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. Symmetric


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-M-Q4

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 68 • MAIN • Q4/5

True or false?

The data are skewed right.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-M-Q5

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 68 • MAIN • Q5/5

2498

QUESTION ID

S68-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-M-Q5


Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 68 • MAIN • Q5/5

SET 68 • 6.SP.A.2

BACKWARD 1

Reading a line plot • Grade 4 • Measurement & Data • 4.MD.B.4

How many ribbons are 1 foot long?



Ribbons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 68 • BACKWARD 1 • Q1/5

2500

QUESTION ID

S68-B1-Q1

TYPE

Short answer

CORRECT ANSWER


4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 68 • BACKWARD 1 • Q1/5

How many ribbons are there in all?



Ribbons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 68 • BACKWARD 1 • Q2/5

2501

QUESTION ID

S68-B1-Q2

TYPE

Short answer

CORRECT ANSWER

10


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 68 • BACKWARD 1 • Q2/5

True or false?

Two ribbons are $\frac{1}{2}$ foot long.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 68 • BACKWARD 1 • Q3/5

2502

QUESTION ID

S68-B1-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 68 • BACKWARD 1 • Q3/5

Which ribbon length is most common?



- A. $\frac{1}{2}$ foot B. 1 foot C. $1\frac{1}{2}$ feet D. 2 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 68 • BACKWARD 1 • Q4/5

2503

QUESTION ID

S68-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER


B. 1 foot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 68 • BACKWARD 1 • Q4/5

How many ribbons are longer than 1 foot?



Ribbons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B1-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 68 • BACKWARD 1 • Q5/5

2504

QUESTION ID

S68-B1-Q5

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B1-Q5


Grade 4 • Measurement & Data • 4.MD.B.4 • Set 68 • BACKWARD 1 • Q5/5

SET 68 • 6.SP.A.2

BACKWARD 2

Most and least in a bar graph • Grade 3 • Measurement & Data • 3.MD.B.3

Which pet does the shelter have the most of?



- A.** Birds **B.** Fish **C.** Dogs **D.** Cats

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B2-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 68 • BACKWARD 2 • Q1/5

2506

QUESTION ID

S68-B2-Q1

TYPE

Multiple choice

CORRECT ANSWER


B. Fish

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B2-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 68 • BACKWARD 2 • Q1/5

Which pet does the shelter have the fewest of?



- A.** Dogs **B.** Birds **C.** Cats **D.** Fish

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B2-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 68 • BACKWARD 2 • Q2/5

2507

QUESTION ID

S68-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. Birds


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B2-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 68 • BACKWARD 2 • Q2/5

True or false?

The shelter has more dogs than cats.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B2-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 68 • BACKWARD 2 • Q3/5

2508

QUESTION ID

S68-B2-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B2-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 68 • BACKWARD 2 • Q3/5

How many more fish than birds are at the shelter?



Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B2-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 68 • BACKWARD 2 • Q4/5

2509

QUESTION ID

S68-B2-Q4

TYPE

Short answer

CORRECT ANSWER

15


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B2-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 68 • BACKWARD 2 • Q4/5

True or false?

The tallest bar shows the smallest number.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B2-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 68 • BACKWARD 2 • Q5/5

2510

QUESTION ID

S68-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-B2-Q5


Grade 3 • Measurement & Data • 3.MD.B.3 • Set 68 • BACKWARD 2 • Q5/5

SET 68 • 6.SP.A.2

FORWARD 1

Compare two distributions visually • Grade 7 • Statistics & Probability •
7.SP.B.3

About how many centimeters greater is the center of Garden B's plant heights?



Centimeters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 68 • FORWARD 1 • Q1/5

2512

QUESTION ID

S68-F1-Q1

TYPE

Short answer

CORRECT ANSWER

About 6 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 68 • FORWARD 1 • Q1/5

True or false?

The two distributions have about the same shape and spread.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 68 • FORWARD 1 • Q2/5

2513

QUESTION ID

S68-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 68 • FORWARD 1 • Q2/5

Which statement is true?



- A.** Garden B has more variability. **B.** Garden A's plants are typically taller.
- C.** The distributions do not overlap. **D.** The centers are equal.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 68 • FORWARD 1 • Q3/5

2514

QUESTION ID

S68-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. The distributions do not overlap.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 68 • FORWARD 1 • Q3/5

Garden A's mean height is 62 cm and Garden B's is 68 cm. Each has a MAD of about 1 cm.

The difference in means is about how many times the MAD?

Times: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 68 • FORWARD 1 • Q4/5

2515

QUESTION ID

S68-F1-Q4

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 68 • FORWARD 1 • Q4/5

Two classes have mean scores of 78 and 84. Each has a MAD of 6.

The difference in means is how many times the MAD?

- A.** 0.5 **B.** 1
C. 2 **D.** 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 68 • FORWARD 1 • Q5/5

2516

QUESTION ID

S68-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

B. 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 68 • FORWARD 1 • Q5/5


SET 68 • 6.SP.A.2

FORWARD 2

Linear and nonlinear patterns in scatter plots • Grade 8 • Statistics & Probability • 8.SP.A.1

Which describes the pattern in the scatter plot?

- A. Nonlinear
- B. No association
- C. Negative linear
- D. Constant



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 68 • FORWARD 2 • Q1/5

2518

QUESTION ID

S68-F2-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. Nonlinear


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 68 • FORWARD 2 • Q1/5

Is the pattern in the scatter plot linear or nonlinear?

- A. Linear
- B. Nonlinear



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 68 • FORWARD 2 • Q2/5

2519

QUESTION ID

S68-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. Linear

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S68-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 68 • FORWARD 2 • Q2/5

True or false?

The pattern in the scatter plot is linear.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 68 • FORWARD 2 • Q3/5

2520

QUESTION ID

S68-F2-Q3

TYPE

True or false

CORRECT ANSWER

B. False


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 68 • FORWARD 2 • Q3/5

How many clusters does the scatter plot show?

Clusters: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 68 • FORWARD 2 • Q4/5

2521

QUESTION ID

S68-F2-Q4

TYPE

Short answer

CORRECT ANSWER

2


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 68 • FORWARD 2 • Q4/5

Which describes the scatter plot?

- A. Positive linear
- B. Nonlinear
- C. Negative linear
- D. No association



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 68 • FORWARD 2 • Q5/5

2522

QUESTION ID

S68-F2-Q5

TYPE

Multiple choice

CORRECT ANSWER

D. No association

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S68-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 68 • FORWARD 2 • Q5/5

Describe the center of a distribution


MAIN	Grade 6 main question	6.SP.A.2
BACKWARD 1	Reading a line plot	4.MD.B.4
BACKWARD 2	Ordering numbers	2.NBT.A.4
BACKWARD 3	Halfway between two numbers	2.MD.B.6
FORWARD 1	Compare the centers of two populations	7.SP.B.4
FORWARD 2	Use a line of best fit to make predictions — nearest related (no di...	8.SP.A.2

SET 69 • 6.SP.A.2

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.A.2

Around what value do most of the data cluster?



Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-M-Q1

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 69 • MAIN • Q1/5

2525

QUESTION ID

S69-M-Q1

TYPE

Short answer

CORRECT ANSWER

About 8 hours


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-M-Q1

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 69 • MAIN • Q1/5

The data are symmetric.

What value is at the center of the distribution?



Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-M-Q2

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 69 • MAIN • Q2/5

2526

QUESTION ID

S69-M-Q2

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-M-Q2

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 69 • MAIN • Q2/5

In which interval is the center of the data?



- A.** 0-9 **B.** 10-19 **C.** 20-29 **D.** 30-39

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-M-Q3

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 69 • MAIN • Q3/5

2527

QUESTION ID

S69-M-Q3

TYPE

Multiple choice

CORRECT ANSWER


B. 10-19

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-M-Q3

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 69 • MAIN • Q3/5

What value is at the center of the heights?



Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-M-Q4

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 69 • MAIN • Q4/5

2528

QUESTION ID

S69-M-Q4

TYPE

Short answer

CORRECT ANSWER

62 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-M-Q4

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 69 • MAIN • Q4/5

True or false?

The center of the distribution is about 12.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-M-Q5

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 69 • MAIN • Q5/5

2529

QUESTION ID

S69-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-M-Q5


Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 69 • MAIN • Q5/5

SET 69 • 6.SP.A.2

BACKWARD 1

Reading a line plot • Grade 4 • Measurement & Data • 4.MD.B.4

How many pencils are 4 inches long?



Pencils: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 69 • BACKWARD 1 • Q1/5

2531

QUESTION ID

S69-B1-Q1

TYPE

Short answer

CORRECT ANSWER


4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 69 • BACKWARD 1 • Q1/5

How many pencils were measured?



Pencils: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 69 • BACKWARD 1 • Q2/5

2532

QUESTION ID

S69-B1-Q2

TYPE

Short answer

CORRECT ANSWER

11


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 69 • BACKWARD 1 • Q2/5

True or false?

Three pencils are $3\frac{1}{2}$ inches long.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 69 • BACKWARD 1 • Q3/5

2533

QUESTION ID

S69-B1-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 69 • BACKWARD 1 • Q3/5

Which pencil length is most common?



- A. 3 inches B. $3\frac{1}{2}$ inches C. 4 inches D. 5 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 69 • BACKWARD 1 • Q4/5

2534

QUESTION ID

S69-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER


C. 4 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 69 • BACKWARD 1 • Q4/5

How many pencils are shorter than 4 inches?



Pencils: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B1-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 69 • BACKWARD 1 • Q5/5

2535

QUESTION ID

S69-B1-Q5

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B1-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 69 • BACKWARD 1 • Q5/5

SET 69 • 6.SP.A.2

BACKWARD 2

Ordering numbers • Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4

ANSWER KEY

Reduced copy of the question page, with its answer

Order from least to greatest.

42, 24, 36, 18

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 69 • BACKWARD 2 • Q1/5

2537

QUESTION ID

S69-B2-Q1

TYPE

Short answer

CORRECT ANSWER

18, 24, 36, 42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 69 • BACKWARD 2 • Q1/5

2537

Which number is greatest?

- A.** 53
- B.** 299
- C.** 305
- D.** 350

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 69 • BACKWARD 2 • Q2/5

2538

QUESTION ID

S69-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 350

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 69 • BACKWARD 2 • Q2/5

True or false?

These numbers are in order from least to greatest: 12, 21, 19, 30

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 69 • BACKWARD 2 • Q3/5

2539

QUESTION ID

S69-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 69 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Order from least to greatest.

105, 150, 115

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 69 • BACKWARD 2 • Q4/5

2540

QUESTION ID

S69-B2-Q4

TYPE

Short answer

CORRECT ANSWER

105, 115, 150

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 69 • BACKWARD 2 • Q4/5

2540

Which number is least?

- A.** 89
- B.** 91
- C.** 98
- D.** 100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 69 • BACKWARD 2 • Q5/5

2541

QUESTION ID

S69-B2-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. 89

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 69 • BACKWARD 2 • Q5/5

SET 69 • 6.SP.A.2

BACKWARD 3

Halfway between two numbers • Grade 2 • Measurement & Data • 2.MD.B.6

What number is halfway between 10 and 20?

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B3-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 69 • BACKWARD 3 • Q1/5

2543

QUESTION ID

S69-B3-Q1

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B3-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 69 • BACKWARD 3 • Q1/5

What number is halfway between points A and B?



Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B3-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 69 • BACKWARD 3 • Q2/5

2544

QUESTION ID

S69-B3-Q2

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B3-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 69 • BACKWARD 3 • Q2/5

True or false?

The number halfway between 60 and 64 is 62.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B3-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 69 • BACKWARD 3 • Q3/5

2545

QUESTION ID

S69-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B3-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 69 • BACKWARD 3 • Q3/5

What number is halfway between 4 and 12?

- A.** 6
- B.** 8
- C.** 10
- D.** 16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B3-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 69 • BACKWARD 3 • Q4/5

2546

QUESTION ID

S69-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B3-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 69 • BACKWARD 3 • Q4/5

What number is halfway between 0 and 18?

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B3-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 69 • BACKWARD 3 • Q5/5

2547

QUESTION ID

S69-B3-Q5

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-B3-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 69 • BACKWARD 3 • Q5/5

SET 69 • 6.SP.A.2

FORWARD 1

Compare the centers of two populations • Grade 7 • Statistics & Probability •
7.SP.B.4

Class A has a median score of 82. Class B has a median score of 75. The variability is similar.

Which statement is true?

- A.** The classes scored the same.
- B.** Class A typically scored higher.
- C.** Class B typically scored higher.
- D.** Class A's scores vary more.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 69 • FORWARD 1 • Q1/5

2549

QUESTION ID

S69-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. Class A typically scored higher.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 69 • FORWARD 1 • Q1/5

Random samples: Town A has a mean age of 34 years.
Town B has a mean age of 42 years.
What is the difference in mean ages?

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 69 • FORWARD 1 • Q2/5

2550

QUESTION ID

S69-F1-Q2

TYPE

Short answer

CORRECT ANSWER

8 years

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 69 • FORWARD 1 • Q2/5

In random samples, 7th graders sleep a median of 8 hours, and 6th graders sleep a median of 9 hours.

Which group typically sleeps more?

Group: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 69 • FORWARD 1 • Q3/5

2551

QUESTION ID

S69-F1-Q3

TYPE

Short answer

CORRECT ANSWER

6th graders

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 69 • FORWARD 1 • Q3/5

Sample A has a mean of 12 and Sample B has a mean of 15. The samples have similar variability.

Which conclusion is best?

- A.** The populations are the same.
- B.** Values in population A tend to be greater.
- C.** Values in population B tend to be greater.
- D.** No conclusion is possible.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 69 • FORWARD 1 • Q4/5

2552

QUESTION ID

S69-F1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. Values in population B tend to be greater.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 69 • FORWARD 1 • Q4/5

True or false?

To compare the centers of two populations, you can compare the medians of random samples.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 69 • FORWARD 1 • Q5/5

2553

QUESTION ID

S69-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 69 • FORWARD 1 • Q5/5


FORWARD 2

Use a line of best fit to make predictions • Grade 8 • Statistics & Probability •
8.SP.A.2

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

Use the line of best fit to predict y when $x = 6$.

$y =$ _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 69 • FORWARD 2 • Q1/5 • NEAREST RELATED

2555

QUESTION ID

S69-F2-Q1

TYPE

Short answer

CORRECT ANSWER

8


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 69 • FORWARD 2 • Q1/5 • NEAREST RELATED

Use the line of best fit to predict y when $x = 2$.

$y =$ _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 69 • FORWARD 2 • Q2/5 • NEAREST RELATED

2556

QUESTION ID

S69-F2-Q2

TYPE

Short answer

CORRECT ANSWER

4


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 69 • FORWARD 2 • Q2/5 • NEAREST RELATED

Use the line of best fit to predict y when $x = 4$.

$y =$ _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 69 • FORWARD 2 • Q3/5 • NEAREST RELATED

2557

QUESTION ID

S69-F2-Q3

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 69 • FORWARD 2 • Q3/5 • NEAREST RELATED

Which statement about a line of best fit is true?

- A. It must pass through every point.
- B. It shows the overall trend of the data.
- C. It must pass through the origin.
- D. It is always horizontal.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 69 • FORWARD 2 • Q4/5 • NEAREST RELATED

2558

QUESTION ID

S69-F2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. It shows the overall trend of the data.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 69 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

A line of best fit usually has about the same number of points above it as below it.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 69 • FORWARD 2 • Q5/5 • NEAREST RELATED

2559

QUESTION ID

S69-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S69-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 69 • FORWARD 2 • Q5/5 • NEAREST RELATED

Describe the spread of a distribution

MAIN	Grade 6 main question	6.SP.A.2
BACKWARD 1	Finding a difference	2.NBT.B.5
BACKWARD 2	Reading a line plot	4.MD.B.4
BACKWARD 3	Greatest and least numbers	2.NBT.A.4
FORWARD 1	Compare variability of two distributions	7.SP.B.3
FORWARD 2	Judge how closely data fit a line	8.SP.A.2

SET 70 • 6.SP.A.2

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.A.2

What is the range of the data?



Range: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-M-Q1

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 70 • MAIN • Q1/5

2562

QUESTION ID

S70-M-Q1

TYPE

Short answer

CORRECT ANSWER


7 minutes

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-M-Q1

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 70 • MAIN • Q1/5

What is the range of the data?



Range: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-M-Q2

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 70 • MAIN • Q2/5

2563

QUESTION ID

S70-M-Q2

TYPE

Short answer

CORRECT ANSWER


6 pets

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-M-Q2

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 70 • MAIN • Q2/5

Which data set has the greater spread?



A. Data set A

B. Data set B

C. They have the same spread.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-M-Q3

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 70 • MAIN • Q3/5

2564

QUESTION ID

S70-M-Q3

TYPE

Multiple choice

CORRECT ANSWER


B. Data set B

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-M-Q3

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 70 • MAIN • Q3/5

What is the range of the jump lengths?



Range: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-M-Q4

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 70 • MAIN • Q4/5

2565

QUESTION ID

S70-M-Q4

TYPE

Short answer

CORRECT ANSWER

12 inches


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-M-Q4

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 70 • MAIN • Q4/5

True or false?

Data set A has a range of 2.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-M-Q5

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 70 • MAIN • Q5/5

2566

QUESTION ID

S70-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-M-Q5

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 70 • MAIN • Q5/5

SET 70 • 6.SP.A.2

BACKWARD 1

Finding a difference • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5

The greatest value is 47. The least value is 18.

What is the difference?

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 70 • BACKWARD 1 • Q1/5

2568

QUESTION ID

S70-B1-Q1

TYPE

Short answer

CORRECT ANSWER

29

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 70 • BACKWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$83 - 29$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 70 • BACKWARD 1 • Q2/5

2569

QUESTION ID

S70-B1-Q2

TYPE

Short answer

CORRECT ANSWER

54

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 70 • BACKWARD 1 • Q2/5

2569

True or false?

$$62 - 35 = 27$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 70 • BACKWARD 1 • Q3/5

2570

QUESTION ID

S70-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 70 • BACKWARD 1 • Q3/5

$$91 - 46 = ?$$

- A.** 45
- B.** 47
- C.** 55
- D.** 137

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 70 • BACKWARD 1 • Q4/5

2571

QUESTION ID

S70-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. 45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 70 • BACKWARD 1 • Q4/5

What is the difference between 66 and 54?

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 70 • BACKWARD 1 • Q5/5

2572

QUESTION ID

S70-B1-Q5

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B1-Q5


Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 70 • BACKWARD 1 • Q5/5

SET 70 • 6.SP.A.2

BACKWARD 2

Reading a line plot • Grade 4 • Measurement & Data • 4.MD.B.4

What is the longest ribbon length shown?



Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B2-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 70 • BACKWARD 2 • Q1/5

2574

QUESTION ID

S70-B2-Q1

TYPE

Short answer

CORRECT ANSWER


2 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B2-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 70 • BACKWARD 2 • Q1/5

What is the shortest ribbon length shown?



Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B2-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 70 • BACKWARD 2 • Q2/5

2575

QUESTION ID

S70-B2-Q2

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{2}$ foot


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B2-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 70 • BACKWARD 2 • Q2/5

True or false?

The longest pencil is 5 inches.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B2-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 70 • BACKWARD 2 • Q3/5

2576

QUESTION ID

S70-B2-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B2-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 70 • BACKWARD 2 • Q3/5

What is the shortest pencil length?



- A. 3 inches B. $3\frac{1}{2}$ inches C. 4 inches D. 5 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B2-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 70 • BACKWARD 2 • Q4/5

2577

QUESTION ID

S70-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER


A. 3 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B2-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 70 • BACKWARD 2 • Q4/5

How many plants are 1 inch tall?



Plants: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B2-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 70 • BACKWARD 2 • Q5/5

2578

QUESTION ID

S70-B2-Q5

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B2-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 70 • BACKWARD 2 • Q5/5

SET 70 • 6.SP.A.2

BACKWARD 3

Greatest and least numbers • Grade 2 • Number & Operations in Base Ten •
2.NBT.A.4

ANSWER KEY

Reduced copy of the question page, with its answer

What is the greatest number?

18, 81, 58, 85

Greatest: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 70 • BACKWARD 3 • Q1/5

2580

QUESTION ID

S70-B3-Q1

TYPE

Short answer

CORRECT ANSWER

85

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 70 • BACKWARD 3 • Q1/5

What is the least number?

204, 240, 402, 42

Least: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 70 • BACKWARD 3 • Q2/5

2581

QUESTION ID

S70-B3-Q2

TYPE

Short answer

CORRECT ANSWER

42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 70 • BACKWARD 3 • Q2/5

True or false?

The least number in the list 33, 30, 13, 31 is 13.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 70 • BACKWARD 3 • Q3/5

2582

QUESTION ID

S70-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 70 • BACKWARD 3 • Q3/5

Which number is greatest?

- A.** 207
- B.** 270
- C.** 702
- D.** 720

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 70 • BACKWARD 3 • Q4/5

2583

QUESTION ID

S70-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 720

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 70 • BACKWARD 3 • Q4/5

What is the least number?

66, 56, 65, 60

Least: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 70 • BACKWARD 3 • Q5/5

2584

QUESTION ID

S70-B3-Q5

TYPE

Short answer

CORRECT ANSWER

56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-B3-Q5


Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 70 • BACKWARD 3 • Q5/5

SET 70 • 6.SP.A.2

FORWARD 1

Compare variability of two distributions • Grade 7 • Statistics & Probability •
7.SP.B.3

Which data set has more variability?



- A.** Data set A **B.** Data set B **C.** They are the same.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 70 • FORWARD 1 • Q1/5

2586

QUESTION ID

S70-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. Data set B

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 70 • FORWARD 1 • Q1/5

Class A's mean is 60 and Class B's mean is 66. Each class has a MAD of 3.

The difference in means is how many times the MAD?

Times: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 70 • FORWARD 1 • Q2/5

2587

QUESTION ID

S70-F1-Q2

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 70 • FORWARD 1 • Q2/5

True or false?

Two data sets with means of 50 and 56 and MADs of 3 have means that differ by 2 MADs.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 70 • FORWARD 1 • Q3/5

2588

QUESTION ID

S70-F1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 70 • FORWARD 1 • Q3/5

Data set A has a mean of 20 and a MAD of 2. Data set B has a mean of 21 and a MAD of 6.

Which statement is true?

- A.** The means differ by 3 MADs.
- B.** Data set A's values are more spread out.
- C.** Data set B's values are more spread out.
- D.** The data sets do not overlap.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 70 • FORWARD 1 • Q4/5

2589

QUESTION ID

S70-F1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. Data set B's values are more spread out.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 70 • FORWARD 1 • Q4/5

Two data sets have means of 8 and 14. Each has a MAD of 1.5.

The difference in means is how many times the MAD?

Times: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 70 • FORWARD 1 • Q5/5

2590

QUESTION ID

S70-F1-Q5

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 70 • FORWARD 1 • Q5/5

SET 70 • 6.SP.A.2


FORWARD 2

Judge how closely data fit a line • Grade 8 • Statistics & Probability • 8.SP.A.2

True or false?

The line is a good fit for the data.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 70 • FORWARD 2 • Q1/5

2592

QUESTION ID

S70-F2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S70-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 70 • FORWARD 2 • Q1/5

True or false?

The line is a good fit for the data.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 70 • FORWARD 2 • Q2/5

2593

QUESTION ID

S70-F2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 70 • FORWARD 2 • Q2/5

Which is a sign of a good line of best fit?

- A. The line goes through only one point.
- B. All points are below the line.
- C. Points are close to the line on both sides.
- D. All points are above the line.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 70 • FORWARD 2 • Q3/5

2594

QUESTION ID

S70-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. Points are close to the line on both sides.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S70-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 70 • FORWARD 2 • Q3/5

True or false?

The line is a good fit for the data.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 70 • FORWARD 2 • Q4/5

2595

QUESTION ID

S70-F2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S70-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 70 • FORWARD 2 • Q4/5

Which point is farthest from the line?

Write its coordinates.

Point: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 70 • FORWARD 2 • Q5/5

2596

QUESTION ID

S70-F2-Q5

TYPE

Short answer

CORRECT ANSWER

(4, 10)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S70-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 70 • FORWARD 2 • Q5/5

A measure of center vs. a measure of variation

MAIN	Grade 6 main question	6.SP.A.3
BACKWARD 1	Reading a line plot	4.MD.B.4
BACKWARD 2	Sharing a total equally	5.MD.B.2
BACKWARD 3	Finding a difference	2.NBT.B.5
FORWARD 1	Compare populations using center and variability	7.SP.B.4
FORWARD 2	Interpret the slope and intercept of a linear model — nearest rela...	8.SP.A.3

SET 71 • 6.SP.A.3

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.A.3

Which measure describes the center of a data set?

- A.** Interquartile range
- B.** Mean absolute deviation
- C.** Median
- D.** Range

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-M-Q1

Grade 6 • Statistics & Probability • 6.SP.A.3 • Set 71 • MAIN • Q1/5

2599

QUESTION ID

S71-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

C. Median

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-M-Q1

Grade 6 • Statistics & Probability • 6.SP.A.3 • Set 71 • MAIN • Q1/5

Which measure describes how much the values in a data set vary?

- A. Mean
- B. The middle value
- C. Median
- D. Interquartile range

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-M-Q2

Grade 6 • Statistics & Probability • 6.SP.A.3 • Set 71 • MAIN • Q2/5

2600

QUESTION ID

S71-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. Interquartile range

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-M-Q2

Grade 6 • Statistics & Probability • 6.SP.A.3 • Set 71 • MAIN • Q2/5

True or false?

A measure of center summarizes all of the values in a data set with a single number.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-M-Q3

Grade 6 • Statistics & Probability • 6.SP.A.3 • Set 71 • MAIN • Q3/5

2601

QUESTION ID

S71-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-M-Q3

Grade 6 • Statistics & Probability • 6.SP.A.3 • Set 71 • MAIN • Q3/5

True or false?

A measure of variation describes how the values in a data set vary with a single number.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-M-Q4

Grade 6 • Statistics & Probability • 6.SP.A.3 • Set 71 • MAIN • Q4/5

2602

QUESTION ID

S71-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-M-Q4

Grade 6 • Statistics & Probability • 6.SP.A.3 • Set 71 • MAIN • Q4/5

Which measure is a measure of variation?

- A.** Median
- B.** Mean
- C.** Mean absolute deviation
- D.** The middle value

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-M-Q5

Grade 6 • Statistics & Probability • 6.SP.A.3 • Set 71 • MAIN • Q5/5

2603

QUESTION ID

S71-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. Mean absolute deviation

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-M-Q5

Grade 6 • Statistics & Probability • 6.SP.A.3 • Set 71 • MAIN • Q5/5


SET 71 • 6.SP.A.3

BACKWARD 1

Reading a line plot • Grade 4 • Measurement & Data • 4.MD.B.4

The line plot shows shell lengths.

How many shells are $1\frac{1}{2}$ inches long?



Shells: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 71 • BACKWARD 1 • Q1/5

2605

QUESTION ID

S71-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 71 • BACKWARD 1 • Q1/5

The line plot shows shell lengths.

How many shells are there in all?



Shells: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 71 • BACKWARD 1 • Q2/5

2606

QUESTION ID

S71-B1-Q2

TYPE

Short answer

CORRECT ANSWER

11


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 71 • BACKWARD 1 • Q2/5

True or false?

Three shells are 2 inches long.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 71 • BACKWARD 1 • Q3/5

2607

QUESTION ID

S71-B1-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 71 • BACKWARD 1 • Q3/5

Which shell length is most common?



- A. 1 inch B. $1\frac{1}{2}$ inches C. 2 inches D. $2\frac{1}{2}$ inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 71 • BACKWARD 1 • Q4/5

2608

QUESTION ID

S71-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER


B. $1\frac{1}{2}$ inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 71 • BACKWARD 1 • Q4/5

What is the total length of the 2-inch shells?



Total length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B1-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 71 • BACKWARD 1 • Q5/5

2609

QUESTION ID

S71-B1-Q5

TYPE

Short answer

CORRECT ANSWER

6 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B1-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 71 • BACKWARD 1 • Q5/5

SET 71 • 6.SP.A.3

BACKWARD 2

Sharing a total equally • Grade 5 • Measurement & Data • 5.MD.B.2

Three friends have 4, 6, and 8 stickers. They share all of the stickers equally.

How many stickers does each friend get?

Stickers: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B2-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 71 • BACKWARD 2 • Q1/5

2611

QUESTION ID

S71-B2-Q1

TYPE

Short answer

CORRECT ANSWER

6 stickers

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B2-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 71 • BACKWARD 2 • Q1/5

Four jars hold 2, 3, 5, and 6 liters of water. The water is shared equally among the jars.

How much water is in each jar?

Liters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B2-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 71 • BACKWARD 2 • Q2/5

2612

QUESTION ID

S71-B2-Q2

TYPE

Short answer

CORRECT ANSWER

4 liters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B2-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 71 • BACKWARD 2 • Q2/5

True or false?

Cups holding 1, 2, and 3 liters are shared equally.
Each cup then holds 2 liters.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B2-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 71 • BACKWARD 2 • Q3/5

2613

QUESTION ID

S71-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B2-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 71 • BACKWARD 2 • Q3/5

Five friends collected 3, 5, 6, 7, and 9 cans. They share the cans equally.

How many cans does each friend get?

A. 5

B. 6

C. 7

D. 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B2-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 71 • BACKWARD 2 • Q4/5

2614

QUESTION ID

S71-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B2-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 71 • BACKWARD 2 • Q4/5

Two bottles hold $\frac{1}{4}$ liter and $\frac{3}{4}$ liter. The juice is shared equally between the bottles.

How much juice is in each bottle?

Liters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B2-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 71 • BACKWARD 2 • Q5/5

2615

QUESTION ID

S71-B2-Q5

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{2}$ liter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B2-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 71 • BACKWARD 2 • Q5/5

SET 71 • 6.SP.A.3

BACKWARD 3

Finding a difference • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$76 - 38$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 71 • BACKWARD 3 • Q1/5

2617

QUESTION ID

S71-B3-Q1

TYPE

Short answer

CORRECT ANSWER

38

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 71 • BACKWARD 3 • Q1/5

2617

The highest score is 95 and the lowest is 58.

What is the difference?

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 71 • BACKWARD 3 • Q2/5

2618

QUESTION ID

S71-B3-Q2

TYPE

Short answer

CORRECT ANSWER

37

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 71 • BACKWARD 3 • Q2/5

True or false?

$$100 - 47 = 53$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 71 • BACKWARD 3 • Q3/5

2619

QUESTION ID

S71-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 71 • BACKWARD 3 • Q3/5

$$84 - 29 = ?$$

- A.** 45
- B.** 55
- C.** 65
- D.** 113

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 71 • BACKWARD 3 • Q4/5

2620

QUESTION ID

S71-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 55

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 71 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$62 - 17$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 71 • BACKWARD 3 • Q5/5

2621

QUESTION ID

S71-B3-Q5

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 71 • BACKWARD 3 • Q5/5

2621

SET 71 • 6.SP.A.3

FORWARD 1

Compare populations using center and variability • Grade 7 • Statistics & Probability • 7.SP.B.4

Class A has a median score of 82 and an IQR of 10.
Class B has a median score of 75 and an IQR of 10.

Which statement is true?

- A.** Class A typically scored higher.
- B.** Class A's scores vary more.
- C.** Class B typically scored higher.
- D.** The classes scored the same.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 71 • FORWARD 1 • Q1/5

2623

QUESTION ID

S71-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. Class A typically scored higher.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 71 • FORWARD 1 • Q1/5

True or false?

Two samples have the same median. The sample with the greater IQR has more variability.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 71 • FORWARD 1 • Q2/5

2624

QUESTION ID

S71-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 71 • FORWARD 1 • Q2/5

Which measure is best for comparing the variability of two samples?

- A.** IQR
- B.** Sample size
- C.** Median
- D.** Mean

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 71 • FORWARD 1 • Q3/5

2625

QUESTION ID

S71-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. IQR

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 71 • FORWARD 1 • Q3/5

Sample A: mean 40, MAD 2. Sample B: mean 40, MAD 7.

Which sample has values that vary more?

Sample: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 71 • FORWARD 1 • Q4/5

2626

QUESTION ID

S71-F1-Q4

TYPE

Short answer

CORRECT ANSWER

Sample B

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 71 • FORWARD 1 • Q4/5

Store A's daily sales have a median of \$520. Store B's have a median of \$610. Their IQRs are similar.

Which store typically has greater daily sales?

Store: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 71 • FORWARD 1 • Q5/5

2627

QUESTION ID

S71-F1-Q5

TYPE

Short answer

CORRECT ANSWER

Store B

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 71 • FORWARD 1 • Q5/5

FORWARD 2

Interpret the slope and intercept of a linear model • Grade 8 • Statistics & Probability • 8.SP.A.3

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

The model $y = 2.5x + 40$ predicts a test score y after x hours of study.

What does the slope 2.5 mean?

Meaning: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 71 • FORWARD 2 • Q1/5 • NEAREST RELATED

2629

QUESTION ID

S71-F2-Q1

TYPE

Short answer

CORRECT ANSWER

Each additional hour of study adds 2.5 points to the predicted score.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 71 • FORWARD 2 • Q1/5 • NEAREST RELATED

The model $y = 3x + 12$ gives a plant's height y (cm) after x weeks.

What does 12 represent?

- A.** The number of weeks
- B.** The height at week 0
- C.** The height after 12 weeks
- D.** The growth per week

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 71 • FORWARD 2 • Q2/5 • NEAREST RELATED

2630

QUESTION ID

S71-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. The height at week 0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 71 • FORWARD 2 • Q2/5 • NEAREST RELATED

True or false?

In the model $y = -0.5x + 30$, y decreases by 0.5 for each increase of 1 in x .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 71 • FORWARD 2 • Q3/5 • NEAREST RELATED

2631

QUESTION ID

S71-F2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 71 • FORWARD 2 • Q3/5 • NEAREST RELATED

The model $y = 1.2x + 5$ gives the length y (cm) of a fish at x months old.

What does 5 represent?

Meaning: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 71 • FORWARD 2 • Q4/5 • NEAREST RELATED

2632

QUESTION ID

S71-F2-Q4

TYPE

Short answer

CORRECT ANSWER

The fish's length at 0 months: it starts at 5 cm.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 71 • FORWARD 2 • Q4/5 • NEAREST RELATED

In the model $y = 45x + 200$, what does 45 represent if y is dollars saved after x weeks?

- A. Total savings
- B. Starting savings
- C. Number of weeks
- D. Dollars saved per week

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 71 • FORWARD 2 • Q5/5 • NEAREST RELATED

2633

QUESTION ID

S71-F2-Q5

TYPE

Multiple choice

CORRECT ANSWER

D. Dollars saved per week

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S71-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 71 • FORWARD 2 • Q5/5 • NEAREST RELATED

Display numerical data in a dot plot

MAIN	Grade 6 main question	6.SP.B.4
BACKWARD 1	Line plots of whole-number measurements	2.MD.D.9
BACKWARD 2	Line plots with fractional measurements	4.MD.B.4
BACKWARD 3	Ordering numbers	2.NBT.A.4
FORWARD 1	Compare two dot plots	7.SP.B.3
FORWARD 2	Construct a scatter plot	8.SP.A.1

SET 72 • 6.SP.B.4

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.4

Data: 2, 4, 4, 5, 7, 7, 7, 9

Make a dot plot of the data on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 72 • MAIN • Q1/5

2636

QUESTION ID

S72-M-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

**Dot plot: 1 dot at 2,
2 dots at 4, 1 dot at
5, 3 dots at 7, 1 dot
at 9**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 72 • MAIN • Q1/5

Number of pets: 0, 1, 1, 2, 2, 2, 3, 5

Make a dot plot of the data on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 72 • MAIN • Q2/5

2637

QUESTION ID

S72-M-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

**Dot plot: 1 dot at 0,
2 dots at 1, 3 dots at
2, 1 dot at 3, 1 dot
at 5**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 72 • MAIN • Q2/5

Quiz scores: 6, 7, 7, 8, 8, 8, 9, 10, 10

Make a dot plot of the data on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 72 • MAIN • Q3/5

2638

QUESTION ID

S72-M-Q3

TYPE

Drawing / plotting

CORRECT ANSWER

**Dot plot: 1 dot at 6,
2 dots at 7, 3 dots at
8, 1 dot at 9, 2 dots
at 10**


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 72 • MAIN • Q3/5

Ribbon lengths (feet): $\frac{1}{2}$, 1, 1, $1\frac{1}{2}$, 2, 1

Make a dot plot of the data on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 72 • MAIN • Q4/5

2639

QUESTION ID

S72-M-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

Dot plot: 1 dot at $\frac{1}{2}$, 3 dots at 1, 1 dot at $1\frac{1}{2}$, 1 dot at 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 72 • MAIN • Q4/5

Hours of sleep: 7, 8, 9, 8, 10, 7, 8

Make a dot plot of the data on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 72 • MAIN • Q5/5

2640

QUESTION ID

S72-M-Q5

TYPE

Drawing / plotting

CORRECT ANSWER

**Dot plot: 2 dots at 7,
3 dots at 8, 1 dot at
9, 1 dot at 10**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 72 • MAIN • Q5/5

SET 72 • 6.SP.B.4

BACKWARD 1

Line plots of whole-number measurements • Grade 2 • Measurement & Data •
2.MD.D.9

Lengths (inches): 3, 4, 4, 5, 4

In a line plot, how many marks are drawn at 4?

Marks: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B1-Q1

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 72 • BACKWARD 1 • Q1/5

2642

QUESTION ID

S72-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B1-Q1

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 72 • BACKWARD 1 • Q1/5

Lengths (cm): 2, 3, 3, 5

Make a line plot of the lengths.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B1-Q2

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 72 • BACKWARD 1 • Q2/5

2643

QUESTION ID

S72-B1-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

Line plot: 1 mark at 2, 2 marks at 3, 1 mark at 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B1-Q2

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 72 • BACKWARD 1 • Q2/5

True or false?

In a line plot of 6, 6, 7, 9, there are two marks above 6.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B1-Q3

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 72 • BACKWARD 1 • Q3/5

2644

QUESTION ID

S72-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B1-Q3

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 72 • BACKWARD 1 • Q3/5

Which number line is best for a line plot of 12, 14, 15, 15?

- A. A number line from 0 to 100 by tens
- B. A number line from 20 to 30
- C. A number line from 10 to 16
- D. A number line from 0 to 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B1-Q4

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 72 • BACKWARD 1 • Q4/5

2645

QUESTION ID

S72-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

**C. A number line
from 10 to 16**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B1-Q4

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 72 • BACKWARD 1 • Q4/5

Lengths (feet): 8, 9, 9, 9, 11

Which value gets the most marks?

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B1-Q5

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 72 • BACKWARD 1 • Q5/5

2646

QUESTION ID

S72-B1-Q5

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B1-Q5

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 72 • BACKWARD 1 • Q5/5

SET 72 • 6.SP.B.4

BACKWARD 2

Line plots with fractional measurements • Grade 4 • Measurement & Data •
4.MD.B.4

Lengths (inches): $\frac{1}{2}$, 1, 1, $1\frac{1}{2}$, 1, $\frac{1}{2}$

In a line plot, how many X's are drawn at 1?

X's: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B2-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 72 • BACKWARD 2 • Q1/5

2648

QUESTION ID

S72-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B2-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 72 • BACKWARD 2 • Q1/5

True or false?

In a line plot of 2, $2\frac{1}{2}$, $2\frac{1}{2}$, 3, there are two X's above $2\frac{1}{2}$.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B2-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 72 • BACKWARD 2 • Q2/5

2649

QUESTION ID

S72-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B2-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 72 • BACKWARD 2 • Q2/5

Which number line would you use for these lengths?

$\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$, $\frac{1}{2}$

- A. A number line from 0 to 10 marked in ones
- B. A number line from 0 to 100 marked in tens
- C. A number line from 1 to 2 marked in halves
- D. A number line from 0 to 1 marked in fourths

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B2-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 72 • BACKWARD 2 • Q3/5

2650

QUESTION ID

S72-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

**D. A number line
from 0 to 1 marked
in fourths**


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B2-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 72 • BACKWARD 2 • Q3/5

Lengths (inches): $\frac{1}{4}$, $\frac{1}{2}$, $\frac{1}{2}$, $\frac{3}{4}$

Make a line plot of the lengths.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B2-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 72 • BACKWARD 2 • Q4/5

2651

QUESTION ID

S72-B2-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

**Line plot: 1 X at $\frac{1}{4}$,
2 X's at $\frac{1}{2}$, 1 X at
 $\frac{3}{4}$**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B2-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 72 • BACKWARD 2 • Q4/5

True or false?

A line plot shows each data value as a mark above a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B2-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 72 • BACKWARD 2 • Q5/5

2652

QUESTION ID

S72-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B2-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 72 • BACKWARD 2 • Q5/5

SET 72 • 6.SP.B.4

BACKWARD 3

Ordering numbers • Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4

Order from least to greatest.

7, 2, 9, 4, 4

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 72 • BACKWARD 3 • Q1/5

2654

QUESTION ID

S72-B3-Q1

TYPE

Short answer

CORRECT ANSWER

2, 4, 4, 7, 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 72 • BACKWARD 3 • Q1/5

Which list is in order from least to greatest?

- A.** 6, 7, 8, 10
- B.** 10, 8, 7, 6
- C.** 7, 6, 8, 10
- D.** 6, 8, 7, 10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 72 • BACKWARD 3 • Q2/5

2655

QUESTION ID

S72-B3-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 6, 7, 8, 10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 72 • BACKWARD 3 • Q2/5

True or false?

These numbers are in order from least to greatest: 1, 2, 5, 3

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 72 • BACKWARD 3 • Q3/5

2656

QUESTION ID

S72-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 72 • BACKWARD 3 • Q3/5

What are the least and greatest values?

8, 10, 7, 9, 7

Least: _____

Greatest: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 72 • BACKWARD 3 • Q4/5

2657

QUESTION ID

S72-B3-Q4

TYPE

Short answer

CORRECT ANSWER

**Least: 7; Greatest:
10**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 72 • BACKWARD 3 • Q4/5

Which number is least?

- A.** 0
- B.** 1
- C.** 2
- D.** 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 72 • BACKWARD 3 • Q5/5

2658

QUESTION ID

S72-B3-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. 0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-B3-Q5


Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 72 • BACKWARD 3 • Q5/5

SET 72 • 6.SP.B.4

FORWARD 1

Compare two dot plots • Grade 7 • Statistics & Probability • 7.SP.B.3

About how many points greater is the center of Class A's scores than Class B's?



Points: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 72 • FORWARD 1 • Q1/5

2660

QUESTION ID

S72-F1-Q1

TYPE

Short answer

CORRECT ANSWER

About 3 points


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 72 • FORWARD 1 • Q1/5

True or false?

The two dot plots overlap.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 72 • FORWARD 1 • Q2/5

2661

QUESTION ID

S72-F1-Q2

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 72 • FORWARD 1 • Q2/5

Which statement is true?



- A.** Class B has more variability. **B.** The medians are equal.
- C.** Class B's scores are typically higher. **D.** Class A's scores are typically higher.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 72 • FORWARD 1 • Q3/5

2662

QUESTION ID

S72-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER


D. Class A's scores are typically higher.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 72 • FORWARD 1 • Q3/5

What is the range of each class's scores?



Class A: _____

Class B: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 72 • FORWARD 1 • Q4/5

2663

QUESTION ID

S72-F1-Q4

TYPE

Short answer

CORRECT ANSWER

Class A: 3; Class B: 3


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 72 • FORWARD 1 • Q4/5

True or false?

Data set A and data set B have the same median.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 72 • FORWARD 1 • Q5/5

2664

QUESTION ID

S72-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 72 • FORWARD 1 • Q5/5


SET 72 • 6.SP.B.4

FORWARD 2

Construct a scatter plot • Grade 8 • Statistics & Probability • 8.SP.A.1

Make a scatter plot of the data.

Hours	1	2	3	4	5
Score	60	65	75	80	90



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 72 • FORWARD 2 • Q1/5

2666

QUESTION ID

S72-F2-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

**Scatter plot with
points (1, 60), (2,
65), (3, 75), (4, 80),
(5, 90)**


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 72 • FORWARD 2 • Q1/5

Make a scatter plot of the data.

Age	2	4	6	8
Height (in.)	34	40	46	50



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 72 • FORWARD 2 • Q2/5

2667

QUESTION ID

S72-F2-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

**Scatter plot with
points (2, 34), (4,
40), (6, 46), (8, 50)**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 72 • FORWARD 2 • Q2/5

A scatter plot shows age on the x-axis and height on the y-axis.

A 10-year-old is 54 inches tall. Which point shows this person?

- A.** (54, 10) **B.** (54, 54)
C. (10, 10) **D.** (10, 54)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 72 • FORWARD 2 • Q3/5

2668

QUESTION ID

S72-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. (10, 54)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 72 • FORWARD 2 • Q3/5

Make a scatter plot of the data.

Price (\$)	1	2	3	4
Sold	9	7	4	2



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 72 • FORWARD 2 • Q4/5

2669

QUESTION ID

S72-F2-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

**Scatter plot with
points (1, 9), (2, 7),
(3, 4), (4, 2)**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 72 • FORWARD 2 • Q4/5

True or false?

To make a scatter plot of height and arm span, each person is shown as one point.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 72 • FORWARD 2 • Q5/5

2670

QUESTION ID

S72-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S72-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 72 • FORWARD 2 • Q5/5

Display numerical data in a histogram

MAIN	Grade 6 main question	6.SP.B.4
BACKWARD 1	Drawing a scaled bar graph	3.MD.B.3
BACKWARD 2	Placing numbers in intervals	2.NBT.A.4
BACKWARD 3	Organizing data into categories	1.MD.C.4
FORWARD 1	Compare two populations shown in histograms	7.SP.B.4
FORWARD 2	Display numerical data for two variables in a scatter plot — neares...	8.SP.A.1

SET 73 • 6.SP.B.4

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.4

Books read: 3, 12, 15, 8, 22, 17, 25, 11, 31, 19

Make a histogram of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 73 • MAIN • Q1/5

2673

QUESTION ID

S73-M-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

**Histogram bars: 0-9:
2; 10-19: 5; 20-29:
2; 30-39: 1**


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 73 • MAIN • Q1/5

Heights (in.): 52, 58, 61, 55, 63, 57, 66, 60, 54, 59

Make a histogram of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 73 • MAIN • Q2/5

2674

QUESTION ID

S73-M-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

Histogram bars:

50-54: 2; 55-59: 4;

60-64: 3; 65-69: 1


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 73 • MAIN • Q2/5

Ages: 11, 12, 12, 13, 14, 14, 14, 15, 16, 17, 19

Make a histogram of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 73 • MAIN • Q3/5

2675

QUESTION ID

S73-M-Q3

TYPE

Drawing / plotting

CORRECT ANSWER

Histogram bars:

10-11: 1; 12-13: 3;

14-15: 4; 16-17: 2;

18-19: 1


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 73 • MAIN • Q3/5

Minutes of exercise: 5, 18, 22, 25, 30, 34, 41, 45, 12, 28

Make a histogram of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 73 • MAIN • Q4/5

2676

QUESTION ID

S73-M-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

Histogram bars:
0-15: 2; 16-31: 5;
32-47: 3


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 73 • MAIN • Q4/5

Test scores: 62, 75, 78, 81, 84, 88, 90, 93, 95, 71, 86, 79

Make a histogram of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 73 • MAIN • Q5/5

2677

QUESTION ID

S73-M-Q5

TYPE

Drawing / plotting

CORRECT ANSWER

Histogram bars:

60-69: 1; 70-79: 4;

80-89: 4; 90-99: 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 73 • MAIN • Q5/5

SET 73 • 6.SP.B.4

BACKWARD 1

Drawing a scaled bar graph • Grade 3 • Measurement & Data • 3.MD.B.3

Draw a bar graph: Red 4, Blue 6, Green 2.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B1-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 73 • BACKWARD 1 • Q1/5

2679

QUESTION ID

S73-B1-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

**Bar graph bars: Red
4, Blue 6, Green 2**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B1-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 73 • BACKWARD 1 • Q1/5

On a bar graph, the bar for "Cats" ends at 5 on a scale that counts by 1s.

How many cats does the bar show?

Cats: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B1-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 73 • BACKWARD 1 • Q2/5

2680

QUESTION ID

S73-B1-Q2

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B1-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 73 • BACKWARD 1 • Q2/5

True or false?

On a bar graph with a scale of 2, a bar that stops halfway between 6 and 8 shows 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B1-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 73 • BACKWARD 1 • Q3/5

2681

QUESTION ID

S73-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B1-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 73 • BACKWARD 1 • Q3/5

A bar graph has a scale that counts by 5s. A bar shows 20.

How many grid lines tall is the bar?

A. 4

B. 5

C. 15

D. 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B1-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 73 • BACKWARD 1 • Q4/5

2682

QUESTION ID

S73-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER


A. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B1-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 73 • BACKWARD 1 • Q4/5

Draw a bar graph: Apples 3, Pears 1, Plums 5.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B1-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 73 • BACKWARD 1 • Q5/5

2683

QUESTION ID

S73-B1-Q5

TYPE

Drawing / plotting

CORRECT ANSWER

**Bar graph bars:
Apples 3, Pears 1,
Plums 5**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B1-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 73 • BACKWARD 1 • Q5/5

SET 73 • 6.SP.B.4

BACKWARD 2

Placing numbers in intervals • Grade 2 • Number & Operations in Base Ten •
2.NBT.A.4

Which interval contains 17?

- A.** 0–9
- B.** 10–19
- C.** 20–29
- D.** 30–39

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 73 • BACKWARD 2 • Q1/5

2685

QUESTION ID

S73-B2-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. 10–19

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 73 • BACKWARD 2 • Q1/5

True or false?

25 is in the interval 20–29.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 73 • BACKWARD 2 • Q2/5

2686

QUESTION ID

S73-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 73 • BACKWARD 2 • Q2/5

Data: 3, 12, 15, 18, 22

How many of the numbers are in the interval 10–19?

Numbers: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 73 • BACKWARD 2 • Q3/5

2687

QUESTION ID

S73-B2-Q3

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 73 • BACKWARD 2 • Q3/5

Which number is in the interval 30–39?

- A.** 3
- B.** 29
- C.** 34
- D.** 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 73 • BACKWARD 2 • Q4/5

2688

QUESTION ID

S73-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 34

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 73 • BACKWARD 2 • Q4/5

True or false?

19 is in the interval 20–29.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 73 • BACKWARD 2 • Q5/5

2689

QUESTION ID

S73-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 73 • BACKWARD 2 • Q5/5

SET 73 • 6.SP.B.4

BACKWARD 3

Organizing data into categories • Grade 1 • Measurement & Data • 1.MD.C.4

Data: cat, dog, cat, fish, dog, cat

How many answers are "cat"?

Cat: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B3-Q1

Grade 1 • Measurement & Data • 1.MD.C.4 • Set 73 • BACKWARD 3 • Q1/5

2691

QUESTION ID

S73-B3-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B3-Q1

Grade 1 • Measurement & Data • 1.MD.C.4 • Set 73 • BACKWARD 3 • Q1/5

True or false?

Data: red, blue, red, red. There are 3 answers of "red."

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B3-Q2

Grade 1 • Measurement & Data • 1.MD.C.4 • Set 73 • BACKWARD 3 • Q2/5

2692

QUESTION ID

S73-B3-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B3-Q2

Grade 1 • Measurement & Data • 1.MD.C.4 • Set 73 • BACKWARD 3 • Q2/5

Data: A, B, A, C, A, B

Which category has the most?

- A.** A
- B.** B
- C.** C

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B3-Q3

Grade 1 • Measurement & Data • 1.MD.C.4 • Set 73 • BACKWARD 3 • Q3/5

2693

QUESTION ID

S73-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. A

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B3-Q3

Grade 1 • Measurement & Data • 1.MD.C.4 • Set 73 • BACKWARD 3 • Q3/5

Data: yes, no, yes, yes, no

How many more "yes" answers than "no" answers are there?

More: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B3-Q4

Grade 1 • Measurement & Data • 1.MD.C.4 • Set 73 • BACKWARD 3 • Q4/5

2694

QUESTION ID

S73-B3-Q4

TYPE

Short answer

CORRECT ANSWER

1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B3-Q4

Grade 1 • Measurement & Data • 1.MD.C.4 • Set 73 • BACKWARD 3 • Q4/5

Data: 3, 7, 12, 14, 18

How many numbers are less than 10?

Numbers: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B3-Q5

Grade 1 • Measurement & Data • 1.MD.C.4 • Set 73 • BACKWARD 3 • Q5/5

2695

QUESTION ID

S73-B3-Q5

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-B3-Q5



Grade 1 • Measurement & Data • 1.MD.C.4 • Set 73 • BACKWARD 3 • Q5/5

SET 73 • 6.SP.B.4

FORWARD 1

Compare two populations shown in histograms • Grade 7 • Statistics & Probability • 7.SP.B.4

Which sample tends to have greater values?



- A.** Sample A **B.** Sample B **C.** They are the same.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 73 • FORWARD 1 • Q1/5

2697

QUESTION ID

S73-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER


B. Sample B

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S73-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 73 • FORWARD 1 • Q1/5

In which interval is the median of Sample A?



Sample A



Sample B

- A. 0-4 B. 5-9 C. 10-14 D. 15-19

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 73 • FORWARD 1 • Q2/5

2698

QUESTION ID

S73-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER



B. 5-9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 73 • FORWARD 1 • Q2/5

How many values are in each sample?



Values: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 73 • FORWARD 1 • Q3/5

2699

QUESTION ID

S73-F1-Q3

TYPE

Short answer

CORRECT ANSWER

12 values in each sample


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F1-Q3


Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 73 • FORWARD 1 • Q3/5

True or false?

Sample B has more values from 15 to 19 than Sample A.



Sample A



Sample B

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 73 • FORWARD 1 • Q4/5

2700

QUESTION ID

S73-F1-Q4

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S73-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 73 • FORWARD 1 • Q4/5

In which interval is the median of Sample B?



Sample A



Sample B

- A. 0-4 B. 5-9 C. 10-14 D. 15-19

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 73 • FORWARD 1 • Q5/5

2701

QUESTION ID

S73-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. 10-14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 73 • FORWARD 1 • Q5/5

FORWARD 2


Display numerical data for two variables in a scatter plot • Grade 8 • Statistics & Probability • 8.SP.A.1

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

Make a scatter plot of the data.

Describe the association between temperature and drinks sold.

Temp (°F)	60	70	75	85	90
Drinks sold	20	35	40	55	65



Association: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 73 • FORWARD 2 • Q1/5 • NEAREST RELATED

2703

QUESTION ID

S73-F2-Q1

TYPE

Short answer

CORRECT ANSWER

Points plotted at (60, 20), (70, 35), (75, 40), (85, 55), (90, 65). Positive association: as the temperature increases, more drinks are sold.


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 73 • FORWARD 2 • Q1/5 • NEAREST RELATED

Make a scatter plot of the data.

Height (in.)	50	54	58	62
Arm span (in.)	49	55	57	63



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 73 • FORWARD 2 • Q2/5 • NEAREST RELATED

2704

QUESTION ID

S73-F2-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

**Points plotted at
(50, 49), (54, 55),
(58, 57), (62, 63)**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 73 • FORWARD 2 • Q2/5 • NEAREST RELATED

A data set gives the height and the shoe size of 20 students.

Which display shows how the two variables are related?

- A.** Dot plot
- B.** Scatter plot
- C.** Box plot
- D.** Histogram

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 73 • FORWARD 2 • Q3/5 • NEAREST RELATED

2705

QUESTION ID

S73-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. Scatter plot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 73 • FORWARD 2 • Q3/5 • NEAREST RELATED

True or false?

A histogram displays one numerical variable, while a scatter plot displays two numerical variables for each person or object.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 73 • FORWARD 2 • Q4/5 • NEAREST RELATED

2706

QUESTION ID

S73-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S73-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 73 • FORWARD 2 • Q4/5 • NEAREST RELATED

Make a scatter plot of the data.

Which point does not fit the pattern?

Hours	1	2	3	4	5
Score	62	68	40	80	86



Point: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 73 • FORWARD 2 • Q5/5 • NEAREST RELATED

2707

QUESTION ID

S73-F2-Q5

TYPE

Short answer

CORRECT ANSWER

Points plotted at (1, 62), (2, 68), (3, 40), (4, 80), (5, 86). The point (3, 40) does not fit the pattern.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S73-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 73 • FORWARD 2 • Q5/5 • NEAREST RELATED

Display numerical data in a box plot

MAIN	Grade 6 main question	6.SP.B.4
BACKWARD 1	Ordering numbers	2.NBT.A.4
BACKWARD 2	Halfway between two numbers	2.MD.B.6
BACKWARD 3	Reading a number line scale	4.MD.A.2
BACKWARD 4	Finding the median	6.SP.B.5.c
FORWARD 1	Compare populations with box plots	7.SP.B.4
FORWARD 2	Spread and outliers in scatter plots — nearest related (no direct G...	8.SP.A.1

SET 74 • 6.SP.B.4

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.4

Data: 3, 5, 7, 8, 10, 12, 15

Make a box plot of the data on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 74 • MAIN • Q1/5

2710

QUESTION ID

S74-M-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

**Box plot: minimum
3, Q1 5, median 8,
Q3 12, maximum 15**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 74 • MAIN • Q1/5

Data: 12, 14, 15, 18, 20, 21, 25, 28

Make a box plot of the data on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 74 • MAIN • Q2/5

2711

QUESTION ID

S74-M-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

**Box plot: minimum
12, Q1 14.5, median
19, Q3 23, maximum
28**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 74 • MAIN • Q2/5

Data: 40, 45, 45, 50, 55, 60, 70

Make a box plot of the data on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 74 • MAIN • Q3/5

2712

QUESTION ID

S74-M-Q3

TYPE

Drawing / plotting

CORRECT ANSWER

**Box plot: minimum
40, Q1 45, median
50, Q3 60, maximum
70**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 74 • MAIN • Q3/5

Data: 2, 4, 4, 5, 6, 8, 9, 11, 12

Make a box plot of the data on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 74 • MAIN • Q4/5

2713

QUESTION ID

S74-M-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

**Box plot: minimum
2, Q1 4, median 6,
Q3 10, maximum 12**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 74 • MAIN • Q4/5

Data: 21, 23, 24, 26, 28, 30, 31, 35

Make a box plot of the data on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 74 • MAIN • Q5/5

2714

QUESTION ID

S74-M-Q5

TYPE

Drawing / plotting

CORRECT ANSWER

**Box plot: minimum
21, Q1 23.5, median
27, Q3 30.5,
maximum 35**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 74 • MAIN • Q5/5

SET 74 • 6.SP.B.4

BACKWARD 1

Ordering numbers • Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4

ANSWER KEY

Reduced copy of the question page, with its answer

Order from least to greatest.

15, 8, 23, 4, 16

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 74 • BACKWARD 1 • Q1/5

2716

QUESTION ID

S74-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4, 8, 15, 16, 23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 74 • BACKWARD 1 • Q1/5

2716

Which list is in order from least to greatest?

- A. 27, 21, 12, 7
- B. 7, 21, 12, 27
- C. 12, 7, 21, 27
- D. 7, 12, 21, 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 74 • BACKWARD 1 • Q2/5

2717

QUESTION ID

S74-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 7, 12, 21, 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 74 • BACKWARD 1 • Q2/5

True or false?

These numbers are in order from least to greatest: 30, 33, 31, 35

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 74 • BACKWARD 1 • Q3/5

2718

QUESTION ID

S74-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 74 • BACKWARD 1 • Q3/5

Order from least to greatest.

62, 26, 60, 20, 66

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 74 • BACKWARD 1 • Q4/5

2719

QUESTION ID

S74-B1-Q4

TYPE

Short answer

CORRECT ANSWER

20, 26, 60, 62, 66

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 74 • BACKWARD 1 • Q4/5

Which number is least?

- A.** 108
- B.** 118
- C.** 180
- D.** 801

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 74 • BACKWARD 1 • Q5/5

2720

QUESTION ID

S74-B1-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. 108

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 74 • BACKWARD 1 • Q5/5

SET 74 • 6.SP.B.4

BACKWARD 2

Halfway between two numbers • Grade 2 • Measurement & Data • 2.MD.B.6

What number is halfway between 12 and 18?

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B2-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 74 • BACKWARD 2 • Q1/5

2722

QUESTION ID

S74-B2-Q1

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B2-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 74 • BACKWARD 2 • Q1/5

What number is halfway between points A and B?



Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B2-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 74 • BACKWARD 2 • Q2/5

2723

QUESTION ID

S74-B2-Q2

TYPE

Short answer

CORRECT ANSWER

25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B2-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 74 • BACKWARD 2 • Q2/5

True or false?

The number halfway between 40 and 50 is 45.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B2-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 74 • BACKWARD 2 • Q3/5

2724

QUESTION ID

S74-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B2-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 74 • BACKWARD 2 • Q3/5

What number is halfway between 6 and 10?

- A.** 4
- B.** 7
- C.** 8
- D.** 16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B2-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 74 • BACKWARD 2 • Q4/5

2725

QUESTION ID

S74-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B2-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 74 • BACKWARD 2 • Q4/5

What number is halfway between 0 and 30?

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B2-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 74 • BACKWARD 2 • Q5/5

2726

QUESTION ID

S74-B2-Q5

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B2-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 74 • BACKWARD 2 • Q5/5

SET 74 • 6.SP.B.4

BACKWARD 3

Reading a number line scale • Grade 4 • Measurement & Data • 4.MD.A.2

What number is at point A?



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B3-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 74 • BACKWARD 3 • Q1/5

2728

QUESTION ID

S74-B3-Q1

TYPE

Short answer

CORRECT ANSWER

65

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B3-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 74 • BACKWARD 3 • Q1/5

What number is at point B?



B = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B3-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 74 • BACKWARD 3 • Q2/5

2729

QUESTION ID

S74-B3-Q2

TYPE

Short answer

CORRECT ANSWER

34


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B3-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 74 • BACKWARD 3 • Q2/5

True or false?

Point C is at 12.



- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B3-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 74 • BACKWARD 3 • Q3/5

2730

QUESTION ID

S74-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B3-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 74 • BACKWARD 3 • Q3/5

What number is at point D?



A. 150

B. 170

C. 175

D. 180

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B3-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 74 • BACKWARD 3 • Q4/5

2731

QUESTION ID

S74-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 175

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B3-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 74 • BACKWARD 3 • Q4/5

What number is at point E?



E = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B3-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 74 • BACKWARD 3 • Q5/5

2732

QUESTION ID

S74-B3-Q5

TYPE

Short answer

CORRECT ANSWER

450

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B3-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 74 • BACKWARD 3 • Q5/5

SET 74 • 6.SP.B.4

BACKWARD 4

Finding the median • Grade 6 • Statistics & Probability • 6.SP.B.5.c

Find the median.

3, 5, 7, 8, 10, 12, 15

Median: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B4-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 74 • BACKWARD 4 • Q1/5

2734

QUESTION ID

S74-B4-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B4-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 74 • BACKWARD 4 • Q1/5

Find the median.

12, 14, 15, 18, 20, 21, 25, 28

Median: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B4-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 74 • BACKWARD 4 • Q2/5

2735

QUESTION ID

S74-B4-Q2

TYPE

Short answer

CORRECT ANSWER

19

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B4-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 74 • BACKWARD 4 • Q2/5

True or false?

The median of 40, 45, 45, 50, 55, 60, 70 is 50.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B4-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 74 • BACKWARD 4 • Q3/5

2736

QUESTION ID

S74-B4-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B4-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 74 • BACKWARD 4 • Q3/5

What is the median of 2, 4, 4, 5, 6, 8, 9, 11, 12?

- A.** 5
- B.** 6
- C.** 7
- D.** 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B4-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 74 • BACKWARD 4 • Q4/5

2737

QUESTION ID

S74-B4-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B4-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 74 • BACKWARD 4 • Q4/5

Find the median of the lower half.

3, 5, 7

Median: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B4-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 74 • BACKWARD 4 • Q5/5

2738

QUESTION ID

S74-B4-Q5

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-B4-Q5


Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 74 • BACKWARD 4 • Q5/5

SET 74 • 6.SP.B.4

FORWARD 1

Compare populations with box plots • Grade 7 • Statistics & Probability •
7.SP.B.4

Which class has the greater median score?



- A.** Class A **B.** Class B **C.** They are the same.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 74 • FORWARD 1 • Q1/5

2740

QUESTION ID

S74-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER


A. Class A

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 74 • FORWARD 1 • Q1/5

By how many points do the medians differ?



- A. 3 B. 5 C. 8 D. 15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 74 • FORWARD 1 • Q2/5

2741

QUESTION ID

S74-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER


C. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 74 • FORWARD 1 • Q2/5

What is the interquartile range of Class A's scores?



IQR: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 74 • FORWARD 1 • Q3/5

2742

QUESTION ID

S74-F1-Q3

TYPE

Short answer

CORRECT ANSWER

15


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 74 • FORWARD 1 • Q3/5

True or false?

At least half of Class A scored 78 or higher.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 74 • FORWARD 1 • Q4/5

2743

QUESTION ID

S74-F1-Q4

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 74 • FORWARD 1 • Q4/5

Which class had the highest single score?



Class: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 74 • FORWARD 1 • Q5/5

2744

QUESTION ID

S74-F1-Q5

TYPE

Short answer

CORRECT ANSWER

Class A

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 74 • FORWARD 1 • Q5/5

FORWARD 2


Spread and outliers in scatter plots • Grade 8 • Statistics & Probability •
8.SP.A.1

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

Which point is an outlier?

Write its coordinates.

Outlier: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 74 • FORWARD 2 • Q1/5 • NEAREST RELATED

2746

QUESTION ID

S74-F2-Q1

TYPE

Short answer

CORRECT ANSWER

(6, 20)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S74-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 74 • FORWARD 2 • Q1/5 • NEAREST RELATED

Which point is an outlier?

Write its coordinates.

Outlier: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 74 • FORWARD 2 • Q2/5 • NEAREST RELATED

2747

QUESTION ID

S74-F2-Q2

TYPE

Short answer

CORRECT ANSWER

(5, 9.5)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 74 • FORWARD 2 • Q2/5 • NEAREST RELATED

Which describes the scatter plot?

- A. A single outlier
- B. A strong positive association
- C. No pattern
- D. Two clusters



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 74 • FORWARD 2 • Q3/5 • NEAREST RELATED

2748

QUESTION ID

S74-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. Two clusters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 74 • FORWARD 2 • Q3/5 • NEAREST RELATED

True or false?

An outlier in a scatter plot is a point that is far from the overall pattern.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 74 • FORWARD 2 • Q4/5 • NEAREST RELATED

2749

QUESTION ID

S74-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S74-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 74 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

The scatter plot shows no association.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 74 • FORWARD 2 • Q5/5 • NEAREST RELATED

2750

QUESTION ID

S74-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S74-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 74 • FORWARD 2 • Q5/5 • NEAREST RELATED

Report the number of observations

MAIN	Grade 6 main question	6.SP.B.5.a
BACKWARD 1	Reading a line plot	4.MD.B.4
BACKWARD 2	Totals from a bar graph	3.MD.B.3
BACKWARD 3	Adding several two-digit numbers	2.NBT.B.6
FORWARD 1	Use a random sample to make inferences	7.SP.A.2
FORWARD 2	Relative frequencies in two-way tables	8.SP.A.4


SET 75 • 6.SP.B.5.a

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.5.a

The dot plot shows how many books students borrowed.

How many observations are in the data set?



Observations: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.a • Set 75 • MAIN • Q1/5

2753

QUESTION ID

S75-M-Q1

TYPE

Short answer

CORRECT ANSWER

17

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.a • Set 75 • MAIN • Q1/5

How many students are represented in the histogram?



Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.a • Set 75 • MAIN • Q2/5

2754

QUESTION ID

S75-M-Q2

TYPE

Short answer

CORRECT ANSWER

18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.a • Set 75 • MAIN • Q2/5

The table shows how many siblings students have.

How many observations are in the data set?

Siblings	0	1	2	3
Students	4	9	6	2

Observations: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.a • Set 75 • MAIN • Q3/5

2755

QUESTION ID

S75-M-Q3

TYPE

Short answer

CORRECT ANSWER

21


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.a • Set 75 • MAIN • Q3/5

The bar graph shows survey answers.

How many observations are in the data set?



Observations: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.a • Set 75 • MAIN • Q4/5

2756

QUESTION ID

S75-M-Q4

TYPE

Short answer

CORRECT ANSWER

16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.a • Set 75 • MAIN • Q4/5

Data: 12, 15, 9, 15, 20, 11, 13, 18, 15, 10

How many observations are in the data set?

Observations: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.a • Set 75 • MAIN • Q5/5

2757

QUESTION ID

S75-M-Q5

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.a • Set 75 • MAIN • Q5/5


SET 75 • 6.SP.B.5.a

BACKWARD 1

Reading a line plot • Grade 4 • Measurement & Data • 4.MD.B.4

The line plot shows pencil lengths.

How many pencils are 4 inches long?



Pencils: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 75 • BACKWARD 1 • Q1/5

2759

QUESTION ID

S75-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 75 • BACKWARD 1 • Q1/5

The line plot shows pencil lengths.

How many pencils were measured?



Pencils: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 75 • BACKWARD 1 • Q2/5

2760

QUESTION ID

S75-B1-Q2

TYPE

Short answer

CORRECT ANSWER

11


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 75 • BACKWARD 1 • Q2/5

True or false?

Two pencils are $4\frac{1}{2}$ inches long.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 75 • BACKWARD 1 • Q3/5

2761

QUESTION ID

S75-B1-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 75 • BACKWARD 1 • Q3/5

How many pencils are longer than 4 inches?



A. 2

B. 3

C. 4

D. 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 75 • BACKWARD 1 • Q4/5

2762

QUESTION ID

S75-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER


B. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 75 • BACKWARD 1 • Q4/5

How many pencils are 5 inches long?



Pencils: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B1-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 75 • BACKWARD 1 • Q5/5

2763

QUESTION ID

S75-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B1-Q5


Grade 4 • Measurement & Data • 4.MD.B.4 • Set 75 • BACKWARD 1 • Q5/5

SET 75 • 6.SP.B.5.a

BACKWARD 2

Totals from a bar graph • Grade 3 • Measurement & Data • 3.MD.B.3

How many pets are at the shelter in all?



Pets: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B2-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 75 • BACKWARD 2 • Q1/5

2765

QUESTION ID

S75-B2-Q1

TYPE

Short answer

CORRECT ANSWER


50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B2-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 75 • BACKWARD 2 • Q1/5

How many students chose soccer or tennis?



Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B2-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 75 • BACKWARD 2 • Q2/5

2766

QUESTION ID

S75-B2-Q2

TYPE

Short answer

CORRECT ANSWER

8


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B2-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 75 • BACKWARD 2 • Q2/5

True or false?

12 students chose soccer or basketball.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B2-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 75 • BACKWARD 2 • Q3/5

2767

QUESTION ID

S75-B2-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B2-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 75 • BACKWARD 2 • Q3/5

How many students did NOT choose soccer?



- A. 5 B. 7 C. 9 D. 16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B2-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 75 • BACKWARD 2 • Q4/5

2768

QUESTION ID

S75-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER


C. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B2-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 75 • BACKWARD 2 • Q4/5

How many dogs and cats are at the shelter together?



Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B2-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 75 • BACKWARD 2 • Q5/5

2769

QUESTION ID

S75-B2-Q5

TYPE

Short answer

CORRECT ANSWER

25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B2-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 75 • BACKWARD 2 • Q5/5

SET 75 • 6.SP.B.5.a

BACKWARD 3

Adding several two-digit numbers • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6

Add.

$$14 + 23 + 31 + 12$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6 • Set 75 • BACKWARD 3 • Q1/5

2771

QUESTION ID

S75-B3-Q1

TYPE

Short answer

CORRECT ANSWER

80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6 • Set 75 • BACKWARD 3 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$25 + 18 + 30$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6 • Set 75 • BACKWARD 3 • Q2/5

2772

QUESTION ID

S75-B3-Q2

TYPE

Short answer

CORRECT ANSWER

73

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6 • Set 75 • BACKWARD 3 • Q2/5

2772

True or false?

$$16 + 16 + 20 + 8 = 60$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6 • Set 75 • BACKWARD 3 • Q3/5

2773

QUESTION ID

S75-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6 • Set 75 • BACKWARD 3 • Q3/5

$$41 + 27 + 13 + 9 = ?$$

- A.** 80
- B.** 90
- C.** 91
- D.** 100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6 • Set 75 • BACKWARD 3 • Q4/5

2774

QUESTION ID

S75-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6 • Set 75 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$35 + 22 + 18 + 15$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6 • Set 75 • BACKWARD 3 • Q5/5

2775

QUESTION ID

S75-B3-Q5

TYPE

Short answer

CORRECT ANSWER

90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.6 • Set 75 • BACKWARD 3 • Q5/5

2775

SET 75 • 6.SP.B.5.a

FORWARD 1

Use a random sample to make inferences • Grade 7 • Statistics & Probability •
7.SP.A.2

A researcher surveys 80 randomly chosen students out of 900.

What is the sample size?

- A.** 80 **B.** 820
C. 900 **D.** 980

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.A.2 • Set 75 • FORWARD 1 • Q1/5

2777

QUESTION ID

S75-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. 80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.A.2 • Set 75 • FORWARD 1 • Q1/5

True or false?

A larger random sample generally gives a better estimate about a population.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.A.2 • Set 75 • FORWARD 1 • Q2/5

2778

QUESTION ID

S75-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.A.2 • Set 75 • FORWARD 1 • Q2/5

In a random sample of 25 students out of 500, 5 like jazz.

Estimate how many of the 500 students like jazz.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.A.2 • Set 75 • FORWARD 1 • Q3/5

2779

QUESTION ID

S75-F1-Q3

TYPE

Short answer

CORRECT ANSWER

100 students

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.A.2 • Set 75 • FORWARD 1 • Q3/5

In a random sample of 50 voters, 30 support a new park. There are 2,000 voters.

About how many voters support the park?

- A.** 30 **B.** 600
C. 1,200 **D.** 1,500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.A.2 • Set 75 • FORWARD 1 • Q4/5

2780

QUESTION ID

S75-F1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 1,200

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.A.2 • Set 75 • FORWARD 1 • Q4/5

Two random samples of 20 students each found 12 and 14 students who like pizza best.

What is the mean of the two sample results?

Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.A.2 • Set 75 • FORWARD 1 • Q5/5

2781

QUESTION ID

S75-F1-Q5

TYPE

Short answer

CORRECT ANSWER

13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.A.2 • Set 75 • FORWARD 1 • Q5/5

SET 75 • 6.SP.B.5.a

FORWARD 2

Relative frequencies in two-way tables • Grade 8 • Statistics & Probability •
8.SP.A.4

What fraction of 7th graders have a pet? What fraction of 8th graders have a pet?

	Has a pet	No pet	Total
Grade 7	18	12	30
Grade 8	20	10	30
Total	38	22	60

Grade 7: _____

Grade 8: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 75 • FORWARD 2 • Q1/5

2783

QUESTION ID

S75-F2-Q1

TYPE

Short answer

CORRECT ANSWER

Grade 7:
 $18/30 = 3/5$; Grade
8: $20/30 = 2/3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 75 • FORWARD 2 • Q1/5

Compare the relative frequencies. Which grade has a greater fraction of pet owners?

	Has a pet	No pet	Total
Grade 7	18	12	30
Grade 8	20	10	30
Total	38	22	60

- A.** Grade 7 **B.** Grade 8 **C.** They are the same.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 75 • FORWARD 2 • Q2/5

2784

QUESTION ID

S75-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. Grade 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 75 • FORWARD 2 • Q2/5

What is the relative frequency of instrument players who also play sports?

	Plays sports	No sports	Total
Plays an instrument	14	6	20
No instrument	16	4	20
Total	30	10	40

- A.** 0.35 **B.** 0.47 **C.** 0.7 **D.** 14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 75 • FORWARD 2 • Q3/5

2785

QUESTION ID

S75-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 0.7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 75 • FORWARD 2 • Q3/5

Among students with no instrument, what fraction play sports?

	Plays sports	No sports	Total
Plays an instrument	14	6	20
No instrument	16	4	20
Total	30	10	40

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 75 • FORWARD 2 • Q4/5

2786

QUESTION ID

S75-F2-Q4

TYPE

Short answer

CORRECT ANSWER

16/20 = 4/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 75 • FORWARD 2 • Q4/5

True or false?

Students with no instrument are more likely to play sports than students who play an instrument.

	Plays sports	No sports	Total
Plays an instrument	14	6	20
No instrument	16	4	20
Total	30	10	40

A. True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 75 • FORWARD 2 • Q5/5

2787

QUESTION ID

S75-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S75-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 75 • FORWARD 2 • Q5/5

Describe the attribute measured and its units

MAIN	Grade 6 main question	6.SP.B.5.b
BACKWARD 1	Choosing measurement units	4.MD.A.1
BACKWARD 2	What a bar graph shows	3.MD.B.3
BACKWARD 3	Choosing a measuring tool	2.MD.A.1
FORWARD 1	How data are collected: sampling methods	7.SP.A.1
FORWARD 2	Association between two categorical variables	8.SP.A.4

SET 76 • 6.SP.B.5.b

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.5.b

A data set lists the heights of 25 plants in centimeters.

What attribute is being measured, and in what unit?

Attribute: _____

Unit: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.b • Set 76 • MAIN • Q1/5

2790

QUESTION ID

S76-M-Q1

TYPE

Short answer

CORRECT ANSWER

**Attribute: plant
height; Unit:
centimeters**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.b • Set 76 • MAIN • Q1/5

A data set records the time each student spends on homework.

Which unit is most likely?

- A.** Degrees
- B.** Pounds
- C.** Inches
- D.** Minutes

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.b • Set 76 • MAIN • Q2/5

2791

QUESTION ID

S76-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. Minutes


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.b • Set 76 • MAIN • Q2/5

The dot plot shows how far students jumped.

Which unit is most likely?



- A.** Inches **B.** Seconds **C.** Pounds **D.** Miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.b • Set 76 • MAIN • Q3/5

2792

QUESTION ID

S76-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. Inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.b • Set 76 • MAIN • Q3/5

A data set lists the mass of each of 30 apples.

What attribute is being measured, and what is a reasonable unit?

Attribute: _____

Unit: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.b • Set 76 • MAIN • Q4/5

2793

QUESTION ID

S76-M-Q4

TYPE

Short answer

CORRECT ANSWER

**Attribute: the mass
(weight) of each
apple; a reasonable
unit: grams**

GRADING NOTE Ounces is also acceptable

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.b • Set 76 • MAIN • Q4/5

A data set records how long each student's trip to school takes.

Which describes the attribute and its unit?

- A.** Distance; minutes
- B.** Time; minutes
- C.** Speed; pounds
- D.** Time; miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.b • Set 76 • MAIN • Q5/5

2794

QUESTION ID

S76-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

B. Time; minutes

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.b • Set 76 • MAIN • Q5/5

SET 76 • 6.SP.B.5.b

BACKWARD 1

Choosing measurement units • Grade 4 • Measurement & Data • 4.MD.A.1

Which unit is best for measuring the length of a pencil?

- A.** Centimeters
- B.** Kilograms
- C.** Meters
- D.** Kilometers

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B1-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 76 • BACKWARD 1 • Q1/5

2796

QUESTION ID

S76-B1-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. Centimeters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B1-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 76 • BACKWARD 1 • Q1/5

True or false?

A kilogram is heavier than a gram.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B1-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 76 • BACKWARD 1 • Q2/5

2797

QUESTION ID

S76-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B1-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 76 • BACKWARD 1 • Q2/5

Which unit measures liquid volume?

- A.** Meters
- B.** Liters
- C.** Grams
- D.** Seconds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B1-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 76 • BACKWARD 1 • Q3/5

2798

QUESTION ID

S76-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. Liters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B1-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 76 • BACKWARD 1 • Q3/5

Name one unit used to measure time.

Unit: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B1-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 76 • BACKWARD 1 • Q4/5

2799

QUESTION ID

S76-B1-Q4

TYPE

Short answer

CORRECT ANSWER

Seconds

GRADING NOTE Any unit of time (seconds, minutes, hours, days, ...) is correct

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B1-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 76 • BACKWARD 1 • Q4/5

True or false?

An inch is longer than a foot.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B1-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 76 • BACKWARD 1 • Q5/5

2800

QUESTION ID

S76-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B1-Q5


Grade 4 • Measurement & Data • 4.MD.A.1 • Set 76 • BACKWARD 1 • Q5/5

SET 76 • 6.SP.B.5.b

BACKWARD 2

What a bar graph shows • Grade 3 • Measurement & Data • 3.MD.B.3

How many categories does the graph show?



Categories: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B2-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 76 • BACKWARD 2 • Q1/5

2802

QUESTION ID

S76-B2-Q1

TYPE

Short answer

CORRECT ANSWER


4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B2-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 76 • BACKWARD 2 • Q1/5

What does the height of each bar show?



- A.** The number of sports **B.** The score of a game
C. The length of a game **D.** The number of students

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B2-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 76 • BACKWARD 2 • Q2/5

2803

QUESTION ID

S76-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. The number of students


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B2-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 76 • BACKWARD 2 • Q2/5

True or false?

"Tennis" is one of the categories in the graph.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B2-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 76 • BACKWARD 2 • Q3/5

2804

QUESTION ID

S76-B2-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B2-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 76 • BACKWARD 2 • Q3/5

Which is a category in the graph?



- A.** 25 **B.** Birds **C.** Horses **D.** Soccer

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B2-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 76 • BACKWARD 2 • Q4/5

2805

QUESTION ID

S76-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER


B. Birds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B2-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 76 • BACKWARD 2 • Q4/5

What is being counted in the graph?



Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B2-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 76 • BACKWARD 2 • Q5/5

2806

QUESTION ID

S76-B2-Q5

TYPE

Short answer

CORRECT ANSWER

**The pets (animals)
at the shelter, by
type**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B2-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 76 • BACKWARD 2 • Q5/5

SET 76 • 6.SP.B.5.b

BACKWARD 3

Choosing a measuring tool • Grade 2 • Measurement & Data • 2.MD.A.1

Which tool measures the length of a table?

- A.** Tape measure
- B.** Thermometer
- C.** Scale
- D.** Clock

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B3-Q1

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 76 • BACKWARD 3 • Q1/5

2808

QUESTION ID

S76-B3-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. Tape measure

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B3-Q1

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 76 • BACKWARD 3 • Q1/5

Which tool measures how heavy an apple is?

- A.** Ruler
- B.** Clock
- C.** Measuring cup
- D.** Scale

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B3-Q2

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 76 • BACKWARD 3 • Q2/5

2809

QUESTION ID

S76-B3-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. Scale

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B3-Q2

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 76 • BACKWARD 3 • Q2/5

True or false?

A clock measures time.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B3-Q3

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 76 • BACKWARD 3 • Q3/5

2810

QUESTION ID

S76-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B3-Q3

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 76 • BACKWARD 3 • Q3/5

Which tool measures temperature?

- A.** Thermometer
- B.** Scale
- C.** Ruler
- D.** Yardstick

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B3-Q4

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 76 • BACKWARD 3 • Q4/5

2811

QUESTION ID

S76-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. Thermometer

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B3-Q4

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 76 • BACKWARD 3 • Q4/5

Name a tool that measures the length of a pencil.

Tool: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B3-Q5

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 76 • BACKWARD 3 • Q5/5

2812

QUESTION ID

S76-B3-Q5

TYPE

Short answer

CORRECT ANSWER

A ruler

GRADING NOTE A tape measure or yardstick is also correct

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-B3-Q5

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 76 • BACKWARD 3 • Q5/5

SET 76 • 6.SP.B.5.b

FORWARD 1

How data are collected: sampling methods • Grade 7 • Statistics & Probability •
7.SP.A.1

Which method gives a random sample of the students in a school?

- A. Ask the students in the library
- B. Ask the first 20 students to arrive
- C. Ask your friends
- D. Draw names from a hat that holds every student's name

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 76 • FORWARD 1 • Q1/5

2814

QUESTION ID

S76-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

D. Draw names from a hat that holds every student's name

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 76 • FORWARD 1 • Q1/5

True or false?

Surveying people who walk out of a gym is a good way to learn how often all people in a town exercise.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 76 • FORWARD 1 • Q2/5

2815

QUESTION ID

S76-F1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 76 • FORWARD 1 • Q2/5

A town wants to know how residents feel about a new library.

Describe a way to choose a random sample.

Method: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 76 • FORWARD 1 • Q3/5

2816

QUESTION ID

S76-F1-Q3

TYPE

Short answer

CORRECT ANSWER

List every resident, then choose names at random (for example, draw names from a hat or use a random number generator).

GRADING NOTE Any method that gives every resident an equal chance is correct

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 76 • FORWARD 1 • Q3/5

Which sample is most likely to be biased?

- A.** Asking only people at a dog park whether they like dogs
- B.** Picking every 10th name from a school list
- C.** Choosing 50 residents at random from a town list
- D.** Drawing 30 names from a hat of all members

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 76 • FORWARD 1 • Q4/5

2817

QUESTION ID

S76-F1-Q4

TYPE

Multiple choice

CORRECT ANSWER

**A. Asking only
people at a dog park
whether they like
dogs**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 76 • FORWARD 1 • Q4/5

True or false?

In a random sample, every member of the population has an equal chance of being chosen.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 76 • FORWARD 1 • Q5/5

2818

QUESTION ID

S76-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.A.1 • Set 76 • FORWARD 1 • Q5/5

SET 76 • 6.SP.B.5.b

FORWARD 2

Association between two categorical variables • Grade 8 • Statistics & Probability • 8.SP.A.4

Which pair of variables is categorical and could be shown in a two-way table?

- A. Hours slept and test score
- B. Height and weight
- C. Age and arm span
- D. Grade level and way of getting to school

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 76 • FORWARD 2 • Q1/5

2820

QUESTION ID

S76-F2-Q1

TYPE

Multiple choice

CORRECT ANSWER

**D. Grade level and
way of getting to
school**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 76 • FORWARD 2 • Q1/5

What fraction of 6th graders walk to school?

	Walks to school	Rides to school	Total
Grade 6	12	18	30
Grade 8	15	5	20
Total	27	23	50

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 76 • FORWARD 2 • Q2/5

2821

QUESTION ID

S76-F2-Q2

TYPE

Short answer

CORRECT ANSWER

12/30 = 2/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 76 • FORWARD 2 • Q2/5

What fraction of 8th graders walk to school?

	Walks to school	Rides to school	Total
Grade 6	12	18	30
Grade 8	15	5	20
Total	27	23	50

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 76 • FORWARD 2 • Q3/5

2822

QUESTION ID

S76-F2-Q3

TYPE

Short answer

CORRECT ANSWER

15/20 = 3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 76 • FORWARD 2 • Q3/5

What is the relative frequency of 8th graders who ride to school?

	Walks to school	Rides to school	Total
Grade 6	12	18	30
Grade 8	15	5	20
Total	27	23	50

A. $\frac{1}{10}$

B. $\frac{5}{23}$

C. $\frac{1}{4}$

D. $\frac{3}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 76 • FORWARD 2 • Q4/5

2823

QUESTION ID

S76-F2-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. $\frac{1}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 76 • FORWARD 2 • Q4/5

True or false?

8th graders are more likely to walk to school than 6th graders.

	Walks to school	Rides to school	Total
Grade 6	12	18	30
Grade 8	15	5	20
Total	27	23	50

A. True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 76 • FORWARD 2 • Q5/5

2824

QUESTION ID

S76-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S76-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.4 • Set 76 • FORWARD 2 • Q5/5

Find the mean of a data set

MAIN	Grade 6 main question	6.SP.B.5.c
BACKWARD 1	Adding multi-digit numbers	4.NBT.B.4
BACKWARD 2	Dividing a total into equal groups	4.NBT.B.6
BACKWARD 3	Sharing a total equally	5.MD.B.2
FORWARD 1	Compare populations using means	7.SP.B.4
FORWARD 2	Use a linear model to make predictions — nearest related (no dire...	8.SP.A.3

SET 77 • 6.SP.B.5.c

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.5.c

Find the mean.

4, 7, 9, 10, 15

Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 77 • MAIN • Q1/5

2827

QUESTION ID

S77-M-Q1

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 77 • MAIN • Q1/5

Five test scores are 82, 90, 75, 88, and 95.

What is the mean score?

Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 77 • MAIN • Q2/5

2828

QUESTION ID

S77-M-Q2

TYPE

Short answer

CORRECT ANSWER

86

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 77 • MAIN • Q2/5

Find the mean.

12, 15, 18, 19

- A.** 15
- B.** 16
- C.** 16.5
- D.** 64

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 77 • MAIN • Q3/5

2829

QUESTION ID

S77-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 77 • MAIN • Q3/5

The dot plot shows goals scored in 8 games.

What is the mean number of goals?



Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 77 • MAIN • Q4/5

2830

QUESTION ID

S77-M-Q4

TYPE

Short answer

CORRECT ANSWER

4.75 goals

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 77 • MAIN • Q4/5

Find the mean.

3.5, 4.2, 5.0, 6.1, 6.2

Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 77 • MAIN • Q5/5

2831

QUESTION ID

S77-M-Q5

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 77 • MAIN • Q5/5

SET 77 • 6.SP.B.5.c

BACKWARD 1

Adding multi-digit numbers • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.4

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$82 + 90 + 75 + 88 + 95$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 77 • BACKWARD 1 • Q1/5

2833

QUESTION ID

S77-B1-Q1

TYPE

Short answer

CORRECT ANSWER

430

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 77 • BACKWARD 1 • Q1/5

2833

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$145 + 238 + 97$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 77 • BACKWARD 1 • Q2/5

2834

QUESTION ID

S77-B1-Q2

TYPE

Short answer

CORRECT ANSWER

480

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 77 • BACKWARD 1 • Q2/5

2834

True or false?

$$56 + 64 + 70 = 190$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 77 • BACKWARD 1 • Q3/5

2835

QUESTION ID

S77-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 77 • BACKWARD 1 • Q3/5

$$125 + 175 + 200 = ?$$

- A.** 400
- B.** 450
- C.** 500
- D.** 550

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 77 • BACKWARD 1 • Q4/5

2836

QUESTION ID

S77-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 77 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$1,250 + 875$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 77 • BACKWARD 1 • Q5/5

2837

QUESTION ID

S77-B1-Q5

TYPE

Short answer

CORRECT ANSWER

2,125

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 77 • BACKWARD 1 • Q5/5

2837

SET 77 • 6.SP.B.5.c

BACKWARD 2

Dividing a total into equal groups • Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6

Divide.

$$430 \div 5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 77 • BACKWARD 2 • Q1/5

2839

QUESTION ID

S77-B2-Q1

TYPE

Short answer

CORRECT ANSWER

86

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 77 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$64 \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 77 • BACKWARD 2 • Q2/5

2840

QUESTION ID

S77-B2-Q2

TYPE

Short answer

CORRECT ANSWER

16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 77 • BACKWARD 2 • Q2/5

2840

True or false?

$$108 \div 4 = 27$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 77 • BACKWARD 2 • Q3/5

2841

QUESTION ID

S77-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 77 • BACKWARD 2 • Q3/5

$$252 \div 6 = ?$$

- A.** 36
- B.** 41
- C.** 42
- D.** 48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 77 • BACKWARD 2 • Q4/5

2842

QUESTION ID

S77-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 77 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$315 \div 7$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 77 • BACKWARD 2 • Q5/5

2843

QUESTION ID

S77-B2-Q5

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 77 • BACKWARD 2 • Q5/5

2843

SET 77 • 6.SP.B.5.c

BACKWARD 3

Sharing a total equally • Grade 5 • Measurement & Data • 5.MD.B.2

Two friends have 5 and 9 shells. They share the shells equally.

How many shells does each friend get?

Shells: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B3-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 77 • BACKWARD 3 • Q1/5

2845

QUESTION ID

S77-B3-Q1

TYPE

Short answer

CORRECT ANSWER

7 shells

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B3-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 77 • BACKWARD 3 • Q1/5

Three boxes hold 2, 7, and 9 books. The books are shared equally among the boxes.

How many books are in each box?

Books: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B3-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 77 • BACKWARD 3 • Q2/5

2846

QUESTION ID

S77-B3-Q2

TYPE

Short answer

CORRECT ANSWER

6 books

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B3-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 77 • BACKWARD 3 • Q2/5

True or false?

Jars holding 4, 4, and 10 cups are shared equally.
Each jar then holds 6 cups.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B3-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 77 • BACKWARD 3 • Q3/5

2847

QUESTION ID

S77-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B3-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 77 • BACKWARD 3 • Q3/5

Four children have 1, 2, 6, and 7 cards. They share the cards equally.

How many cards does each child get?

A. 3

B. 4

C. 5

D. 16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B3-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 77 • BACKWARD 3 • Q4/5

2848

QUESTION ID

S77-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B3-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 77 • BACKWARD 3 • Q4/5

Two cups hold $\frac{1}{3}$ cup and $\frac{2}{3}$ cup of milk. The milk is shared equally.

How much is in each cup?

Cups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B3-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 77 • BACKWARD 3 • Q5/5

2849

QUESTION ID

S77-B3-Q5

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{2}$ cup

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-B3-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 77 • BACKWARD 3 • Q5/5

SET 77 • 6.SP.B.5.c

FORWARD 1

Compare populations using means • Grade 7 • Statistics & Probability •
7.SP.B.4

A random sample of 6th graders has a mean height of 58 in. A random sample of 8th graders has a mean height of 64 in.

How much greater is the 8th graders' mean?

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 77 • FORWARD 1 • Q1/5

2851

QUESTION ID

S77-F1-Q1

TYPE

Short answer

CORRECT ANSWER

6 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 77 • FORWARD 1 • Q1/5

Two random samples of plant heights have means of 24 cm and 30 cm. Each has a MAD of 3 cm.

How many MADs apart are the means?

- A.** 1 **B.** 2
C. 3 **D.** 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 77 • FORWARD 1 • Q2/5

2852

QUESTION ID

S77-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 77 • FORWARD 1 • Q2/5

True or false?

To compare two populations, you can compare the means of random samples from each population.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 77 • FORWARD 1 • Q3/5

2853

QUESTION ID

S77-F1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 77 • FORWARD 1 • Q3/5

Sample A: mean 15.2 minutes. Sample B: mean 18.7 minutes.

Which population probably has greater values?

Population: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 77 • FORWARD 1 • Q4/5

2854

QUESTION ID

S77-F1-Q4

TYPE

Short answer

CORRECT ANSWER

Population B

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 77 • FORWARD 1 • Q4/5

Ten random samples of 20 students gave these mean hours of sleep: 8.1, 8.3, 7.9, 8.0, 8.2, 8.1, 8.4, 7.8, 8.0, 8.2.

What is a good estimate of the population mean?

- A.** About 20 hours
- B.** About 7 hours
- C.** About 8.1 hours
- D.** About 9 hours

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 77 • FORWARD 1 • Q5/5

2855

QUESTION ID

S77-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. About 8.1 hours

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 77 • FORWARD 1 • Q5/5

FORWARD 2

Use a linear model to make predictions • Grade 8 • Statistics & Probability •
8.SP.A.3

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

The equation $y = 2.5x + 40$ models test score y after x hours of study.

Predict the score for 8 hours of study.

Score: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 77 • FORWARD 2 • Q1/5 • NEAREST RELATED

2857

QUESTION ID

S77-F2-Q1

TYPE

Short answer

CORRECT ANSWER

60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 77 • FORWARD 2 • Q1/5 • NEAREST RELATED

The model $y = 15x + 100$ gives the cost y of x tickets.
Predict the cost of 20 tickets.

Cost: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 77 • FORWARD 2 • Q2/5 • NEAREST RELATED

2858

QUESTION ID

S77-F2-Q2

TYPE

Short answer

CORRECT ANSWER

\$400

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 77 • FORWARD 2 • Q2/5 • NEAREST RELATED

The model $y = 3x + 12$ gives a plant's height y (cm) after x weeks.

What height does the model predict after 5 weeks?

- A.** 15 cm **B.** 27 cm
C. 36 cm **D.** 60 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 77 • FORWARD 2 • Q3/5 • NEAREST RELATED

2859

QUESTION ID

S77-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 27 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 77 • FORWARD 2 • Q3/5 • NEAREST RELATED

The model $y = -0.5x + 30$ gives the value y of a toy after x years.

Predict the value after 6 years.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 77 • FORWARD 2 • Q4/5 • NEAREST RELATED

2860

QUESTION ID

S77-F2-Q4

TYPE

Short answer

CORRECT ANSWER

27

GRADING NOTE \$27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 77 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

The model $y = 4x + 10$ predicts $y = 50$ when $x = 10$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 77 • FORWARD 2 • Q5/5 • NEAREST RELATED

2861

QUESTION ID

S77-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S77-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.3 • Set 77 • FORWARD 2 • Q5/5 • NEAREST RELATED

Find the median of a data set

MAIN	Grade 6 main question	6.SP.B.5.c
BACKWARD 1	Ordering numbers	2.NBT.A.4
BACKWARD 2	The number halfway between two numbers	5.NBT.B.7
BACKWARD 3	Reading a line plot	4.MD.B.4
FORWARD 1	Compare populations using medians	7.SP.B.4
FORWARD 2	Draw and use a line of best fit — nearest related (no direct Grade...	8.SP.A.2

SET 78 • 6.SP.B.5.c

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.5.c

Find the median.

12, 5, 9, 20, 7, 14

Median: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 78 • MAIN • Q1/5

2864

QUESTION ID

S78-M-Q1

TYPE

Short answer

CORRECT ANSWER

10.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 78 • MAIN • Q1/5

True or false?

The median of 3, 8, 8, 10, 21 is 8.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 78 • MAIN • Q2/5

2865

QUESTION ID

S78-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 78 • MAIN • Q2/5

Heights (in inches): 58, 60, 61, 63, 63

What is the median height?

- A.** 60
- B.** 61
- C.** 61.5
- D.** 63

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 78 • MAIN • Q3/5

2866

QUESTION ID

S78-M-Q3

TYPE

Multiple choice

CORRECT ANSWER


B. 61

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 78 • MAIN • Q3/5

What is the median of the data in the dot plot?



Median: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 78 • MAIN • Q4/5

2867

QUESTION ID

S78-M-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 78 • MAIN • Q4/5

Find the median.

4.5, 2.1, 3.8, 6.0

Median: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 78 • MAIN • Q5/5

2868

QUESTION ID

S78-M-Q5

TYPE

Short answer

CORRECT ANSWER

4.15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 78 • MAIN • Q5/5

SET 78 • 6.SP.B.5.c

BACKWARD 1

Ordering numbers • Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4

Order from least to greatest.

12, 5, 9, 20, 7, 14

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 78 • BACKWARD 1 • Q1/5

2870

QUESTION ID

S78-B1-Q1

TYPE

Short answer

CORRECT ANSWER

5, 7, 9, 12, 14, 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 78 • BACKWARD 1 • Q1/5

Which list is in order from least to greatest?

- A.** 58, 60, 61, 63
- B.** 58, 61, 60, 63
- C.** 60, 58, 61, 63
- D.** 63, 61, 60, 58

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 78 • BACKWARD 1 • Q2/5

2871

QUESTION ID

S78-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 58, 60, 61, 63

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 78 • BACKWARD 1 • Q2/5

True or false?

These numbers are in order from least to greatest: 75, 82, 88, 90, 95

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 78 • BACKWARD 1 • Q3/5

2872

QUESTION ID

S78-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 78 • BACKWARD 1 • Q3/5

Order from least to greatest.

47, 74, 44, 77

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 78 • BACKWARD 1 • Q4/5

2873

QUESTION ID

S78-B1-Q4

TYPE

Short answer

CORRECT ANSWER

44, 47, 74, 77

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 78 • BACKWARD 1 • Q4/5

When 3, 9, and 6 are put in order, which number is in the middle?

- A. 3
- B. 6
- C. 9
- D. 18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 78 • BACKWARD 1 • Q5/5

2874

QUESTION ID

S78-B1-Q5

TYPE

Multiple choice

CORRECT ANSWER

B. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 78 • BACKWARD 1 • Q5/5

SET 78 • 6.SP.B.5.c

BACKWARD 2

The number halfway between two numbers • Grade 5 • Number & Operations
in Base Ten • 5.NBT.B.7

Find the value.

$$(9 + 12) \div 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B2-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 78 • BACKWARD 2 • Q1/5

2876

QUESTION ID

S78-B2-Q1

TYPE

Short answer

CORRECT ANSWER

10.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B2-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 78 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Find the value.

$$(3.8 + 4.5) \div 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B2-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 78 • BACKWARD 2 • Q2/5

2877

QUESTION ID

S78-B2-Q2

TYPE

Short answer

CORRECT ANSWER

4.15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B2-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 78 • BACKWARD 2 • Q2/5

2877

True or false?

$$(6 + 9) \div 2 = 7.5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B2-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 78 • BACKWARD 2 • Q3/5

2878

QUESTION ID

S78-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B2-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 78 • BACKWARD 2 • Q3/5

$$(20 + 25) \div 2 = ?$$

- A.** 22
- B.** 22.5
- C.** 23.5
- D.** 45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B2-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 78 • BACKWARD 2 • Q4/5

2879

QUESTION ID

S78-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 22.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B2-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 78 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Find the value.

$$(3.5 + 4.5) \div 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B2-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 78 • BACKWARD 2 • Q5/5

2880

QUESTION ID

S78-B2-Q5

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B2-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 78 • BACKWARD 2 • Q5/5


2880

SET 78 • 6.SP.B.5.c

BACKWARD 3

Reading a line plot • Grade 4 • Measurement & Data • 4.MD.B.4

How many leaves are $3\frac{1}{2}$ cm long?



Leaves: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B3-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 78 • BACKWARD 3 • Q1/5

2882

QUESTION ID

S78-B3-Q1

TYPE

Short answer

CORRECT ANSWER


4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B3-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 78 • BACKWARD 3 • Q1/5

How many leaves were measured?



Leaves: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B3-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 78 • BACKWARD 3 • Q2/5

2883

QUESTION ID

S78-B3-Q2

TYPE

Short answer

CORRECT ANSWER

11


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B3-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 78 • BACKWARD 3 • Q2/5

True or false?

One leaf is 4 cm long.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B3-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 78 • BACKWARD 3 • Q3/5

2884

QUESTION ID

S78-B3-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B3-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 78 • BACKWARD 3 • Q3/5

Which leaf length is most common?



- A. $2\frac{1}{2}$ cm B. 3 cm C. $3\frac{1}{2}$ cm D. 4 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B3-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 78 • BACKWARD 3 • Q4/5

2885

QUESTION ID

S78-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER


C. $3\frac{1}{2}$ cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B3-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 78 • BACKWARD 3 • Q4/5

How many leaves are shorter than 3 cm?



Leaves: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B3-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 78 • BACKWARD 3 • Q5/5

2886

QUESTION ID

S78-B3-Q5

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-B3-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 78 • BACKWARD 3 • Q5/5

SET 78 • 6.SP.B.5.c

FORWARD 1

Compare populations using medians • Grade 7 • Statistics & Probability •
7.SP.B.4

Sample A has a median of 12 and Sample B has a median of 15. The samples have similar variability.

Which conclusion is best?

- A.** Values in population A tend to be greater.
- B.** The populations are the same.
- C.** Values in population B tend to be greater.
- D.** No conclusion is possible.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 78 • FORWARD 1 • Q1/5

2888

QUESTION ID

S78-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

C. Values in population B tend to be greater.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 78 • FORWARD 1 • Q1/5

In random samples, the median commute is 25 minutes in Town X and 18 minutes in Town Y. The IQRs are similar.

In which town are commutes typically longer?

Town: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 78 • FORWARD 1 • Q2/5

2889

QUESTION ID

S78-F1-Q2

TYPE

Short answer

CORRECT ANSWER

Town X

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 78 • FORWARD 1 • Q2/5

Sample A: median 42, IQR 8. Sample B: median 50, IQR 8.

The difference in medians is how many times the IQR?

Times: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 78 • FORWARD 1 • Q3/5

2890

QUESTION ID

S78-F1-Q3

TYPE

Short answer

CORRECT ANSWER

1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 78 • FORWARD 1 • Q3/5

True or false?

When data are skewed, comparing medians is often better than comparing means.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 78 • FORWARD 1 • Q4/5

2891

QUESTION ID

S78-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 78 • FORWARD 1 • Q4/5

Sample X has a median of 7.5 hours of sleep. Sample Y has a median of 8.5 hours. Both IQRs are 1 hour.

Which statement is best?

- A.** Population Y probably sleeps more.
- B.** Population X probably sleeps more.
- C.** Nothing can be said.
- D.** They sleep the same amount.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 78 • FORWARD 1 • Q5/5

2892

QUESTION ID

S78-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. Population Y probably sleeps more.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F1-Q5


Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 78 • FORWARD 1 • Q5/5

FORWARD 2

Draw and use a line of best fit • Grade 8 • Statistics & Probability • 8.SP.A.2

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

Draw a line of best fit for the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 78 • FORWARD 2 • Q1/5 • NEAREST RELATED

2894

QUESTION ID

S78-F2-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

A straight rising line through the middle of the points, with about as many points above as below, for example from about (1, 55) to (8, 89) ($y \approx 5x + 50$)


GRADING NOTE Accept any line with a positive slope of about 4.5 to 5.5 that follows the trend

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 78 • FORWARD 2 • Q1/5 • NEAREST RELATED

Draw a line of best fit for the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 78 • FORWARD 2 • Q2/5 • NEAREST RELATED

2895

QUESTION ID

S78-F2-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

A straight falling line through the middle of the points, with about as many points above as below, for example from about (1, 93) to (8, 60) ($y \approx -4.7x + 97$)

GRADING NOTE Accept any line with a negative slope of about -4 to -5.5 that follows the trend

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 78 • FORWARD 2 • Q2/5 • NEAREST RELATED

A line of best fit should have ____.

- A. all points below it
- B. no points near it
- C. all points above it
- D. about the same number of points above and below it

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 78 • FORWARD 2 • Q3/5 • NEAREST RELATED

2896

QUESTION ID

S78-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER


**D. about the same
number of points
above and below it**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 78 • FORWARD 2 • Q3/5 • NEAREST RELATED

Draw a line of best fit for the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 78 • FORWARD 2 • Q4/5 • NEAREST RELATED

2897

QUESTION ID

S78-F2-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

A straight falling line through the middle of the points, for example $y = 10 - x$, from (1, 9) to (7, 3)

GRADING NOTE Accept any line with a slope of about -1 that follows the trend

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 78 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

A line of best fit must pass through the first and last points.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 78 • FORWARD 2 • Q5/5 • NEAREST RELATED

2898

QUESTION ID

S78-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S78-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 78 • FORWARD 2 • Q5/5 • NEAREST RELATED

Find the interquartile range of a data set

MAIN	Grade 6 main question	6.SP.B.5.c
BACKWARD 1	Ordering numbers	2.NBT.A.4
BACKWARD 2	The number halfway between two numbers	5.NBT.B.7
BACKWARD 3	Finding a difference	2.NBT.B.5
FORWARD 1	Difference in centers as a multiple of the IQR	7.SP.B.3
FORWARD 2	Outliers and clusters in scatter plots — nearest related (no direct...	8.SP.A.1

SET 79 • 6.SP.B.5.c

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.5.c

Find the interquartile range.

2, 4, 5, 7, 9, 11, 12, 15

IQR: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 79 • MAIN • Q1/5

2901

QUESTION ID

S79-M-Q1

TYPE

Short answer

CORRECT ANSWER


7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 79 • MAIN • Q1/5

What is the interquartile range of the data in the box plot?



IQR: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 79 • MAIN • Q2/5

2902

QUESTION ID

S79-M-Q2

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 79 • MAIN • Q2/5

What is the interquartile range?

10, 12, 15, 18, 20, 25, 30

- A.** 5
- B.** 13
- C.** 18
- D.** 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 79 • MAIN • Q3/5

2903

QUESTION ID

S79-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 79 • MAIN • Q3/5

Find the interquartile range.

3, 6, 6, 8, 9, 12, 14, 15, 18

IQR: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 79 • MAIN • Q4/5

2904

QUESTION ID

S79-M-Q4

TYPE

Short answer

CORRECT ANSWER


8.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 79 • MAIN • Q4/5

What is the interquartile range of the data in the box plot?



IQR: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 79 • MAIN • Q5/5

2905

QUESTION ID

S79-M-Q5

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 79 • MAIN • Q5/5

SET 79 • 6.SP.B.5.c

BACKWARD 1

Ordering numbers • Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4

Order from least to greatest.

15, 9, 2, 12, 5

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 79 • BACKWARD 1 • Q1/5

2907

QUESTION ID

S79-B1-Q1

TYPE

Short answer

CORRECT ANSWER

2, 5, 9, 12, 15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 79 • BACKWARD 1 • Q1/5

Which list is in order from least to greatest?

- A. 18, 15, 12, 10
- B. 10, 15, 12, 18
- C. 12, 10, 15, 18
- D. 10, 12, 15, 18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 79 • BACKWARD 1 • Q2/5

2908

QUESTION ID

S79-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 10, 12, 15, 18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 79 • BACKWARD 1 • Q2/5

True or false?

These numbers are in order from least to greatest: 3, 6, 9, 8

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 79 • BACKWARD 1 • Q3/5

2909

QUESTION ID

S79-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 79 • BACKWARD 1 • Q3/5

Order from least to greatest.

25, 20, 30, 10

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 79 • BACKWARD 1 • Q4/5

2910

QUESTION ID

S79-B1-Q4

TYPE

Short answer

CORRECT ANSWER

10, 20, 25, 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 79 • BACKWARD 1 • Q4/5

Which number is least?

- A.** 2
- B.** 5
- C.** 9
- D.** 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 79 • BACKWARD 1 • Q5/5

2911

QUESTION ID

S79-B1-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 79 • BACKWARD 1 • Q5/5

SET 79 • 6.SP.B.5.c

BACKWARD 2

The number halfway between two numbers • Grade 5 • Number & Operations
in Base Ten • 5.NBT.B.7

Find the value.

$$(4 + 5) \div 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B2-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 79 • BACKWARD 2 • Q1/5

2913

QUESTION ID

S79-B2-Q1

TYPE

Short answer

CORRECT ANSWER

4.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B2-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 79 • BACKWARD 2 • Q1/5

Find the value.

$$(11 + 12) \div 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B2-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 79 • BACKWARD 2 • Q2/5

2914

QUESTION ID

S79-B2-Q2

TYPE

Short answer

CORRECT ANSWER

11.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B2-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 79 • BACKWARD 2 • Q2/5

True or false?

$$(7 + 10) \div 2 = 8.5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B2-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 79 • BACKWARD 2 • Q3/5

2915

QUESTION ID

S79-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B2-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 79 • BACKWARD 2 • Q3/5

$$(15 + 18) \div 2 = ?$$

- A.** 16
- B.** 16.5
- C.** 17.5
- D.** 33

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B2-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 79 • BACKWARD 2 • Q4/5

2916

QUESTION ID

S79-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 16.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B2-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 79 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Find the value.

$$(2.5 + 3.5) \div 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B2-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 79 • BACKWARD 2 • Q5/5

2917

QUESTION ID

S79-B2-Q5

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B2-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 79 • BACKWARD 2 • Q5/5

2917

SET 79 • 6.SP.B.5.c

BACKWARD 3

Finding a difference • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$25 - 12$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 79 • BACKWARD 3 • Q1/5

2919

QUESTION ID

S79-B3-Q1

TYPE

Short answer

CORRECT ANSWER

13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 79 • BACKWARD 3 • Q1/5

2919

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$21 - 9$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 79 • BACKWARD 3 • Q2/5

2920

QUESTION ID

S79-B3-Q2

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 79 • BACKWARD 3 • Q2/5

2920

True or false?

$$30 - 14 = 16$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 79 • BACKWARD 3 • Q3/5

2921

QUESTION ID

S79-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 79 • BACKWARD 3 • Q3/5

$$18 - 10 = ?$$

- A.** 7
- B.** 8
- C.** 9
- D.** 28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 79 • BACKWARD 3 • Q4/5

2922

QUESTION ID

S79-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 79 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$40 - 23$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 79 • BACKWARD 3 • Q5/5

2923

QUESTION ID

S79-B3-Q5

TYPE

Short answer

CORRECT ANSWER

17

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 79 • BACKWARD 3 • Q5/5

2923

SET 79 • 6.SP.B.5.c

FORWARD 1

Difference in centers as a multiple of the IQR • Grade 7 • Statistics & Probability • 7.SP.B.3

Two data sets have medians of 40 and 55. Each has an IQR of 5.

The difference in medians is how many times the IQR?

Times: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 79 • FORWARD 1 • Q1/5

2925

QUESTION ID

S79-F1-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 79 • FORWARD 1 • Q1/5

Two data sets have medians of 20 and 26. Each has an IQR of 3.

How many IQRs apart are the medians?

- A.** 2 **B.** 3
C. 6 **D.** 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 79 • FORWARD 1 • Q2/5

2926

QUESTION ID

S79-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 79 • FORWARD 1 • Q2/5

True or false?

Two data sets with medians that differ by less than one IQR probably overlap a lot.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 79 • FORWARD 1 • Q3/5

2927

QUESTION ID

S79-F1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 79 • FORWARD 1 • Q3/5

Class A's median is 72 and Class B's median is 84. Each class has an IQR of 12.

The difference in medians is how many times the IQR?

Times: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 79 • FORWARD 1 • Q4/5

2928

QUESTION ID

S79-F1-Q4

TYPE

Short answer

CORRECT ANSWER

1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 79 • FORWARD 1 • Q4/5

Which pair of data sets has the LEAST overlap?

- A.** Medians 10 and 14, each IQR 8
- B.** Medians 10 and 30, each IQR 4
- C.** Medians 10 and 11, each IQR 3
- D.** Medians 10 and 12, each IQR 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 79 • FORWARD 1 • Q5/5

2929

QUESTION ID

S79-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

B. Medians 10 and 30, each IQR 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 79 • FORWARD 1 • Q5/5

FORWARD 2


Outliers and clusters in scatter plots • Grade 8 • Statistics & Probability •
8.SP.A.1

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

Which point is an outlier?

Write its coordinates.

Outlier: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 79 • FORWARD 2 • Q1/5 • NEAREST RELATED

2931

QUESTION ID

S79-F2-Q1

TYPE

Short answer

CORRECT ANSWER

(5, 1)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 79 • FORWARD 2 • Q1/5 • NEAREST RELATED

Which point would be an outlier if it were added to the scatter plot?

- A. (5, 73)
- B. (7, 50)
- C. (7, 85)
- D. (3, 63)



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 79 • FORWARD 2 • Q2/5 • NEAREST RELATED

2932

QUESTION ID

S79-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. (7, 50)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 79 • FORWARD 2 • Q2/5 • NEAREST RELATED

Which describes the association in the scatter plot?

- A. No association
- B. Negative linear
- C. Nonlinear
- D. Positive linear



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 79 • FORWARD 2 • Q3/5 • NEAREST RELATED

2933

QUESTION ID

S79-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. Negative linear

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S79-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 79 • FORWARD 2 • Q3/5 • NEAREST RELATED

True or false?

The scatter plot has an outlier.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 79 • FORWARD 2 • Q4/5 • NEAREST RELATED

2934

QUESTION ID

S79-F2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 79 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

Every scatter plot has at least one outlier.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 79 • FORWARD 2 • Q5/5 • NEAREST RELATED

2935

QUESTION ID

S79-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S79-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 79 • FORWARD 2 • Q5/5 • NEAREST RELATED

Find the mean absolute deviation of a data set

MAIN	Grade 6 main question	6.SP.B.5.c
BACKWARD 1	Sharing a total equally (the mean)	5.MD.B.2
BACKWARD 2	Distance as absolute value	6.NS.C.7.c
BACKWARD 3	Dividing to find an average distance	5.NBT.B.7
FORWARD 1	Difference in means as a multiple of the MAD	7.SP.B.3
FORWARD 2	Judge model fit by distances from the line	8.SP.A.2

SET 80 • 6.SP.B.5.c

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.5.c

Find the mean absolute deviation.

2, 4, 6, 8, 10

MAD: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 80 • MAIN • Q1/5

2938

QUESTION ID

S80-M-Q1

TYPE

Short answer

CORRECT ANSWER

2.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 80 • MAIN • Q1/5

What is the mean absolute deviation?

3, 3, 5, 7, 7

- A.** 0
- B.** 1.6
- C.** 2
- D.** 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 80 • MAIN • Q2/5

2939

QUESTION ID

S80-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 1.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 80 • MAIN • Q2/5

Find the mean absolute deviation.

5, 7, 8, 12

MAD: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 80 • MAIN • Q3/5

2940

QUESTION ID

S80-M-Q3

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 80 • MAIN • Q3/5

Find the mean absolute deviation.

6, 8, 10, 12, 14, 16

MAD: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 80 • MAIN • Q4/5

2941

QUESTION ID

S80-M-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 80 • MAIN • Q4/5

Find the mean absolute deviation.

20, 22, 25, 29

MAD: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 80 • MAIN • Q5/5

2942

QUESTION ID

S80-M-Q5

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 80 • MAIN • Q5/5

SET 80 • 6.SP.B.5.c

BACKWARD 1

Sharing a total equally (the mean) • Grade 5 • Measurement & Data • 5.MD.B.2

Five jars hold 2, 4, 6, 8, and 10 cups of rice. The rice is shared equally among the jars.

How much is in each jar?

Cups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B1-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 80 • BACKWARD 1 • Q1/5

2944

QUESTION ID

S80-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6 cups

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B1-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 80 • BACKWARD 1 • Q1/5

Four friends have 3, 3, 7, and 7 marbles. They share the marbles equally.

How many marbles does each friend get?

Marbles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B1-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 80 • BACKWARD 1 • Q2/5

2945

QUESTION ID

S80-B1-Q2

TYPE

Short answer

CORRECT ANSWER

5 marbles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B1-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 80 • BACKWARD 1 • Q2/5

True or false?

Bags with 1, 5, and 6 pounds of flour are shared equally. Each bag then has 4 pounds.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B1-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 80 • BACKWARD 1 • Q3/5

2946

QUESTION ID

S80-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B1-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 80 • BACKWARD 1 • Q3/5

Six students have 2, 3, 3, 4, 5, and 7 pencils. They share equally.

How many pencils does each student get?

A. 3

B. 4

C. 5

D. 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B1-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 80 • BACKWARD 1 • Q4/5

2947

QUESTION ID

S80-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B1-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 80 • BACKWARD 1 • Q4/5

Three cups hold $\frac{1}{2}$, $\frac{1}{2}$, and 2 cups of water. The water is shared equally.

How much is in each cup?

Cups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B1-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 80 • BACKWARD 1 • Q5/5

2948

QUESTION ID

S80-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1 cup

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B1-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 80 • BACKWARD 1 • Q5/5

SET 80 • 6.SP.B.5.c

BACKWARD 2

Distance as absolute value • Grade 6 • The Number System • 6.NS.C.7.c

Find the value.

$$|2 - 6|$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B2-Q1

Grade 6 • The Number System • 6.NS.C.7.c • Set 80 • BACKWARD 2 • Q1/5

2950

QUESTION ID

S80-B2-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B2-Q1

Grade 6 • The Number System • 6.NS.C.7.c • Set 80 • BACKWARD 2 • Q1/5

How far is 9 from 6 on a number line?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B2-Q2

Grade 6 • The Number System • 6.NS.C.7.c • Set 80 • BACKWARD 2 • Q2/5

2951

QUESTION ID

S80-B2-Q2

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B2-Q2

Grade 6 • The Number System • 6.NS.C.7.c • Set 80 • BACKWARD 2 • Q2/5

True or false?

$$|4 - 10| = 6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B2-Q3

Grade 6 • The Number System • 6.NS.C.7.c • Set 80 • BACKWARD 2 • Q3/5

2952

QUESTION ID

S80-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B2-Q3

Grade 6 • The Number System • 6.NS.C.7.c • Set 80 • BACKWARD 2 • Q3/5

What is the distance between 3 and 8 on a number line?

- A.** -5
- B.** 5
- C.** 11
- D.** 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B2-Q4

Grade 6 • The Number System • 6.NS.C.7.c • Set 80 • BACKWARD 2 • Q4/5

2953

QUESTION ID

S80-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B2-Q4

Grade 6 • The Number System • 6.NS.C.7.c • Set 80 • BACKWARD 2 • Q4/5

Find the value.

$$|10 - 6|$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B2-Q5

Grade 6 • The Number System • 6.NS.C.7.c • Set 80 • BACKWARD 2 • Q5/5

2954

QUESTION ID

S80-B2-Q5

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B2-Q5

Grade 6 • The Number System • 6.NS.C.7.c • Set 80 • BACKWARD 2 • Q5/5

SET 80 • 6.SP.B.5.c

BACKWARD 3

Dividing to find an average distance • Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$12 \div 5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B3-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 80 • BACKWARD 3 • Q1/5

2956

QUESTION ID

S80-B3-Q1

TYPE

Short answer

CORRECT ANSWER

2.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B3-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 80 • BACKWARD 3 • Q1/5

2956

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$8 \div 5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B3-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 80 • BACKWARD 3 • Q2/5

2957

QUESTION ID

S80-B3-Q2

TYPE

Short answer

CORRECT ANSWER

1.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B3-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 80 • BACKWARD 3 • Q2/5

2957

True or false?

$$18 \div 6 = 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B3-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 80 • BACKWARD 3 • Q3/5

2958

QUESTION ID

S80-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B3-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 80 • BACKWARD 3 • Q3/5

$$10 \div 4 = ?$$

- A.** 0.4
- B.** 2.4
- C.** 2.5
- D.** 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B3-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 80 • BACKWARD 3 • Q4/5

2959

QUESTION ID

S80-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 2.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B3-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 80 • BACKWARD 3 • Q4/5

Divide.

$$9 \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B3-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 80 • BACKWARD 3 • Q5/5

2960

QUESTION ID

S80-B3-Q5

TYPE

Short answer

CORRECT ANSWER

2.25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-B3-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 80 • BACKWARD 3 • Q5/5

SET 80 • 6.SP.B.5.c

FORWARD 1

Difference in means as a multiple of the MAD • Grade 7 • Statistics & Probability • 7.SP.B.3

Class A's mean is 72 and Class B's mean is 80. Each class has a MAD of 4.

The difference in means is how many times the MAD?

Times: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 80 • FORWARD 1 • Q1/5

2962

QUESTION ID

S80-F1-Q1

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 80 • FORWARD 1 • Q1/5

Two data sets have means of 15 and 21. Each has a MAD of 2.

How many MADs apart are the means?

- A.** 2 **B.** 3
C. 6 **D.** 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 80 • FORWARD 1 • Q2/5

2963

QUESTION ID

S80-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 80 • FORWARD 1 • Q2/5

True or false?

Two data sets have means that differ by 1 MAD.
The data sets probably overlap a lot.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 80 • FORWARD 1 • Q3/5

2964

QUESTION ID

S80-F1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 80 • FORWARD 1 • Q3/5

Two teams have mean heights of 150 cm and 162 cm.
Each has a MAD of 4 cm.

The difference in means is how many times the MAD?

Times: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 80 • FORWARD 1 • Q4/5

2965

QUESTION ID

S80-F1-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 80 • FORWARD 1 • Q4/5

Which pair of data sets has the LEAST overlap?

- A. Means 10 and 30, each MAD 2
- B. Means 10 and 12, each MAD 2
- C. Means 10 and 11, each MAD 3
- D. Means 10 and 14, each MAD 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 80 • FORWARD 1 • Q5/5

2966

QUESTION ID

S80-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

**A. Means 10 and 30,
each MAD 2**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 80 • FORWARD 1 • Q5/5

SET 80 • 6.SP.B.5.c


FORWARD 2

Judge model fit by distances from the line • Grade 8 • Statistics & Probability •
8.SP.A.2

Which point is farthest from the line?

Write its coordinates.

Point: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 80 • FORWARD 2 • Q1/5

2968

QUESTION ID

S80-F2-Q1

TYPE

Short answer

CORRECT ANSWER

(3, 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S80-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 80 • FORWARD 2 • Q1/5

True or false?

The points are close to the line, so it is a good fit.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 80 • FORWARD 2 • Q2/5

2969

QUESTION ID

S80-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S80-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 80 • FORWARD 2 • Q2/5

True or false?

The line is a good fit for the data.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 80 • FORWARD 2 • Q3/5

2970

QUESTION ID

S80-F2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 80 • FORWARD 2 • Q3/5

Which line fits data better?

- A. A line that touches only one point
- B. A line with all points far above it
- C. A line with points close to it on both sides
- D. A line with all points below it

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 80 • FORWARD 2 • Q4/5

2971

QUESTION ID

S80-F2-Q4

TYPE

Multiple choice

CORRECT ANSWER

**C. A line with points
close to it on both
sides**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S80-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 80 • FORWARD 2 • Q4/5

For the point (4, 10), the line gives $y = 6$.

How far is the point from the line, measured vertically?

Distance: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 80 • FORWARD 2 • Q5/5

2972

QUESTION ID

S80-F2-Q5

TYPE

Short answer

CORRECT ANSWER

4 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S80-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 80 • FORWARD 2 • Q5/5

Describe the overall pattern and striking deviations in the context of the data

MAIN	Grade 6 main question	6.SP.B.5.c
BACKWARD 1	Where data cluster and where there are gaps	6.SP.A.2
BACKWARD 2	Reading a dot plot in context	4.MD.B.4
BACKWARD 3	Greatest and least values	2.NBT.A.4
FORWARD 1	Compare the patterns of two distributions	7.SP.B.3
FORWARD 2	Describe patterns and deviations in scatter plots in context	8.SP.A.1


SET 81 • 6.SP.B.5.c

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.5.c

The dot plot shows how many hours students slept last night.

Describe the overall pattern. Which value stands apart, and what might explain it?



Overall pattern: _____

Value that stands apart: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 81 • MAIN • Q1/5

ID S81-M-Q1

2975

QUESTION ID

S81-M-Q1

TYPE

Short answer

CORRECT ANSWER

Most students slept 7 to 9 hours, clustering around 8 hours. One student slept only 4 hours, which stands apart; a reasonable explanation is that the student stayed up late, was sick, or had an early trip.

GRADING NOTE Must name 4 hours as the value that stands apart; any reasonable context explanation is correct


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 81 • MAIN • Q1/5

ID S81-M-Q1

The dot plot shows how long students take to walk home.

Which description best fits the data in context?



- A. The times are spread evenly from 5 to 30 minutes.
- B. All students take about the same amount of time.
- C. Most students take 25 to 30 minutes.
- D. Most students take 5 to 10 minutes; a few who live farther away take 25 to 30 minutes.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 81 • MAIN • Q2/5

2976

QUESTION ID

S81-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. Most students take 5 to 10 minutes; a few who live farther away take 25 to 30 minutes.


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 81 • MAIN • Q2/5

The histogram shows the ages of people at a youth soccer game.

Describe the overall pattern. Which ages stand apart, and who might they be?



Overall pattern: _____

Ages that stand apart: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 81 • MAIN • Q3/5

ID S81-M-Q3

2977

QUESTION ID

S81-M-Q3

TYPE

Short answer

CORRECT ANSWER

Most people are 0 to 19 years old (the young players). There are no people aged 20 to 29. A few people are 30 to 49; they are probably parents, coaches, or referees.

GRADING NOTE Must describe the cluster of young ages and name the 30–49 ages as standing apart, with a reasonable explanation


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 81 • MAIN • Q3/5

The dot plot shows the scores on a class test.

Which statement describes a striking deviation in context?



- A.** One student scored 20, far below the others, who scored from 70 to 95.
- B.** Most students scored below 50.
- C.** The scores are spread evenly from 20 to 95.
- D.** There are no unusual scores.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 81 • MAIN • Q4/5

2978

QUESTION ID

S81-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. One student scored 20, far below the others, who scored from 70 to 95.


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 81 • MAIN • Q4/5

True or false?

The daily high temperatures cluster from 60°F to 70°F, with one unusually hot day at 88°F.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 81 • MAIN • Q5/5

2979

QUESTION ID

S81-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-M-Q5


Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 81 • MAIN • Q5/5

SET 81 • 6.SP.B.5.c

BACKWARD 1

Where data cluster and where there are gaps • Grade 6 • Statistics & Probability • 6.SP.A.2

Between which two values do most of the data cluster?



Between: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B1-Q1

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 81 • BACKWARD 1 • Q1/5

2981

QUESTION ID

S81-B1-Q1

TYPE

Short answer

CORRECT ANSWER

7 and 9 hours


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B1-Q1

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 81 • BACKWARD 1 • Q1/5

True or false?

There is a gap in the data between 10 and 25 minutes.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B1-Q2

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 81 • BACKWARD 1 • Q2/5

2982

QUESTION ID

S81-B1-Q2

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B1-Q2

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 81 • BACKWARD 1 • Q2/5

Where is there a gap in the data?



- A.** Between 70 and 80 **B.** Between 20 and 70
C. Between 85 and 95 **D.** There is no gap.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B1-Q3

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 81 • BACKWARD 1 • Q3/5

2983

QUESTION ID

S81-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER


B. Between 20 and 70

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B1-Q3

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 81 • BACKWARD 1 • Q3/5

Between which two temperatures do most of the data cluster?



Between: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B1-Q4

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 81 • BACKWARD 1 • Q4/5

2984

QUESTION ID

S81-B1-Q4

TYPE

Short answer

CORRECT ANSWER

60°F and 70°F


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B1-Q4

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 81 • BACKWARD 1 • Q4/5

True or false?

The data have no gaps.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B1-Q5

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 81 • BACKWARD 1 • Q5/5

2985

QUESTION ID

S81-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B1-Q5


Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 81 • BACKWARD 1 • Q5/5

SET 81 • 6.SP.B.5.c

BACKWARD 2

Reading a dot plot in context • Grade 4 • Measurement & Data • 4.MD.B.4

How many students slept 8 hours last night?



Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B2-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 81 • BACKWARD 2 • Q1/5

2987

QUESTION ID

S81-B2-Q1

TYPE

Short answer

CORRECT ANSWER


6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B2-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 81 • BACKWARD 2 • Q1/5

How many students take 7 minutes to walk home?



Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B2-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 81 • BACKWARD 2 • Q2/5

2988

QUESTION ID

S81-B2-Q2

TYPE

Short answer

CORRECT ANSWER

3


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B2-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 81 • BACKWARD 2 • Q2/5

True or false?

Three students scored 85 on the test.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B2-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 81 • BACKWARD 2 • Q3/5

2989

QUESTION ID

S81-B2-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B2-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 81 • BACKWARD 2 • Q3/5

How many days had a high temperature of 65°F?



A. 3

B. 4

C. 5

D. 65

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B2-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 81 • BACKWARD 2 • Q4/5

2990

QUESTION ID

S81-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER


B. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B2-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 81 • BACKWARD 2 • Q4/5

What does each dot in the dot plot represent?



Each dot: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B2-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 81 • BACKWARD 2 • Q5/5

2991

QUESTION ID

S81-B2-Q5

TYPE

Short answer

CORRECT ANSWER

**One student's hours
of sleep last night**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B2-Q5


Grade 4 • Measurement & Data • 4.MD.B.4 • Set 81 • BACKWARD 2 • Q5/5

SET 81 • 6.SP.B.5.c

BACKWARD 3

Greatest and least values • Grade 2 • Number & Operations in Base Ten •
2.NBT.A.4

What is the least value in the data?



Least: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 81 • BACKWARD 3 • Q1/5

2993

QUESTION ID

S81-B3-Q1

TYPE

Short answer

CORRECT ANSWER


20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 81 • BACKWARD 3 • Q1/5

What is the greatest value in the data?



Greatest: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 81 • BACKWARD 3 • Q2/5

2994

QUESTION ID

S81-B3-Q2

TYPE

Short answer

CORRECT ANSWER

88°F


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 81 • BACKWARD 3 • Q2/5

True or false?

The greatest walking time is 30 minutes.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 81 • BACKWARD 3 • Q3/5

2995

QUESTION ID

S81-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 81 • BACKWARD 3 • Q3/5

Which number is least?

- A.** 20
- B.** 70
- C.** 75
- D.** 95

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 81 • BACKWARD 3 • Q4/5

2996

QUESTION ID

S81-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER


A. 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 81 • BACKWARD 3 • Q4/5

What is the least number of hours of sleep shown?



Least: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 81 • BACKWARD 3 • Q5/5

2997

QUESTION ID

S81-B3-Q5

TYPE

Short answer

CORRECT ANSWER

4 hours

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-B3-Q5


Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 81 • BACKWARD 3 • Q5/5

SET 81 • 6.SP.B.5.c

FORWARD 1

Compare the patterns of two distributions • Grade 7 • Statistics & Probability •
7.SP.B.3

Describe how the two distributions differ in context.



Comparison: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 81 • FORWARD 1 • Q1/5

2999

QUESTION ID

S81-F1-Q1

TYPE

Short answer

CORRECT ANSWER

Class A's scores cluster from 7 to 9 (center about 8). Class B's scores cluster from 4 to 6 (center about 5). Class A typically scored about 3 points higher; the spreads are similar, and the plots overlap only at 6.

GRADING NOTE Must compare the centers in context; mentioning spread or overlap is a plus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 81 • FORWARD 1 • Q1/5

Which statement describes both gardens?



- A.** The gardens have the same center. **B.** Garden A's plants are taller.
C. Garden B is much more spread out. **D.** Both cluster tightly, and Garden B's plants are about 6 cm taller.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 81 • FORWARD 1 • Q2/5

3000

QUESTION ID

S81-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. Both cluster tightly, and Garden B's plants are about 6 cm taller.


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 81 • FORWARD 1 • Q2/5

True or false?

Data set B is more spread out than data set A.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 81 • FORWARD 1 • Q3/5

3001

QUESTION ID

S81-F1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 81 • FORWARD 1 • Q3/5

Class A's quiz scores cluster from 7 to 9, with one score of 2. Class B's scores cluster from 4 to 6 with no unusual values.

Which class has a striking deviation?

Class: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 81 • FORWARD 1 • Q4/5

3002

QUESTION ID

S81-F1-Q4

TYPE

Short answer

CORRECT ANSWER


Class A

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 81 • FORWARD 1 • Q4/5

Which statement about the middle halves of the two box plots is true?



- A.** They overlap from 70 to 76. **B.** They do not overlap.
C. They overlap from 55 to 95. **D.** They are the same.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 81 • FORWARD 1 • Q5/5

3003

QUESTION ID

S81-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

**A. They overlap from
70 to 76.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 81 • FORWARD 1 • Q5/5

SET 81 • 6.SP.B.5.c

FORWARD 2


Describe patterns and deviations in scatter plots in context • Grade 8 •
Statistics & Probability • 8.SP.A.1

The scatter plot shows savings over several weeks.

Describe the overall pattern and the point that does not fit.

Pattern: _____

Point that does not fit: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 81 • FORWARD 2 • Q1/5

ID S81-F2-Q1

3005

QUESTION ID

S81-F2-Q1

TYPE

Short answer

CORRECT ANSWER

Savings grow steadily week by week (a positive, linear pattern of about \$7 to \$9 per week). The point (6, 20) does not fit; savings dropped that week, perhaps because money was spent.

GRADING NOTE Must describe the upward trend and name (6, 20)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 81 • FORWARD 2 • Q1/5

ID S81-F2-Q1

The scatter plot shows the age of cars and the number of repairs.

Which description fits the data in context?

- A. Older cars have fewer repairs.
- B. Newer cars have few repairs and older cars have many repairs, forming two groups.
- C. All cars have the same number of repairs.
- D. There is no pattern.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 81 • FORWARD 2 • Q2/5

3006

QUESTION ID

S81-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. Newer cars have few repairs and older cars have many repairs, forming two groups.


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 81 • FORWARD 2 • Q2/5

Which statement describes the association in context?

- A. As hours of TV increase, test scores tend to increase.
- B. Hours of TV and test scores are not related.
- C. Every student scored the same.
- D. As hours of TV increase, test scores tend to decrease.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 81 • FORWARD 2 • Q3/5

3007

QUESTION ID

S81-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. As hours of TV increase, test scores tend to decrease.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F2-Q3


Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 81 • FORWARD 2 • Q3/5

The scatter plot shows the price of an item and the number sold.

Which point does not fit the pattern? What might explain it?

Point: _____

Possible reason: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 81 • FORWARD 2 • Q4/5

3008

QUESTION ID

S81-F2-Q4

TYPE

Short answer

CORRECT ANSWER

(5, 1). Far fewer items sold than the pattern predicts at \$5; a reasonable explanation is that the item was out of stock or it was a slow day.

GRADING NOTE Any reasonable explanation is correct

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S81-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 81 • FORWARD 2 • Q4/5

True or false?

The plant grows faster each week, so the pattern in the scatter plot is nonlinear.

- A. True
- B. False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 81 • FORWARD 2 • Q5/5

3009

QUESTION ID

S81-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S81-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.1 • Set 81 • FORWARD 2 • Q5/5

Choose measures of center and variability based on the shape of the data

MAIN	Grade 6 main question	6.SP.B.5.d
BACKWARD 1	Shape of a distribution	6.SP.A.2
BACKWARD 2	Computing the mean and median	6.SP.B.5.c
BACKWARD 3	Reading a dot plot	4.MD.B.4
FORWARD 1	Compare populations using appropriate measures	7.SP.B.4
FORWARD 2	Judge how well a line fits the data — nearest related (no direct Gra...	8.SP.A.2

SET 82 • 6.SP.B.5.d

MAIN

Grade 6 main question • Grade 6 • Statistics & Probability • 6.SP.B.5.d

Data: 20, 22, 23, 25, 90

Which measure of center better describes a typical value?

- A.** Mean
- B.** Median

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.d • Set 82 • MAIN • Q1/5

3012

QUESTION ID

S82-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. Median

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-M-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.d • Set 82 • MAIN • Q1/5

A data set is skewed right and has an outlier.

Which pair of measures best describes its center and spread?

- A.** Mode and range
- B.** Median and IQR
- C.** Mean and range
- D.** Mean and MAD

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.d • Set 82 • MAIN • Q2/5

3013

QUESTION ID

S82-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. Median and IQR


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-M-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.d • Set 82 • MAIN • Q2/5

The dot plot is skewed right.

Which measure of center better describes the typical number of pets?



A. Mean

B. Median

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.d • Set 82 • MAIN • Q3/5

3014

QUESTION ID

S82-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. Median

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-M-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.d • Set 82 • MAIN • Q3/5

Salaries: \$30,000; \$32,000; \$35,000; \$38,000;
\$250,000

Which measure of center better describes a typical salary?

- A.** Mean
- B.** Median

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.d • Set 82 • MAIN • Q4/5

3015

QUESTION ID

S82-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. Median

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-M-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.d • Set 82 • MAIN • Q4/5

True or false?

Heights of 20 sixth graders are symmetric with no outliers, so the mean is a good measure of center.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.d • Set 82 • MAIN • Q5/5

3016

QUESTION ID

S82-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-M-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.d • Set 82 • MAIN • Q5/5

SET 82 • 6.SP.B.5.d

BACKWARD 1

Shape of a distribution • Grade 6 • Statistics & Probability • 6.SP.A.2

Which word describes the shape of the data?



A. Skewed right

B. Symmetric

C. Skewed left

D. Uniform

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B1-Q1

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 82 • BACKWARD 1 • Q1/5

3018

QUESTION ID

S82-B1-Q1

TYPE

Multiple choice

CORRECT ANSWER


C. Skewed left

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B1-Q1

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 82 • BACKWARD 1 • Q1/5

Which word describes the shape of the data?



- A.** Skewed left **B.** Symmetric
C. Uniform **D.** Skewed right

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B1-Q2

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 82 • BACKWARD 1 • Q2/5

3019

QUESTION ID

S82-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. Symmetric


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B1-Q2

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 82 • BACKWARD 1 • Q2/5

True or false?

The data are skewed right.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B1-Q3

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 82 • BACKWARD 1 • Q3/5

3020

QUESTION ID

S82-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B1-Q3

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 82 • BACKWARD 1 • Q3/5

True or false?

A data set with most values on the left and a long tail to the right is skewed right.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B1-Q4

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 82 • BACKWARD 1 • Q4/5

3021

QUESTION ID

S82-B1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B1-Q4

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 82 • BACKWARD 1 • Q4/5

Which value in the data set is an outlier?

5, 6, 6, 7, 8, 30

- A.** 5
- B.** 6
- C.** 8
- D.** 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B1-Q5

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 82 • BACKWARD 1 • Q5/5

3022

QUESTION ID

S82-B1-Q5

TYPE

Multiple choice

CORRECT ANSWER

D. 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B1-Q5

Grade 6 • Statistics & Probability • 6.SP.A.2 • Set 82 • BACKWARD 1 • Q5/5

SET 82 • 6.SP.B.5.d

BACKWARD 2

Computing the mean and median • Grade 6 • Statistics & Probability •
6.SP.B.5.c

Find the mean.

2, 3, 3, 4, 8

Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B2-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 82 • BACKWARD 2 • Q1/5

3024

QUESTION ID

S82-B2-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B2-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 82 • BACKWARD 2 • Q1/5

Find the median.

2, 3, 3, 4, 8

Median: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B2-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 82 • BACKWARD 2 • Q2/5

3025

QUESTION ID

S82-B2-Q2

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B2-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 82 • BACKWARD 2 • Q2/5

True or false?

The mean of 10, 20, 30 is 20.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B2-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 82 • BACKWARD 2 • Q3/5

3026

QUESTION ID

S82-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B2-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 82 • BACKWARD 2 • Q3/5

What is the median of 1, 4, 6, 9?

- A.** 4
- B.** 5
- C.** 6
- D.** 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B2-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 82 • BACKWARD 2 • Q4/5

3027

QUESTION ID

S82-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B2-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 82 • BACKWARD 2 • Q4/5

Find the mean.

5, 5, 6, 8, 11

Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B2-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 82 • BACKWARD 2 • Q5/5

3028

QUESTION ID

S82-B2-Q5

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B2-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 82 • BACKWARD 2 • Q5/5

SET 82 • 6.SP.B.5.d

BACKWARD 3

Reading a dot plot • Grade 4 • Measurement & Data • 4.MD.B.4

How many students scored 9 on the quiz?



Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B3-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 82 • BACKWARD 3 • Q1/5

3030

QUESTION ID

S82-B3-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B3-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 82 • BACKWARD 3 • Q1/5

What is the lowest quiz score shown?



Score: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B3-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 82 • BACKWARD 3 • Q2/5

3031

QUESTION ID

S82-B3-Q2

TYPE

Short answer

CORRECT ANSWER

3


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B3-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 82 • BACKWARD 3 • Q2/5

True or false?

Five students scored 8.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B3-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 82 • BACKWARD 3 • Q3/5

3032

QUESTION ID

S82-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B3-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 82 • BACKWARD 3 • Q3/5

How many students took the quiz?



A. 6

B. 9

C. 15

D. 18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B3-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 82 • BACKWARD 3 • Q4/5

3033

QUESTION ID

S82-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER


D. 18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B3-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 82 • BACKWARD 3 • Q4/5

How many students had 0 pets?



Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B3-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 82 • BACKWARD 3 • Q5/5

3034

QUESTION ID

S82-B3-Q5

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-B3-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 82 • BACKWARD 3 • Q5/5

SET 82 • 6.SP.B.5.d

FORWARD 1

Compare populations using appropriate measures • Grade 7 • Statistics & Probability • 7.SP.B.4

Two random samples of house prices are both skewed right with outliers.

Which measures are best for comparing them?

- A.** Medians and IQRs
- B.** Minimums
- C.** Means and MADs
- D.** Maximums

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 82 • FORWARD 1 • Q1/5

3036

QUESTION ID

S82-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. Medians and IQRs

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F1-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 82 • FORWARD 1 • Q1/5

True or false?

When two samples are symmetric with no outliers, comparing their means is appropriate.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 82 • FORWARD 1 • Q2/5

3037

QUESTION ID

S82-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F1-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 82 • FORWARD 1 • Q2/5

Sample A: median 30, IQR 6. Sample B: median 45, IQR 6.

The difference in medians is how many times the IQR?

Times: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 82 • FORWARD 1 • Q3/5

3038

QUESTION ID

S82-F1-Q3

TYPE

Short answer

CORRECT ANSWER

2.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F1-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 82 • FORWARD 1 • Q3/5

Class A test scores have mean 78 and MAD 5. Class B test scores have mean 78 and MAD 12.

Which statement is true?

- A.** Class A scored higher.
- B.** Class B scored higher.
- C.** Class B's scores vary more.
- D.** Class A's scores vary more.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 82 • FORWARD 1 • Q4/5

3039

QUESTION ID

S82-F1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. Class B's scores vary more.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F1-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 82 • FORWARD 1 • Q4/5

Random samples of puzzle times are both skewed right. Group X has a median of 14 minutes, and Group Y has a median of 20 minutes. Their IQRs are similar.

Which group typically takes longer?

Group: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 82 • FORWARD 1 • Q5/5

3040

QUESTION ID

S82-F1-Q5

TYPE

Short answer

CORRECT ANSWER

Group Y

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F1-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 82 • FORWARD 1 • Q5/5

FORWARD 2


Judge how well a line fits the data • Grade 8 • Statistics & Probability • 8.SP.A.2

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

True or false?

The line is a good fit for the data.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 82 • FORWARD 2 • Q1/5 • NEAREST RELATED

3042

QUESTION ID

S82-F2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S82-F2-Q1

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 82 • FORWARD 2 • Q1/5 • NEAREST RELATED

True or false?

The line is a good fit for the data.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 82 • FORWARD 2 • Q2/5 • NEAREST RELATED

3043

QUESTION ID

S82-F2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F2-Q2

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 82 • FORWARD 2 • Q2/5 • NEAREST RELATED

A line of best fit should show ____.

- A. only the largest value
- B. only the smallest value
- C. only the first point
- D. the overall trend of the data

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 82 • FORWARD 2 • Q3/5 • NEAREST RELATED

3044

QUESTION ID

S82-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

**D. the overall trend
of the data**


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F2-Q3

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 82 • FORWARD 2 • Q3/5 • NEAREST RELATED

Use the line of best fit to predict y when $x = 2$.

$y =$ _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 82 • FORWARD 2 • Q4/5 • NEAREST RELATED

3045

QUESTION ID

S82-F2-Q4

TYPE

Short answer

CORRECT ANSWER

8


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F2-Q4

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 82 • FORWARD 2 • Q4/5 • NEAREST RELATED

Why should a scatter plot with no association NOT be modeled with a straight line?

- A. There are too many points.
- B. Lines must pass through the origin.
- C. The axes are labeled.
- D. There is no linear trend to model.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 82 • FORWARD 2 • Q5/5 • NEAREST RELATED

3046

QUESTION ID

S82-F2-Q5

TYPE

Multiple choice

CORRECT ANSWER

D. There is no linear trend to model.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S82-F2-Q5

Grade 8 • Statistics & Probability • 8.SP.A.2 • Set 82 • FORWARD 2 • Q5/5 • NEAREST RELATED