

KELLAR-STUDIO'S

CLIENT ASSET INBOUND SPECIFICATIONS

1. INTRODUCTION & INTEGRITY PROTECTION

This technical brief establishes mandatory baseline submission specifications for all external clients, contributors, and field assets delivering files to Kellar-Studio's workspace. Adherence to these protocols ensures asset integrity and guarantees zero parsing script failures inside our automated pipelines.

2. TECHNICAL ASSET DELIVERY MATRIX

All delivered multi-media stems must be generated using lossless linear compilation targets. Compressed consumers variants (e.g., MP3, AAC) are automatically rejected by automation firewalls.

Asset Type	Container / Codec	Target Spec	Pipeline Demands
Vocal / Dialogue	Uncompressed PCM WAV	24-bit / 48kHz Mono	Raw, zero tracking FX, clipped safety margin at -6dBfs.
Stereo Mixdowns	Uncompressed PCM WAV	24-bit / 48kHz Stereo	Bounced from timeline root point zero. No limiting wrappers.
Video Footages	MOV / MP4 (ProRes 422 or H.264)	1080p / 4K @ 30 or 60fps	Constant frame rate mandatory. Variable frame rates barred.
Graphic Assets	Lossless PNG / Native Vector SVG	Transparent Alpha layer	High-resolution sRGB color targets only.

3. NOMENCLATURE MANDATORY (NAMING STANDARD)

Because inbound files pass directly into a daemon-driven background watch folder monitor, structural nomenclature conformity is strict. Stray or arbitrary file labels break the parsing script array.

Rule: The Standard Chronological Blueprint

Every element must use underscores as separators and end with the explicit keyword tag defining its engineering readiness level.

```
YYYYMMDD_ClientName_ProjectName_AssetDescriptor_STAGE.extension
```

Accepted Operational Stage Tags:

- **_RAW** — Direct capture data requiring filtering or frequency dynamic adjustments.
- **_PREMIX** — Preliminary timed multi-track groups ready for linear staging.
- **_FINAL** — Fully cleared asset waiting for immediate deployment routing.

Example Architecture: 20260617_JohnDoe_VocalRecall_Episode02_RAW.wav

4. SUBMISSION DELIVERY PROTOCOL

To drop assets securely into our execution pipelines, content creators must follow this transmission checklist sequence:

Step-by-Step Delivery Pipeline

1. **Verification:** Run a local audit confirming sample rate metrics match exactly 48kHz with an absolute peak boundary ceiling clear of digital saturation.
2. **Archive Clustering:** If sending multi-track vocal layers, consolidate them to project timeline point zero. Place them inside a folder structure matching the naming paradigm and pack via standard uncompressed ZIP.
3. **Drop Authorization:** Push files exclusively to the authenticated Kellar-Studio cloud ingestion portal links or authorized GitHub secure stage arrays provided. Do not attach assets directly to standard messaging chains or email links.