AD 2. AERODROMES

OINN AD 2.1 AERODROME LOCATION INDICATOR AND NAME

OINN - NOSHAHR / National

OINN AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP coordinates and site at AD*	363948N 0512753E
2	*Direction and distance from (city)*	W, 2 NM from Noshahr
3	*Elevation / Reference temperature*	- 61 FT / 29°C
4	*MAG VAR / Annual change*	5° E (2016) / Information not available
5	*AD Administration, address, telephone, telefax, telex, AFS*	Iran Airports & Air Navigation Company (IAC) Noshahr Airport Postal code: 46515 - 31164 Noshahr - Islamic Republic of Iran Tel: +9811 – 52323112-4, 52322206 Telefax: +9811 – 52323116 Telex: NIL AFS: OINNYDYX
6	*Types of traffic permitted (IFR/VFR)*	IFR/VFR
7	*Remarks*	NIL

OINN AD 2.3 OPERATIONAL HOURS

1	*AD Administration*	0330-1100
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL
4	*AIS Briefing Office*	Service available by ATS
5	*ATS Reporting Office (ARO)*	Service available by ATS
6	*MET Briefing Office*	NIL
7	*ATS*	FM 21 MAR TO 22 SEP: 0330-1530 FM 23 SEP TO 20 MAR: 0330-SS other times O/R
8	*Fuelling*	FM 21 MAR TO 22 SEP: 0330-1530 FM 23 SEP TO 20 MAR: 0330-SS other times O/R
9	*Handling*	Available during main carrier schedule flights, other times O/R
10	*Security*	H24
11	*De-icing*	NIL
12	*Remarks*	Out of this time PPR at least 48 HR before EOBT from Noshahr AD

OINN AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo - handling facilities*	Available by main carrier
2	*Fuel / oil types*	Jet A1
3	*Fuelling facilities/capacity*	Jet A1 : 2 trucks, 8000 litres, 20 litres/sec No limitation.
4	*De - icing facilities*	NIL
5	*Hanger space for visiting aircraft*	NIL
6	*Repaire facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

OINN AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Available in the city
2	*Restaurants*	Available in the city
3	*Transportation*	Taxis
4	*Medical facilities*	Hospital in the city
5	*Bank and Post Office*	Available in the city
6	*Tourist Office*	Available in the city
7	*Remarks*	NIL

OINN AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	CAT 5
2	*Rescue equipment*	Available in accordance with AD category for fire fighting.
3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	CAT 6 available for those flight which get prior permission at least 48 HR before EOBT from OINZ.

OINN AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	1 Snow plough
2	*Clearance priorities*	1-RWY 10/28 2-TWY 3-Apron
3	*Remarks*	NIL

OINN AD 2.8 APRONS, TAXIWAYS

1	*Apron surface and strength*	Surface: Asphalt Strength: Information not available
2	*Taxiway width, surface and strength*	Width: 30 M Surface: Asphalt Strength: Information not available
3	*Remarks*	Apron dimension: 155 x 82 M

OINN AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and parking guidance system of aircraft stands*	Guide lines at apron
2	*RWY and TWY markings and LGT*	RWY: Designation, THR, TDZ, centre line, edge & RWY end marked RWY lighting: See OINN AD 2.14 TWY: Centre line, edge, holding position at TWY/RWY intersection marked TWY lighting: See OINN AD 2.15
3	*Stop bars*	NIL
4	*Remarks*	NIL

OINN AD 2.10 AERODROME OBSTACLES

In approach / TKOF areas			*In circling area and at AD*		*Remarks*
1			2		3
RWY/Area affected	*Obstacle type Elevation / HGT Markings/LGT*	*Coordinates*	*Obstacle type Elevation / HGT Markings/LGT*	*Coordinates*	
a	*b*	*c*	*a*	*b*	
10 / APCH 28 / TKOF	Building -7 FT AMSL NIL	364001N 0512649E	Mast 276 FT AGL LGTD	363902N 0512523E	
10 / APCH 28 / TKOF	Building 1 FT AMSL NIL	364012N 0512654E	2 Com Masts 221 FT AGL NIL	1st:364042N 0512611E 2nd:364043N 0512612E	
10 / APCH 28 / TKOF	Building 8 FT AMSL NIL	364012N 0512654E	Mast 103 FT AMSL NIL	363940N 0512950E	
10 / APCH 28 / TKOF	Building -39 FT AMSL NIL	364005N 0512714E	Floodlight 12 FT AMSL NIL	363938N 0512808E	
10 / APCH 28 / TKOF	Building -42 FT AMSL NIL	364003N 0512721E	Building -47 FT AMSL NIL	363945N 0512827E	
10 / APCH 28 / TKOF	Building -46 FT AMSL NIL	364001N 0512726E	Building -23 FT AMSL NIL	363947N 0512831E	
10 / APCH 28 / TKOF	Building -46 FT AMSL NIL	364001N 0512725E	Floodlight 11 FT AMSL NIL	363937N 0512812E	
28 / APCH 10 / TKOF	Antenna 80 FT AMSL NIL	363927N 0512955E	Floodlight 11 FT AMSL NIL	363938N 0512810E	
28 / APCH 10 / TKOF	Antenna 49 FT AMSL NIL	363914N 0512940E	Tree -10 FT AMSL NIL	363934N 0512829E	
28 / APCH 10 / TKOF	Antenna -7 FT AMSL NIL	363926N 0512859E	Aerodrome Control Tower -12 FT AMSL NIL	363937N 0512809E	
28 / APCH 10 / TKOF	Building 87 FT AMSL NIL	363906N 0512942E	Tree -12 FT AMSL NIL	363946N 0512829E	

In approach / TKOF areas			*In circling area and at AD*		*Remarks*
1			2		3
RWY/Area affected	*Obstacle type Elevation/ HGT Markings/LGT*	*Coordinates*	*Obstacle type Elevation / HGT Markings/LGT*	*Coordinates*	
a	b	c	a	b	
28 / APCH 10 / TKOF	Mast 84 FT AMSL NIL	363915N 0513011E	Tree -19 FT AMSL NIL	363953N 0512720E	
28 / APCH 10 / TKOF	Mast 15 FT AMSL NIL	363927N 0512852E	Mast 112 FT AMSL NIL	363903N 0512941E	
28 / APCH 10 / TKOF	Building -44 FT AMSL NIL	363932N 0512838E			
28 / APCH 10 / TKOF	Building -53 FT AMSL NIL	363941N 0512835E			
28 / APCH 10 / TKOF	Building -64 FT AMSL NIL	363947N 0512817E			
28 / APCH 10 / TKOF	Building -65 FT AMSL NIL	363948N 0512810E			
28 / APCH 10 / TKOF	Building -53 FT AMSL NIL	363946N 0512822E			
28 / APCH 10 / TKOF	Building -54 FT AMSL NIL	363946N 0512822E			
28 / APCH 10 / TKOF	Building -57 FT AMSL NIL	363944N 0512826E			
28 / APCH 10 / TKOF	Building -56 FT AMSL NIL	363934N 0512833E			
28 / APCH 10 / TKOF	Floodlight -61 FT AMSL NIL	363948N 0512811E			
28 / APCH 10 / TKOF	Building -53 FT AMSL NIL	363941N 0512835E			
28 / APCH 10 / TKOF	Water tank -45 FT AMSL NIL	363945N 0512823E			

OINN AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET Office*	Noshahr
2	*Hours of service* *MET Office outside hours*	H24 --
9	*ATS units provided with information*	Noshahr TWR

Note: Subject concerning item 3 to 8 and 10 not available.

OINN AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE BRG*	*Dimensions of RWY (M)*	*Strength(PCN) and surface of RWY and SWY*	*THR coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*
1	2	3	4	5	6
10	108.64°GEO	2035 x 35	LCN 55 Asphalt	363959.59N 0512715.94E GUND –5FT	THR -61 FT
28	288.65°GEO	2035 x 35	LCN 55 Asphalt	363938.48N 0512833.58E GUND –6FT	THR -71 FT

Slope of RWY - SWY	*SWY dimensions (M)*	*CWY dimensions (M)*	*Strip dimensions (M)*	*OFZ*	*Remarks*
7	8	9	10	11	12
0.15 %	122 x 35	NIL	NIL	NIL	THR RWY 10 displaced 775 M
0.15 %	140 x 35	NIL	NIL	NIL	THR RWY 28 displaced 150 M. DTHR COORD: 363940.03N 0512827.87E

OINN AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	2	3	4	5	6
10	1885	2035	2157	1260	NIL
28	1260	2035	2175	1885	NIL

OINN AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type LEN INTST*	*THR LGT colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour INTST*	*RWY edge LGT LEN, spacing colour, INTST*	*RWY End LGT colour WBAR*	*SWY LGT LEN(M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
10	*NIL*	*Green Supplemented by WBAR*	*NIL*	*NIL*	*NIL*	*2035 M 60 M White, LIH*	*Red*	*NIL*	*NIL*
28	*NIL*	*Green Supplemented by WBAR*	*PAPI Left/3° (41 FT)*	*NIL*	*NIL*	*2035 M 60 M White, LIH*	*Red*	*NIL*	*NIL*

OINN AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN location, characteristics and hours of operation*	On top of the aerodrome control Tower building, FLG G and W EV 2 sec. HN and during IMC
2	*LDI location and LGT* *Anemometer location and LGT*	NIL
3	*TWY edge and centre line lighting*	Edge: All TWYs Centre line: NIL
4	*Secondary power supply/switch-over time*	Available Switch-over time: 10 - 15 sec
5	*Remarks*	NIL

OINN AD 2.16 HELICOPTER LANDING AREA

NIL

OINN AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	Noshahr CTR: A circle, radius 20 NM centred at 363946.1N 0512751.4E (DVOR/DME)	Noshahr ATZ: A circle, radius 7 NM centered at 363948N 0512753E (ARP)
2	*Vertical limits*	FL 175	3000 FT AMSL
3	*Airspace classification*	D	
4	*ATS unit call sign* *Language(s)*	Noshahr TWR English / Persian	
5	*Transition altitude*	11500 FT AMSL	
6	*Remarks*	NIL	

OINN AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
1	2	3	4	5
TWR	Noshahr Tower	118.250 MHZ	FM 21 MAR TO 22 SEP: 0330-1530 FM 23 SEP TO 20 MAR: 0330-SS	
		121.700 MHZ	FM 21 MAR TO 22 SEP: 0330-1530 FM 23 SEP TO 20 MAR: 0330-SS	
		121.500 MHZ	FM 21 MAR TO 22 SEP: 0330-1530 FM 23 SEP TO 20 MAR: 0330-SS	Emergency FREQ

OINN AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, CAT of ILS (For VOR/ILS, give VAR)	*ID*	*Frequency*	*Hours of operation*	*Site of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	2	3	4	5	6	7
DVOR / DME 5° E (2016)	NSH	116.100 MHZ CH108X	H24	363946.1N 0512751.4E		
NDB / DME	NSR	260 KHZ CH86X (113.900 MHZ)	H24	363935.3N 0512805.0E	-64 FT	

DVOR/DME unusable counter clockwise in the FLW area:

From 0 to 5NM:

282° – 100° BLW 4000FT AMSL.

At 15NM:

282° – 100° BLW 11000FT AMSL.

At 20NM:

282° – 100° BLW 14000FT AMSL.

AT 35NM:

1- 235° - 218° BLW 22000FT AMSL.

2- 200° - 160° BLW 22000FT AMSL.

3- 150° - 145° BLW 22000FT AMSL.

OINN AD 2.20 LOCAL TRAFFIC REGULATIONS

1. Fuel dumping area is located on an area with the following specifications:

   a) 365905N 0512135E (on track 340°, 20NM)

   b) 365751N 0513825E (on track 020°, 20NM)

   c) 364849N 0513307E (on track 020°, 10NM)

   d) 364927N 0512449E (on track 340°, 10NM) to the point of origin.

OINN AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OINN AD 2.22 FLIGHT PROCEDURES

Traffic pattern is defined as below:

a. For fighter and heavy fix wing ACFT 1500 feet,
b. For other fix wing ACFT 1000 feet and
c. For helicopter 500 feet.

Note: see AD 1.1.

OINN AD 2.23 ADDITIONAL INFORMATION

1- Strolling animals exist on the movement area.

2- Intensive birds' accumulation exists in the vicinity of AD.

3- Every parked aircraft on apron is considered as an obstacle.

OINN AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome Chart – ICAO ..... AD 2 OINN ADC

Standard Departure Chart - Instrument – ICAO ..... AD 2 OINN SID 2-1

Arrival Chart - Instrument – ICAO ..... AD 2 OINN STAR 2-1

Instrument Approach Chart – ICAO ..... AD 2 OINN IAC 4-1

AD 2 OINN IAC 4-2