

Daily Recovery Scoring

Use This Guide Each Day To Check That You Are Using Enough Recovery Methods

Optimal = 22-26 pts Average = 17-21 pts Low = 16 pts or below

11	Possible Points	Scoring Adjustment
<u>Nutrition</u>	<u>10 Points Possible</u>	
Breakfast	2	Score 1 point for a less than full Breakfast
Lunch	2	Score 1 point for a less than full Lunch
Dinner	2	Score 1 point for a less than full Dinner
Pre-Workout Snack	2	
Post-Workout Carb	2	Score 1 point for refueling below the recommended amount or for delaying more than 60 minutes
<u>Hydration</u>	<u>2 Points Possible</u>	
Pre-Workout 16 oz Bottle of Water	1	Pre-exercise Urine Clear or Light - Add 1 Point
Post-Workout 16 oz Bottle of Water	1	Post-exercise Urine Clear or Light - Add 1 Point
<u>Sleep or Rest</u>	<u>4 Points Possible</u>	
6 Hours of Restful Sleep	3	Add ½ point if you get 7 Hours Add 1 point if you get 8 Hours
Nap During the Day	1	Goal is 15-30 Minutes
<u>Relaxation and Emotional Stress</u>	<u>4 Points Possible</u>	
30 Mins of Quiet Time/Undisturbed Relaxation Post Workout	2	
No Severe Daily Social Stress (i.e. Major Trauma, Friend &/or Family Issues)	2	Score 1 point if you managed Severe Daily Social Stress well (i.e. communication, meditation/prayer)
<u>Stretching/Cool-down</u>	<u>4 Points Possible</u>	
Adequate Cool-down after Exercise	2	
Cold Tub (Following Athletic Trainer's Guidelines)	1	
Stretching/Foam Rolling for 5-10 Minutes	1	Add 1 point for additional 5-10 minutes prior to Bed

Daily Nutritional Checklist

Hang on Refrigerator if Committed to Improving Lean Body Composition:
How disciplined are you?

MON	TUE	WED	THU	FRI	SAT	SUN	Do you..?
							Eat breakfast within one hour of waking?
							Eat at least three meals a day approximately at the same time?
							Nutritious snack at mid-morning and mid-afternoon?
							Eat frequently-every three to four hours?
							Eat three to five pieces of fruit a day?
							Eat a vegetable with every meal?
							Zero fried foods?
							Protein with every snack and meal?
							Eat a pre-workout snack and post workout snack?
							Drink at least a half-gallon or 64 ounces of water/day?
							No alcohol?
							Go to bed about the same time each night?
							Wake up at approximately the same time each morning?
							Avoid the habit of sleeping in?
							Did you avoid, or make a healthy choice for late night eating?
							Do you know approximately how many calories you took in today?
							If seeking to improve Lean Body Mass (i.e. gain weight) - can you identify areas for improvement?
							If seeking to improve Lean Body Composition (i.e. decrease body fat) - can you identify areas for improvement?

Nutrient Dense Foods for Optimal Performance

Jill Koegel, RD, CSSD, Sports Nutrition Consultant



Produce:

- Fruits like apples, oranges, and bananas last longer
- Frozen berries/fruits keep a LONG time! Top cereal or yogurt, blend into smoothies, or eat it alone.
- Veggies like carrots and cherry tomatoes are easy to keep on hand for snacking.
- Avocados: Cut in half and squeeze out into a bowl to smash for instant guacamole. They are also great in smoothies!
- You can buy individual cups of corn that are portable and shelf stable.
- Buy a bag of organic potatoes. Poke one and microwave it 5-8 minutes. Top with cheese for a great snack.
- Try bagged or boxed baby spinach, and when it starts to wilt, add it to a smoothie!
- Hummus: Spread it on sandwiches, or dip pretzels or carrots



Dairy:

- Skim or low fat milk, or low fat chocolate varieties
- 2% Cheese slices and shreds
- String Cheese
- 1-2% Cottage Cheese
- GREEK Yogurt with less than 15 grams of sugar per serving



Snacks:

- Peanuts, Almonds, Walnuts, or Pistachios. Flavored varieties are fine too.
- Trail Mixes: Look for lower sugar varieties (less than 10 grams per serving)
- Whole grain crackers- nut thins, wheat thins, multigrain varieties, melba toast, Graham/Animal crackers
- Granola bars: Try to find varieties with added protein and lower sugar. One example is Nature Valley Protein
- Shelled sunflower seeds, shelled pumpkin seeds
- Nut Butters: Cracked nut butters, Justin's nut butters, and Jif To Go single serve cups are portable
- Dried Fruit (raisins, craisins, etc)

Cereal/Bread:

- Granola to top GREEK yogurts or eat plain.
- Try other nutrient dense Cereals like Shredded Wheat squares or Grape Nuts.
- Instant oatmeal is quick, easy, and healthy.
- Buy a loaf of whole grain bread. Freeze half if you are the only one eating it. Otherwise, store in the fridge.
- Tortillas (not the low carb or low calorie kind). These can also be frozen.
- Bagels. Freeze some of them if you have lots of groceries!





Quick Meals

Easy Cheesy Crock Pot Shredded Turkey

Place turkey breast roast or turkey tenderloins (1 to 3 lbs) in crock pot. Add $\frac{3}{4}$ -1 cup of low sodium chicken broth. Cook on low for 2-4 hours depending on size, then add diced low fat Velveeta cheese (1 cup or so) and cook until cheese is creamy and turkey is done (shreds easily with 2 forks). Serve on sandwich thins or over whole wheat noodles with a salad and side of your choice.

The Best (and easiest) Pulled Pork Recipe

~ 2 lb pork top loin or tenderloin or sirloin roast

16 oz pineapple juice

Approx. 1 cup water

Place trimmed roast in crock pot. Add pineapple juice and then water until roast is almost covered, but not completely. Cook on low 5 hours. Remove roast, drain juice from crock pot. Run cold water over roast and remove any additional obvious fat. Place back in crock pot and shred with two forks (pork should fall apart easily). Add sauce and seasonings of your choice and enjoy!

Crock Pot Pot Roast

Place lean, small Eye Round Roast or Top Round Roast in crock pot. Add $\frac{1}{3}$ cup white vinegar, $\frac{1}{2}$ teaspoon salt, $\frac{1}{4}$ teaspoon ground cloves, $\frac{1}{8}$ teaspoon garlic powder, 1 sliced onion (if desired, and 3 bay leaves. Cook on low for 7-8 hours or until cooked and tender. Remove and shred with forks.

Crock Pot BBQ Chicken

Place chicken breasts with BBQ sauce and $\frac{1}{2}$ -1 cup water (depending on # chicken breasts) in the crock pot on low for 3-4 hours until cooked and tender. Serve on multigrain buns or brown rice, with baby carrots and hummus (2 TBSP) and a simple SteamBag veggie.

Crock Pot Pizza Chicken

Place 4 chicken breasts in a crock pot. Add 1 sliced bell pepper, mushrooms or onions, or other pizza topping of choice, 1 14-oz jar of pizza sauce, 2 cups low fat shredded mozzarella.

Crock Pot Beef Stew

1-1 $\frac{1}{2}$ lb extra lean stew meat (usually 96% lean)

$\frac{1}{2}$ packet French onion soup mix

1 cup mushrooms

$\frac{1}{2}$ cup baby carrots

$\frac{1}{2}$ cup cherry tomatoes

$\frac{1}{4}$ cup chopped celery

$\frac{1}{2}$ cup low sodium beef broth

$\frac{1}{2}$ cup water

Place stew meat in crock pot. Add veggies (change them around if you like!) and sprinkle soup mix over the top of beef and veggies. Pour broth and water over the top and cook on low 5-6 hours, until meat is tender and done. Typically, the longer you cook (to a degree) the more tender the beef will get. Serve over $\frac{1}{2}$ cup brown rice or $\frac{1}{2}$ cup whole wheat pasta. Add a salad on the side to round out your meal and get even more veggies in!

Other Quick Meals:

- Pouches of Tuna Salad (such as Starkist brand), or canned tuna packed in water.
 - Canned chicken in water. Drain, mix with buffalo sauce + a spoonful of plain Greek yogurt & spread on a tortilla for a quick wrap
 - Single serve microwavable rice (Minute rice singles)
 - Soups with beans and rice or noodles (Carton soups are easy to open and reseal)
 - Buy a box of whole grain or high protein pasta such as Healthy Harvest or Barilla Plus Protein. Boil on the stovetop as the package directs. Top with spaghetti sauce-- I like Classico, Wild Oats brand, or similar.
 - Frozen edamame. Steam, covered in the microwave for 3-4 minutes, or per package instructions.
- Olives, nuts/seed toppers, and vinaigrette salad dressings...Add to fresh greens to up the nutrients in a quick salad!

Fueling & Re-fueling Guidelines:

Timing	Type of Intake
Pre-workout (2 h pre-workout)	Low-glycemic index (GI) carbohydrate (or mixed meal with medium and low GI) with a moderate amount of protein. Drink 16 ounces of water 2 h before exercise.
Immediately pre-workout if needed (<10 min)	Medium- or high- GI carbohydrate with a small amount of protein.
During game or workout	Medium- or high- GI sport product (i.e. Gatorade). Drink as much fluid as possible and replace electrolytes during longer sessions.
Immediately post-workout	High-GI carbohydrate and protein (4:1 or 3:1 ratio carbohydrate/protein).
Post-exercise follow-up	Moderate- or high- GI carbohydrates with protein.



Post-Game Strategies

Within the First 5 Minutes:

- Move lightly for 3-5 minutes (i.e. cool-down)
- Rehydrate
- Eat and drink carbohydrates and protein, in a 4:1 or 3:1 ratio, with high-glycemic index (GI) carbohydrates
- Stretch

15-20 Minutes:

- Use a hydrotherapy tool (e.g., contrast showers or hot tub and ice plunge)
- Self-massage (use predominately shaking techniques to stimulate neural recovery)
- Continue to hydrate

Within the First Hour:

- Continue to hydrate
- Take in more food (mixed- GI carbohydrates and protein)
- Start to unwind (e.g., use music as appropriate)

In the Evening:

- Relax as appropriate (e.g., watch television, go to a movie, read, socialize)
- Continue to hydrate and refuel as appropriate

Before Bed:

- Use relaxation skills to switch off
- Follow the usual sleep guidelines

The Next Day:

- Record key indicators
- Take a recovery session (e.g., a pool session) if need



Guidelines to Sleep and Sport

How does sleep loss influence your performance?



- 1** A reduction in sleep quality and quantity could result in an autonomic nervous system imbalance, simulating symptoms of the overtraining syndrome
- 2** Growth hormone, which is fundamental to tissue regeneration and growth is released during phases of deep sleep
- 3** 1.7 times greater risk of being injured in athletes who sleep <8 hours per night
- 4** Increases in pro-inflammatory cytokines following sleep loss could promote immune system dysfunction
- 5** Sleep loss is associated with slower and less accurate cognitive performance
- 6** When sleep is reduced to less than 7 h in healthy adults, cognitive performance is poorer in tests for alertness, reaction time, memory, and decision making
- 7** Sufficient sleep should be obtained following training sessions, as the perceptual and motor learning processes continue into and throughout subsequent sleep
- 8** 2-hour exposure to light exposure to light from self-luminous electronic displays can suppress melatonin by about 22% and affect sleep
Recent evidence suggests that most athletes sleep far less than either 8h per night

Reference: Le Meur, Skein & Duffield
In Recovery for Performance in Sport, Human Kinetics, 2013


- Identify your sleep requirements and try to get this amount daily
- Practice relaxation techniques before retiring to bed (i.e. breathing, meditation, prayer)
- Try to switch off any worries before retiring to bed (write down thoughts for tomorrow if you feel overwhelmed)
- Avoid alcohol in the few hours before retiring to bed



- If you do not fall asleep within 30 minutes, get up and do some relaxation work (foam rolling and static stretching are a great choice!)
- Keep your head cooler than your body
- Use as big of a bed as possible (6 inches longer than body is ideal)
- Use masks or earplugs if needed to insure your quality of sleep is great



CHECKLIST FOR ATHLETES TO CONSIDER TO ENHANCE SLEEP



Reference: by Marshall & Turner, Strength Cond J, 2016

Designed by ©YLM SportScience

Hydrotherapy Guidelines: Post-Practice/Competition

Hydrotherapies can be very useful passive recovery tools, and wide varieties are available. Hydrotherapies should leave the athlete relaxed but mentally alert. The duration of warm immersion should be controlled and should not result in lethargic athletes. If you have an injury, please consult your athletic trainer for hydrotherapy specifics.

Contrast Shower

- Use anytime.
- Alternate 1-3 min of hot with 1-3 min of cold (Follow either a 1/1 or 2/1 ratio).
- Repeat 3 times.
- If used before competition, end in hot.
- If used after competition, end in cold.

Hot tub and Ice plunge

- Use at the end of the training day.
- Alternate 2-3 min in the hot tub (using the jets to massage key muscles and also stretching key muscles) with 1-3 min of cold plunge (kneeling in waist-deep cold water), following the same 1/1 or 2/1 ratio like the contrast shower.
- Repeat 3-4 times.
- Hydrate throughout the process by drinking water.



Foam Roller – Myofascial Release Program Dorm/Apartment:

1 – Thoracic Spine x 20 seconds of Rolling




2 – Lats x 20 seconds of Rolling each side



3 – Pecs x 20 seconds of Rolling each side



4 – Glutes x 20 seconds of Rolling each side



5 – Hamstrings x 20 seconds of Rolling




6 – IT Band x 20 seconds of Rolling each side



7 – Groin x 20 seconds of Rolling each side



8 – Quads x 20 seconds of Rolling each side



*****Other Suggestions: Calves & Shins***

LAX Ball – Myofascial Release Techniques for Dorm/Apartment:

1 – Foot x 10 Full Rolls/Foot (Up & Down = 1)



2 – Pec Minor x 10 Full Rolls/Foot (Up & Down = 1)



3 – Posterior Shoulder/Side x 10 Full Rolls (Up & Down = 1)



4 – Psoas x 10 Full Rolls/Side (Up & Down = 1)



5 – TFL x 10 Full Rolls/Side (Up & Down = 1)



6 – Piriformis/Glute x 10 Full Rolls/Side (Up & Down = 1)



7 – Trap x 10 Full Rolls/Side (Up & Down = 1)



**8- Peanut Ball: T-Spine – Start at Shoulder Blade Height, Stop When Even with Bottom of Rib Cage
-Perform 5 Mini Crunches (Don't Allow Body & Peanut Ball to Disconnect), then Relax on Ball
for 10 Seconds, Move the Ball Down & Repeat Through Specified Range of Motion**



Static Stretch Circuit for Dorm/Apartment:

1 – Rear Foot Elevated Stretch x 40 seconds/leg (Use Couch or Chair in Place of Box)



2 – Pigeon Stretch x 40 seconds/leg


Side View:



Front View:




3 – Heel to Butt Quad Stretch x 40 seconds/leg



4 – 3 Way Hamstring Stretch x 40 seconds/location/leg (Use Band, Jump Rope or Belt)

Hamstring 1:



5 – Kneeling Forearm Stretch x 40 seconds



6 – 90 Degree Wall Stretch x 40 seconds/arm (Use Doorway)




7 – Lat/Tricep Stretch Against Wall x 40 seconds/arm



****Other Suggestions: Straight-Leg Groin Stretch, Calf Stretch**

Hamstring 2:



Hamstring 3:

