


SAMPLE - n-type Silicon

| Input Data |       |       |                |        |
|------------|-------|-------|----------------|--------|
| i          | x     | y     | x <sup>2</sup> | xy     |
| 1          | 0.0   | 0.0   | 0.0            | 0.0    |
| 2          | 0.01  | 1.2   | 0.0            | 0.012  |
| 3          | 0.02  | 2.4   | 0.0            | 0.048  |
| 4          | 0.03  | 3.7   | 0.001          | 0.111  |
| 5          | 0.04  | 4.9   | 0.002          | 0.196  |
| 6          | 0.05  | 6.2   | 0.003          | 0.312  |
| 7          | 0.06  | 7.4   | 0.004          | 0.444  |
| 8          | 0.07  | 8.7   | 0.005          | 0.613  |
| 9          | 0.08  | 9.9   | 0.006          | 0.794  |
| 10         | 0.09  | 11.2  | 0.008          | 1.011  |
| 11         | 0.1   | 12.3  | 0.01           | 1.229  |
| 12         | 0.11  | 13.6  | 0.012          | 1.496  |
| 13         | 0.12  | 14.9  | 0.014          | 1.794  |
| 14         | 0.13  | 16.1  | 0.017          | 2.093  |
| 15         | 0.14  | 17.4  | 0.02           | 2.443  |
| 16         | 0.15  | 18.6  | 0.022          | 2.79   |
| 17         | 0.16  | 19.9  | 0.026          | 3.186  |
| 18         | 0.17  | 21.1  | 0.029          | 3.587  |
| 19         | 0.18  | 22.4  | 0.032          | 4.032  |
| Σ          | 1.712 | 211.9 | 0.211          | 26.192 |

| Fit Results & Statistical Errors |        |             |
|----------------------------------|--------|-------------|
| Parameter                        | Value  | Uncertainty |
| Slope (a <sub>1</sub> )          | 124.49 | ±0.14       |
| Intercept (a <sub>0</sub> )      | -0.07  | ±0.01       |
| σ <sub>y</sub> (Std. Error)      | 0.03   |             |
| Δ (delta)                        | 1.08   |             |

| Measured vs Fitted Values |              |         |
|---------------------------|--------------|---------|
| x                         | y (measured) | y (fit) |
| 0.0                       | 0.0          | -0.067  |
| 0.01                      | 1.2          | 1.203   |
| 0.02                      | 2.4          | 2.423   |
| 0.03                      | 3.7          | 3.668   |
| 0.04                      | 4.9          | 4.913   |
| 0.05                      | 6.2          | 6.207   |
| 0.06                      | 7.4          | 7.402   |
| 0.07                      | 8.7          | 8.709   |
| 0.08                      | 9.9          | 9.917   |
| 0.09                      | 11.2         | 11.174  |
| 0.1                       | 12.3         | 12.369  |
| 0.11                      | 13.6         | 13.627  |
| 0.12                      | 14.9         | 14.921  |
| 0.13                      | 16.1         | 16.116  |
| 0.14                      | 17.4         | 17.411  |
| 0.15                      | 18.6         | 18.606  |
| 0.16                      | 19.9         | 19.863  |
| 0.17                      | 21.1         | 21.096  |
| 0.18                      | 22.4         | 22.341  |




SAMPLE - n-type Germanium

| Input Data |         |       |                |         |
|------------|---------|-------|----------------|---------|
| i          | x       | y     | x <sup>2</sup> | xy      |
| 1          | 0.00039 | 0.041 | 2e-07          | 2e-05   |
| 2          | 0.0009  | 0.088 | 8e-07          | 8e-05   |
| 3          | 0.00112 | 0.108 | 1.3e-06        | 0.00012 |
| 4          | 0.00142 | 0.136 | 2e-06          | 0.00019 |
| 5          | 0.00188 | 0.178 | 3.5e-06        | 0.00033 |
| 6          | 0.0022  | 0.207 | 4.8e-06        | 0.00046 |
| 7          | 0.00266 | 0.252 | 7.1e-06        | 0.00067 |
| 8          | 0.00333 | 0.314 | 1.11e-05       | 0.00105 |
| 9          | 0.00411 | 0.389 | 1.69e-05       | 0.0016  |
| 10         | 0.00439 | 0.414 | 1.93e-05       | 0.00182 |
| 11         | 0.00469 | 0.443 | 2.2e-05        | 0.00208 |
| 12         | 0.00504 | 0.475 | 2.54e-05       | 0.00239 |
| 13         | 0.00562 | 0.529 | 3.16e-05       | 0.00297 |
| 14         | 0.00602 | 0.568 | 3.62e-05       | 0.00342 |
| 15         | 0.00619 | 0.585 | 3.83e-05       | 0.00362 |
| Σ          | 0.04996 | 4.727 | 0.00022        | 0.02082 |

| Measured vs Fitted Values |              |         |
|---------------------------|--------------|---------|
| x                         | y (measured) | y (fit) |
| 0.00039                   | 0.041        | 0.03928 |
| 0.0009                    | 0.088        | 0.08712 |
| 0.00112                   | 0.108        | 0.10776 |
| 0.00142                   | 0.136        | 0.1359  |
| 0.00188                   | 0.178        | 0.17905 |
| 0.0022                    | 0.207        | 0.20907 |
| 0.00266                   | 0.252        | 0.25222 |
| 0.00333                   | 0.314        | 0.31507 |
| 0.00411                   | 0.389        | 0.38824 |
| 0.00439                   | 0.414        | 0.41451 |
| 0.00469                   | 0.443        | 0.44265 |
| 0.00504                   | 0.475        | 0.47548 |
| 0.00562                   | 0.529        | 0.52989 |
| 0.00602                   | 0.568        | 0.56741 |
| 0.00619                   | 0.585        | 0.58336 |

| Fit Results & Statistical Errors |       |             |
|----------------------------------|-------|-------------|
| Parameter                        | Value | Uncertainty |
| Slope (a <sub>1</sub> )          | 93.81 | ±0.15       |
| Intercept (a <sub>0</sub> )      | 0.00  | ±0.00       |
| σ <sub>y</sub> (Std. Error)      | 0.00  |             |
| Δ (delta)                        | 0.00  |             |




SAMPLE - Aluminium foil

| Input Data |        |       |                |        |
|------------|--------|-------|----------------|--------|
| i          | x      | y     | x <sup>2</sup> | xy     |
| 1          | 0.004  | 0.0   | 0.0            | 0.0    |
| 2          | 0.0101 | 0.002 | 0.0001         | 0.0    |
| 3          | 0.0211 | 0.006 | 0.0004         | 0.0001 |
| 4          | 0.0297 | 0.009 | 0.0009         | 0.0003 |
| 5          | 0.0405 | 0.014 | 0.0016         | 0.0006 |
| 6          | 0.0501 | 0.016 | 0.0025         | 0.0008 |
| 7          | 0.06   | 0.02  | 0.0036         | 0.0012 |
| 8          | 0.071  | 0.025 | 0.005          | 0.0018 |
| 9          | 0.0804 | 0.028 | 0.0065         | 0.0023 |
| 10         | 0.0901 | 0.032 | 0.0081         | 0.0029 |
| 11         | 0.1004 | 0.036 | 0.0101         | 0.0036 |
| 12         | 0.1111 | 0.039 | 0.0123         | 0.0043 |
| 13         | 0.1223 | 0.044 | 0.015          | 0.0054 |
| 14         | 0.1302 | 0.046 | 0.017          | 0.006  |
| 15         | 0.1408 | 0.05  | 0.0198         | 0.007  |
| 16         | 0.1506 | 0.054 | 0.0227         | 0.0081 |
| 17         | 0.16   | 0.056 | 0.0256         | 0.009  |
| 18         | 0.1697 | 0.06  | 0.0288         | 0.0102 |
| 19         | 0.1802 | 0.064 | 0.0325         | 0.0115 |
| 20         | 0.1901 | 0.067 | 0.0361         | 0.0127 |
| Σ          | 1.9124 | 0.668 | 0.2487         | 0.0878 |

| Measured vs Fitted Values |              |         |
|---------------------------|--------------|---------|
| x                         | y (measured) | y (fit) |
| 0.004                     | 0.0          | 0.0001  |
| 0.0101                    | 0.002        | 0.0023  |
| 0.0211                    | 0.006        | 0.0063  |
| 0.0297                    | 0.009        | 0.0094  |
| 0.0405                    | 0.014        | 0.0134  |
| 0.0501                    | 0.016        | 0.0169  |
| 0.06                      | 0.02         | 0.0205  |
| 0.071                     | 0.025        | 0.0245  |
| 0.0804                    | 0.028        | 0.0279  |
| 0.0901                    | 0.032        | 0.0314  |
| 0.1004                    | 0.036        | 0.0351  |
| 0.1111                    | 0.039        | 0.039   |
| 0.1223                    | 0.044        | 0.0431  |
| 0.1302                    | 0.046        | 0.046   |
| 0.1408                    | 0.05         | 0.0498  |
| 0.1506                    | 0.054        | 0.0534  |
| 0.16                      | 0.056        | 0.0568  |
| 0.1697                    | 0.06         | 0.0603  |
| 0.1802                    | 0.064        | 0.0641  |
| 0.1901                    | 0.067        | 0.0677  |

| Fit Results & Statistical Errors |        |             |
|----------------------------------|--------|-------------|
| Parameter                        | Value  | Uncertainty |
| Slope (a <sub>1</sub> )          | 0.364  | ±0.002      |
| Intercept (a <sub>0</sub> )      | -0.001 | ±0.000      |
| σ <sub>y</sub> (Std. Error)      | 0.001  |             |
| Δ (delta)                        | 1.316  |             |




Temperature Variation  
SAMPLE - n-type Germanium

| Input Data |         |          |                |          |
|------------|---------|----------|----------------|----------|
| i          | x       | y        | x <sup>2</sup> | xy       |
| 1          | 0.00256 | -4.35101 | 6.5e-06        | -0.01112 |
| 2          | 0.00251 | -4.5082  | 6.3e-06        | -0.01132 |
| 3          | 0.00248 | -4.64477 | 6.2e-06        | -0.01152 |
| 4          | 0.00245 | -4.69478 | 6e-06          | -0.0115  |
| 5          | 0.00242 | -4.89261 | 5.9e-06        | -0.01184 |
| 6          | 0.00239 | -4.99105 | 5.7e-06        | -0.01194 |
| 7          | 0.00236 | -5.13947 | 5.6e-06        | -0.01215 |
| 8          | 0.00234 | -5.2673  | 5.5e-06        | -0.0123  |
| 9          | 0.00231 | -5.36261 | 5.3e-06        | -0.01238 |
| 10         | 0.00228 | -5.46797 | 5.2e-06        | -0.01248 |
| 11         | 0.00226 | -5.58575 | 5.1e-06        | -0.0126  |
| 12         | 0.00223 | -5.71929 | 5e-06          | -0.01276 |
| 13         | 0.00221 | -5.79339 | 4.9e-06        | -0.01278 |
| Σ          | 0.0308  | -66.4182 | 7e-05          | -0.15671 |

| Measured vs Fitted Values |              |          |
|---------------------------|--------------|----------|
| x                         | y (measured) | y (fit)  |
| 0.00256                   | -4.35101     | -4.31259 |
| 0.00251                   | -4.5082      | -4.50332 |
| 0.00248                   | -4.64477     | -4.63551 |
| 0.00245                   | -4.69478     | -4.76445 |
| 0.00242                   | -4.89261     | -4.89028 |
| 0.00239                   | -4.99105     | -5.01309 |
| 0.00236                   | -5.13947     | -5.13301 |
| 0.00234                   | -5.2673      | -5.25012 |
| 0.00231                   | -5.36261     | -5.36453 |
| 0.00228                   | -5.46797     | -5.47633 |
| 0.00226                   | -5.58575     | -5.5856  |
| 0.00223                   | -5.71929     | -5.69244 |
| 0.00221                   | -5.79339     | -5.79692 |

| Fit Results & Statistical Errors |         |             |
|----------------------------------|---------|-------------|
| Parameter                        | Value   | Uncertainty |
| Slope (a <sub>1</sub> )          | 4243.51 | ±70.46      |
| Intercept (a <sub>0</sub> )      | -15.16  | ±0.17       |
| σ <sub>y</sub> (Std. Error)      | 0.03    |             |
| Δ (delta)                        | 0.00    |             |



Temperature Variation  
SAMPLE - Aluminium foil

