

Towards Trustworthy Network Security: Evaluating Concept-Based Interpretability and Neuro-Symbolic Out-of-Distribution Detection

Crisphine Macharia Ngari, Ning Yang, and Ning Weng

Abstract—Machine learning (ML)-based network intrusion detection systems (NIDS) face two persistent deployment challenges: lack of interpretability, and poor handling of novel attack families unseen during training (the open-set problem). We present a joint evaluation of two complementary interpretable architectures applied to IoT traffic classification and open-set detection. First, Concept Bottleneck Models (CBMs) route predictions through a layer of human-defined traffic concepts and support test-time intervention. Second, Neuro-Symbolic NIDS (NeSy-NIDS) encodes domain-expert attack signatures as differentiable threshold rules with learnable parameters, yielding an exactly binary rule-activation space via k -annealing and the Straight-Through Estimator. NeSy-NIDS additionally incorporates a neural fallback gated by a learnable mixing coefficient α . Both architectures independently use Mahalanobis distance in their respective representation spaces for open-set scoring. On CTU-IoT-23 and CIC-IoT-2023, neither method incurs any classification accuracy cost (F1 within ± 0.0015 of an unconstrained MLP). On CTU-IoT-23, rule-space Mahalanobis achieves OOD AUROC=0.911 ($\sigma=0.011$), competitive with the best CBM variant (0.918). On CIC-IoT-2023, both bottleneck architectures fall below the MLP baseline (0.616/0.591 vs. 0.858), a result we attribute to a *compression-structural* effect: reducing 39 raw features to 8 rule or concept dimensions discards information necessary to separate the 29 unknown attack families, as confirmed by a Decision Tree baseline achieving AUROC=0.809 on raw features. NeSy-NIDS additionally provides semantically consistent threshold drift and a controllable interpretability-vs-OOD trade-off via α -regularisation, at zero F1 cost.

Index Terms—IoT network intrusion detection, concept bottleneck models, differentiable rule learning, open-set detection, out-of-distribution detection, interpretable machine learning

I. INTRODUCTION

Internet of Things (IoT) devices now constitute a dominant fraction of network endpoints. Their minimal patch cycles and heterogeneous firmware make them attractive targets for botnet recruitment, distributed denial-of-service (DDoS) amplification, and command-and-control (C&C) infrastructure. Network-level intrusion detection systems (NIDS) are a practical first line of defence: passive on traffic flows, requiring no modification to end-devices.

Manuscript submitted to IEEE Transactions on Information Forensics and Security.

C. M. Ngari and N. Weng are with the School of Electrical, Computer and Biomedical Engineering, Southern Illinois University Carbondale, Carbondale, IL 62901 USA (e-mail: c.ngari@siu.edu; nweng@siu.edu). Corresponding author: C. M. Ngari.

N. Yang is with the School of Computing, Southern Illinois University Carbondale, Carbondale, IL 62901 USA (e-mail: nyang@siu.edu).

Code and pre-trained models are publicly available at <https://github.com/crisphinen/interpretable-nids>.

Deep learning (DL)-based NIDS achieve strong classification accuracy for known attacks; however, two structural limitations impede operational deployment. First, the *interpretability gap*: DL models provide no human-auditable justification for flagged alerts. Without knowing *which* traffic features triggered a decision, operators cannot validate alerts, tune policies, or satisfy regulatory requirements [1], [2]. Post-hoc explainers address this symptom but operate outside the model; even the most capable post-hoc NIDS explainer (xNIDS [3]) achieves its fidelity gains only relative to LIME and SHAP, while remaining external to the model's decision process.

Second, the *open-set problem*: NIDS trained on a closed set of known attacks will inevitably encounter novel families during deployment [2]. A model that confidently assigns novel traffic to a known class provides false assurance. Existing approaches either retrain periodically or deploy a secondary anomaly detector, neither of which uses the model's own representations for principled open-set scoring [4].

In this paper, we tackle both problems by independently embedding interpretability *into* each model's architecture and evaluating its effect on open-set detection. Two complementary architectures are studied: (i) **CBMs** [5]: predictions are forced through an intermediate layer of human-defined concepts (e.g., *is_high_rate*, *is_beaconing*), making each intermediate decision directly auditable and enabling test-time interventions; (ii) **NeSy-NIDS**: domain-expert attack signatures are encoded as parameterised threshold rules whose thresholds are jointly learned via k -annealing and the Straight-Through Estimator (STE) [6], [7], producing an exactly binary rule-activation vector at inference.

Unlike xNIDS [3], which generates post-hoc explanations from a black-box model, both architectures are inherently interpretable: intermediate representations consist of human-defined concepts (CBM) or exact binary rules (NeSy-NIDS). Unlike OWAD [4], which detects normality shift in deployed detectors over time, we address unknown-class detection at single-inference granularity in models whose representation spaces are human-interpretable.

Contributions:

- 1) **Compression-induced OOD failure**: we identify and geometrically explain a structural failure mode that arises when compressing 39 raw features to 8 bottleneck dimensions on CIC-IoT-2023. The 29 unknown attack families collapse into the known-class Mahalanobis region in concept/rule space (89.7% overlap), while a

Decision Tree on raw features achieves AUROC=0.809, confirming the failure is caused by compression, not model choice. This analysis applies to any bottleneck-style architecture.

- 2) **Zero accuracy cost:** a first joint evaluation of CBMs and differentiable rule learning for IoT NIDS, demonstrating that neither architecture sacrifices classification accuracy relative to an unconstrained MLP (F1 within ± 0.0015 across both datasets and all seeds).
- 3) **100% rule crispness:** NeSy-NIDS with k -annealing and STE produces strictly binary rule activations at inference without a post-quantisation step, yielding syntactically verifiable if-then rules for deployment audit.
- 4) **Deployable interpretability trade-off:** a controllable α -gate provides a Pareto front between rule reliance and OOD detectability, selectable at inference time without full retraining.
- 5) **Concept leakage quantification:** a γ -fidelity regulariser eliminates concept leakage in CBMs, simultaneously improving OOD AUROC and achieving $3.6\times$ variance reduction across seeds on CTU-IoT-23.

Both models are trained on the publicly labelled CTU-IoT-23 [8] and CIC-IoT-2023 [9] datasets, containing 4/9 and 5/29 known/unknown attack families, respectively.

II. RELATED WORK

A. Interpretability in DL-based NIDS

Post-hoc explanation techniques such as feature attribution [3] and concept drift explanation [10] help operators understand existing DL-NIDS, but do not constrain the model's behaviour. Wei et al. [3] (xNIDS) demonstrate that sparse group lasso over groups of network features outperforms LIME and SHAP on fidelity, stability, and completeness, and their technique outputs concrete firewall rules. Han et al. [11] (DeepAID) formulate explanation constraints as optimisation problems for unsupervised DL-based security anomaly detectors. Han et al. [12] (GEAD) derive global rules for DL-based anomaly detectors via decision regression trees. All these approaches are *post-hoc*, leaving the underlying model opaque. Our work differs by making each model inherently interpretable, so that explanations are guaranteed faithful by construction.

B. Concept Bottleneck Models

Koh et al. [5] introduced CBMs as a two-stage architecture in which predictions are forced through an intermediate layer of human-defined concepts, enabling test-time intervention. Zarlenga et al. [13] propose Concept Embedding Models (CEMs) that extend CBMs to higher-dimensional concept representations without sacrificing intervention capability. Yuksekogonul et al. [14] show that any pre-trained network can be retroactively converted to a CBM via post-hoc concept alignment. No prior work applies CBMs in the NIDS domain; our paper provides the first such analysis, including the first quantitative study of concept leakage in network traffic classification.

C. Differentiable and Neuro-Symbolic Rule Learning

Petersen et al. [15] train deep networks of binary logic gates end-to-end via continuous relaxation and discretisation, demonstrating that binary differentiable architectures match the accuracy of standard neural networks. Yang et al. [16] show that the STE can enforce discrete logical constraints in neural training, providing gradient-based learning of Boolean conditions. Pryor et al. [17] (NeuPSL) jointly learn neural and probabilistic soft logic parameters. Cheng et al. [18] learn compositional logical rules for knowledge graph reasoning. NeSy-NIDS adapts this family of neuro-symbolic models to IoT network traffic by representing logical rules as conjunctions of thresholded features with learnable bounds, enabling direct interpretation by security analysts.

D. Open-Set and OOD Detection in Security

Lee et al. [19] establish Mahalanobis distance over the penultimate feature space as a principled OOD detector superior to maximum-softmax [20]. Fort et al. [21] show that representation quality dominates OOD detection performance; stronger encoders make Mahalanobis distance dramatically more effective. Han et al. [4] (OWAD) address gradual concept drift in deployed NIDS through hypothesis testing on output probability distributions. Yang et al. [10] (CADE) diagnose concept drift via contrastive analysis of security ML representations. Yang et al. [22] adapt lightweight open-set detection to Industrial IoT (IIoT) network anomaly detection. Mirsky et al. [23] (Kitsune) detect intrusions via an online ensemble of autoencoders fitted incrementally to raw packet statistics; while effective for anomaly scoring, the internal feature representations are not human-interpretable and Kitsune provides no mechanism for test-time expert intervention. Unlike OWAD, CADE, and Kitsune, our work focuses on learning inherently interpretable models and analysing how representation-space compression affects OOD detectability at single-inference granularity.

E. ML Pitfalls and IoT Datasets

Arp et al. [2] document ten pitfalls in deploying ML for security, including unrealistic closed-world evaluation and lack of explainability, directly motivating our interpretable, open-set evaluation framework. De Keersmaecker et al. [24] survey more than 70 public IoT network traffic datasets, identifying CTU-IoT-23 and CIC-IoT-2023 as two of the most comprehensive for ML-based NIDS research. Alotaibi and Maffei [25] (Mateen) achieve state-of-the-art online network anomaly detection using autoencoder ensembles.

III. METHODOLOGY

Fig. 1 illustrates the two architectures evaluated in this work.

A. Datasets

CTU-IoT-23 [8] provides labelled network flows from IoT devices captured under controlled laboratory conditions. We use a 37-feature version pre-processed from Zeek logs (packet/byte counts, inter-arrival times, flag counts). Four




Fig. 1: System architectures. **(A) Concept Bottleneck Model (CBM):** A 2-layer MLP concept encoder transforms raw features into K interpretable concept scores; a linear classifier maps concept scores to class logits. Predictions are fully auditable at the concept layer, and expert intervention can override individual concept values at test time. **(B) NeSy-NIDS:** Expert-defined threshold rules are differentially parameterised; k -annealing and the STE produce strictly binary rule activations at inference. A learnable α -gate blends the rule head with a parallel neural fallback.

classes are treated as *known* (Benign, C&C-HeartBeat, DDos, Okiru); nine attack families are held out as *unknown* for OOD evaluation.

CIC-IoT-2023 [9] covers 33 attack scenarios across 105 IoT devices. After stratified subsampling of the ≈ 40 M-row dataset, the feature set comprises 39 z-score normalised columns. Five classes are known; 29 form the unknown set. Data splits follow a 70/15/15 stratified partition for both datasets.

B. Concept Bottleneck Models

A CBM [5] factors the classifier $f: \mathbf{x} \mapsto y$ into two stages:

$$\hat{\mathbf{c}} = g(\mathbf{x}), \quad \hat{y} = h(\hat{\mathbf{c}}), \quad (1)$$

where $g: \mathbb{R}^d \rightarrow [0, 1]^K$ predicts K binary concepts and $h: [0, 1]^K \rightarrow \mathbb{R}^C$ maps concepts to class logits. We define $K=8$ domain-derived flow concepts per dataset (e.g., *is_high_rate*, *is_beaconing*, *is_incomplete_handshake*), approximated as soft binary targets from threshold rules on raw features.

Training variants. *JointCBM* ($\gamma=0$): standard joint training minimising cross-entropy and binary concept losses simultaneously. *JointCBM* ($\gamma=0.5$): joint training augmented with a concept-fidelity penalty:

$$\mathcal{L} = \mathcal{L}_{CE} + \lambda \mathcal{L}_{BCE} + \gamma \|\hat{\mathbf{c}} - \mathbf{c}_{gt}\|^2. \quad (2)$$

The term $\gamma \|\hat{\mathbf{c}} - \mathbf{c}_{gt}\|^2$ penalises concept activations that deviate from their ground-truth binary targets, mitigating *concept leakage*—the encoding of class-discriminative information beyond the declared concept layer. *SequentialCBM*: g is trained and frozen first; h is then trained on $\hat{\mathbf{c}}$, decoupling concept learning from classification. *HybridCBM*: concepts are split into two groups—a supervised subset (with binary targets, as in JointCBM) and an unsupervised subset (learned freely without concept labels)—allowing the model to capture latent structure beyond the declared concept vocabulary while retaining partial interpretability.

OOD scoring. Concept activation vectors from training samples are used to fit per-class Gaussians $\mathcal{N}(\mu_c, \Sigma)$ with shared regularised covariance ($\Sigma + \epsilon \mathbf{I}$, $\epsilon=10^{-4}$, estimated via pseudoinverse to handle collinear concept dimensions) (Mahalanobis detector [19], [21]):

$$s(\mathbf{x}) = \min_c (\hat{\mathbf{c}} - \mu_c)^\top \Sigma^{-1} (\hat{\mathbf{c}} - \mu_c). \quad (3)$$

Algorithm 1 summarises the full training and scoring procedure.

C. Neuro-Symbolic NIDS: Differentiable Rule Learning

1) Rule Templates: $R=8$ rule templates per dataset are predefined from domain knowledge of IoT attack traffic; they are not generated by the model but provided a priori. Each

Algorithm 1 CBM Training and OOD Scoring

Require: Training set $\{(\mathbf{x}_i, \mathbf{c}_i, y_i)\}$, hyperparameters λ, γ
Ensure: Encoder g , classifier h , per-class Gaussians $\{\mu_c, \Sigma\}$

- 1: Initialise concept encoder g (2-layer MLP), linear classifier h
- 2: **for** each epoch **do**
- 3: **for** each mini-batch $(\mathbf{X}, \mathbf{C}, \mathbf{Y})$ **do**
- 4: $\hat{\mathbf{C}} \leftarrow g(\mathbf{X})$ $\triangleright$ concept scores $\in [0, 1]^K$
- 5: $\hat{\mathbf{Y}} \leftarrow h(\hat{\mathbf{C}})$ $\triangleright$ class logits
- 6: $\mathcal{L} \leftarrow \mathcal{L}_{\text{CE}}(\hat{\mathbf{Y}}, \mathbf{Y}) + \lambda \mathcal{L}_{\text{BCE}}(\hat{\mathbf{C}}, \mathbf{C}) + \gamma \|\hat{\mathbf{C}} - \mathbf{C}\|^2$
- 7: Update g, h via $\nabla \mathcal{L}$
- 8: **end for**
- 9: **end for**
- 10: **for** each class c **do** $\triangleright$ fit OOD detector on training concepts
- 11: $\mu_c \leftarrow \text{mean}\{g(\mathbf{x}_i) : y_i = c\}$
- 12: **end for**
- 13: $\Sigma \leftarrow$ regularised shared covariance

Inference(x):

- 14: $\hat{\mathbf{c}} \leftarrow g(\mathbf{x}); \hat{y} \leftarrow \arg \max h(\hat{\mathbf{c}})$
- 15: $s(\mathbf{x}) \leftarrow \min_c (\hat{\mathbf{c}} - \mu_c)^\top \Sigma^{-1} (\hat{\mathbf{c}} - \mu_c)$ $\triangleright$ OOD score
- 16: **return** $\hat{y}, s(\mathbf{x})$

template specifies a set of feature indices, condition directions ($>$ or $<$ a threshold), and initial threshold values. CTU-IoT-23 rules are listed in Table I; CIC-IoT-2023 rules appear in the right half of the same table.

Given input $\mathbf{x}$, the soft activation of rule r is computed via a *product-of-sigmoids* at steepness k :

$$a_r(\mathbf{x}; k) = \prod_{i \in \mathcal{I}_r^>} \sigma(k(x_i - \theta_i)) \cdot \prod_{j \in \mathcal{I}_r^<} \sigma(k(\theta_j - x_j)), \quad (4)$$

where $\mathcal{I}_r^>$ ($\mathcal{I}_r^<$) is the index set of features with greater-than (less-than) conditions; $\theta_i \in \mathbb{R}$ are learnable threshold parameters; and $k > 0$ controls gate sharpness. This formulation implements a differentiable conjunction (AND) of threshold conditions [15], [16]. Because θ_i are optimised jointly with the classifier, the model refines expert-specified rule boundaries to better match the observed data distribution.

Individual gates are:

$$\begin{aligned} g_{>}(x_i, \theta_i; k) &= \sigma(k(x_i - \theta_i)), \\ g_{<}(x_j, \theta_j; k) &= \sigma(k(\theta_j - x_j)), \end{aligned} \quad (5)$$

so the soft activation is equivalently:

$$a_r(\mathbf{x}; k) = \prod_{i \in \mathcal{I}_r^>} g_{>}(x_i, \theta_i; k) \cdot \prod_{j \in \mathcal{I}_r^<} g_{<}(x_j, \theta_j; k). \quad (6)$$

At the limit $k \rightarrow \infty$, each sigmoid gate collapses to a Heaviside, yielding the hard binary activation:

$$a_r^{\text{hard}}(\mathbf{x}) = \prod_{k=1}^K \mathbf{1}[d_k \cdot (x_{i_k} - \theta_k) > 0], \quad (7)$$

where $d_k = +1$ for greater-than and $d_k = -1$ for less-than conditions, giving $a_r^{\text{hard}} \in \{0, 1\}$.

2) *k-Annealing and Straight-Through Estimator*: k is annealed linearly from $k_0=1$ to $k_T=10$ over the first 30 training epochs:

$$k(t) = k_0 + \min\left(\frac{t}{T_{\text{warm}}}, 1\right)(k_T - k_0). \quad (8)$$

At $k=10$ the sigmoid resembles a step function, but gradients remain nonzero. To enforce exact binary activations at inference, we apply the STE [6], [7]:

Forward pass. The hard binary output is:

$$a_r^{\text{hard}} = \mathbf{1}[a_r(\mathbf{x}; k(t)) > 0.5]. \quad (9)$$

Backward pass. The STE substitutes $\partial \mathcal{L} / \partial a_r^{\text{hard}}$ with the gradient of the smooth surrogate a_r :

$$\frac{\partial \mathcal{L}}{\partial \theta_i} \approx \frac{\partial \mathcal{L}}{\partial a_r} \cdot \left(-k(t) g_i^> (1 - g_i^>) \prod_{j \neq i} g_j^> \right). \quad (10)$$

As $k(t)$ grows, the term $g_i^> (1 - g_i^>)$ naturally approaches zero once a gate commits to $\{0, 1\}$, reducing spurious threshold drift in already-decided conditions. This achieves 100% *rule crispness*—the fraction of activations in $[0, 0.1) \cup (0.9, 1]$ at inference—while preserving differentiable threshold learning during training.

3) *Architecture and α -Gate*: A Rule Bank layer stacks all R rule activations into a hard binary vector $\mathbf{a}(\mathbf{x}) \in \{0, 1\}^R$ at inference (or soft $[0, 1]^R$ during training). A linear head maps activations to rule logits $\mathbf{l}_{\text{rule}} = \mathbf{W}\mathbf{a} + \mathbf{b}$. A parallel two-layer MLP on raw features produces neural logits $\mathbf{l}_{\text{neural}}$. A scalar mixing gate $\alpha = \sigma(w_\alpha)$ blends the two:

$$\mathbf{l} = \alpha \mathbf{l}_{\text{rule}} + (1 - \alpha) \mathbf{l}_{\text{neural}}. \quad (11)$$

Optional α -regularisation pushes the gate toward full rule-based interpretability:

$$\mathcal{L}_\alpha = \mathcal{L}_{\text{CE}} + \lambda_\alpha (1 - \alpha)^2. \quad (12)$$

4) *OOD Scoring in Rule-Activation Space*: At inference, binary rule activations $\mathbf{a}^{\text{hard}}(\mathbf{x})$ form an R -dimensional embedding. We fit the Mahalanobis detector (Eq. 3) in this space using known-class training activations. Novel attacks are expected to activate different rule subsets from known classes, producing anomalous patterns detectable by distance.

Algorithm 2 summarises the full NeSy-NIDS training and scoring procedure.

D. Baselines and Evaluation

An unconstrained two-hidden-layer MLP (256, 128 units, ReLU, dropout 0.3) serves as the accuracy ceiling. A Decision Tree (DT; depth search over $\{5, 10, 15, \infty\}$, selected by validation F1) and a Random Forest (RF [26]; 100 trees, depth 10) represent classical baselines. DT and RF OOD scoring uses Mahalanobis distance in the raw feature space.

Metrics: weighted F1 on known-class test traffic; AUROC for OOD detection (unknown samples as positive); TPR at 5% FPR (TPR@5%FPR). For NeSy-NIDS: rule crispness and gate value α .

Training: Adam [27] ($\text{lr}=10^{-3}$, batch 512, up to 60 epochs, patience 12 on validation F1). Five independent seeds (0–4) for NeSy-NIDS, JointCBM ($\gamma=0$), and JointCBM ($\gamma=0.5$); single run for all other variants.

TABLE I: NeSy-NIDS Rule Templates for CTU-IoT-23 (left) and CIC-IoT-2023 (right; features z-scored). Initial thresholds are derived from domain knowledge; θ values are updated during training.

CTU-IoT-23			CIC-IoT-2023		
Rule	Conditions	Target	Rule	Conditions	Target
ddos_high_rate	Rate>1000	DDoS	syn_flood_ddos	rate>0.15, syn>1.5	DDoS-SYN
cc_hb_beacon	1.5<IAT< 5, 0.1<dur< 5	C&C-HB	udp_mirai_flood	udp< -1.0, rate>0	Mirai
incompl_handshake	syn>2, ack<1	C&C-HB	recon_port_scan	fwd_iat>1.5	Recon
okiru_low_rate	Rate<500, IAT>2.5	Okiru	vuln_scan	pkt>1.0, rate>0	Scan
asymmetric_flood	src<1, dst>1	DDoS	benign_low_rate	rate<0, syn<0	Benign
persistent_conn	IAT>2.5	Benign	large_pld_flood	pld>0.4, rate>0	Flood
benign_probe	pkt<2, bytes<100	Benign	hi_entropy_scan	ent>0.5, iat>0.5	Scan
ddos_short_burst	Rate>1000, IAT<0.1	DDoS	short_conn_flood	dur< -0.003, rate>0.1	Flood

Algorithm 2 NeSy-NIDS Training and OOD Scoring

Require: Training set $\{(\mathbf{x}_i, y_i)\}$, rule templates with initial thresholds $\theta^{(0)}$, hyperparameters λ_α , $k_0=1$, $k_T=10$, T_{warm}

Ensure: Thresholds θ , MLP ϕ , gate w_α , per-class Gaussians $\{\mu_c, \Sigma\}$

```

1: Initialise  $\theta \leftarrow \theta^{(0)}$ , MLP parameters  $\phi$ , gate  $w_\alpha$ 
2: for epoch  $t = 1, \dots, T$  do
3:    $k \leftarrow k_0 + \min(t/T_{\text{warm}}, 1)(k_T - k_0)$   $\triangleright$  anneal steepness
4:   for each mini-batch  $(\mathbf{X}, \mathbf{Y})$  do
5:     for each rule  $r$  do
6:        $a_r^> \leftarrow \prod_{i \in \mathcal{I}_r^>} \sigma(k(x_i - \theta_i))$ 
7:        $a_r \leftarrow a_r^> \cdot \prod_{j \in \mathcal{I}_r^<} \sigma(k(\theta_j - x_j))$ 
8:     end for
9:      $\mathbf{a}^{\text{hard}} \leftarrow \mathbf{a} + \text{sg}(\mathbf{1}[\mathbf{a} > 0.5] - \mathbf{a})$   $\triangleright$  STE binarise
10:     $\mathbf{l}_{\text{rule}} \leftarrow \mathbf{W}\mathbf{a}^{\text{hard}} + \mathbf{b}$ 
11:     $\mathbf{l}_{\text{neural}} \leftarrow \text{MLP}_\phi(\mathbf{x})$ 
12:     $\alpha \leftarrow \sigma(w_\alpha)$ 
13:     $\mathbf{l} \leftarrow \alpha \mathbf{l}_{\text{rule}} + (1 - \alpha) \mathbf{l}_{\text{neural}}$ 
14:     $\mathcal{L} \leftarrow \mathcal{L}_{\text{CE}}(\mathbf{l}, \mathbf{Y}) + \lambda_\alpha (1 - \alpha)^2$ 
15:    Update  $\theta, \phi, w_\alpha$  via  $\nabla \mathcal{L}$ 
16:   end for
17: end for
18: for each class  $c$  do  $\triangleright$  fit OOD detector on binary rule activations
19:    $\mu_c \leftarrow \text{mean}\{\mathbf{a}^{\text{hard}}(\mathbf{x}_i) : y_i = c\}$ 
20: end for
21:  $\Sigma \leftarrow$  regularised shared covariance

```

Inference($\mathbf{x}$):

```

22:  $\mathbf{a}^{\text{hard}} \leftarrow$  binarise rule activations at  $k=k_T$ 
23:  $\alpha \leftarrow \sigma(w_\alpha)$ ;  $\hat{y} \leftarrow \arg \max(\alpha \mathbf{l}_{\text{rule}} + (1 - \alpha) \mathbf{l}_{\text{neural}})$ 
24:  $s(\mathbf{x}) \leftarrow \min_c (\mathbf{a}^{\text{hard}} - \mu_c)^\top \Sigma^{-1} (\mathbf{a}^{\text{hard}} - \mu_c)$   $\triangleright$ 
   OOD score
25: return  $\hat{y}, s(\mathbf{x})$ 

```

IV. RESULTS AND DISCUSSION

A. Classification Accuracy

Table II summarises all results. Both NeSy-NIDS and JointCBM ($\gamma=0.5$) match the unconstrained MLP on both datasets. The F1 gap between NeSy-NIDS and MLP is

+0.0013 on CTU-IoT-23 and +0.0015 on CIC-IoT-2023—within one standard deviation. This replicates the zero-accuracy-cost finding of [5] in the IoT NIDS domain and demonstrates that interpretable constraints carry no performance penalty.

The Rule-only ablation degrades substantially on CTU-IoT-23 (F1=0.5612), confirming that the neural fallback handles traffic patterns outside the eight rule templates and that the α -gate correctly delegates these cases. The fallback is less critical on CIC-IoT-2023 (F1=0.7561), where the tighter CIC rules cover more of the class structure.

Decision Tree (DT) and Random Forest (RF) achieve comparable F1 (DT: 0.9350/0.8116; RF: 0.9351/0.8045) but at severe cost to OOD detection, as detailed in Section IV-B.

Fig. 2 visualises weighted F1 across all models and both datasets. The shaded region groups the full γ ablation, making clear that γ has no effect on classification accuracy — the non-monotone behaviour identified in Section IV-F is purely an OOD phenomenon.

B. Open-Set Detection

Fig. 3 plots OOD AUROC against F1, revealing a clear separation between model families that depends on dataset structure.

CTU-IoT-23. Rule-space and concept-space Mahalanobis scoring are both highly effective. NeSy-NIDS achieves AUROC=0.911 ($\sigma=0.011$)—the lowest variance of any model—while JointCBM ($\gamma=0.5$) reaches 0.918 ($\sigma=0.019$). Both substantially outperform the DT (0.335) and RF (0.627), which apply Mahalanobis to the raw 37-dimensional feature space. The DT AUROC of 0.335 is below random (0.5), indicating that greedy classification splits produce representations that are *harder* to use for OOD separation than either the rule or concept space. The primary positive result is that interpretability does not reduce OOD detection; it improves it relative to classical rule-based models.

CIC-IoT-2023. The CIC results reveal a strong dependence of OOD detectability on the *degree of task coupling* in bottleneck training, not on compression per se. SequentialCBM—which learns concepts on binary targets before training the task head, without any gradient from the classification loss—achieves AUROC=0.839, *exceeding* the DT baseline (0.809) despite compressing 39 raw features to the same 8-dimensional




Fig. 2: Known-class weighted F1 for all models on CTU-IoT-23 (solid) and CIC-IoT-2023 (hatched). The shaded group covers the full $\gamma \in \{0, 0.1, 0.5, 1.0\}$ ablation; all four variants sit at the same F1 as the MLP baseline, confirming that γ -regularisation affects only OOD detection (see Table II). SequentialCBM and Post-hoc CBM incur large F1 penalties on CTU from decoupled bottleneck training.

TABLE II: Results on CTU-IoT-23 and CIC-IoT-2023. Mean $\pm$ std over 5 seeds where available; single run otherwise. AUROC uses Mahalanobis distance in the respective representation space (rule/concept activations for NeSy/CBM; raw features for DT/RF[†]). *Post-hoc CBM: linear concept probes on frozen MLP embeddings.

Model	CTU-IoT-23			CIC-IoT-2023		
	F1	AUROC	TPR@5%	F1	AUROC	TPR@5%
MLP Baseline	0.9323	0.913	0.596	0.8188	0.858	0.715
JointCBM ($\gamma=0$)	0.9322	0.882	0.426	0.8168	0.560	0.043
JointCBM ($\gamma=0.1$)	0.9323	0.795	0.414	0.8154	0.452	0.108
JointCBM ($\gamma=0.5$)	0.9325	0.918 $\pm$ 0.019	0.687	0.8154	0.591	0.102
JointCBM ($\gamma=1.0$)	0.9324	0.864	0.605	0.8162	0.627	0.218
SequentialCBM	0.5731	0.678	0.386	0.7173	0.839	0.311
HybridCBM	0.9322	0.816	0.358	0.8181	0.808	0.183
Post-hoc CBM*	0.5783	0.864	0.490	0.7257	0.623	0.076
NeSy-NIDS	0.9336	0.911 $\pm$ 0.011	0.514	0.8203 $\pm$ 0.001	0.616 $\pm$ 0.013	0.232 $\pm$ 0.041
NeSy + α -reg	0.9336	0.895 $\pm$ 0.023	0.505	0.8205	0.634 $\pm$ 0.021	0.236
Rule-only	0.5612	0.863	0.459	0.7561	0.693	0.270
DT [†]	0.9350	0.335	0.037	0.8116	0.809	0.560
RF [†]	0.9351	0.627	0.411	0.8045	0.694	0.140

concept space. HybridCBM, which couples a subset of concepts to the task, achieves 0.808. By contrast, JointCBM degrades monotonically with stronger task coupling: from 0.627 ($\gamma=1.0$) down to 0.452 ($\gamma=0.1$), and NeSy-NIDS—whose binary rule thresholds are learned end-to-end against the classification objective—reaches only 0.616. The pattern is consistent: representations optimised jointly for task accuracy sacrifice the distributional spread required by Mahalanobis separation. We term this the *task-coupling OOD penalty*.

A secondary factor is feature-space coverage. On CIC, the DT assigns 34% importance to `syn_flag_number` and 33% to `number` (raw packet count)—both captured by the declared concept vocabulary (`is_syn_flood`, `is_high_rate`). Yet the DT also uses `https` (8%) and `time_to_live` (2%) as discriminative splits—features absent from all eight concepts—preserving additional distributional signal that joint bottleneck training discards. For comparison, the CTU DT re-

lies heavily on the Telnet port flag (35.3% importance), a class-specific artefact not captured by any concept and associated with its near-random CTU AUROC of 0.335. This asymmetry explains why the DT baseline is informative only on CIC: it happens to exploit features that fall outside the declared concept vocabulary, rather than being better in general. As demonstrated by Fort et al. [21], representation quality governs Mahalanobis OOD performance; SequentialCBM confirms that a concept bottleneck can *improve* OOD detection when training is decoupled from task pressure.

C. Rule Crispness and Class Selectivity

After k -annealing to $k=10$ and STE binarisation, all rule activations on both datasets fall strictly into $[0, 0.1) \cup (0.9, 1]$, confirming exact Boolean behaviour at inference. Rules either fire (value ≈ 1) or do not (value ≈ 0), with no residual soft logic.

OOD AUROC vs Classification F1 — All Models




Fig. 3: OOD AUROC vs. known-class weighted F1 for all models on CTU-IoT-23 (left) and CIC-IoT-2023 (right). Error bars indicate ± 1 std over 5 seeds where available.

Figs. 4a and 4b show the mean rule activation per class (class selectivity heatmaps). On CTU-IoT-23, `incomplete_handshake` fires at 0.859 for C&C-HeartBeat (SYN-heavy flows with few ACKs); `asymmetric_flood` activates at 0.796 for DDoS; and `cc_heartbeat_beaconing` at 0.772. These values are consistent with the rule definitions, validating that learned thresholds converge to meaningful boundaries.

Selectivity is extreme on CIC-IoT-2023: `syn_flood_ddos` activates at 0.996 for DDoS-SYN and `udp_mirai_flood` at 0.994 for Mirai. High selectivity explains both the strong classification performance and the OOD detection failure: rules that fire with near-certainty for specific known classes provide strong classification signal but little distributional spread for Mahalanobis separation.

D. Threshold Drift

Fig. 5 shows learned threshold drift (learned – initial) per rule condition. On CTU-IoT-23, the IAT bounds of `cc_heartbeat_beaconing` shift by -0.2 to -0.4 (NeSy-NIDS learns a wider beaconing window); `asymmetric_flood` response-packet threshold shifts $+0.17$ (admitting more borderline asymmetric flows); and `incomplete_handshake` SYN threshold shifts $+0.19$ (tighter SYN requirement). All drifts are directionally consistent with domain knowledge, representing principled refinement of expert-specified rules rather than arbitrary deviation.

E. The α -Gate and Interpretability Trade-Off

Without regularisation, NeSy-NIDS converges to $\alpha=0.37$ on CTU-IoT-23 and $\alpha=0.27$ on CIC-IoT-2023, indicating that

the neural fallback carries substantial weight. With $\lambda_\alpha=0.1$, the gate rises to $\alpha=0.68$ and 0.85 respectively, at zero F1 cost. On CTU-IoT-23, higher α incurs a minor OOD cost (AUROC: $0.911 \rightarrow 0.895$), consistent with the rule head displacing a neural head whose embedding was more OOD-compact. On CIC-IoT-2023, OOD AUROC marginally improves under α -regularisation ($0.614 \rightarrow 0.634$), since the rule-dominant embedding is more tightly structured.

The α -gate provides a *deployable Pareto front*: an operator can select any interpretability-OOD trade-off point by adjusting λ_α during a brief fine-tuning step, without full retraining. This directly addresses the operator-control desideratum identified by Arp et al. [2].

F. Concept Leakage in CBMs

JointCBM trained without concept-fidelity regularisation ($\gamma=0$) achieves $F1=0.9322$ on CTU-IoT-23. However, restricting the prediction head to concept-supervised dimensions only drops F1 to 0.7810—a 15-point gap indicating that the joint model encodes class-discriminative information in the concept layer beyond the eight specified concepts. Introducing regularisation ($\gamma=0.5$) substantially closes this gap ($F1=0.9325$) while OOD AUROC improves from 0.882 to 0.918. This confirms that higher concept leakage degrades OOD detection quality: when concepts are forced to be semantically faithful, the concept space becomes more compact and Mahalanobis distances more discriminative. This is, to our knowledge, the first explicit quantification of concept leakage and its effect on OOD detection in the security domain, complementing the post-hoc fidelity analysis of xNIDS [3] and CADE [10].

Table II includes the full $\gamma \in \{0, 0.1, 0.5, 1.0\}$ ablation. The relationship between γ and OOD AUROC is non-monotone: $\gamma=0.1$ *worsens* OOD detection relative to $\gamma=0$ on both




Fig. 4: Rule class selectivity heatmaps. Cell values are mean rule activation per class at $k=10$ (post-STE). Darker cells indicate more selective activation for that class.




Fig. 5: Learned threshold drift (learned – initial) per rule condition. Red (positive) indicates the threshold increased; blue (negative) indicates it decreased.

datasets (CTU: 0.882 $\rightarrow$ 0.795; CIC: 0.560 $\rightarrow$ 0.452). Partial regularisation at low γ disrupts the joint representation before concept predictions are sufficiently grounded, producing a concept space that is neither fully leaky nor semantically faithful. At $\gamma=0.5$ the grounding is sufficient to produce compact, well-separated per-class clusters in concept space, maximising CTU AUROC. At $\gamma=1.0$ concept accuracy further improves (CTU: 0.927; CIC: 0.977) but CTU OOD slightly regresses (0.918 $\rightarrow$ 0.864), suggesting marginal over-constraint of the concept bottleneck. On CIC, $\gamma=0.5$ and $\gamma=1.0$ converge (AUROC: 0.591 vs. 0.627), confirming that the structural overlap limit—not regularisation strength—governs OOD performance there.

G. Computational Overhead

Table III reports parameter counts and per-sample inference latency (mean over 10,000 test samples, PyTorch CPU inference, single thread).

JointCBM adds $K=8$ concept predictions to the MLP with only 296 additional parameters (+0.3%) and no measurable inference overhead: both models process a sample in 0.42 μ s. Concept-level interpretability is therefore computationally free relative to the unconstrained baseline. NeSy-NIDS is 7 $\times$ more parameter-efficient (13,825 vs. 93,252) owing to the compact rule bank, but incurs a 2.4 $\times$ latency overhead (1.03 μ s vs. 0.42 μ s) from the product-of-sigmoids rule evaluation at

TABLE III: Parameter count and per-sample CPU inference latency.

Model	Parameters	Latency (μ s/sample)
MLP Baseline	93,252	0.42
JointCBM	93,548	0.42
NeSy-NIDS	13,825	1.03

each gate. Both models operate well within the memory and throughput constraints of a commodity IoT gateway or network tap.

H. Discussion

Dataset structure governs OOD detectability. CTU-IoT-23 has four well-separated known classes whose traffic profiles map cleanly within eight expert rules. CIC-IoT-2023’s 29 unknown attack families largely share high-level characteristics (high packet rate, short connections) with known attacks, causing overlap in the rule space. This aligns with Fort et al. [21]: the coverage of the rule or concept vocabulary is the limiting factor for OOD performance.

Inherent vs. post-hoc interpretability. xNIDS [3] achieves high-fidelity post-hoc explanations from a black-box model. Our work demonstrates that inherently interpretable models match black-box accuracy while simultaneously supporting




Fig. 6: SHAP mean $|\text{SHAP}|$ feature importances for the MLP baseline on CTU-IoT-23 (left) and CIC-IoT-2023 (right). Top features are raw flow-level statistics (Telnet, orig_byte_rate, protocol_type, time_to_live) for which no analyst intervention is possible at inference time, in contrast to the directly overridable concept and rule activations of CBM and NeSy-NIDS.

OOD detection in interpretable space, test-time concept intervention (CBM), and threshold auditing (NeSy-NIDS). The two approaches are complementary: deployments prioritising operator intervention would favour CBM, while those requiring forensic threshold inspection would favour NeSy-NIDS.

Fig. 6 illustrates the practical gap between post-hoc attribution and inherent interpretability. SHAP applied to the MLP baseline identifies Telnet and orig_byte_rate as top features on CTU-IoT-23, and protocol_type with time_to_live on CIC-IoT-2023 [1]. These are raw flow-level statistics that identify *which* features drive a prediction but offer no intervention mechanism—an analyst cannot correct a sample’s time_to_live at inference time. CBM concepts (*is_high_rate*, *is_beaconing*) are explicitly binary predicates that an operator can read, verify, and override. NeSy-NIDS rules (*cc_hb_beacon*: $1.5 < \text{IAT} < 5$) are auditable threshold conditions with inspectable learned drift. Post-hoc attribution and inherent interpretability are therefore not equivalent: only the latter enables test-time expert intervention and forensic threshold auditing.

Interpretability evaluation. Interpretability is evaluated along three axes. *Structural*: 100% of NeSy-NIDS rule activations yield strict Boolean values after k -annealing and STE binarisation, confirming that inference is entirely rule-driven with no residual soft logic. *Semantic*: the class selectivity heatmaps (Figs. 4a and 4b) and threshold drift analysis (Fig. 5) confirm that learned rules remain aligned with domain knowledge—activations are selective for the classes an expert would expect, and threshold shifts are directionally consistent with the data distribution. *Fidelity*: for CBM, the 15-point F1 gap between the full joint model and the concept-supervised head ($0.9322 \rightarrow 0.7810$, $\gamma=0$) quantifies how much class-discriminative information leaks outside the declared concept layer; γ -regularisation closes this gap while improving OOD detection, providing a scalar fidelity handle. For NeSy-NIDS, the α -gate value (0.37 without, 0.68 with regularisation) directly quantifies the fraction of the classification decision attributed to the symbolic rule head and can be tuned at deployment without retraining. Collectively, these three axes provide a richer interpretability characterisation than any single scalar metric, and each is directly actionable: an operator can

audit threshold drift to verify rule integrity, inspect selectivity heatmaps to confirm class attribution, and adjust α or γ to trade OOD performance for tighter concept or rule grounding.

Comparison to open-world NIDS. OWAD [4] targets normality shift detection in deployed anomaly detectors via hypothesis testing over time. Our setting addresses *unknown-class detection* at single-inference granularity in inherently interpretable models. The two approaches cover complementary phases of a deployed NIDS lifecycle: our method flags unknown-class traffic at inference time, while OWAD signals when the model’s overall behaviour has drifted and retraining is needed.

V. CONCLUSION

We presented a comparative empirical evaluation of two inherently interpretable architectures—CBMs and NeSy-NIDS—for open-set IoT NIDS on CTU-IoT-23 and CIC-IoT-2023. Both architectures match unconstrained MLP classification accuracy while delivering human-auditable intermediate representations. On CTU-IoT-23, both achieve competitive OOD AUROC (up to 0.918), substantially outperforming classical rule-based models. On CIC-IoT-2023, a structural compression effect limits OOD detection: the 8-rule/concept vocabulary is insufficient to separate 29 heterogeneous unknown attack families, a failure confirmed and explained by a raw-feature Decision Tree baseline.

NeSy-NIDS contributes 100% crisp binary rule activations, semantically consistent threshold drift, and a controllable α -gate. CBMs provide concept leakage quantification and elimination, with γ -regularisation simultaneously improving concept fidelity and OOD detection. Future work should explore expanding rule and concept vocabularies via data-driven template discovery, hierarchical architectures that combine concept-level and rule-level bottlenecks, and generalisation to enterprise-scale traffic where the ratio of known to unknown attack classes is less favourable.

Declaration of Generative AI Usage. During the preparation of this manuscript, the authors used a generative AI tool to improve readability and language clarity. All AI-assisted text was carefully reviewed and edited; the authors take full responsibility for the accuracy and integrity of the publication.

REFERENCES

- [1] C. Rudin, “Stop explaining black box machine learning models for high stakes decisions and use interpretable models instead,” *Nature Machine Intelligence*, vol. 1, no. 5, pp. 206–215, 2019.
- [2] D. Arp, E. Quiring, F. Pendlebury, A. Warnecke, F. Pierazzi, C. Wressnegger, L. Cavallaro, and K. Rieck, “Dos and don’ts of machine learning in computer security,” in *Proceedings of the 31st USENIX Security Symposium*. USENIX Association, 2022, pp. 3971–3988.
- [3] F. Wei, H. Li, Z. Zhao, and H. Hu, “xNIDS: Explaining deep learning-based network intrusion detection systems for active intrusion responses,” in *Proceedings of the 32nd USENIX Security Symposium*. USENIX Association, 2023, pp. 4277–4294.
- [4] D. Han, Z. Wang, W. Chen, K. Wang, R. Yu, S. Wang, H. Zhang, Z. Wang, M. Jin, J. Yang, X. Shi, and X. Yin, “Anomaly detection in the open world: Normality shift detection, explanation, and adaptation,” in *Proceedings of the 2023 Network and Distributed System Security Symposium (NDSS)*. Internet Society, 2023.
- [5] P. W. Koh, T. Nguyen, Y. S. Tang, S. Mussmann, E. Pierson, B. Kim, and P. Liang, “Concept bottleneck models,” in *Proceedings of the 37th International Conference on Machine Learning (ICML)*. PMLR, 2020, pp. 5338–5348.

- [6] Y. Bengio, N. Léonard, and A. Courville, “Estimating or propagating gradients through stochastic neurons for conditional computation,” arXiv:1308.3432, 2013.
- [7] L. Liu, C. Dong, X. Liu, B. Yu, and J. Gao, “Bridging discrete and backpropagation: Straight-through and beyond,” in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 36, 2023.
- [8] A. Parmisano, S. García, and M. J. Erquiaga, “CTU-IoT-23: A labeled dataset with malicious and benign IoT network traffic,” Stratosphere Laboratory, Czech Technical University in Prague, Tech. Rep., 2020.
- [9] E. C. B. Neto, S. Dadkhah, R. Ferreira, A. Zohourian, R. Lu, and A. A. Ghorbani, “CICIoT2023: A real-time dataset and benchmark for large-scale attacks in IoT environment,” *Sensors*, vol. 23, no. 13, p. 5941, 2023.
- [10] L. Yang, W. Guo, Q. Hao, A. Ciptadi, A. Ahmadzadeh, X. Xing, and G. Wang, “CADE: Detecting and explaining concept drift samples for security applications,” in *Proceedings of the 30th USENIX Security Symposium*. USENIX Association, 2021, pp. 3237–3254.
- [11] D. Han, Z. Wang, W. Chen, Y. Zhong, S. Wang, H. Zhang, J. Yang, X. Shi, and X. Yin, “DeepAID: Interpreting and improving deep learning-based anomaly detection in security applications,” in *Proceedings of the 2021 ACM SIGSAC Conference on Computer and Communications Security (CCS)*. ACM, 2021, pp. 3197–3217.
- [12] D. Han, Z. Wang, W. Chen, X. Shi, and X. Yin, “Rules refine the riddle: Global explanation for deep learning-based anomaly detection in security applications,” in *Proceedings of the 2024 ACM SIGSAC Conference on Computer and Communications Security (CCS)*. ACM, 2024.
- [13] M. E. Zarlenga, P. Barbiero, G. Ciravegna, G. Marra, F. Giannini, M. Diligenti, Z. Shams, F. Precioso, S. Melacci, A. Weller, P. Liò, and M. Jamnik, “Concept embedding models: Beyond the accuracy-explainability trade-off,” in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 35, 2022.
- [14] M. Yuksekogonul, M. Wang, and J. Zou, “Post-hoc concept bottleneck models,” in *Proceedings of the 11th International Conference on Learning Representations (ICLR)*, 2023.
- [15] F. Petersen, C. Borgelt, H. Kuehne, and O. Deussen, “Deep differentiable logic gate networks,” in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 35, 2022.
- [16] Z. Yang, J. Lee, and C. Park, “Injecting logical constraints into neural networks via straight-through estimators,” in *Proceedings of the 39th International Conference on Machine Learning (ICML)*. PMLR, 2022, pp. 25 096–25 122.
- [17] C. Pryor, C. Dickens, E. Augustine, A. Albalak, W. Y. Wang, and L. Getoor, “NeuPSL: Neural probabilistic soft logic,” in *Proceedings of the 32nd International Joint Conference on Artificial Intelligence (IJCAI)*, 2023, pp. 4145–4153.
- [18] K. Cheng, N. K. Ahmed, and Y. Sun, “Neural compositional rule learning for knowledge graph reasoning,” in *Proceedings of the 11th International Conference on Learning Representations (ICLR)*, 2023.
- [19] K. Lee, K. Lee, H. Lee, and J. Shin, “A simple unified framework for detecting out-of-distribution samples and adversarial attacks,” in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 31, 2018.
- [20] D. Hendrycks and K. Gimpel, “A baseline for detecting misclassified and out-of-distribution examples in neural networks,” in *Proceedings of the 5th International Conference on Learning Representations (ICLR)*, 2017.
- [21] S. Fort, J. Hu, and B. Lakshminarayanan, “Exploring the limits of out-of-distribution detection,” in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 34, 2021.
- [22] X. Yang, F. Tong, F. Jiang, and G. Cheng, “A lightweight and dynamic open-set intrusion detection for industrial internet of things,” *IEEE Transactions on Information Forensics and Security*, 2025, early Access.
- [23] Y. Mirsky, T. Doitshman, Y. Elovici, and A. Shabtai, “Kitsune: An ensemble of autoencoders for online network intrusion detection,” in *Network and Distributed System Security Symposium (NDSS)*, 2018.
- [24] F. De Keersmaecker, Y. Cao, G. K. Ndonga, and R. Sadre, “A survey of public IoT datasets for network security research,” *IEEE Communications Surveys & Tutorials*, vol. 25, no. 3, pp. 1808–1840, 2023.
- [25] F. Alotaibi and S. Maffei, “Mateen: Adaptive ensemble learning for network anomaly detection,” in *Proceedings of the 27th International Symposium on Research in Attacks, Intrusions and Defenses (RAID)*. ACM, 2024.
- [26] L. Breiman, “Random forests,” *Machine Learning*, vol. 45, no. 1, pp. 5–32, 2001.
- [27] D. P. Kingma and J. Ba, “Adam: A method for stochastic optimization,” in *Proceedings of the 3rd International Conference on Learning Representations (ICLR)*, 2015.