



Some Guy

Linux@APP

February 24, 2018

# What is L<sup>A</sup>T<sub>E</sub>X?

LaTeX is a typesetting system, designed to prevent the document writer from screwing everything up. Latex is acutaly a collection of macros built ontop of TeX to make it useable for document writers, LaTeX. Instead of visually formatting your text, you enter your document text intertwined with LaTeX commands in a text file. You then run TeX to produce formatted output, such as a PDF file. Thus, in contrast to standard word processors, your document is a separate file that does not pretend to be a representation of the final typeset output, and so can be easily edited and manipulated.

## Types of documents.

- article: For articles in scientific journals, presentations, short reports, program documentation, invitations, ...
- report: For longer reports containing several chapters, small books, thesis.
- book: For real books.
- memoir: It is based on the book class, but it contains lots of packages not imported by default.
- letter: For writing letters.
- beamer: For writing presentations (like this beamer).

## A frame

LaTeX or \LaTeX

<i>% Verbatim enviroment that would</i>	
<i>% start a paper or something</i>	<code>\section{Section}</code>
<code>\begin{verbatim}</code>	Hello World!
<code>\documentclass{article}</code>	<code>\subsection{Subsection}</code>
<code>\title{A paper on how to</code>	Stucturing a document is easy!
<code>write papers.}</code>	<code>\subsubsection{Subsubsection}</code>
<code>\date{2018-02-22}</code>	More text.
<code>\author{Andrew Pobrica}</code>	<code>\paragraph{Paragraph}</code>
<code>\begin{document}</code>	Some more text.
<code>\maketitle</code>	<code>\subparagraph{Subparagraph}</code>
<code>\pagenumbering{gobble}</code>	Even more text.
<code>\newpage</code>	<code>\section{Another section}</code>
<code>\tableofcontents</code>	<code>\end{document}</code>
<code>\newpage</code>	<code>\end{verbatim}</code>
<code>\pagenumbering{arabic}</code>	

*#Leibniz formula*

```
pi = 0
```

```
x = 0
```

```
iterations = 10000
```

```
try:
```

```
    for x in range(iterations):
```

```
        pi = pi + 2 / ((4*x+1) * (4*x+3))
```

```
    print(pi*4)
```

```
except KeyboardInterrupt:
```

```
    print(x)
```

```
    print(pi*4)
```

$$\sin A \cos B = \frac{1}{2} [\sin(A + B) + \sin(A - B)]$$

$$\sin A \sin B = \frac{1}{2} [\cos(A - B) - \cos(A + B)]$$

$$\cos A \cos B = \frac{1}{2} [\cos(A - B) + \cos(A + B)]$$

$$f'(x) = \lim_{h \rightarrow 0} \frac{f(x + h) - f(x)}{h}$$

$$f'(x) = \lim_{h \rightarrow 0} \frac{f(x + h) - f(x)}{h}$$

```
tlmgr update --list  
tlmgr update --self  
tlmgr update --all  
tlmgr uninstall
```

Fig. 1: I got this off of reddit.



```

-----
/ Q: What do you call a principal female \
| opera singer whose high C              |
|                                         |
| is lower than those of other principal |
\ female opera singers? A: A deep C diva. /
-----

```

```

\   ^__^
  \  (oo)\_____
      (__) \       )\/\
           ||----w |
           ||     ||

```



\LaTeX

**Questions?**  
*or not*