Miles Car Rental API

- Miles Car Rental API
 - Cars
 - Create Car
 - Create Car Request
 - Create Car Response
 - Get Available Cars
 - Get Available Cars Request
 - Get Available Cars Response
 - Locations
 - Create Location
 - Create Location Request
 - Create Location Response
 - Get Available Locations
 - Get Available Locations Request
 - Get Available Location Response

Cars

Create car

Create Car Request

```
POST /car

{
    "brand": "Toyota",
    "model": "2020",
    "state": "Available",
    "type": "4x4",
    "startDateTime": "2024-02-08T08:00:00",
}
```

Create Car Response

```
201 Created

Location: {{host}}/Breakfasts/{{id}}

{
    "id": "00000000-0000-0000-0000-00000000000",
     "brand": "BMW",
     "model": "2020",
     "state": "Available",
     "type": "4x4",
     "startDateTime": "2024-02-08T08:00:00",
     "lastModifiedDateTime": "2024-02-06T12:00:00",
}
```

Get Available Cars

Get Available Cars Request

```
POST /available

{
    "DeliveryPlace": "Aeropuerto Miami",
}
```

Get Available Cars Response

200 Ok

Locations

Create Location

Create Location Request

```
POST /available

{
    "capacity" : 20,
    "available" : true,
    "name" : "Aeropuerto Miami",
    "startDateTime": "2024-02-24T08:00:00"
}
```

Create Location Response

200 Ok

Get Available Locations

Get Available Locations Request

```
POST /available

{
    "location": "Aeropuerto Mi",
}
```

Get Available Locations Response