



CREATE DATABASE [IF NOT EXISTS] sales;

```
CREATE DATABASE [IF NOT EXISTS] sales;
SQL CREATE TABLE table_name ( );
```


```
CREATE DATABASE [IF NOT EXISTS] sales;
SQL CREATE TABLE table_name ( );
```

compulsory requirement: add at Least one column





```
CREATE TABLE table_name
(
    column_1 data_type constraints,
    column_2 data_type constraints,
    ...
    column_n data_type constraints
);
```



AUTO_INCREMENT

frees you from having to insert all purchase numbers manually through the INSERT command at a later stage

AUTO_INCREMENT

frees you from having to insert all purchase numbers manually through the INSERT command at a later stage

- assigns 1 to the first record of the table and automatically increments by 1 for every subsequent row

AUTO_INCREMENT

sales

purchase_number			
1			
2			
3			
4			
•••			
n			
11			

AUTO_INCREMENT

sales

purchase_number		
1		
2		
3		
4		
•••		
n		

	SALES		
purchase_number	date_of_purchase	customer_id	item_code
1	03/09/2016	1	A_1
2	02/12/2016	2	C_1
3	15/04/2017	3	D_1
4	24/05/2017	1	B_2
5	25/05/2017	4	B_2
6	06/06/2017	2	B_1
7	10/06/2017	4	A_2
8	13/06/2017	3	C_1
9	20/07/2017	1	A_1
10	11/08/2017	2	B_1

