

Cucumber Report

3/07/2025, 5:58:17 p. m.

Start : jul 03, 5:57:23.048 p. m.

End : jul 03, 5:58:16.036 p. m.

Duration : 52.988 s

Features



Scenarios

Steps

PASSED - 2
FAILED - 3
SKIPPED - 0


PASSED - 3
FAILED - 8
SKIPPED - 0

PASSED - 18
FAILED - 1
SKIPPED - 50




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Nuevo registro</u>	9.338 s	1	1	0	0	4	4	0	0
<u>Nuevo registro direccion</u>	24.460 s	4	0	4	0	27	6	1	20
<u>Crear una orden</u>	5.652 s	3	0	3	0	21	0	0	21
<u>Proceso de pago</u>	3.621 s	1	0	1	0	9	0	0	9
<u>Verificar Login</u>	9.786 s	2	2	0	0	8	8	0	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@01_RegisterSuccess	1	1	0	0	1	1	0	0
@Register	5	1	4	0	2	1	1	0
@03_RegisterAddress_Alternative	1	0	1	0	1	0	1	0
@EndToEnd	6	0	6	0	3	0	3	0
@03_RegisterAddressList	1	0	1	0	1	0	1	0
@CreditCard	2	0	2	0	1	0	1	0
@CreditCardSuccessAlternative	1	0	1	0	1	0	1	0
@04_CreditCardSuccessList	1	0	1	0	1	0	1	0
@Checkout	3	0	3	0	1	0	1	0
@05_Checkout	1	0	1	0	1	0	1	0
@07_CheckoutRandom	1	0	1	0	1	0	1	0
@08_CheckoutHistory	1	0	1	0	1	0	1	0
@CheckoutShopping	1	0	1	0	1	0	1	0
@06_ConfirmPageShopping	1	0	1	0	1	0	1	0
@Regretion	2	2	0	0	1	1	0	0
@02_LoginPageSuccess	2	2	0	0	1	1	0	0
@Login	2	2	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Nuevo registro</u>	1	1	0	0	9.338 s
2	<u>Nuevo registro direccion</u>	4	0	4	0	24.460 s
3	<u>Crear una orden</u>	3	0	3	0	5.652 s
4	<u>Proceso de pago</u>	1	0	1	0	3.621 s
5	<u>Verificar Login</u>	2	2	0	0	9.786 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Nuevo registro</u>	<u>Registro exitoso con informacion valida</u>	4	4	0	0	9.329 s
2	<u>Nuevo registro direccion</u>	<u>Registro exitoso direccion de envio</u>	7	6	1	0	17.201 s
3	<u>Nuevo registro direccion</u>	<u>Registro exitoso con diferentes direcciones de envio</u>	6	0	0	6	2.478 s
4	<u>Nuevo registro direccion</u>	<u>Agregar Tarjeta de Crédito</u>	7	0	0	7	2.305 s
5	<u>Nuevo registro direccion</u>	<u>Agregar Tarjetas de Crédito para pagos</u>	7	0	0	7	2.415 s
6	<u>Crear una orden</u>	<u>Agregar productos al carrito</u>	5	0	0	5	1.917 s
7	<u>Crear una orden</u>	<u>Agregar productos al carrito de manera aleatoria</u>	10	0	0	10	1.679 s
8	<u>Crear una orden</u>	<u>Verificación de historial de pedidos</u>	6	0	0	6	2.031 s
9	<u>Proceso de pago</u>	<u>Proceso de pago exitoso</u>	9	0	0	9	3.621 s
10	<u>Verificar Login</u>	<u>Iniciar sesión con credenciales "correctas"</u>	4	4	0	0	4.901 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Verificar Login</u>	<u>Iniciar sesión con credenciales "incorrectas"</u>	4	4	0	0	4.862 s

Nuevo registro



PASSED	DURATION - 9.338 s	Scenarios		Steps	
/ 5:57:23.048 p. m. // 5:57:32.386 p. m. /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Registro exitoso con informacion valida

<div>PASSED</div> <div>DURATION - 9.329 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 5:57:23.057 p. m. // 5:57:32.386 p. m. /</div>			
<div>Nuevo registro</div>			
<div>@01_RegisterSuccess @Register</div>			

#	Step / Hook Details	Status	Duration
1	Dado que el usuario está en la página de registro	PASSED	1.243 s
2	Cuando el usuario completa la información válida	PASSED	2.183 s
3	Y confirme la informacion con el boton de registrar	PASSED	0.108 s
4	Entonces el sistema debe mostrarle mensaje de registro exitoso	PASSED	0.555 s


Nuevo registro direccion

FAILED	DURATION - 24.460 s	Scenarios		Steps	
/ 5:57:32.480 p. m. // 5:57:56.940 p. m. /		Total - 4		Total - 27	
		Pass - 0		Pass - 6	
		Fail - 4		Fail - 1	
		Skip - 0		Skip - 20	



Registro exitoso direccion de envio

<div>FAILED</div> <div>DURATION - 17.201 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.584</td></tr><tr><td>2</td><td>0.181</td></tr><tr><td>3</td><td>0.060</td></tr><tr><td>4</td><td>0.754</td></tr><tr><td>5</td><td>10.837</td></tr><tr><td>6</td><td>0.080</td></tr><tr><td>7</td><td>0.012</td></tr></tbody></table>	Step	Duration (s)	1	0.584	2	0.181	3	0.060	4	0.754	5	10.837	6	0.080	7	0.012	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
Step	Duration (s)																		
1	0.584																		
2	0.181																		
3	0.060																		
4	0.754																		
5	10.837																		
6	0.080																		
7	0.012																		
/ 5:57:32.480 p. m. // 5:57:49.681 p. m. /																			
Nuevo registro direccion																			
@03_RegisterAddress_Alternative @Register																			

#	Step / Hook Details	Status	Duration
1	Dado que el usuario esta en la pagina de login	PASSED	0.584 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	PASSED	0.181 s
3	Y hace click en el botón de Log in	PASSED	0.060 s
4	Dado que el usuario está en la página de registro de direccion	PASSED	0.754 s
5	Cuando el usuario completa el formulario de registro	PASSED	10.837 s
6	Y hace clic en el botón de enviar	PASSED	0.080 s
7	Entonces el usuario debe ser redirigido a la página del login org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, getCurrentUrl {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53706}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53706/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:617) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:621) at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:324) at org.openqa.selenium.support.ui.ExpectedConditions\$3.apply(ExpectedConditions.java:101) at org.openqa.selenium.support.ui.ExpectedConditions\$3.apply(ExpectedConditions.java:96) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at com.juice.utils.Base.validateUrlPage(Base.java:59) at com.juice.factory.RegisterAddressPage.getMessage(RegisterAddressPage.java:118) at com.juice.steps.RegisterAddressSteps.el_usuario_debe_ser_redirigido_a_la_página_direcciones(RegisterAddressSteps.java:82)	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<p>at ?.el usuario debe ser redirigido a la página del login(file:///C:/Users/crish/IdeaProjects/SeleniumWebFinalProject/src/test/resources/features/account/3.-registeraddress.feature:19)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Registro exitoso direccion de envio</p> 	PASSED	0.368 s

Registro exitoso con diferentes direcciones de envio

<p>FAILED</p> <p>DURATION - 2.478 s</p> <p>/ 5:57:49.704 p. m. // 5:57:52.182 p. m. /</p> <p>Nuevo registro direccion</p> <p>@EndToEnd @03_RegisterAddressList @Register</p>		<p>Steps</p> <p>Total - 6</p> <p>Pass - 0</p> <p>Fail - 0</p> <p>Skip - 6</p>	
---	--	---	---

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.juice.hooks.Hooks.setUp()</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5dae0ef8bcc9cab3658de224142c5433, addCookie {cookie=welcomebanner_status=dismiss; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53857}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53857/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5dae0ef8bcc9cab3658de224142c5433</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p>	FAILED	2.356 s

#	Step / Hook Details	Status	Duration																					
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:44) at com.juice.hooks.Hooks.setUp(Hooks.java:17)</pre>																							
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.000 s																					
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.000 s																					
3	Y hace click en el botón de Log in	SKIPPED	0.000 s																					
4	Dado que el usuario está en la página de registro de direccion	SKIPPED	0.001 s																					
5	Cuando el usuario completa el formulario de registro con las direccion <table><tr><td>country</td><td>province</td><td>mobilenumber</td><td>zipcode</td><td>address</td><td>city</td><td>state</td></tr><tr><td>Colombia</td><td>Quindio</td><td>300101011</td><td>0006030</td><td>B las palamas</td><td>Armenia</td><td>Armenia</td></tr><tr><td>Colombia</td><td>Valle del cauca</td><td>333311111</td><td>0008030</td><td>B las pola</td><td>Cali</td><td>Cali</td></tr></table>	country	province	mobilenumber	zipcode	address	city	state	Colombia	Quindio	300101011	0006030	B las palamas	Armenia	Armenia	Colombia	Valle del cauca	333311111	0008030	B las pola	Cali	Cali	SKIPPED	0.004 s
country	province	mobilenumber	zipcode	address	city	state																		
Colombia	Quindio	300101011	0006030	B las palamas	Armenia	Armenia																		
Colombia	Valle del cauca	333311111	0008030	B las pola	Cali	Cali																		
6	Entonces las diferentes direcciones se visualicen en la pagina	SKIPPED	0.000 s																					
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)	FAILED	0.108 s																					



Agregar Tarjeta de Crédito

FAILED	DURATION - 2.305 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 5:57:52.200 p. m. // 5:57:54.505 p. m. /				
Nuevo registro direccion				
@CreditCard @CreditCardSuccessAlternative @Register				

#	Step / Hook Details	Status	Duration
	BEFORE - com.juice.hooks.Hooks.setUp()	FAILED	2.151 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6e3c292e667e31b2570c8f23f573ca7e, addCookie {cookie=language=en; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53874}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53874/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6e3c292e667e31b2570c8f23f573ca7e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:43) at com.juice.hooks.Hooks.setUp(Hooks.java:17)</p>		
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.001 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.002 s
3	Y hace click en el botón de Log in	SKIPPED	0.001 s
4	Cuando el usuario accede a la sección de información de pago	SKIPPED	0.001 s
5	Y agrega una nueva tarjeta de crédito con detalles válidos	SKIPPED	0.001 s
6	Y guarda la nueva tarjeta	SKIPPED	0.001 s
7	Entonces el sistema debe mostrar un mensaje de confirmación y la tarjeta de crédito debe estar asociada a la cuenta del usuario	SKIPPED	0.001 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.137 s
	<p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null</p> <p>at com.juice.hooks.Hooks.tearDown(Hooks.java:24)</p>		



Agregar Tarjetas de Crédito para pagos

<div>FAILED</div> <div>DURATION - 2.415 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
<div>/ 5:57:54.525 p. m. // 5:57:56.940 p. m. /</div>			
<div>Nuevo registro direccion</div>			
<div>@CreditCard @EndToEnd @Register</div> <div>@04_CreditCardSuccessList</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.juice.hooks.Hooks.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2a398ecc84ccee9144005ab55874cc35, addCookie {cookie=welcomebanner_status=dismiss; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53890}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53890/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2a398ecc84ccee9144005ab55874cc35 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:44) at com.juice.hooks.Hooks.setUp(Hooks.java:17)	FAILED	2.175 s
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.000 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.001 s
3	Y hace click en el botón de Log in	SKIPPED	0.001 s
4	Cuando el usuario accede a la sección de información de pago	SKIPPED	0.000 s
5	Y agrega nuevas tarjetas de crédito con detalles válidos	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration												
	<table border="1"> <tr> <td>cardname</td><td>cardnumber</td><td>datemoth</td><td>dateyear</td></tr> <tr> <td>Mastercard</td><td>5425233430109903</td><td>4</td><td>2080</td></tr> <tr> <td>Mastercard</td><td>5425233430109903</td><td>12</td><td>2090</td></tr> </table>	cardname	cardnumber	datemoth	dateyear	Mastercard	5425233430109903	4	2080	Mastercard	5425233430109903	12	2090		
cardname	cardnumber	datemoth	dateyear												
Mastercard	5425233430109903	4	2080												
Mastercard	5425233430109903	12	2090												
6	Y guarda la nueva tarjeta	SKIPPED	0.000 s												
7	Entonces el sistema debe mostrar un mensaje de confirmación y la tarjeta de crédito debe estar asociada a la cuenta del usuario	SKIPPED	0.000 s												
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.227 s												
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)														

Crear una orden

FAILED	DURATION - 5.652 s	Scenarios		Steps	
/ 5:57:56.955 p. m. // 5:58:02.607 p. m. /		Total - 3		Total - 21	
		Pass - 0	3	Pass - 0	21
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 21	



Agregar productos al carrito

FAILED	DURATION - 1.917 s			Steps	
/ 5:57:56.955 p. m. // 5:57:58.872 p. m. /				Total - 5	
Crear una orden				Pass - 0	5
@Checkout @05_Checkout @EndToEnd				Fail - 0	
				Skip - 5	

#	Step / Hook Details	Status	Duration
	BEFORE - com.juice.hooks.Hooks.setUp()	FAILED	1.800 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e22f5f7d6df0f83bdd0c995ffd8ae94c, addCookie {cookie=language=en; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir:		

#	Step / Hook Details	Status	Duration
	C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53906}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53906/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e22f5f7d6df0f83bdd0c995ffd8ae94c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:43) at com.juice.hooks.Hooks.setUp(Hooks.java:17)		
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.001 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.000 s
3	Y hace click en el botón de Log in	SKIPPED	0.000 s
4	Cuando el usuario busca los productos y los agrega al carrito <div> <div>nombre</div> <div>banana</div> <div>apple</div> <div>t-shirt</div> </div>	SKIPPED	0.002 s
5	Entonces el carrito debe mostrar "3" y el total debe ser actualizado correctamente	SKIPPED	0.001 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)	FAILED	0.105 s



Agregar productos al carrito de manera aleatoria

FAILED	DURATION - 1.679 s		<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 10</div>	
/ 5:57:58.886 p. m. // 5:58:00.565 p. m. /				
Crear una orden				
@Checkout @EndToEnd @07_CheckoutRandom				

#	Step / Hook Details	Status	Duration
	BEFORE - com.juice.hooks.Hooks.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [726eadc20bf67567574f3d5fe2dc752a, addCookie {cookie=language=en; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53923}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53923/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 726eadc20bf67567574f3d5fe2dc752a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:43) at com.juice.hooks.Hooks.setUp(Hooks.java:17)	FAILED	1.570 s
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.000 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.001 s
3	Y hace click en el botón de Log in	SKIPPED	0.000 s
4	Cuando el usuario seleccione 2 elementos de manera aleatoria y los agrega al carrito	SKIPPED	0.001 s
5	Y que el usuario ha agregado productos al carrito	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Y el usuario ha ingresado su información de envío	SKIPPED	0.000 s
7	Y el usuario ha seleccionado un método de pago válido	SKIPPED	0.001 s
8	Cuando el usuario confirma la compra	SKIPPED	0.000 s
9	Entonces el usuario debe recibir una confirmación de pedido "Thank you for your purchase!"	SKIPPED	0.000 s
10	Y el estado del pedido debe ser "Your order will be delivered in 5 days."	SKIPPED	0.000 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.101 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)		



Verificación de historial de pedidos

FAILED	DURATION - 2.031 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 5:58:00.576 p. m. // 5:58:02.607 p. m. /				
Crear una orden				
@Checkout @EndToEnd @08_CheckoutHistory				



#	Step / Hook Details	Status	Duration
	BEFORE - com.juice.hooks.Hooks.setUp()	FAILED	1.886 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1690453f4cf935e1da82651c98f68cea, addCookie {cookie=language=en; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53940}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53940/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1690453f4cf935e1da82651c98f68cea at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:43) at com.juice.hooks.Hooks.setUp(Hooks.java:17) </pre>		
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.001 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.000 s
3	Y hace click en el botón de Log in	SKIPPED	0.001 s
4	Dado que el usuario ha realizado pedidos anteriormente	SKIPPED	0.001 s
5	Cuando el usuario accede al historial de pedidos	SKIPPED	0.000 s
6	Entonces el usuario debe ver la lista de sus pedidos anteriores con detalles	SKIPPED	0.000 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.136 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24) </pre>		

Proceso de pago

FAILED	DURATION - 3.621 s	Scenarios		Steps	
/ 5:58:02.618 p. m. // 5:58:06.239 p. m. /		Total - 1		Total - 9	
		Pass - 0 Fail - 1 Skip - 0		Pass - 0 Fail - 0 Skip - 9	



Proceso de pago exitoso

<div>FAILED</div> <div>DURATION - 3.621 s</div>		<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
<div>/ 5:58:02.618 p. m. // 5:58:06.239 p. m. /</div>			
<div>Proceso de pago</div>			
<div>@EndToEnd @CheckoutShopping</div> <div>@06_ConfirmPageShopping</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.juice.hooks.Hooks.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [df405b394c7f4c6d14ef38c2ec12de9a, addCookie {cookie=language=en; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53956}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53956/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: df405b394c7f4c6d14ef38c2ec12de9a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:43) at com.juice.hooks.Hooks.setUp(Hooks.java:17)	FAILED	3.481 s
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.001 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.000 s
3	Y hace click en el botón de Log in	SKIPPED	0.000 s
4	Dado que el usuario ha agregado productos al carrito	SKIPPED	0.000 s
5	Y el usuario ha ingresado su información de envío	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Y el usuario ha seleccionado un método de pago válido	SKIPPED	0.002 s
7	Cuando el usuario confirma la compra	SKIPPED	0.000 s
8	Entonces el usuario debe recibir una confirmación de pedido "Thank you for your purchase!"	SKIPPED	0.000 s
9	Y el estado del pedido debe ser "Your order will be delivered in 5 days."	SKIPPED	0.000 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.127 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)		

Verificar Login


PASSED	DURATION - 9.786 s	Scenarios		Steps	
/ 5:58:06.250 p. m. // 5:58:16.036 p. m. /		Total - 2		Total - 8	
		Pass - 2		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Iniciar sesión con credenciales "correctas"

PASSED		DURATION - 4.901 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:58:06.253 p. m. // 5:58:11.154 p. m. /						
Verificar Login						
@Regretion @02_LoginPageSuccess @Login						

#	Step / Hook Details	Status	Duration
1	Dado que el usuario esta en la pagina de login	PASSED	0.601 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	PASSED	0.207 s
3	Y hace click en el botón de Log in	PASSED	0.067 s
4	Entonces el sistema debería mostrarle el mensaje "All Products"	PASSED	0.086 s

Iniciar sesión con credenciales "incorrectas"



#	Step / Hook Details	Status	Duration
1	Dado que el usuario esta en la pagina de login	PASSED	0.527 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto20091"	PASSED	0.161 s
3	Y hace click en el botón de Log in	PASSED	0.145 s
4	Entonces el sistema deberia mostrarle el mensaje "Invalid email or password."	PASSED	0.090 s