

| Feature | | | Scenario | | | | Step | | | |
|--------------------------|----------|---|----------|---|---|---|------|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| Nuevo registro direccion | 16.641 s | 1 | 0 | 1 | 0 | 7 | 4 | 1 | 2 | |

| Tag | | Scer | nario | | Feature | | | | |
|---------------------------|---|------|-------|---|---------|---|---|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @CreditCard | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @EndToEnd | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @04_CreditCardSuccessList | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------|---|---|---|---|----------|
| 1 | Nuevo registro direccion | 1 | 0 | 1 | 0 | 16.641 s |


SCENARIOS SUMMARY -- 5




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------|----------------------------|---|---|---|---|----------|
| 1 | Nuevo registro direccion | Agregar Tarjeta de Crédito | 7 | 4 | 1 | 2 | 16.633 s |

DETAILED SECTION -- 6 --

Nuevo registro direccion



Agregar Tarjeta de Crédito



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Dado que el usuario esta en la pagina de login | PASSED | 0.586 s |
| 2 | Cuando el usario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009" | PASSED | 0.165 s |
| 3 | Y hace click en el botón de Log in | PASSED | 0.059 s |
| 4 | Cuando el usuario accede a la sección de información de pago | PASSED | 0.245 s |
| 5 | Y agrega nuevas tarjetas de crédito con detalles válidos | FAILED | 10.627 s |
| | cardname cardnumber datemoth dateyear Mastercard 5425233430109903 4 2080 Mastercard 5425233430109903 12 2090 java.lang.RuntimeException: Error: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="mat-menu-panel-3"]/div[1]/button[4]"} (Session info: chrome=137.0.7151.122) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aa2de4162a7c7d7033a8efa30da72600, findElement {value=//*[@id="mat-menu-panel-3"]/div[1]/button[4], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff, userDataDir: C:\Users\crish\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54075}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54075/devtoo, se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: | | |
| | true} Session ID: aa2de4162a7c7d7033a8efa30da72600 | | |
| | at com.juice.factory.CreditCardPage.doAddCreditCard(CreditCardPage.java:76) | | |
| | at com.juice.steps.CreditCardSteps.agrega_nuevas_tarjeta_de_crédito_con_detalles_válidos(CreditCardSteps.java:41) | | |
| | at ?.agrega nuevas tarjetas de crédito con detalles válidos(file:///C:/Users/crish/IdeaProjects/SeleniumWebFinalProject/src/test/resources/ | | |
| | features/account/creditcard.feature:25) Caused by: org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: | | |
| | {"method":"xpath","selector":"//*[@id="mat-menu-panel-3"]/div[1]/button[4]"} (Session info: chrome=137.0.7151.122) For documentation on this | | |
| | error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: | | |
| | '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org. | | |
| | openqa.selenium.chrome.ChromeDriver Command: [aa2de4162a7c7d7033a8efa30da72600, findElement {value=//*[@id="mat-menu-panel- | | |
| | 3"]/div[1]/button[4], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: | | |
| | {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff, userDataDir: C:\Users\crish\AppData\Loca}, fedcm:accounts: true, | | |
| | goog:chromeOptions: {debuggerAddress: localhost:54075}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |
| | windows, proxy: Proxy(), se:cdp: ws://localhost:54075/devtoo, se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: | | |
| | false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: aa2de4162a7c7d7033a8efa30da72600 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) | | |
| | at org.openga.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) | | |
| | at com.juice.factory.CreditCardPage.doAddCreditCard(CreditCardPage.java:71) | | |
| | at com.juice.steps.CreditCardSteps.agrega_nuevas_tarjeta_de_crédito_con_detalles_válidos(CreditCardSteps.java:41) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) | | |
| | $at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$ | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) | | |
| | $at\ org. testng. internal. invokers. Test Method Worker. invoke Test Methods (Test Method Worker. java: 146)$ | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1597) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:808) | | |
| | at org.testng.TestRunner.run(TestRunner.java:603) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:326) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1092) | | |
| | at org.testng.TestNG.run(TestNG.java:1060) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |

DETAILED SECTION -- 9 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 6 | Y guarda la nueva tarjeta | SKIPPED | 0.000 s |
| 7 | Entonces el sistema debe mostrar un mensaje de confirmación y la tarjeta de crédito debe estar asociada a la cuenta del usuario | SKIPPED | 0.000 s |