

Cucumber Report

3/07/2025, 6:23:20 p. m.

Start : jul 03, 6:22:04.773 p. m.

End : jul 03, 6:23:19.609 p. m.

Duration : 1 m 14.836 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 4

SKIPPED - 0

PASSED - 2




FAILED - 7

SKIPPED - 0

PASSED - 14


FAILED - 1

SKIPPED - 40




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Nuevo registro</u>	8.235 s	1	1	0	0	4	4	0	0
<u>Nuevo registro direccion</u>	54.835 s	2	1	1	0	13	10	1	2
<u>Crear una orden</u>	6.990 s	3	0	3	0	21	0	0	21
<u>Proceso de pago</u>	1.635 s	1	0	1	0	9	0	0	9
<u>Verificar Login</u>	2.956 s	2	0	2	0	8	0	0	8

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@01_RegisterSuccess	1	1	0	0	1	1	0	0
@Register	3	2	1	0	2	1	1	0
@EndToEnd	6	1	5	0	3	0	3	0
@03_RegisterAddressList	1	1	0	0	1	0	1	0
@CreditCard	1	0	1	0	1	0	1	0
@04_CreditCardSuccessList	1	0	1	0	1	0	1	0
@Checkout	3	0	3	0	1	0	1	0
@05_Checkout	1	0	1	0	1	0	1	0
@07_CheckoutRandom	1	0	1	0	1	0	1	0
@08_CheckoutHistory	1	0	1	0	1	0	1	0
@CheckoutShopping	1	0	1	0	1	0	1	0
@06_ConfirmPageShopping	1	0	1	0	1	0	1	0
@Regretion	2	0	2	0	1	0	1	0
@02_LoginPageSuccess	2	0	2	0	1	0	1	0
@Login	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Nuevo registro</u>	1	1	0	0	8.235 s
2	<u>Nuevo registro direccion</u>	2	1	1	0	54.835 s
3	<u>Crear una orden</u>	3	0	3	0	6.990 s
4	<u>Proceso de pago</u>	1	0	1	0	1.635 s
5	<u>Verificar Login</u>	2	0	2	0	2.956 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Nuevo registro</u>	<u>Registro exitoso con informacion valida</u>	4	4	0	0	8.230 s
2	<u>Nuevo registro direccion</u>	<u>Registro exitoso con diferentes direcciones de envio</u>	6	6	0	0	32.841 s
3	<u>Nuevo registro direccion</u>	<u>Agregar Tarjetas de Crédito para pagos</u>	7	4	1	2	21.985 s
4	<u>Crear una orden</u>	<u>Agregar productos al carrito</u>	5	0	0	5	3.127 s
5	<u>Crear una orden</u>	<u>Agregar productos al carrito de manera aleatoria</u>	10	0	0	10	2.264 s
6	<u>Crear una orden</u>	<u>Verificación de historial de pedidos</u>	6	0	0	6	1.570 s
7	<u>Proceso de pago</u>	<u>Proceso de pago exitoso</u>	9	0	0	9	1.635 s
8	<u>Verificar Login</u>	<u>Iniciar sesión con credenciales "correctas"</u>	4	0	0	4	1.660 s
9	<u>Verificar Login</u>	<u>Iniciar sesión con credenciales "incorrectas"</u>	4	0	0	4	1.280 s

Nuevo registro



PASSED	DURATION - 8.235 s	Scenarios		Steps	
/ 6:22:04.773 p. m. // 6:22:13.008 p. m. /		Total - 1	1	Total - 4	4
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Registro exitoso con informacion valida


<div>PASSED</div> <div>DURATION - 8.230 s</div>		Steps	
/ 6:22:04.778 p. m. // 6:22:13.008 p. m. /		Total - 4	
Nuevo registro		Pass - 4	
@01_RegisterSuccess @Register		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Dado que el usuario está en la página de registro	PASSED	0.756 s
2	Cuando el usuario completa la información válida	PASSED	1.968 s
3	Y confirme la informacion con el boton de registrar	PASSED	0.116 s
4	Entonces el sistema debe mostrarle mensaje de registro exitoso	PASSED	0.555 s

Nuevo registro direccion


FAILED	DURATION - 54.835 s	Scenarios		Steps	
/ 6:22:13.140 p. m. // 6:23:07.975 p. m. /		Total - 2	2	Total - 13	13
		Pass - 1		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

Registro exitoso con diferentes direcciones de envio




#	Step / Hook Details							Status	Duration
1	Dado que el usuario esta en la pagina de login							PASSED	0.540 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"							PASSED	0.189 s
3	Y hace click en el botón de Log in							PASSED	0.065 s
4	Dado que el usuario está en la página de registro de direccion							PASSED	0.797 s
5	Cuando el usuario completa el formulario de registro con las direccion							PASSED	26.412 s
	country	province	mobilenumber	zipcode	address	city	state		
	Colombia	Quindio	300101011	0006030	B las palamas	Armenia	Armenia		
	Colombia	Valle del cauca	333311111	0008030	B las pola	Cali	Cali		
6	Entonces las diferentes direcciones se visualicen en la pagina							PASSED	0.110 s



Agregar Tarjetas de Crédito para pagos





#	Step / Hook Details	Status	Duration
1	Dado que el usuario esta en la pagina de login	PASSED	0.553 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	PASSED	0.185 s
3	Y hace click en el botón de Log in	PASSED	0.065 s
4	Cuando el usuario accede a la sección de información de pago	PASSED	0.563 s

#	Step / Hook Details	Status	Duration												
5	<p>Y agrega nuevas tarjetas de crédito con detalles válidos</p> <table border="1"> <thead> <tr> <th>cardname</th><th>cardnumber</th><th>datemoth</th><th>dateyear</th></tr> </thead> <tbody> <tr> <td>Mastercard</td><td>5425233430109903</td><td>4</td><td>2080</td></tr> <tr> <td>Mastercard</td><td>5425233430109903</td><td>12</td><td>2090</td></tr> </tbody> </table> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for invisibility of [[ChromeDriver: chrome on windows (1a1d3e46aec0cf4b9a439aaa2f8a1329)] -> id: submitButton] (tried for 15 second(s) with 500 milliseconds interval) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57186}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57186/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}}</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.juice.utils.Base.isInVisibleElement(Base.java:45) at com.juice.factory.CreditCardPage.doSubmitCreditCard(CreditCardPage.java:102) at com.juice.steps.CreditCardSteps.agrega_nuevas_tarjeta_de_crédito_con_detalle_válidos(CreditCardSteps.java:55) at ?.agrega nuevas tarjetas de crédito con detalles válidos(file:///C:/Users/crish/IdeaProjects/SeleniumWebFinalProject/src/test/resources/features/account/4.-registercreditcard.feature:18) * Not displayable characters are replaced by '?'. </p>	cardname	cardnumber	datemoth	dateyear	Mastercard	5425233430109903	4	2080	Mastercard	5425233430109903	12	2090	FAILED	15.712 s
cardname	cardnumber	datemoth	dateyear												
Mastercard	5425233430109903	4	2080												
Mastercard	5425233430109903	12	2090												
6	Y guarda la nueva tarjeta	SKIPPED	0.001 s												
7	Entonces el sistema debe mostrar un mensaje de confirmación y la tarjeta de crédito debe estar asociada a la cuenta del usuario	SKIPPED	0.000 s												
	<p>AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Agregar Tarjetas de Crédito para pagos</p> 	PASSED	0.288 s												

Crear una orden

FAILED	DURATION - 6.990 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 21 Pass - 0 Fail - 0 Skip - 21	
/ 6:23:07.999 p. m. // 6:23:14.989 p. m. /					

Agregar productos al carrito

FAILED	DURATION - 3.127 s		Steps	
/ 6:23:07.999 p. m. // 6:23:11.126 p. m. /			Total - 5	
Crear una orden			Pass - 0	
@Checkout @05_Checkout @EndToEnd			Fail - 0	
			Skip - 5	

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.juice.hooks.Hooks.setUp()</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [909e94e4bf29deef36e2b4a5464bc014, addCookie {cookie=language=en; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57400}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57400/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 909e94e4bf29deef36e2b4a5464bc014</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p>	FAILED	3.000 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:43) at com.juice.hooks.Hooks.setUp(Hooks.java:17)</pre>		
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.001 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.000 s
3	Y hace click en el botón de Log in	SKIPPED	0.000 s
4	Cuando el usuario busca los productos y los agrega al carrito	SKIPPED	0.002 s
	<div>nombre</div> <div>banana</div> <div>apple</div> <div>t-shirt</div>		
5	Entonces el carrito debe mostrar "3" y el total debe ser actualizado correctamente	SKIPPED	0.001 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.114 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)</pre>		



Agregar productos al carrito de manera aleatoria

FAILED	DURATION - 2.264 s		Steps Total - 10 Pass - 0 Fail - 0 Skip - 10	
/ 6:23:11.144 p. m. // 6:23:13.408 p. m. /				
Crear una orden				
@Checkout @EndToEnd @07_CheckoutRandom				

#	Step / Hook Details	Status	Duration
	BEFORE - com.juice.hooks.Hooks.setUp()	FAILED	2.154 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3fcab67c7f63a253ec368dd4282d845, addCookie {cookie=language=en; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57416}, networkConnectionEnabled:</pre>		

#	Step / Hook Details	Status	Duration
	false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57416/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3fcab67c7f63a253ec368dd4282d845 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:43) at com.juice.hooks.Hooks.setUp(Hooks.java:17)		
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.002 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.000 s
3	Y hace click en el botón de Log in	SKIPPED	0.000 s
4	Cuando el usuario seleccione 2 elementos de manera aleatoria y los agrega al carrito	SKIPPED	0.000 s
5	Y que el usuario ha agregado productos al carrito	SKIPPED	0.001 s
6	Y el usuario ha ingresado su información de envío	SKIPPED	0.000 s
7	Y el usuario ha seleccionado un método de pago válido	SKIPPED	0.002 s
8	Cuando el usuario confirma la compra	SKIPPED	0.000 s
9	Entonces el usuario debe recibir una confirmación de pedido "Thank you for your purchase!"	SKIPPED	0.001 s
10	Y el estado del pedido debe ser "Your order will be delivered in 5 days."	SKIPPED	0.000 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)	FAILED	0.103 s

Verificación de historial de pedidos

<div>FAILED</div> <div>DURATION - 1.570 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 6:23:13.419 p. m. // 6:23:14.989 p. m. /				
Crear una orden				
@Checkout @EndToEnd @08_CheckoutHistory				

#	Step / Hook Details	Status	Duration
	BEFORE - com.juice.hooks.Hooks.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cde2aca4347f446d6c203be0e21c956d, addCookie {cookie=language=en; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57432}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57432/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cde2aca4347f446d6c203be0e21c956d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:43) at com.juice.hooks.Hooks.setUp(Hooks.java:17)	FAILED	1.458 s
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.002 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.001 s
3	Y hace click en el botón de Log in	SKIPPED	0.001 s
4	Dado que el usuario ha realizado pedidos anteriormente	SKIPPED	0.001 s
5	Cuando el usuario accede al historial de pedidos	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Entonces el usuario debe ver la lista de sus pedidos anteriores con detalles	SKIPPED	0.001 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.104 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)		

Proceso de pago

FAILED	DURATION - 1.635 s	Scenarios		Steps
/ 6:23:15.003 p. m. // 6:23:16.638 p. m. /		Total - 1		Total - 9
		Pass - 0		Pass - 0
		Fail - 1		Fail - 0
		Skip - 0		Skip - 9



Proceso de pago exitoso

FAILED		DURATION - 1.635 s			Steps	
/ 6:23:15.003 p. m. // 6:23:16.638 p. m. /					Total - 9	
Proceso de pago					Pass - 0	
@EndToEnd @CheckoutShopping					Fail - 0	
@06_ConfirmPageShopping				Skip - 9		



#	Step / Hook Details	Status	Duration
	<div>BEFORE - com.juice.hooks.Hooks.setUp()</div> <div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ad9d822dd67cc972ba9f7e9c3470ae7a, addCookie {cookie=language=en; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57449}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57449/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:</div>	FAILED	1.491 s

#	Step / Hook Details	Status	Duration
	ad9d822dd67cc972ba9f7e9c3470ae7a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:43) at com.juice.hooks.Hooks.setUp(Hooks.java:17)		
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.001 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.001 s
3	Y hace click en el botón de Log in	SKIPPED	0.000 s
4	Dado que el usuario ha agregado productos al carrito	SKIPPED	0.000 s
5	Y el usuario ha ingresado su información de envío	SKIPPED	0.000 s
6	Y el usuario ha seleccionado un método de pago válido	SKIPPED	0.000 s
7	Cuando el usuario confirma la compra	SKIPPED	0.000 s
8	Entonces el usuario debe recibir una confirmación de pedido "Thank you for your purchase!"	SKIPPED	0.001 s
9	Y el estado del pedido debe ser "Your order will be delivered in 5 days."	SKIPPED	0.000 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)	FAILED	0.132 s

Verificar Login

FAILED	DURATION - 2.956 s	Scenarios		Steps	
/ 6:23:16.653 p. m. // 6:23:19.609 p. m. /		Total - 2		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 8	



Iniciar sesión con credenciales "correctas"

<div>FAILED</div> <div>DURATION - 1.660 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 6:23:16.654 p. m. // 6:23:18.314 p. m. /				
Verificar Login				
@Regretion @02_LoginPageSuccess @Login				

#	Step / Hook Details	Status	Duration
	BEFORE - com.juice.hooks.Hooks.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d822a0627e849f02a141dee82c3f2d77, addCookie {cookie=welcomebanner_status=dismiss; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57466}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57466/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d822a0627e849f02a141dee82c3f2d77 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:44) at com.juice.hooks.Hooks.setUp(Hooks.java:17)	FAILED	1.524 s
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.000 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	SKIPPED	0.001 s
3	Y hace click en el botón de Log in	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Entonces el sistema deberia mostrarle el mensaje "All Products"	SKIPPED	0.000 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)	FAILED	0.123 s

Iniciar sesión con credenciales "incorrectas"

FAILED	DURATION - 1.280 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 6:23:18.329 p. m. // 6:23:19.609 p. m. /				
Verificar Login				
@Regretion @02_LoginPageSuccess @Login				

#	Step / Hook Details	Status	Duration
	BEFORE - com.juice.hooks.Hooks.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ce2e88cea139b8f0c2a6a0616a751d3, addCookie {cookie=welcmebanner_status=dismiss; path=/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57481}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57481/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3ce2e88cea139b8f0c2a6a0616a751d3 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)	FAILED	1.147 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.addCookie(RemoteWebDriver.java:866) at com.juice.utils.DriverFactory.initDriver(DriverFactory.java:44) at com.juice.hooks.Hooks.setUp(Hooks.java:17)		
1	Dado que el usuario esta en la pagina de login	SKIPPED	0.002 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto20091"	SKIPPED	0.000 s
3	Y hace click en el botón de Log in	SKIPPED	0.001 s
4	Entonces el sistema deberia mostrarle el mensaje "Invalid email or password."	SKIPPED	0.000 s
	AFTER - com.juice.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.126 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.juice.hooks.Hooks.tearDown(Hooks.java:24)		