

Cucumber Report

1/07/2025, 10:48:05 p. m.

Start : jul 01, 10:47:48.268 p. m.

End : jul 01, 10:48:03.956 p. m.

Duration : 15.688 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Nuevo registro direccion</u>	15.688 s	1	0	1	0	7	3	1	3

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@CreditCard	1	0	1	0	1	0	1	0
@EndToEnd	1	0	1	0	1	0	1	0
@04_CreditCardSuccessList	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Nuevo registro direccion</u>	1	0	1	0	15.688 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Nuevo registro direccion</u>	<u>Agregar Tarjeta de Crédito</u>	7	3	1	3	15.685 s

Nuevo registro direccion

FAILED	DURATION - 15.688 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
/ 10:47:48.268 p. m. // 10:48:03.956 p. m. /					

Agregar Tarjeta de Crédito

<div>FAILED</div> <div>DURATION - 15.685 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:47:48.271 p. m. // 10:48:03.956 p. m. /				
Nuevo registro direccion				
@CreditCard @EndToEnd @04_CreditCardSuccessList				

#	Step / Hook Details	Status	Duration
1	Dado que el usuario esta en la pagina de login	PASSED	0.534 s
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	PASSED	0.161 s
3	Y hace click en el botón de Log in	PASSED	0.069 s
4	Cuando el usuario accede a la sección de información de pago <pre>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [a68074d005ce2fdb1d3f08a0c169877d, actions {actions=[org.openqa.selenium.interactions.Sequence@42d6c12d]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56077}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56077/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a68074d005ce2fdb1d3f08a0c169877d at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204)</pre>	FAILED	10.129 s

#	Step / Hook Details	Status	Duration
	<p>at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1939) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:636) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222) at java.base/java.util.Map.forEach(Map.java:733) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) at org.openqa.selenium.json.Json.toJson(Json.java:133) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616) at org.openqa.selenium.interactions.Actions.perform(Actions.java:581) at com.juice.utils.Base.overElements(Base.java:29) at com.juice.factory.CreditCardPage.navigateToCreditCardMenuPage(CreditCardPage.java:59) at com.juice.steps.CreditCardSteps.el_usuario_accede_a_la_sección_de_información_de_pago(CreditCardSteps.java:24) at ?.el usuario accede a la sección de información de pago(file:///C:/Users/crish/IdeaProjects/SeleniumWebFinalProject/src/test/resources/features/account/creditcard.feature:24)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json.toJson(Json.java:131) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)</p>		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616) at org.openqa.selenium.interactions.Actions.perform(Actions.java:581) at com.juice. utils.Base.overElements(Base.java:29) at com.juice.factory.CreditCardPage.navigateToCreditCardMenuPage(CreditCardPage.java:59) at com.juice.steps.CreditCardSteps.el_usuario_accede_a_la_sección_de_información_de_pago(CreditCardSteps.java:24) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1597) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:118) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1939) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:636) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222) at java.base/java.util.Map.forEach(Map.java:733) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) at org.openqa.selenium.json.Json.toJson(Json.java:133) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616) at org.openqa.selenium.interactions.Actions.perform(Actions.java:581) at com.juice.utils.Base.overElements(Base.java:29) at com.juice.factory.CreditCardPage.navigateToCreditCardMenuPage(CreditCardPage.java:59) at com.juice.steps.CreditCardSteps.el_usuario_accede_a_la_sección_de_información_de_pago(CreditCardSteps.java:24) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1597) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </p> <p> Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="mat-menu-panel-0"]//div[3]"} (Session info: chrome=137.0.7151.122) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a68074d005ce2fdb1d3f08a0c169877d, findElement {value=//*[@id="mat-menu-panel-0"]//div[3], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56077}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56077/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a68074d005ce2fdb1d3f08a0c169877d </p>		

#	Step / Hook Details	Status	Duration												
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:262) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:211) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:74) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:83) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) </pre> <p>* Not displayable characters are replaced by '?'. </p>														
5	Y agrega nuevas tarjetas de crédito con detalles válidos <table border="1"> <thead> <tr> <th>cardname</th><th>cardnumber</th><th>datemoth</th><th>dateyear</th></tr> </thead> <tbody> <tr> <td>Mastercard</td><td>5425233430109903</td><td>4</td><td>2080</td></tr> <tr> <td>Mastercard</td><td>5425233430109903</td><td>12</td><td>2090</td></tr> </tbody> </table>	cardname	cardnumber	datemoth	dateyear	Mastercard	5425233430109903	4	2080	Mastercard	5425233430109903	12	2090	SKIPPED	0.006 s
cardname	cardnumber	datemoth	dateyear												
Mastercard	5425233430109903	4	2080												
Mastercard	5425233430109903	12	2090												
6	Y guarda la nueva tarjeta	SKIPPED	0.000 s												
7	Entonces el sistema debe mostrar un mensaje de confirmación y la tarjeta de crédito debe estar asociada a la cuenta del usuario	SKIPPED	0.000 s												