

DOCUMENTAÇÃO

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: agenda* x

SCHEMAS

Filter objects

- dbagenda
 - Tables
 - contatos
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas Information

No object selected

```
15  /* CRUD READ */
16  •  select * from contatos order by nome;
17  •  select * from contatos where idcon = 1;
18
19  /* CRUD UPDATE */
20  •  update contatos set nome="Bruce Wayne" where idcon = 1;
21  •  update contatos set nome='Bruce Wayne Jr', fone='55555-5555',email='bruce@gmail.com' where idcon = 1;
22
23  /* CRUD DELET */
24  •  delete from contatos where idcon = 1;
25  •  select * from contatos;
```

Result Grid

	idcon	nome	fone	email
▶	2	Cris Oliveira	99999-2222	cris@gmail.com
	3	Joyce	11111-1111	joy@gmail.com
	4	Akilles Oliveira	33333-3333	ak@gmail.com
	5	Carlos Gomes	99999-3333	Gomes@outlook.com
*	NULL	NULL	NULL	NULL

contatos 2 x Apply

Output

Action Output



File Edit View Query Database Server Tools Scripting Help



Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

agenda x



Limit to 1000 rows

```
15  /* CRUD READ */
16  •  select * from contatos order by nome;
17  •  select * from contatos where idcon = 1;
18
19  /* CRUD UPDATE */
20  •  update contatos set nome="Bruce Wayne" where idcon = 1;
21  •  update contatos set nome='Bruce Wayne Jr', fone='55555-5555',email='bruce@gmail.com' where idcon = 1;
22
23  /* CRUD DELET */
24  •  delete from contatos where idcon = 1;
25  •  select * from contatos;
```

<

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	idcon	nome	fone	email
▶	2	Cris Oliveira	99999-2222	cris@gmail.com
	3	Joyce	11111-1111	joy@gmail.com
	4	Akiles Oliveira	33333-3333	ak@gmail.com
	5	Carlos Gomes	99999-3333	Gomes@outlook.com
*	NULL	NULL	NULL	NULL

contatos 2 x



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

No object selected



Local instance MySQL80

Data Export

Advanced Options...

Tables to Export

Exp...	Schema
<input type="checkbox"/>	dbagenda
<input type="checkbox"/>	sakila
<input type="checkbox"/>	sys
<input type="checkbox"/>	world

Exp... Schema Objects

Refresh

Dump Structure and Dat

Select Views

Select Tables

Unselect All

Objects to Export

- ☐ Dump Stored Procedures and Functions ☐ Dump Events ☐ Dump Triggers

Export Options

- ☒ Export to Dump Project Folder

C:\Users\brito\Documents\dumps\Dump20220722



Each table will be exported into a separate file. This allows a selective restore, but may be slower.



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

No object selected



Local instance MySQL80

Data Export

Advanced Options...

Tables to Export

Exp...	Schema
<input checked="" type="checkbox"/>	dbagenda
<input type="checkbox"/>	sakila
<input type="checkbox"/>	sys
<input type="checkbox"/>	world

Exp...	Schema Objects
--------	----------------

Refresh

Dump Structure and Dat

Dump Structure and Data

Dump Data Only

Dump Structure Only

Select Views

Select Tables

Unselect All

Objects to Export

☐ Dump Stored Procedures and Functions☐ Dump Events☐ Dump Triggers

Export Options

☒ Export to Dump Project Folder

C:\Users\brito\Documents\dumps\Dump20220722

...

Each table will be exported into a separate file. This allows a selective restore, but may be slower.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: agenda* Administration - Data Export x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Local instance MySQL80

Data Export

Advanced Options...

Object Selection Export Progress

Tables to Export

Exp...	Schema
<input checked="" type="checkbox"/>	dbagenda
<input type="checkbox"/>	sakila
<input type="checkbox"/>	sys
<input type="checkbox"/>	world

Refresh

Dump Structure Only v

Select Views Select Tables Unselect All

Schema Objects

Objects to Export

- ☐ Dump Stored Procedures and Functions
- ☐ Dump Events
- ☐ Dump Triggers

SQLAdditions: Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: agenda* Administration - Data Export x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Local instance MySQL80

Data Export

Advanced Options...

Object Selection Export Progress

Tables to Export

Exp...	Schema	Exp...	Schema Objects
<input checked="" type="checkbox"/>	dbagenda		
<input type="checkbox"/>	sakila		
<input type="checkbox"/>	sys		
<input type="checkbox"/>	world		

Refresh

Dump Structure Only Select Views Select Tables Unselect All

Objects to Export

☐ Dump Stored Procedures and Functions ☐ Dump Events ☐ Dump Triggers

Export Options

☒ Export to Dump Project Folder C:\Users\brito\Documents\dumps\Dump20220722 ...

Each table will be exported into a separate file. This allows a selective restore, but may be slower.

☐ Export to Self-Contained File C:\Users\brito\Documents\dumps\Dump20220722.sql ...

All selected database objects will be exported into a single, self-contained file.


☐ Create Dump in a Single Transaction (self-contained file only) ☐ Include Create Schema

Press [Start Export] to start...

Start Export

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.



MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: agenda* Administration - Data Export x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Local instance MySQL80

Data Export

Advanced Options...

Object Selection Export Progress

Export Completed

Status:
1 of 1 exported.


Log:

```
19:12:47 Dumping dbagenda (contatos)
Running: "C:\Program Files\MySQL\MySQL Server 8.0\bin\mysqldump.exe" --defaults-file="C:\Users\brito\AppData\Local\Temp\tmplf3lib8g.cnf" --host=localhost --port=3306 --
default-character-set=utf8 --user=root --protocol=tcp --no-data --skip-triggers "dbagenda" "contatos"
19:12:49 Export of C:\Users\brito\Documents\dumps\Dump20220722 has finished
```

Arquivo Início Compartilhar Exibir

C:\Users\brito\Documents\dumps\Dump20220722

Nome	Data de modificação	Tipo	Tamanho
dbagenda_contatos.sql	22/07/2022 19:12	SQL Text File	2 KB



Connection Options

Connect to DBMS

Select Schemas

Retrieve Objects

Select Objects

Reverse Engineer

Results

Set Parameters for Connecting to a DBMS

Stored Connection: Select from saved connection settings

Connection Method: Method to use to connect to the RDBMS

Parameters SSL Advanced

Hostname: Port: Name or IP address of the server host - and TCP/IP port.

Username: Name of the user to connect with.

Password: The user's password. Will be requested later if it's not set.

Back

Next

Cancel

Connection Options

Connect to DBMS

Select Schemas

Retrieve Objects

Select Objects

Reverse Engineer


Results

Connect to DBMS and Fetch Information

The following tasks will now be executed. Please monitor the execution.
Press Show Logs to see the execution logs.

- ☒ Connect to DBMS
- ☐ Retrieve Schema List from Database
- ☐ Check Common Server Configuration Issues

Connecting to DB



Please enter password for the following service:

Service: Mysql@localhost:3306


User: root

Password:

☐ Save password in vault

Akilles101

Temp



Reverse Engineer Database

Connection Options

Connect to DBMS

Select Schemas

Retrieve Objects

Select Objects

Reverse Engineer

Results

Select Schemas to Reverse Engineer



Select the schemas you want to include:

☒ dbagenda

☐ sakila

☐ world

Back

Next

Cancel

Connection Options

Connect to DBMS

Select Schemas

Retrieve Objects

Select Objects

Reverse Engineer

Results


Retrieve and Reverse Engineer Schema Objects

The following tasks will now be executed. Please monitor the execution.
Press Show Logs to see the execution logs.

- ☒ Retrieve Objects from Selected Schemas
☐ Check Results

Retrieving object lists from selected schemas

Fetching table list



Akillies101

Show Logs

Back

Next

Cancel

Connection Options

Connect to DBMS

Select Schemas

Retrieve Objects

Select Objects

Reverse Engineer

Results

Retrieve and Reverse Engineer Schema Objects

The following tasks will now be executed. Please monitor the execution.
Press Show Logs to see the execution logs.

- ☒ Retrieve Objects from Selected Schemas
- ☒ Check Results

Retrieval Completed Successfully
Finished.

[Show Logs](#)[Back](#)[Next](#)[Cancel](#)

Reverse Engineer Database

Connection Options

Connect to DBMS

Select Schemas

Retrieve Objects

Select Objects

Reverse Engineer

Results

Select Objects to Reverse Engineer



☒ Import MySQL Table Objects

Show Filter

1 Total Objects, 1 Selected

☒ Place imported objects on a diagram

Back

Execute >

Cancel

Connection Options

Connect to DBMS

Select Schemas

Retrieve Objects

Select Objects

Reverse Engineer

Results

Reverse Engineering Progress

The following tasks will now be executed. Please monitor the execution. Press Show Logs to see the execution logs.

- ☒ Reverse Engineer Selected Objects
- ☒ Place Objects on Diagram

Operation Completed Successfully

[Show Logs](#)[Back](#)[Next](#)[Cancel](#)

Modeling A



Templates

Reverse Engineer Database

Connection Options

Connect to DBMS

Select Schemas

Retrieve Objects

Select Objects

Reverse Engineer

Results

Reverse Engineering Results

Summary of Reverse Engineered Objects:

- 1 tables from schema 'dbagenda'

Back

Finish

Cancel

MySQL Workbench

Local instance MySQL80 x MySQL Model* x EER Diagram x

File Edit View Arrange Model Database Tools Scripting Help

Bird's Eye Diagram

Zoom: 100%

Catalog Tree

- mydb
 - Tables
 - Views
 - Routine Groups
- dbagenda

Description Editor

contatos

- idcon INT
- nome VARCHAR(50)
- fone VARCHAR(15)
- email VARCHAR(50)

Indexes

Modeling Additions

- timestamps
 - create_time, update_time
- user
 - username, email, passwor...
- category
 - category_id, name

Templates

Ready

21°C Limpo 19:24

New Model Ctrl+N

Open Model... Ctrl+O

Include Model...

Open Recent

Close Tab Ctrl+W

Save Model Ctrl+S

Save Model As... Ctrl+Shift+S

Import

Export

Page Setup...

Print Preview...

Print... Ctrl+P

Print to File...

Document Properties...

Exit Alt+F4

Routine Groups

dbagenda

Catalog

Layers

User Types

Description Editor

Diagram

Forward Engineer SQL CREATE Script... Ctrl+Shift+G

Export as PNG...

Export as SVG...

Export as Single Page PDF...

Export as Single Page PostScript File...

contatos


idcon INT

nome VARCHAR(50)

fone VARCHAR(15)

email VARCHAR(50)

Indexes



***REMOVA TODOS OS COMENTARIOS DOS ARQUIVOS E IDENTIFICAR O CODE
DEPOIS DISSO REVISE O CODE usei ctrl + shift + f para identificar***

```
1 <%@ page language="java" contentType="text/html; charset=utf-8"
2     pageEncoding="utf-8"%>
3 <%@ page import="model.JavaBeans"%>
4 <%@ page import="java.util.ArrayList"%>
5 <%
6     @ SuppressWarnings ("unchecked")
7     ArrayList<JavaBeans> lista = (ArrayList<JavaBeans>) request.getAttribute("contatos");
8 %>
9 <!DOCTYPE html>
10 <html lang="pt-br">
11 <head>
12 <meta charset="utf-8">
13 <title>Agenda de contatos</title>
14 <link rel="icon" href="imagens/favicon.png">
15 <link rel="stylesheet" href="style.css">
16 </head>
17 <body>
```


eclipse-workspace - agenda/src/main/java/model/JavaBeans.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer

- agenda
 - Deployment Descriptor: agenc
 - JAX-WS Web Services
 - Java Resources
 - src/main/java
 - controller
 - Controller.java
 - model
 - DAO.java
 - JavaBeans.java
 - Libraries
 - build
 - src
 - main
 - java
 - controller
 - Controller.java
 - model
 - webapp
 - imagens
 - META-INF
 - scripts
 - confirmador.js
 - validador.js

Controller.java DAO.java JavaBeans.java

```
1 package model;
2
3 public class JavaBeans {
4     // ENCAPSULANDO VARIAVEIS
5     private String idcon;
6     private String nome;
7     private String fone;
8     private String email;
9
10    // construtores
11    public JavaBeans() {
12        super();
13        // TODO Auto-generated constructor stub
14    }
15
16
17
```

Documentando as classes java

Markers Properties Servers Data Source Explorer Snippets Console

The screenshot shows the Eclipse IDE interface. On the left is the Project Explorer showing the project structure: agenda > Deployment Descriptor: agenda > JAX-WS Web Services > Java Resources > src/main/java > controller > Controller.java. The main editor displays the code for Controller.java, with lines 66 to 82 visible. The code includes a method `listarContato` that sets attributes on the request and forwards to `editar.jsp`. The console at the bottom shows the Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 18:45:04) [pid: 13616] and a red error message: `Jul 22, 2022 7:49:05 PM org.apache.jasper.servlet.TldScanner scanJars`.

```
66         response.sendRedirect("main");
67     }
68
69     protected void listarContato(HttpServletRequest request, HttpServletResponse response)
70         throws ServletException, IOException {
71         contato.setIdcon(request.getParameter("idcon"));
72         dao.selecionarContato(contato);
73         request.setAttribute("idcon", contato.getIdcon());
74         request.setAttribute("nome", contato.getNome());
75         request.setAttribute("fone", contato.getFone());
76         request.setAttribute("email", contato.getEmail());
77         RequestDispatcher rd = request.getRequestDispatcher("editar.jsp");
78         rd.forward(request, response);
79     }
80
81
82     protected void editarContato(HttpServletRequest request, HttpServletResponse response) {
```

Markers Properties Servers Data Source Explorer Snippets Console

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 18:45:04) [pid: 13616]

Jul 22, 2022 7:49:05 PM org.apache.jasper.servlet.TldScanner scanJars

eclipse-workspace - agenda/src/main/java/model/DAO.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help



Project Explorer × Controller.java DAO.java × JavaBeans.java

agenda

> Deployment Descriptor: agenc

> JAX-WS Web Services

> Java Resources

> src/main/java

> controller

> Controller.java

> model

> DAO.java

> JavaBeans.java

> Libraries

> build

> src

> main

> java

> controller

> Controller.java

> model

> webapp

> imagens

> META-INF

> scripts

> confirmador.js

> validador.js

> WEB-INF

> lib

> itextpdf-5.5.13.

```
92    }
93    }
94
95    public void alterarContato(JavaBeans contato) {
96        String update = "update contatos set nome=?,fone=?,email=? where idcc
97        try {
98            Connection con = conectar();
99            PreparedStatement pst = con.prepareStatement(update);
100            pst.setString(1, contato.getNome());
101            pst.setString(2, contato.getFone());
102            pst.setString(3, contato.getEmail());
103            pst.setString(4, contato.getIdcon());
104            pst.executeUpdate();
105            con.close();
106        } catch (Exception e) {
107            System.out.println(e);
108        }
```


Markers Properties Servers Data Source Explorer Snippets Console ×

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 18:45:04) [pid: 13616]

jul 22, 2022 7:56:52 PM org.apache.jasper.servlet.TldScanner scanJars

main/java/model/DAO.java - Eclipse IDE

Navigate Search Project Run Window **Help**



Eclipse Marketplace

Select solutions to install. Press **Install Now** to proceed with installation.
Press the "more info" link to learn more about a solution.



Search Recent Popular Favorites Installed Giving IoT an Edge

Find:

All Markets

All Categories

Go

Featured

**Java 18 Support for Eclipse 2022-03 (4.23)**

Promoted - This marketplace solution provides Java 18 support for Eclipse 2022-03 (4.23). To install the feature place ensure you have the latest Eclipse release, which is... [more info](#)

by [Eclipse Foundation](#), EPL 2.0

[Java 18 JDT](#)

★ 37



Installs: **24,6K** (0 last month)

Install

**Eclipse Web Developer Tools 3.26**

Promoted - Includes the HTML, CSS, and JSON Editors, and JavaScript Development Tools from the Eclipse Web Tools Platform project, aimed at supporting client-side web... [more info](#)

by [The Eclipse Foundation](#), EPL

[xml](#) [html](#) [CSS](#) [js](#) [JSON](#)

★ 1313



Installs: **533K** (16,259 last month)

Installed

Marketplaces



< Back

Install Now >

Finish

Cancel

Eclipse Marketplace

Select solutions to install. Press Install Now to proceed with installation.
Press the "more info" link to learn more about a solution.



Search Recent Popular Favorites Installed Giving IoT an Edge

Find: 

All Markets



All Categories



Go

JAutodoc 1.15.0

JAutodoc is an Eclipse Plugin for automatically adding Javadoc and file headers to your source code. It optionally generates initial comments from element name by... [more info](#)

by [Martin Kesting](#), EPL[javadoc templates](#) [file header](#) [velocity](#)

433

Installs: **180K** (919 last month)**Install**

Review Licenses

Licenses must be reviewed and accepted before the software can be installed.



License text (for JAutodoc 1.15.0.202007122220):

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

3. GRANT OF RIGHTS

☒ I accept the terms of the license agreement

☐ I do not accept the terms of the license agreement




< Back

Next >


Finish

Cancel





Project Explorer



> apiREST
> demo
> Hello
> HelloJSP
> Hello Tomcat
> Servers

Controller

```
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132 }  
133
```

Markers

No consoles to

Undo

Ctrl+Z

Revert File

Save

Ctrl+S

Open Declaration

F3

Open Type Hierarchy

F4

Open Call Hierarchy

Ctrl+Alt+H

Show in Breadcrumb

Alt+Shift+B

Quick Outline

Ctrl+O

Quick Type Hierarchy

Ctrl+T

Open With

>

Show In

Alt+Shift+W >



Cut

Ctrl+X



Copy

Ctrl+C



Copy Qualified Name



Paste

Ctrl+V



Raw Paste

Quick Fix

Ctrl+1

Source

Alt+Shift+S >

Refactor

Alt+Shift+T >

Local History

>

References

>

Declarations

>



Add to Snippets...



Javadoc

>



Coverage As

>



Run As

>



Debug As

>

Profile As

>

Team

>

```
vaBeans> lista = dao.listarContatos();  
    0; i < lista.size(); i++) {  
    ddCell(lista.get(i).getNome());  
    ddCell(lista.get(i).getFone());  
    ddCell(lista.get(i).getEmail());  
  
    d(tabela);  
    ose();  
  
    on e) {  
    rprintln(e);  
    ose();
```

Click direito na ultima linha

er Snippets Console

Add Javadoc

Ctrl+Alt+J

Add Javadoc...

Ctrl+Alt+I


Add Header

Ctrl+Alt+K

Add Header...

Ctrl+Alt+O

Salve tudo selecione o index.html e execute



The screenshot shows the Eclipse IDE interface. The title bar reads "eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE". The menu bar includes File, Edit, Source, Refactor, Navigate, Search, Project, Run, Window, and Help. The toolbar contains various icons for file operations and development tools. The Project Explorer on the left shows the project structure: agenda (containing Deployment Descriptor, JAX-WS Web Services, and Java Resources), src (containing build, Libraries, and main), and main (containing java and webapp). The Controller.java file is open in the editor, showing a Javadoc comment for the `contatos` method and the method implementation. The code is as follows:

```
72
73 /**
74  * Contatos.
75  *
76  * @param request the request
77  * @param response the response
78  * @throws ServletException the servlet exception
79  * @throws IOException Signals that an I/O exception has occurred.
80  */
81 protected void contatos(HttpServletRequest request, HttpServletResponse response)
82     throws ServletException, IOException {
83     ArrayList<JavaBeans> lista = dao.listarContatos();
84     request.setAttribute("contatos", lista);
85     RequestDispatcher rd = request.getRequestDispatcher("/WEB-INF/jsp/agenda.jsp");
86     rd.forward(request, response);
87 }
```


A doc é gerada automaticamente repita para classe dao e javabeans

Agenda de Contatos

[Novo Contato](#)

[Relatório](#)

Id	Nome	Fone	E-mail	Opções	
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar	Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar	Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar	Excluir
6	Kaua Carlos	77777-7777	kaka@gmail.com	Editar	Excluir



Agenda de Contatos

Novo Contato

Relatório

Id	Nome	Fone	E-mail	Opções	
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar	Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar	Excluir
7	Didi	66666-6666	pao@outlook.com	Editar	Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar	Excluir
6	Kaua Carlos	77777-7777	kaka@gmail.com	Editar	Excluir

Agenda de contatos

localhost:8080/agenda/main

Agenda de

Novo Contato

localhost:8080 diz
confirma a exclusão deste contato ?

OK Cancelar

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar Excluir
7	Didi	66666-6666	pao@outlook.com	Editar Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar Excluir
6	Kaua Carlos	77777-7777	kaka@gmail.com	Editar Excluir

javascript: confirmar(7)

Agenda de contatos x +

localhost:8080/agenda/main


c++ C++ C++ C++ C++ VISUAL STUDIO Domestika Ou

Agenda de Contatos

Novo Contato

Relatório

Id	Nome	Fone	E-mail	Opções	
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar	Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar	Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar	Excluir
6	Kaua Carlos	77777-7777	kaka@gmail.com	Editar	Excluir



Agenda de Contatos

Novo Contato

Relatório

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar Excluir
6	Kaua Carlos	77777-		Editar Excluir

Abrir

Abrir com o Visualizador do sistema

Sempre abrir com visualizador do sistema

Mostrar na pasta

Cancelar



contatos.pdf



Exibir todos



contatos.pdf

1 / 1



75%




1

Lista de contatos:

Nome	Fone	Email
Nome	Fone	Email
Akilles Oliveira	33333-3333	ak@gmail.com
Cris Oliveira	99999-2222	cris@gmail.com
Joyce	11111-1111	joy@gmail.com
Kaua Carlos	77777-7777	kaka@gmail.com

Click direito



Select

Generate Javadoc.



Select an export wizard:

type filter text

- > General
- > EJB
- > Install
- ▼ Java
 - JAR file
 - Javadoc
 - Runnable JAR file
- > Java EE
- > Plug-in Development
- > Run/Debug
- > Team
- > Web
- > Web Services
- > XML



< Back

Next >

Finish

Cancel

Javadoc Generation

Select types for Javadoc generation.



Javadoc command:

Select types for which Javadoc will be generated:

- > ☒ agenda
- > ☐ apirest
- > ☐ Hello
- > ☐ HelloJSP
- > ☐ Hello Tomcat

Create Javadoc for members with visibility:

☐ Private☐ Package☐ Protected☒ Public

Public: Generate Javadoc for public classes and members.

☒ Use standard doclet

Destination:

☐ Use custom doclet

Doclet name:

Doclet class path:



< Back

Next >

Finish

Cancel

Generate Javadoc

Javadoc Generation

Configure Javadoc arguments for standard doclet.

☐ Document title:

Basic Options

- ☒ Generate use page
- ☒ Generate hierarchy tree
- ☒ Generate navigator bar
- ☒ Generate index
 - ☒ Separate index per letter

Document these tags

- ☒ @author
- ☒ @version
- ☒ @deprecated
 - ☒ deprecated list

Select referenced archives and projects to which links should be generated:

- ☐ agenda - not configured
- ☐ annotations-api.jar - <https://jakarta.ee/specifications/annotat>
- ☐ catalina.jar - <http://tomcat.apache.org/tomcat-10.0-doc/api/>
- ☐ catalina-ant.jar - <http://tomcat.apache.org/tomcat-10.0-doc/>
- ☐ catalina-ha.jar - <http://tomcat.apache.org/tomcat-10.0-doc/>
- ☐ catalina-ssi.jar - <http://tomcat.apache.org/tomcat-10.0-doc/>

Select All

Clear All

Browse...

☐ Style sheet:

Browse...



< Back

Next >

Finish

Cancel

Generate Javadoc

Javadoc Generation

Configure Javadoc arguments.



☐ Overview:

Browse...

VM options (prefixed with '-J', e.g. -J-Xmx180m for larger heap space):

Extra Javadoc options (path names with white spaces must be enclosed in quotes):

JRE source compatibility: 11 ▾

☐ Save the settings of this Javadoc export as an Ant script:

Ant Script: C:\Users\brito\eclipse-workspace\agenda\javadoc.xml

Browse...

☐ Open generated index file in browser





< Back


Next >

Finish

Cancel







Project Explorer X

- agenda
 - Deployment Descriptor: agenda
 - JAX-WS Web Services
 - doc
 - controller
 - index-files
 - jquery
 - model
 - resources
 - allclasses.html
 - allclasses-index.html
 - allpackages-index.html
 - constant-values.html
 - deprecated-list.html
 - element-list
 - help-doc.html
 - index.html
 - member-search-index.js
 - member-search-index.zip
 - overview-summary.html
 - overview-tree.html
 - package-search-index.js
 - package-search-index.zip
 - script.js
 - search.js
 - serialized-form.html
 - stylesheet.css
 - type-search-index.js
 - type-search-index.zip

Controller.java

```
1 <!DOCTYPE
2 <html lang
3 <head>
4 <meta char
5 <title>Age
6 <link rel=
7 <link rel=
8 </head>
9 <body>
10     <img s
11     <h1>Ag
12     <a hre
13 </body>
14 </html>
```

Markers Properties

<terminated> Javadoc Generati

Generating C:\

Generating C:\

Generating C:\

ation

ALL CLASSES

Packages

Package	Description
controller	Isso é a documentação do projeto
model	

ALL CLASSES

OVERVIEW PACKAGE **CLASS** USE TREE DEPRECATED INDEX HELP

ALL CLASSES

SUMMARY: NESTED | FIELD | CONSTR | METHOD DETAIL: FIELD | CONSTR | METHOD

Package controller

Class Controller

java.lang.Object
jakarta.servlet.GenericServlet
jakarta.servlet.http.HttpServlet
controller.Controller

All Implemented Interfaces:

jakarta.servlet.Servlet, jakarta.servlet.ServletConfig, java.io.Serializable

```
@WebServlet(urlPatterns={"/controller","/main","/insert","/select","/update","/delete","/report"})  
public class Controller  
extends jakarta.servlet.http.HttpServlet
```

The Class Controller.

See Also:

Serialized Form

Constructor Summary



Visão geral Repositórios 36 Projetos 1 Pacotes Estrelas 51

cristianobrito/LEIA -ME .md

- 🙋 Olá, SOU CRISTIANO OLIVEIRA
- DESENVOLVEDOR FULL-STACK
- ATUALMENTE ESTUDO ENGENHARIA DE SOFTWARE
- UNIDADE DE JOGOS DE DEV

cristiano's GitHub Stats

Most Used Languages

Proprietário *



cristianobrito ▾

Nome do repositório *

javaee ✓

Grandes nomes de repositório são curtos e memoráveis. Precisa de inspiração? Que tal o motor alfabetizado ?

Proprietário *



cristianobrito ▾

Nome do repositório *

javaee ✓

Grandes nomes de repositórios são curtos e memoráveis. Precisa de inspiração? Que tal o motor alfabetizado ?

Descrição (opcional)

java Web - Agenda de contatos



Público

Qualquer pessoa na internet pode ver este repositório. Você escolhe quem pode se comprometer.



Privado

Você escolhe quem pode ver e se comprometer com este repositório.

Inicialize este repositório com:



Public

Anyone on the internet can see this repository. You choose who can commit.



Private

You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.

☒ **Add a README file**

This is where you can write a long description for your project. [Learn more.](#)

Add .gitignore


Choose which files not to track from a list of templates. [Learn more.](#)

.gitignore template: Java ▾

Choose a license

A license tells others what they can and can't do with your code. [Learn more.](#)

License: None ▾

This will set  `main` as the default branch. Change the default name in your



Public

Anyone on the internet can see this repository. You choose who can commit.



Private

You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.



Add a README file

This is where you can write a long description for your project. [Learn more.](#)

Add .gitignore


Choose which files not to track from a list of templates. [Learn more.](#)

.gitignore template: Java ▼

Choose a license

A license tells others what they can and can't do with your code. [Learn more.](#)




License: MIT License ▼

This will set  `main` as the default branch. Change the default name in your



You are creating a public repository in your personal account.

Create repository

	cristianobrito Compromisso inicial	08a4d41	agora	🕒 1 compromisso
	.gitignore	Confirmação inicial	agora	
	LICENÇA	Confirmação inicial	agora	
	README.md	Confirmação inicial	agora	

README.md

javaee

java Web - Agenda de contatos

java Web - Agenda de contatos

📖 Leia-me

☆ 0 estrelas

👁 1 assistindo

👤 0 garfos

Lançamentos

Nenhum lançamento publicado

[Criar uma nova versão](#)

Pacotes

Nenhum pacote publicado

[Publique seu primeiro pacote](#)

Sobre

compromisso

há 1 minuto

há 1 minuto

há 1 minuto


Fazer upload de arq...

java Web - Agenda de contatos

0 garfos

Nenhum lançamento
Criar uma nova versão

Pacotes



javaee /



Arraste arquivos adicionais aqui para adicioná-los ao seu repositório

Ou [escolha seus arquivos](#)

/agenda/doc/jquery/images/ui-icons_454545_256x240.png

Enviando 36 do 88 arquivos

/agenda/build/classes/controller/Controller.class



/agenda/build/classes/model/DAO.class



/agenda/src/main/webapp/WEB-INF/lib/itextpdf-5.5.13.3.jar

/agenda/src/main/webapp/WEB-INF/lib/mysql-connector-java-8.0.25.jar

/agenda/src/main/webapp/WEB-INF/web.xml



Confirmar as alterações


ADICIONEI O PROJETO AGENDA

Adicione uma descrição estendida opcional...

- ☒ Comprometa-se diretamente com o a **Principal** ramo.
- ☐ Crie um novo **branch** para este commit e inicie uma pull request. Saiba mais sobre solicitações pull.

Confirmar as alterações

Cancelar





Pesquise ou pule para...



Solicitação de pull s

Problemas

Mercado

Explorar



cristianobrito / javaee

Público



Alfinete



Desassistir 1



Garfo 0



Código

Problemas

Solicitações de pull

Ações

Projetos

Wiki

Segurança

Percepções

Definições



a Principal



1 filial



0 marcas

Ir para o arquivo

Adicionar ficheiro

Código

Sobre

java Web - Agenda de contato

Leia-me

Licença MIT

0 estrelas

1 assistindo

0 garfos

Lançamentos

Nenhum lançamento publicado

Criar uma nova versão



cristianobrito ADICIONEI O PROJETO AGENDA

4cf28cf há 14 segundos

2 compromissos



agenda

ADICIONEI O PROJETO AGENDA

há 14 segundos



.gitignore

Confirmação inicial

há 6 minutos



LICENÇA

Confirmação inicial

há 6 minutos



README.md

Confirmação inicial

há 6 minutos

README.md



javaee

Controller

cristianobrito/javaee: java Web -

github.com/cristianobrito/javaee

c++C++C++C++C++VISUAL STUDIODomestikaASSEMBLYss64kernel.orgLinux kernelgccarchlinuxdie.netmanpage

Search or jump to...

Pull requestsIssuesMarketplaceExplore

cristianobrito / javaee

Public

Pin

Unwatch1

Fork0

CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

main1 branch0 tags

Go to file

Add file

Code

Create new file

Upload files

cristianobrito

ADICIONEI O PROJETO AGENDA

agenda

ADICIONEI O PROJETO AGENDA5 minutes ago

.gitignore

Initial commit11 minutes ago

LICENSE

Initial commit11 minutes ago

README.md

Initial commit11 minutes ago

README.md

javaee

About

java Web - Agenda de contat

Readme

MIT license

0 stars

1 watching

0 forks

Releases

No releases published

Create a new release

javaee /

Commit changes

Arraste a pasta do dump
Para o git

Abrir

< > > Este Computador > Documentos > dumps >

Organizar Nova pasta

	Nome	Data de modificação	Tipo
Documentos			
agenda			
Audacity			
Bibliotecas			
build-Movel-D			
dumps	Dump20220722	22/07/2022 19:28	Pasta de arquivos
IISExpress			
Kali-Linux-202			
KingsoftData			
LTspiceXVII			
Megascans Lib			

Nome:

Data da criação: 22/07/2022 19:12
Tamanho: 24,1 KB
Arquivos: dbagenda_contatos.sql, diagrama.pdf

/Dump20220722/dbagenda_contatos.sql

/Dump20220722/diagrama.pdf



Commit changes

adicionei o dump do banco de dados

Add an optional extended description...

- ☒ Commit directly to the `main` branch.
- ☐ Create a new branch for this commit and start a pull request. [Learn more about pull requests.](#)

Controller

cristianobrito/javaee: java Web -

github.com/cristianobrito/javaee

c++C++C++C++C++VISUAL STUDIODomestikaASSEMBLYss64kernel.orgLinux kernelgccarchlinuxdie.netmanpage

Search or jump to...

Pull requestsIssuesMarketplaceExplore

bellplus

cristianobrito / javaeePublic

PinUnwatch1Fork0Star

CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

main1 branch0 tags

Go to fileAdd fileCode

About

cristianobrito

adicionei o dump do banco de dados

3899be1agora3 commits

Dump20220722	adicionei o dump do banco de dados	agora
agenda	ADICIONEI O PROJETO AGENDA	há 8 minutos
.gitignore	Initial commit	há 15 minutos
LICENSE	Initial commit	há 15 minutos
README.md	Initial commit	há 15 minutos

README.md

javaee

ReadmeMIT license0 stars1 watching0 forks

Releases

No releases published
Create a new release

