



# JSON PARA HTML

## 2023

## NANO







EXPLORER



index.html X



JSON-HTML

index.css

index.html




index.js



index.html &gt; html &gt; body &gt; script

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8 </head>
9 <body>
10   <div id="app"></div>
11   <script src="index.js"></script>
12 </body>
13 </html>
```



EXPLORER

JSON-HTML


- index.css
- index.html
- index.js

index.html

index.js

index.js &gt; ...

```
1 const petsData = [
2   {
3     name:"Reminho",
4     species:"Cat",
5     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6     birthYear:2017,
7     photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8   },
9   {
10    name:"Pingolento",
11    species:"Dog",
12    birthYear:2008,
13    photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14  },
15  {
16    name:"Snoop",
17    species:"Dog",
18    favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19    birthYear:2017,
20    photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capo.png"
21  }
22 ];
23
24 document.getElementById("app").innerHTML = "Hello world"
```



YouTube



(272) JavaScript Template Literals




Documento



Arquivo

E:/json-html/index.html



c++



C++



C++



br-C.org



C++

VISUAL STUDIO



Domestika



ASSEMBLY



ss64



kernel.org



Linux ke

Olá Mundo







EXPLORER

JSON-HTML

index.css  
index.html  
index.js

index.html


index.js


index.js > ...

```

1  const petsData = [
2    {
3      name:"Reminho",
4      species:"Cat",
5      favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6      birthYear:2017,
7      photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8    },
9    {
10     name:"Pingolento",
11     species:"Dog",
12     birthYear:2008,
13     photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14   },
15   {
16     name:"Snoop",
17     species:"Dog",
18     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19     birthYear:2017,
20     photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21   }
22 ];
23
24 document.getElementById("app").innerHTML = `SOMA ${2 + 2}`
25

```





**As informações são passadas dinamicamente**



EXPLORER

JSON-HTML

- index.css
- index.html
- index.js


index.html index.js

index.js > ...

```

1  const petsData = [
2    {
3      name:"Reminho",
4      species:"Cat",
5      favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6      birthYear:2017,
7      photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8    },
9    {
10     name:"Pingolento",
11     species:"Dog",
12     birthYear:2008,
13     photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14   },
15   {
16     name:"Snoop",
17     species:"Dog",
18     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19     birthYear:2017,
20     photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capacapa.png"
21   }
22 ];
23
24 document.getElementById("app").innerHTML = `SOMA ${2 + 2}
25 <p>he here</p>
26 <p>hello again</p>
27 `
28

```



EXPLORER index.html index.js


JSON-HTML

index.css  
index.html  
index.js

index.js > ...

```
1 const petsData = [
2   {
3     name:"Reminho",
4     species:"Cat",
5     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6     birthYear:2017,
7     photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8   },
9   {
10    name:"Pingolento",
11    species:"Dog",
12    birthYear:2008,
13    photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14  },
15  {
16    name:"Snoop",
17    species:"Dog",
18    favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19    birthYear:2017,
20    photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capo.png"
21  }
22 ];
23
24 document.getElementById("app").innerHTML = `<h1>Pets (${petsData.length} results)</h1>`
25
```





## Animais de estimação (3 resultados)

GET file:///translate.google.com/gen204?nca=te\_li&client=te\_lib&logId=vTE\_20221207 net::ERR\_FILE\_NOT\_FOUND translate.google.com\_ogld=vTE\_20221207:1

GET file:///translate.google.com/gen204?s1=en&t1=pt&textlen=16&ttt=367&ttl=79&ttf=166&sr=1&nca=te\_time&client=te\_lib&logId=vTE\_20221207 net::ERR\_FILE\_NOT\_FOUND translate.google.com\_ogld=vTE\_20221207:1

EXPLORER

JSON-HTML


- index.css
- index.html
- index.js

index.html

index.js

index.js &gt; ...

```
1 const petsData = [
2   {
3     name:"Reminho",
4     species:"Cat",
5     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6     birthYear:2017,
7     photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8   },
9   {
10    name:"Pingolento",
11    species:"Dog",
12    birthYear:2008,
13    photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14  },
15  {
16    name:"Snoop",
17    species:"Dog",
18    favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19    birthYear:2017,
20    photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21  }
22 ];
23
24 document.getElementById("app").innerHTML = `
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>
26 `
27
```



EXPLORER

JSON-HTML


index.css  
index.html  
index.js


index.html

index.js


index.js &gt; ...

```
1 const petsData = [  
2   {  
3     name:"Reminho",  
4     species:"Cat",  
5     favFoods:["wet food", "dry food", "<strong>any</strong> food"],  
6     birthYear:2017,  
7     photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"  
8   },  
9   {  
10    name:"Pingolento",  
11    species:"Dog",  
12    birthYear:2008,  
13    photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"  
14  },  
15  {  
16    name:"Snoop",  
17    species:"Dog",  
18    favFoods:["wet food", "dry food", "<strong>any</strong> food"],  
19    birthYear:2017,  
20    photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"  
21  }  
22 ];  
23  
24 document.getElementById("app").innerHTML = `  
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>  
26 <p class="footer">these (${petsData.length} adicionados recentemente)</p>  
27 `
```





```
index.js > ...
1  const petsData = [
2      {
3          name:"Reminho",
4          species:"Cat",
5          favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6          birthYear:2017,
7          photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8      },
9      {
10         name:"Pingolento",
11         species:"Dog",
12         birthYear:2008,
13         photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14     },
15     {
16         name:"Snoop",
17         species:"Dog",
18         favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19         birthYear:2017,
20         photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21     }
22 ];
23
24 document.getElementById("app").innerHTML = `
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>
26 ${petsData.toString()}
27 <p class="footer">these (${petsData.length} adicionados recentemente)</p>
28 `
29
```



Dimensions: Responsive ▾

728 ×

374

75% ▾

No throttling ▾



## Animais de estimação (3 resultados)

[objeto Objeto],[objeto Objeto],[objeto Objeto]

estes (3 adicionados recentemente)



Elements

Console

Sources

Network

Performance

Memory

Application

Security

Lighthouse

Recorder ▲

Performance insights ▲

2

1



top ▾ Filter

Default levels ▾

1 Issue: 📄

GET file:///translate.google.com/gen204?nca=te li&client=te lib&logId=vTE\_20221207 net::ERR\_FILE\_NOT\_FOUND

translate.google.com\_ogId=vTE\_20221207

GET file:///translate.google.com/gen204?s1=en&tl=pt&textlen=16&ttt=1338&ttl=92&ttf=166&sr=1&nca=te time&client=te lib&logId=vTE\_20221207

translate.google.com\_ogId=vTE\_20221207



EXPLORER

JSON-HTML

index.css  
index.html  
index.js

index.html

index.js


index.js > ...

```

1  const petsData = [
2    {
3      name:"Reminho",
4      species:"Cat",
5      favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6      birthYear:2017,
7      photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8    },
9    {
10     name:"Pingolento",
11     species:"Dog",
12     birthYear:2008,
13     photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14   },
15   {
16     name:"Snoop",
17     species:"Dog",
18     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19     birthYear:2017,
20     photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21   }
22 ];
23
24 document.getElementById("app").innerHTML = `
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>
26 ${petsData.join('NANO')}
27 <p class="footer">these (${petsData.length} adicionados recentemente)</p>
28 `
29 |

```





## Animais de estimação (3 resultados)

[objeto Objeto]NANO[objeto Objeto]NANO[objeto Objeto]  
estes (3 adicionados recentemente)



EXPLORER

## JSON-HTML

index.css  
index.html  
index.js



index.html

index.js X












index.js &gt; petsData.map() callback

```
1  const petsData = [  
2    {  
3      name:"Reminho",  
4      species:"Cat",  
5      favFoods:["wet food", "dry food", "<strong>any</strong> food"],  
6      birthYear:2017,  
7      photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"  
8    },  
9    {  
10     name:"Pingolento",  
11     species:"Dog",  
12     birthYear:2008,  
13     photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"  
14   },  
15   {  
16     name:"Snoop",  
17     species:"Dog",  
18     favFoods:["wet food", "dry food", "<strong>any</strong> food"],  
19     birthYear:2017,  
20     photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"  
21   }  
22 ];  
23  
24 document.getElementById("app").innerHTML = `  
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>  
26 ${petsData.map(function() {  
27   return 'HELLO!'  
28 }).join('NANO')}`  
29 <p class="footer">these (${petsData.length} adicionados recentemente)</p>  
30 `  
31
```

### Pets (3 results)

HELLO!NANOHELLO!NANOHELLO!


these (3 adicionados recentemente)



 top 

 Filter

 Captura e Esboço

### Captura salva na área de transferência

Selecione aqui para marcar e compartilhar a imagem


EXPLORER index.html index.js

JSON-HTML

index.css  
index.html  
index.js

index.js > petsData.map() callback

```
1 const petsData = [
2   {
3     name:"Reminho",
4     species:"Cat",
5     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6     birthYear:2017,
7     photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8   },
9   {
10    name:"Pingolento",
11    species:"Dog",
12    birthYear:2008,
13    photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14  },
15  {
16    name:"Snoop",
17    species:"Dog",
18    favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19    birthYear:2017,
20    photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21  }
22 ];
23
24 document.getElementById("app").innerHTML = `
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>
26 ${petsData.map(function(pet){
27   return pet.name
28 }).join('NANO')}
29 <p class="footer">these (${petsData.length} adicionados recentemente)</p>
30 `
31
```



## Animais de estimação (3 resultados)

ReminhoNANOPingolentoNANOSnoop  
estes (3 adicionados recentemente)


GET file:///translate.google.com/gen204?nca=te\_li&client=te\_lib&logId=vTE\_20221207 net::ERR\_FILE\_NOT\_FOUND translate.google.com\_ogld=vTE\_20221207:1  
GET file:///translate.google.com/gen204?s1=en&t1=pt&textlen=16&ttt=345&ttl=82&ttf=166&sr=1&nca=te\_time&client=te\_lib&logId=vTE\_20221207 net::ERR\_FILE\_NOT\_FOUND translate.google.com\_ogld=vTE\_20221207:1

Documento



Arquivo

E:/json-html/index.html



c++



C++



C++



br-C.org



C++

VISUAL STUDIO



Domestika



ASSEMBLY



ss64



kernel.org



Linux k

## Animais de estimação (3 resultados)

ReminhoNANOPingolentoNANOSnoop

estes (3 adicionados recentemente)



EXPLORER

JSON-HTML

index.css  
index.html  
index.js

index.html


index.js

index.js > ...

```

1  const petsData = [
2    {
3      name: "Reminho",
4      species: "Cat",
5      favFoods: ["wet food", "dry food", "<strong>any</strong> food"],
6      birthYear: 2017,
7      photo: "https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8    },
9    {
10     name: "Pingolento",
11     species: "Dog",
12     birthYear: 2008,
13     photo: "https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14   },
15   {
16     name: "Snoop",
17     species: "Dog",
18     favFoods: ["wet food", "dry food", "<strong>any</strong> food"],
19     birthYear: 2017,
20     photo: "https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21   }
22 ];
23
24 document.getElementById("app").innerHTML = `
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>
26 ${petsData.map(function(pet){
27   return pet.species
28 }).join('NANO')}
29 <p class="footer">these (${petsData.length} adicionados recentemente)</p>
30 `
31

```





index.js - json-html - Visual Studio Code

EXPLORER

- JSON-HTML
  - index.css
  - index.html
  - index.js

index.js > ...

```
1 const petsData = [
2   {
3     name:"Reminho",
4     species:"Cat",
5     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6     birthYear:2017,
7     photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8   },
9   {
10    name:"Pingolento",
11    species:"Dog",
12    birthYear:2008,
13    photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14   },
15   {
16    name:"Snoop",
17    species:"Dog",
18    favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19    birthYear:2017,
20    photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21   }
22 ];
23
24 document.getElementById("app").innerHTML = `
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>
26 ${petsData.map(function(pet){
27   return pet.species
28 }).join('NANO')}
29 <p class="footer">these (${petsData.length} adicionados recentemente)</p>
30 `
31
```

Os dados vem do json name: species: photo: birthyear: favFoods:

Onde a linha vermelha passa por cima

Ln 31, Col 1 Spaces: 3 UTF-8 CRLF JavaScript Go Live

EXPLORER

JSON-HTML


- index.css
- index.html
- index.js

index.html

index.js

index.js &gt; ...

```
1  const petsData = [
2    {
3      name:"Reminho",
4      species:"Cat",
5      favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6      birthYear:2017,
7      photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8    },
9    {
10     name:"Pingolento",
11     species:"Dog",
12     birthYear:2008,
13     photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14   },
15   {
16     name:"Snoop",
17     species:"Dog",
18     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19     birthYear:2017,
20     photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21   }
22 ];
23
24 document.getElementById("app").innerHTML = `
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>
26 ${petsData.map(function(pet){
27   return pet.species
28 }).join('')}
29 <p class="footer">these (${petsData.length} adicionados recentemente)</p>
30 `
31
```



EXPLORER

JSON-HTML

index.css

index.html

index.js

index.html

index.js

X

index.js &gt; ...

```
1  const petsData = [
2    {
3      name:"Reminho",
4      species:"Cat",
5      favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6      birthYear:2017,
7      photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8    },
9    {
10     name:"Pingolento",
11     species:"Dog",
12     birthYear:2008,
13     photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14   },
15   {
16     name:"Snoop",
17     species:"Dog",
18     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19     birthYear:2017,
20     photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21   }
22 ];
23
24 document.getElementById("app").innerHTML = `
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>
26 ${petsData.map(function(pet){
27   return `
28     <div class= "animal">
29       
30     </div>
31   `
32 }).join('')}
33 <p class="footer">these (${petsData.length} adicionados recentemente)</p>
34 `
35
```









estes (3 adicionados recentemente)

**Até aqui sucesso no tutorial transformando json em html**



EXPLORER

JSON-HTML

index.css

index.html

index.js

index.html

index.js

index.js > petsData.map() callback

```
1  const petsData = [
2    {
3      name:"Reminho",
4      species:"Cat",
5      favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6      birthYear:2017,
7      photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-15
8    },
9    {
10     name:"Pingolento",
11     species:"Dog",
12     birthYear:2008,
13     photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14   },
15   {
16     name:"Snoop",
17     species:"Dog",
18     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19     birthYear:2017,
20     photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21   }
22 ];
23
24 document.getElementById("app").innerHTML = `
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>
26 ${petsData.map(function(pet){
27   return `
28     <div class= "animal">
29       
30       <h2>${pet.name} (${pet.species})</h2>
31     </div>
32   `
33 }).join('')}
34 <p class="footer">these (${petsData.length} adicionados recentemente)</p>
35 `
36
```



**Reminho (Gato)**



**Pingolento (Cachorro)**

## Pingolento (Cachorro)



## Snoop (Cachorro)



EXPLORER

index.html

index.js

X

JSON-HTML

index.css

index.html

index.js

index.js &gt; ...

```
1  const petsData = [
2    {
3      name:"Reminho",
4      species:"Cat",
5      favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6      birthYear:2017,
7      photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8    },
9    {
10     name:"Pingolento",
11     species:"Dog",
12     birthYear:2008,
13     photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14   },
15   {
16     name:"Snoop",
17     species:"Dog",
18     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19     birthYear:2017,
20     photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21   }
22 ];
23
24 document.getElementById("app").innerHTML = `
25 <h1 class="app-title">Pets (${petsData.length} results)</h1>
26 ${petsData.map(function(pet){
27   return `
28     <div class= "animal">
29       
30       <h2 class="pet-name">${pet.name} <spam class="species">${pet.species}</spam></h2>
31     </div>
32   `
33 }).join('')}
34 <p class="footer">these (${petsData.length} adicionados recentemente)</p>
35 `
36
```



## Pingolento (Dog)



## Snoop (Dog)

these (3 adicionados recentemente)

**Pra formatar a pagina você precisa formatar o seu css pras fotos ficarem alinhadas e com margim você deve formatar o seu arquivo index.css pra pagina fica bonita**



EXPLORER

index.html

index.js



JSON-HTML

index.css  
index.html  
index.js

index.js &gt; ...

```
1  const petsData = [  
2    {  
3      name:"Reminho",  
4      species:"Cat",  
5      favFoods:["wet food", "dry food", "<strong>any</strong> food"],  
6      birthYear:2017,  
7      photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"  
8    },  
9    {  
10     name:"Pingolento",  
11     species:"Dog",  
12     birthYear:2008,  
13     photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"  
14   },  
15   {  
16     name:"Snoop",  
17     species:"Dog",  
18     favFoods:["wet food", "dry food", "<strong>any</strong> food"],  
19     birthYear:2017,  
20     photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"  
21   }  
22 ];  
23  
24 function petTemplate(pet){  
25   return `  
26     <div class= "animal">  
27         
28       <h2 class="pet-name">${pet.name} <spam class="species">${pet.species}</spam></h2>  
29     </div>  
30   `;  
31 }  
32  
33 document.getElementById("app").innerHTML = `  
34 <h1 class="app-title">Pets (${petsData.length} results)</h1>  
35 ${petsData.map(petTemplate).join('')}  
36 <p class="footer">these (${petsData.length} adicionados recentemente)</p>  
37 `;  
38
```



&gt; OUTLINE



## Pingolento (Dog)



## Snoop (Dog)

these (3 adicionados recentemente)

EXPLORER

JSON-HTML

index.css

index.html

index.js

index.html

index.js

index.js

```
4     species:"Cat",
5     favFoods:["wet food", "dry food", "<strong>any</strong> food"],
6     birthYear:2017,
7     photo:"https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/why-cats-are-best-pets-worshipped-animals-1559234295.jpg"
8   },
9   {
10    name:"Pingolento",
11    species:"Dog",
12    birthYear:2008,
13    photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14  },
15  {
16    name:"Snoop",
17    species:"Dog",
18    favFoods:["wet food", "dry food", "<strong>any</strong> food"],
19    birthYear:2017,
20    photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pinscher-bravo-capa.png"
21  }
22 ];
23
24 function age(birthYear){
25   return new Date().getFullYear() - birthYear;
26 }
27
28 function petTemplate(pet){
29   return `
30     <div class= "animal">
31       
32       <h2 class="pet-name">${pet.name} <spam class="species">${pet.species}</spam></h2>
33       <p><strong>Age:</strong> ${age(pet.birthYear)}</p>
34     </div>
35   `
36 }
37
38 document.getElementById("app").innerHTML = `
39 <h1 class="app-title">Pets (${petsData.length} results)</h1>
40 ${petsData.map(petTemplate).join('')}
41 <p class="footer">these (${petsData.length} adicionados recentemente)</p>
42 `
43
```



## bisbilhoteiro(Cão)

Idade: 6

estes (3 adicionados recentemente)

```
8 },
9 {
10   name:"Pingolento",
11   species:"Dog",
12   birthYear:2008,
13   photo:"https://www.midwesthomes4pets.com/wp-content/uploads/shutterstock_1335588305.png"
14 },
15 {
```

Como peguei a url abrindo o google e copiando o endereço da imagem sem precisar baixar



Daily Paws



## How to Pet a Dog and How t Shouldn't | Daily Paws

As imagens podem ter direitos autorais. S

Abrir link em uma nova guia  
Abrir link em uma nova janela  
Abrir link em janela anônima



Criar código QR para esta imagem

Salvar link como...  
Copiar endereço do link

Abrir imagem em uma nova guia  
Salvar imagem como...  
Copiar imagem

Copiar endereço da imagem  
Pesquisar imagem com o google.com

Ver descrições de imagens do Google ▶


Inspecionar

E por ai vai vai pegando os dados em json e usando o css ou o dom pra configura-  
los o principal aqui é entender como pegar os dados em json e formata-los  
O link do tutorial tá ai em seguida

<https://www.youtube.com/watch?v=DG4obitDvUA>

**Subiremos isso pro git**





Click direito dentro da pasta e git bash here

```
index.css    U    16    name:"Snoop",
index.html   U    17    species:"Dog",
index.js     U    18    favFoods:["wet food", "dry food", "<strong>any</strong> food"],
            19    birthYear:2017,
            20    photo:"https://blog.cobasi.com.br/wp-content/uploads/2021/04/pet-1.jpg"
            21    }
            22  ],
            23  "species": "Dog",
            24  "favFoods": ["wet food", "dry food", "<strong>any</strong> food"],
            25  "birthYear": 2017,
            26  "photo": "https://blog.cobasi.com.br/wp-content/uploads/2021/04/pet-1.jpg"
            27  }
            28  }
```


```
MINGW64:/e/json-html


brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html
$ ls
index.css  index.html  index.js

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html
$ git init
Initialized empty Git repository in E:/json-html/.git/

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$
```

```
46  <h1 class="app-title">Pets (${petsData.length} results)</h1>
47  ${petsData.map(petTemplate).join('')}
48  </div>
49  </div>
```





A terminal window titled "MINGW64:/e/json-html" with standard Windows window controls. The terminal shows a user named "brito" at "DESKTOP-R5KRUP6" in a "MINGW64" environment. The user lists files, initializes a Git repository, adds the current directory, and is ready to commit.

```
MINGW64:/e/json-html  
  
brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html  
$ ls  
index.css  index.html  index.js  
  
brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html  
$ git init  
Initialized empty Git repository in E:/json-html/.git/  
  
brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)  
$ git add .  
  
brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)  
$ |
```

```
MINGW64:/e/json-html
index.css index.html index.js

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html
$ git init
Initialized empty Git repository in E:/json-html/.git/

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$ git add .

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   index.css
    new file:   index.html
    new file:   index.js

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$ |
```

```
MINGW64:/e/json-html
$ git init
Initialized empty Git repository in E:/json-html/.git/

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$ git add .

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.css
        new file:   index.html
        new file:   index.js

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$ git branch -M main

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$
```

Your Repositories

+

github.com/cristianobrito?tab=repositories

🔍 📄 📁 ⭐ 📥 🧩 📦 👤 ⋮

c++ C++ C++ br-C.org C++ VISUAL STUDIO Domestika ASSEMBLY ss64 kernel.org Linux kernel gcc archlinux die.net devdocsc » Outros favoritos

🐙

Pesquise ou pule para...

/

Pull request

Problemas

Codespaces


Mercado

Explorar

🔔

+

👤



📖 Visão geral

💻 Repositórios

39

📁 Projetos

1

📦 Pacotes

☆ estrelas

54

Encontre um repositório...

Tipo ▾

Linguagem ▾

Ordenar ▾

🖨 Novo

**cristianobrito**

Público

Arquivos de configuração para meu perfil do GitHub.


configuração

github-config

Atualizada há 6 horas

😊

☆ Estrela ▾



## Configuração rápida — se você já fez esse tipo de coisa antes



Configurar na área de trabalho

ou

HTTPS

SSH

<https://github.com/cristianobrito/JSON-HTML.git>



Comece criando um novo arquivo ou carregando um arquivo existente . Recomendamos que cada repositório inclua um README , LICENSE e .gitignore .

## ...ou crie um novo repositório na linha de comando

```
echo "# JSON-HTML" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/cristianobrito/JSON-HTML.git
git push -u origin principal
```





## ...ou envie um repositório existente a partir da linha de comando

```
git remote add origin https://github.com/cristianobrito/JSON-HTML.git
git branch -M main
git push -u origin main
```



Criei um novo projeto  
JSON-HTML  
E apertei enter por isso  
estamos aqui mas esta  
certo  
Só precisavamos criar

## Configuração rápida — se você já fez esse tipo de coisa antes

 Configurar na área de trabalho ou **HTTPS** **SSH** `https://github.com/cristianobrito/JSON-HTML.git` 

Comece criando um novo arquivo ou carregando um arquivo existente . Recomendamos que cada repositório inclua um README , LICENSE e .gitignore .

## ...ou crie um novo repositório na linha de comando

```
echo "# JSON-HTML" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/cristianobrito/JSON-HTML.git
git push -u origin principal
```

## ...ou envie um repositório existente a partir da linha de comando

```
git remote add origin https://github.com/cristianobrito/JSON-HTML.git
git branch -M main
git push -u origin main
```



## Quick setup — if you've done this kind of thing before

Set up in Desktop

or

HTTPS

SSH

<https://github.com/cristianobrito/JSON-HTML>

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository

## ...or create a new repository on the command line

```
echo "# JSON-HTML" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/cristianobrito/JSON-HTML.git
git push -u origin main
```

```
MINGW64:/e/json-html
brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$ git add .

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.css
        new file:   index.html
        new file:   index.js

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$ git branch -M main

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote add origin https://github.com/cristianobrito/JSON-HTML.git

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$
```

## Deu erro na hora de subir resolvendo o erro

```
MINGW64:/e/json-html
error: remote origin already exists.

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote add origin https://github.com/cristianobrito/JSON-HTML.git
error: remote origin already exists.

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/cristianobrito/JSON-HTML.git'

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote add origin https://github.com/cristianobrito/JSON-HTML.git
error: remote origin already exists.

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ ^C

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote remove origin

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ |
contrario fatal: remote
```

```
MINGW64:/e/json-html
$ git remote add origin https://github.com/cristianobrito/JSON-HTML.git
error: remote origin already exists.

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/cristianobrito/JSON-HTML.git'

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote add origin https://github.com/cristianobrito/JSON-HTML.git
error: remote origin already exists.

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ ^C

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote remove origin

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote -v

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ |
```

Pode vir vazia ou com uma lista de repositórios

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

## Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH <https://github.com/cristianobrito/JSON-HTML>

Get started by creating a new file or uploading an existing file. We recommend every repository

## ...or create a new repository on the command line

```
echo "# JSON-HTML" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/cristianobrito/JSON-HTML.git
git push -u origin main
```

MINGW64:/e/json-html

```
brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/cristianobrito/JSON-HTML.git'

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote add origin https://github.com/cristianobrito/JSON-HTML.git
error: remote origin already exists.

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ AC

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote remove origin

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote -v

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ git remote add origin https://github.com/cristianobrito/JSON-HTML.git

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)
$ |
```

Executamos de novo o comando e veja que não tem erros

Os erros persistiram exclui o repositório e a pasta do git init dentro do projeto e fiz de novo e deu certo o erro estava na parte que eu não digitei a linha do commit veja a seguir os comandos no git bash

```
MINGW64:/e/json-html

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html
$ ls
index.css  index.html  index.js

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html
$ git init
Initialized empty Git repository in E:/json-html/.git/

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    index.css
    index.html
    index.js

nothing added to commit but untracked files present (use "git add" to track)

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)
```

MINGW64:/e/json-html

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)

\$ git add .

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)

\$ git status

On branch master

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: index.css

new file: index.html

new file: index.js

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)

\$ git commit -m "tranformando json em html"

[master (root-commit) 709372c] tranformando json em html

3 files changed, 79 insertions(+)

create mode 100644 index.css

create mode 100644 index.html

create mode 100644 index.js

MINGW64:/e/json-html

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)

\$ git status

On branch master

nothing to commit, working tree clean

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (master)

\$ git branch -M main

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)

\$ git remote add origin https://github.com/cristianobrito/JSON-HTML.git

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)

\$ git push -u origin main

Enumerating objects: 5, done.

Counting objects: 100% (5/5), done.

Delta compression using up to 4 threads

Compressing objects: 100% (5/5), done.

Writing objects: 100% (5/5), 1.32 KiB | 56.00 KiB/s, done.

Total 5 (delta 0), reused 0 (delta 0), pack-reused 0


To https://github.com/cristianobrito/JSON-HTML.git

\* [new branch] main -> main

Branch 'main' set up to track remote branch 'main' from 'origin'.

brito@DESKTOP-R5KRUP6 MINGW64 /e/json-html (main)





Repositorio criado



**DEUS SEJA LOUVADO**