


Lançamentos / 5.5.13.3






Desde o lançamento do iText 5.5.13, a linha de produtos iText 5 passou para o modo de manutenção, o que significa que só recebe lançamentos relaciona segurança. Embora o iText 5 agora seja EOL, queremos garantir que nossos usuários que desenvolveram suas soluções usando o iText 5 possam continuar com segurança.


Para esta versão específica, retroportamos uma correção de bug de segurança do iText 7.2.0 e 7.1.17 para resolver uma vulnerabilidade que permitia o uso GhostScript de maneira imprevisível. Consulte CVE-2021-43113 para obter mais informações.


Além disso, atualizamos a dependência do Apache XML Security for Java (org.apache.santuario:xmlsec) para a versão 1.5.8 da versão 1.5.6.


A API Bouncy Castle Crypto para Java também foi atualizada para a versão 1.67 devido a uma falha no método OpenBSDBCrypt.checkPassword() presente 1.65 e 1.66. Isso foi divulgado no CVE-2020-28052, veja o link para mais detalhes.


Obsense que se você usar algumas das versões mais antigas do Java (Java 15-19) talvez seia necessário atualizar a dependência do castelo insuflável par

















```
File Edit Source Refactor Navigate Search Project Run Window Help
                                            Project Explorer X
                                                                                    validador.is
                                                          novo.html
                                                                                                                 agenda.jsp × index.html
                                                                                                                                                                                                       DAO.iava
                                                                                                                                                                                                                                  style.css
                                                                                                                                                                                                                                                         confirmador.is
                                                            TIEKNEAD
v 🞥 agenda
                                                           12 <meta charset="utf-8">
     > % Deployment Descriptor: agend
     JAX-WS Web Services
                                                            13 <title>Agenda de contatos</title>
            Java Resources
                                                           14 14 14 16 rel="icon" href="imagens/favicon.png">
     > 🎘 build
                                                           15 15 15 15 16 

✓ 

R

Src

src

✓ № main

                                                            16 </head>
             > 🕞 java
                                                           17⊖ <body>

✓ ♠ webapp

                                                           18
                                                                                 <h1>Agenda de Contatos</h1>
                 > 🦳 imagens
                 > > META-INF
                                                                                 <a href="novo.html" class="Botao1">Novo Contato</a>
                                                            19⊜

→ Complete


✓ Complete


✓
                                                           20
                                                                                 <a href="report" class="Botao2">Relatóriok/a>
                             confirmador.is
                                                                                 k validador.js
                                                            21⊝


✓ MEB-INF


                                                            22⊖
                                                                                             <thead>
                     V 🎘 lib
                                                            23⊜
                                                                                                          (tr>
                            itextpdf-5.5.13.3
                                                                                                                                                                      Salve tudo selecione o index e execute
                            mysgl-connecte
                                                           24
                                                                                                                      Id
                         x web.xml
                                                            25
                                                                                                                      Nome
                        agenda.jsp
                                                            26
                                                                                                                      Fone
                     editar.jsp
                                                            27
                                                                                                                      E-mail
                     index.html
                         novo.html
                                                                     <
                     style.css
                                                         📳 Markers 📋 Properties 🚜 Servers 📔 Data Source Explorer 📔 Snippets 📮 Console 🗶
  > 👑 apirest
                                                        Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 16:39:00) [pid: 8148]
         demo
    Rello Hello
                                                                                  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPool
    MelloJSP 
    Hello Tomcat
                                                                                  at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoo
 > 📂 Servers
                                                                                  at java.base/java.lang.Thread.run(Thread.java:834)
```


🧱 eclipse-workspace - agenda/src/main/webapp/agenda.jsp - Eclipse IDE











```
🥘 eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
 Project Explorer X
                                                       novo.html
                                                                                validador.js
                                                                                                           index.html
                                                                                                                                                                                              DAO.java
                                                                                                                                                                                                                       style.css
                                                                                                                                                                                                                                             confirmador.is
v 🔐 agenda
                                                                                            String action = request.getServletPath();
                                                            27
     > % Deployment Descriptor: agend
                                                            28
                                                                                            System.out.println(action);
     JAX-WS Web Services
                                                                                            if (action.equals("/main")) {
                                                            29
     > 🎥 Java Resources
                                                                                                       contatos(request, response);
                                                            30
    > 🎘 build

✓ ← src

                                                                                            }else if(action.equals("/insert")) {
                                                            31

→ ← main

                                                                                                       novoContato(request, response);
                                                            32
            > 🔂 java
                                                                                            }else if(action.equals("/select")) {

✓ № webapp

                                                            33
                > 🗁 imagens
                                                                                                       listarContato(request, response);
                                                            34
                > > META-INF
                                                                                            }else if(action.equals("/update")) {
                                                            35

→ Complete

✓ Complete


✓
                                                                                                       editarContato(request, response);
                       confirmador.is
                                                            36
                       validador.js
                                                                                            }else if(action.equals("/delete")) {
                                                            37


✓ IMP WEB-INF


                                                            38
                                                                                                        removerContato(request, response);
                   V 🎘 lib
                                                                                            }else if(action.equals("/report")) {
                           ★ itextpdf-5.5.13.3
                                                           39
                           mvsal-connect
                                                                                                       gerarRelatorio(request, response);
                                                           40
                       x web.xml
                                                                                            }else {
                                                            41
                        agenda.jsp
                        editar.isp
                                                           42
                                                                                                       response.sendRedirect("index.html");
                    index.html
                                                           43
                   novo.html
                   style.css
                                                      📳 Markers 🔃 Properties 🙌 Servers ╟ Data Source Explorer 📔 Snippets 📮 Console 🗙
 > 👸 apirest
                                                      Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 17:24:33) [pid: 9132]
        demo
 > 👺 Hello
                                                      jul 22, 2022 5:29:35 PM org.apache.catalina.core.StandardContext reload
 > 👺 HelloJSP
                                                      INFO: Reloading Context with name [/agendal is completed
```


```
// gerar relatorio em pdf
protected void gerarRelatorio(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
Document documento = new Document();
```

Importar ctrl + shift + o









```
🕮 eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
                                                                                                                                                                                                                                                                                                                                                           ₽ 0 ×
                                                                                                                         *Controller.... X agenda.jsp
                                                                                                                                                                                       index.html
Project Explorer X
                                                              novo.html
                                                                                          validador.is
                                                                                                                                                                                                                     DAO.java
                                                                                                                                                                                                                                                  style.css
                                                                                                                                                                                                                                                                          confirmador.js
                                                               1059
                                                                                                        protected void removerContato(HttpServletRequest request, HttpServletF. =
v 🔐 agenda
     > % Deployment Descriptor: agend
                                                                                                                      // recebimento do id do contato a ser excluido
                                                               106
     > A JAX-WS Web Services
                                                                                                                      String idcon = request.getParameter("idcon");
                                                                107
     > 🎥 Java Resources
                                                                108
                                                                                                                      // setar a variavel idcon javabeans
    > 🎏 build

✓ ← src

                                                                109
                                                                                                                      contato.setIdcon(idcon):

→ ← main

                                                                110
                                                                                                                      // executar o metodo deletarContato (DAO) passando o objeto contat
              > 🔂 java
                                                                111
                                                                                                                      dao.deletarContato(contato);

✓ № webapp

                  > 🗁 imagens
                                                                                                                      // redirecionar para o documento agenda.jsp (atualizando as altera
                                                                112
                 > 🗁 META-INF
                                                                113
                                                                                                                                   response.sendRedirect("main");


→ Comparison


✓ Compariso
                                                                114
                           confirmador.is
                          yalidador.js
                                                                115
                                                                                                                 gerar relatorio em pdf

✓ I WEB-INF

                                                                116⊜
                                                                                                        protected void gerarRelatorio(HttpServletRequest request, HttpServletR
                      V 🇁 lib
                              itextpdf-5.5.13.: @117
                                                                                                                      Document documento = new Document():
                               mysgl-connecte
                                                               118
                           x web.xml
                                                                119
                       🔏 agenda.jsp
                                                               120
                       editar.jsp
                       index.html
                                                                121
                       novo.html
                      style.css
                                                              Markers 🔲 Properties 🚜 Servers 🛍 Data Source Explorer 🔓 Snippets 💂 Console 🗶
 > 👑 apirest
                                                             Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 17:24:33) [pid: 9132]
    demo demo
```

Importar ctrl + shift + o





```
// gerar relatorio em pdf
protected void gerarRelatorio(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
Document documento = new Document();
try {
// tipo de conteudo
response.setContentType("apllication/pdf");
// nome do documento
response.addHeader("Content-Disposition", "inline; filename=" + "contatos.pdf");
// criar documento
PdfWriter.getInstance(documento, response.getOutputStream());
// abrir o documento para gerar o conteudo
documento.open();
documento.add(new Paragraph("Lita de contatos:"));
documento.close();
} catch (Exception e) {
System.out.println(e);
documento.close();
```

```
🌉 eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE
                                                                                                                                                                                                                                                                                                                        \times
File Edit Source Refactor Navigate Search Project Run Window Help
Project Explorer X
                                                                                                                                                                                                                                                                                                                ₽ O X
                                                      novo.html
                                                                                yalidador.js
                                                                                                           Controller.java X agenda.jsp
                                                                                                                                                                    index.html
                                                                                                                                                                                             DAO.java
                                                                                                                                                                                                                                            confirmador.js
                                                        TTD
v 🞥 agenda
                                                                                                    gerar relatorio em pdf
   > % Deployment Descriptor; agend
                                                                                                                                                                                                                                                                                                                            controller
    JAX-WS Web Services
                                                        118⊝
                                                                                           protected void gerarRelatorio(HttpServletRequest request, HttpServletF
                                                                                                                                                                                                                                                                                                                            Controller
    > 🅦 Java Resources
                                                                                                                                                                                                                                                                                                                           gSF serialVen
                                                        119
                                                                                                       Document documento = new Document();
    > 🗁 build
                                                                                                                                                                                                                                                                                                                               dao : DA
                                                        120
                                                                                                       try {

✓ R

src

                                                                                                                                                                                                                                                                                                                                contato

✓ A

main

                                                        121
                                                                                                                   // tipo de conteudo
                                                                                                                                                                                                                                                                                                                                Controll
            > 🗁 java
                                                                                                                                                                                                                                                                                                                                doGet(H
                                                                                                                  response.setContentType("apllication/pdf");
                                                        122

✓ № webapp

                                                                                                                                                                                                                                                                                                                                contatos
                                                        123
                                                                                                                  // nome do documento
                > 🌦 imagens
                                                                                                                                                                                                                                                                                                                                novoCor
                > > META-INF
                                                                                                                  response.addHeader("Content-Disposition", "inline; filename="
                                                        124
                                                                                                                                                                                                                                                                                                                                listarCor

→ Comparison

✓ Compariso
                                                                                                                                                                                                                                                                                                                                editarCo
                                                        125
                                                                                                                   // criar documento
                       confirmador.js
                                                                                                                                                                                                                                                                                                                                remover
                                                                                                                  PdfWriter.getInstance(documento, response.getOutputStream());
                       yalidador.is
                                                        126
                                                                                                                                                                                                                                                                                                                                gerarRel.
                127
                                                                                                                  // abrir o documento para gerar o conteudo
                   🗸 🗁 lib
                                                                                                                  documento.open();
                           ★ itextpdf-5.5.13.3
                                                       129
                                                                                                                  documento.add(new Paragraph("Lita de contatos:"));
                           mysgl-connecte
                       x web.xml
                                                                                                                  documento.close();
                                                       130
                   agenda.jsp
                                                        131
                    editar.jsp
                                                        132
                                                                                                       } catch (Exception e) {
                    index.html
                   novo.html
                   style.css
                                                                                                                                                                                                                                                                                                                                - -
                                                      Markers 🔲 Properties 👭 Servers 🛍 Data Source Explorer 🔓 Snippets 💂 Console 🗶
> 👑 apirest
                                                     Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 17:24:33) [pid: 9132]
   demo
> 🎥 Hello
                                                      jul 22, 2022 5:58:19 PM org.apache.jasper.servlet.TldScanner scanJars
> 🎥 HelloJSP
                                                      INFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for the
   Mello Tomcat
```

```
口
                                                                                                                                                  X
eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
          Proj... X
                novo.html
                           validador.js
                                       index.html
                                                                             JavaBeans.java
                                                                                           J DAO.java
                                                                                                      style.css
                                                                                                                confirmador.is
                 TTO
                     ar relatorio em pdf
v 🞥 agenda
                                                                                                                                              controller
                1180 ted void gerarRelatorio(HttpServletRequest request, HttpServletResponse response) t
 > % Deployment De
                                                                                                                                          ~ (O
                                                                                                                                              Controller
                                                                                                                                              <sup>SF</sup> serialVe
 > 🏄 JAX-WS Web Se
                119 cument documento = new Document();
 > 🎥 Java Resources
                                                                                                                                                dao: Da
                120 v {
 > 🎏 build
                                                                                                                                                contato
                121

✓ 

Repl

Src

                         // tipo de conteudo
                                                                                                                                                Control

▲ doGet(H)

                122
                         response.setContentType("apllication/pdf");
     > 🐎 java
                                                                                                                                                contato
                 123
                         // nome do documento
                                                                                                                                                novoCo


✓ № webapp


                124
                         response.addHeader("Content-Disposition", "inline; filename=" + "contatos.pdf");
                                                                                                                                                listarCo
       > 📂 imager
       > 📂 META-
                                                                                                                                                editarC
                125
                         // criar documento


→ Scripts


                                                                                                                                                remove
                         PdfWriter.qetInstance(documento, response.getOutputStream());
                126
          )s con
                                                                                                                                                gerarRe
                127
                            abrir o documento para gerar o conteudo
       128
                         documento.open();
        🗸 🗁 lib
                         documento.add(new Paragraph("Lita de contatos:"));
            æ,
                130
                         documento.close();
          x web
        🔎 agenda
                 132 catch (Exception e) {
         editar.j
        index.l
         novo.h
                                                                                                                                                 - F
                🦹 Markers 🔚 Properties 🛭 👭 Servers 🕍 Data Source Explorer 📔 Snippets 📮 Console 🔀
               Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 17:24:33) [pid: 9132]
> 👑 apirest
 demo
               jul 22, 2022 5:58:19 PM org.apache.jasper.servlet.TldScanner scanJars
> 🎥 Hello
```


Salve tudo selecione o index.html e execute
























Import ctrl + shift + o



```
🌉 eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
                                                Proj... X
                              novo.html
                                                                      validador.js
                                                                                                    index.html
                                                                                                                                                                                                 JavaBeans.java
                                                                                                                                                                                                                                    DAO.java
                                                                                                                                                                                                                                                                style.css
                                                  1 package controller;
 ित Deployment De
                                                  30 import java.io.IOException;
         > 🅦 Java Resources
                                                  4 import java.util.ArrayList;
      > 🎏 build
                                                  5

✓ R

src

                                                        import com.itextpdf.text.Document;

✓ № main

                                                        import com.itextpdf.text.Paragraph;
              > 🗁 java

✓ № webapp

                                                        import com.itextpdf.text.pdf.PdfPTable;
                  > 🗁 imager
                                                        import com.itextpdf.text.pdf.PdfWriter;
                  > 🎘 META-
                                              10

→ Comparison

✓ Compariso
                                con
                                                        import jakarta.servlet.RequestDispatcher;
                                valid
                                                        import jakarta.servlet.ServletException;

✓ ➢ WEB-IN

                                                        import jakarta.servlet.annotation.WebServlet;
                       🗸 🗁 lib
                               ody i
ody r
                                              14 import jakarta.servlet.http.HttpServlet;
                                                        import jakarta.servlet.http.HttpServletRequest;
                           x web
                                                        import jakarta.servlet.http.HttpServletResponse;
                            agenda
                            editar.j
                                                        import model.DAO:
                            index.h
                            novo.h
                                         🦹 Markers 🔳 Properties 🚜 Servers 🐞 Data Source Explorer 📔 Snippets 📮 Console 🗶
                       style.cs
                                        Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 18:04:40) [pid: 1184]
   👑 apirest
                                        jul 22, 2022 6:10:18 PM org.apache.jasper.servlet.TldScanner scanJars
     🔲 demo
```

```
🧱 eclipse-workspace - agenda/src/main/java/controller/Controller.iava - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
                                                 Proj... X
                                         novo.html
                                                                       yalidador.js
                                                                                                      🔊 Controller.java 🗶 📳 agenda.jsp
                                                                                                                                                                                                      JavaBeans.java
                                                                                                                                                                                                                                          DAO.java
                                                                                                                                                                                                                                                                       style.css
                                                                                                                                                                         index.html
                                           125
                                                                                                               response.addHeader("Content-Disposition", "inline; filename=" +
v 📸 agenda
                                           126
                                                                                                                         criar documento
     > % Deployment Des
                                           127
                                                                                                               PdfWriter.getInstance(documento, response.getOutputStream());
     > 🔊 JAX-WS Web Se
     > 🎥 Java Resources
                                                                                                                         abrir o documento para gerar o conteudo
                                           128
     > 🎏 build
                                           129
                                                                                                                documento.open();
    130
                                                                                                               documento.add(new Paragraph("Lita de contatos:"));

✓ ← main


              > 🔂 java
                                           131
                                                                                                                documento.add(new Paragraph(" "));
              132
                                                                                                                // criar uma tabela
                   > 🎘 imager
                                                                                                                PdfPTable tabela = new PdfPTable(3);
                                           133
                  > 🗁 META-

→ Consideration Services

Servi
                                           134
                                                                                                                          criar cabeçalho
                           )s con
                                                                                                                PdfPCell col1 = new PdfPCell(new Paragraph("Nome"));
                                          135
                           s valid

✓ ➢ WEB-IN

                                           136
                                                                                                                   4- Import 'PdfPCell' (com.itextpdf.text.pdf)
                                                                                                                                                                                                                              import com.itextpdf.text.Document:
                       🗸 🗁 lib
                                           137
                                                                                                                   Oreate class 'PdfPCell'
                                                                                                                                                                                                                              import com.itextpdf.text.Paragraph;
                               솭 i
                                                                                                                                                                                                                              import com.itextpdf.text.pdf.PdfPCell;
                                                                                                                   Create interface 'PdfPCell'
                                            138
                                                                                                                                                                                                                              import com.itextpdf.text.pdf.PdfPTable;
                                                                                                                    Change to 'PdfNull' (com.itextpdf.text.pdf)
                                           139
                           x web
                                                                                                                    Change to 'PdfPage' (com.itextpdf.text.pdf)
                      🔏 agenda
                                           140
                                                                                                                   Change to 'PdfPCellEvent' (com.itextpdf.text.pdf)
                           editar.j 1/1
                                                                                                                    Change to 'PdfPHeaderCell' (com.itextpdf.text.pdf)
                      index.l
                                                                                                                    Change to 'PdfPRow' (com.itextpdf.text.pdf)
                      novo.h
                                         🔣 Markers 🔳 Properties 🚜 Servers 🛍 🛭 😉 Create enum 'PdfPCell'
                                        Tomcat v10.0 Server at localhost [Apache Tomcat] • Add type parameter 'PdfPCell' to 'Controller'
 > 👑 apirest
```



```
🖲 eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
                                        Proj... X
                                  novo.html
                                                          yalidador.js
                                                                                    *Controller.... X agenda.jsp
                                                                                                                                         index.html
                                                                                                                                                                   JavaBeans.java
                                                                                                                                                                                                DAO.java
                                                                                                                                                                                                                       style.css
                                                                                                                                                                                                                                             confirmador.is
                                                                                            response.addHeader("Content-Disposition", "inline; filename=" + "cor
                                    126
v 🔐 agenda
                                                                                            // criar documento
                                   127
    > দিন Deployment De
    > A JAX-WS Web Se 128
                                                                                            PdfWriter.getInstance(documento, response.getOutputStream());
    > 🎥 Java Resources
                                                                                            // abrir o documento para gerar o conteudo
                                   129
    > 🗁 build
                                                                                            documento.open();
                                   130

✓ ← src

                                                                                            documento.add(new Paragraph("Lita de contatos:"));

✓ ← main

                                   131
           > 🤂 java
                                    132
                                                                                            documento.add(new Paragraph(" "));


✓ № webapp

                                                                                            // criar uma tabela
                                    133
               > 🗁 imager
               > > META- 134
                                                                                            PdfPTable tabela = new PdfPTable(3);


→ Consideration Services


Servi
                                   135
                                                                                            // criar cabecalho
                      is con
                                                                                            PdfPCell col1 = new PdfPCell(new Paragraph("Nome"));
                      🖟 vali №136
               137
                                                                                            documento.close();
                   🗸 🗁 lib
                                    138
                          솭 i
                                                                                 } catch (Exception e) {
                                   139
                          솭 r
                      x web
                                  140
                                                                                            System.out.println(e);
                  🔏 agenda
                                                                                            documento.close();
                                    141
                   editar.j
                  index.ł
                  novo.h
                                   🛂 Markers 🔲 Properties 🚜 Servers 🛍 Data Source Explorer 📔 Snippets 📮 Console 🗙
                                 Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 18:04:40) [pid: 1184]
> 🕌 apirest
                                 jul 22, 2022 6:16:13 PM org.apache.jasper.servlet.TldScanner scanJars
   demo
> 🎥 Hello
                                 INFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for
> 🎥 HelloJSP
                                 jul 22, 2022 6:16:13 PM org.apache.catalina.core.StandardContext reload
> 🔀 Hello Tomcat
                                 INFO: Reloading Context with name [/agenda] is completed
Servers
```


Salve tudo selecione o index.html e execute





```
// gerar relatorio em pdf
protected void gerarRelatorio(HttpServletRequest request, HttpServletResponse response) throws ServletException,
IOException {
Document documento = new Document();
trv {
// tipo de conteudo
response.setContentType("apllication/pdf");
// nome do documento
response.addHeader("Content-Disposition", "inline; filename=" + "contatos.pdf");
// criar documento
PdfWriter.aetInstance(documento, response.getOutputStream());
// abrir o documento para gerar o conteudo
documento.open():
documento.add(new Paragraph("Lita de contatos:"));
documento.add(new Paragraph(" "));
// criar uma tabela
PdfPTable tabela = new PdfPTable(3);
// criar cabecalho
PdfPCell col1 = new PdfPCell(new Paragraph("Nome"));
PdfPCell col2 = new PdfPCell(new Paragraph("Fone"));
PdfPCell col3 = new PdfPCell(new Paragraph("Email")):
tabela.addCell(col1);
tabela.addCell(col2);
tabela.addCell(col3);
documento.add(tabela);
// popular a tabela com os contatos
ArrayList<JavaBeans> lista = dao.listarContatos();
for(int i = 0; i < lista.size(); i++) {</pre>
tabela.addCell(lista.get(i).getNome());
tabela.addCell(lista.get(i).getFone());
tabela.addCell(lista.get(i).getEmail());
documento.add(tabela);
documento.close():
} catch (Exception e) {
System.out.println(e);
documento.close();
```











Salve tudo selecione index.html e execute

