CONFIGURAÇÃO DO SERVELET
#8


eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE
File Edit Navigate Search Project Run Window Help
Project Explorer
DAO.java
JavaBeans.java
index.html
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
agenda
Deployment Descriptor: agenda
Java Resourc
build
src
main
java
webap
apirest
demo
Hello
HelloJSP
Hello Tomcat
New
Go Into
Show In Alt+Shift+W
Show in Local Terminal
Copy Ctrl+C
Copy Qualified Name
Paste Ctrl+V
Delete Delete
Build Path
Move...
Rename... F2
Project...
File
Folder
SQL File
CSS File
HTML File
JSP File
JavaScript File
Example...
Other... Ctrl+N
Create a new folder reso


New Folder
Folder
Create a new folder resource.
Enter or select the parent folder:
agenda/src/main/webapp
agenda
.settings
build
src
main
java
webapp
apirest
Hello
HelloJSP
Hello Tomcat
Servers
Folder name:
imagens
Advanced >>
Finish
Cancel


(116) Curso Java WEB (Java E
iconfinder - Pesquisa Google
google.com/search?q=iconfinder&oq=iconfinder&aqs=chrome..69i57j46i131i199i433i465i
c++
C++
C++
C
C++ VISUAL STUDIO
Domestika
ASSEMBLY
ss64
ker
Google
iconfinder
Todas
Imagens
Notícias
Shopping
Vídeos
Mais
Aproximadamente 8.510.000 resultados (0,57 segundos)
https://www.iconfinder.com
Traduzir esta página
Iconfinder
Iconfinder is the world's largest marketplace for icons, illustrations and 3D illustratio
AI, and PNG format.
Free icons
More than 236821 free vector icons in one place. Download ...


(116) Curso Java WEB (Java E
0+ ícones vetoriais gratuitos e pr
iconfinder.com
c++
C++
C++
C
C++ VISUAL STUDIO
Domestika
ASSEMBLY
ss64
kernel org
Linux kernel
gcc
archlinux
die.net
Ícones
Ilustrações
Ilustrações 3D
Designers
Preços
ICONFINDER
phones
Ícones
telefones
telefones imcard
Receba um vale-presente de $ 10
e experimente.

(116) Curso Java WEB (Java E | 2,277 phones icons - Iconfinder

iconfinder.com/search?q=phones

c++ | C++ | C++ | C | C++ VISUAL STUDIO | Domestika | ASSEMBLY | ss64 | kernel org | Linux kernel | gcc | archlinux | die.net | manpage | Outros favoritos

Filtros

Ícones | Ilustrações | Ilustrações 3D

Configurações de pesquisa

Escolhas da equipe

Todos os preços
- Livre
- Prêmio

Todos os estilos
- Sólido
- Semi-sólido
- Contorno
- Esboço Preenchido
- Mais estilos

Todas as licenças
- Para uso comercial
- Sem link de volta
- Licença básica

Ícones de telefones

Mais relevante

Cerca de 2.277 resultados em 0,021 segundos.

Relógio inteligente | Quadrado | Círculo | Celulares | Móvel | Telefone | Dispositivo | Ligar | Música

(116) Curso Java WEB (Java E | Free phones icons

iconfinder.com/search?q=phones&price=free

c++ | C++ | C++ | C | C++ VISUAL STUDIO | Domestika | ASSEMBLY | ss64 | kernel org | Linu

ICONFINDER

phones

Ícones

Filtros

Ícones | Ilustrações | Ilustrações 3D

Escolhas da equipe

ícones de telefones gratuitos

Cerca de 16 resultados em 0,005 segundos.

Todos os preços

Livre

Prêmio

Mostrar apenas ícones gratuitos

Todos os estilos

Sólido

Semi-sólido

Contorno

Esboço Preenchido

Mais estilos

applications Ícones

ícone grátis

Você gastará 0 créditos ao baixar com Gratuito apenas para uso pessoal

PNG Outro Ajuda com formatos

128 pixels 256 pixels Mais tamanhos

Baixe em PNG 256px P

Copie PNG para a área de transferência Alt + P

Jonas

Pry Black

Formulários

Adicionar


Salvar como
Este ...
Downloads
Pesquisar em Downloads
Organizar
Nova pasta
Este Computador
Área de Trabalhc
Documentos
Downloads
Imagens
Músicas
Objetos 3D
Vídeos
OS (C:)
Hoje (1)
BAIXADOS
Semana passada (1)
Nome:
63751_applications_folder_programs_icon.png
Tipo:
PNG Image (*.png)
Ocultar pastas
Salvar
Cancelar

C++ C C++ VISUAL STUDIO Domestika ASSEMBLY ss64 kernel org Linux kernel gcc archlinux die.net man

ER

communication Ícones




ícone grátis

Você gastará 0 créditos ao baixar com Creative Commons (Atribuição 3.0 não portada)

PNG SVG Outro Ajuda com formatos

48 pixels 64 pixels 128 pixels **256 pixels** 512 pixels

Mais tamanhos

Baixe em PNG 256px P

Sergey

› Pacote de ícones

Telefone

Ligar

Adicionar


Salvar como
Este ...
Downloads
Pesquisar em Downloads
Organizar
Nova pasta
Este Computador
Área de Trabalhc
Documentos
Downloads
Imagens
Músicas
Objetos 3D
Vídeos
OS (C:)
Hoje (2)
63751_applications_folder_programs_icon.png
BAIXADOS
Semana passada (1)
Nome:
2849835_phone_telephone_cell_call_communication_icon.png
Tipo:
PNG Image (*.png)
Ocultar pastas
Salvar
Cancelar

Recorte e cole essas 2 imagens na pasta imagens ou click e arraste para a pasta




et="utf-8">
da de contatos</title>
nda
=""
File Operation
Select how files should be imported into the project:
Copy files
Link to files
Create link locations relative to:
PROJECT_LOC
Configure Drag and Drop Settings...
OK
Cancel


eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE
File Edit Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: agenda
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
2849835_phone_telephone_
63751_applications_folder_
META-INF
WEB-INF
index.html
apirest
demo
DAO.java
JavaBeans.java
index.html
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</tit
6 </head>
7 <body>
8 <h1>Agenda de contatos</h1
9 <a href="">Acessar</a>
10 </body>
11 </html>


Deployment Descriptor: agenda
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
2849835_phone_telepho
63751_applications_fold
META-INF
WEB-INF
index.html
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
New
Show In Alt+Shift+W
Open F3
Open With
Show in Local Terminal
Copy Ctrl+C
Copy Qualified Name
Paste Ctrl+V
Delete Delete
Build Path
Move...
Rename Resource
Rename... F2
Import...
Export...
<!DOCTYPE
<html lan
<head>
eta cha
itle>Ag
ink rel
head>
ody>
<h1>A
<a hr
body>
html>

Renomei-e as duas imagens





Adicione o link das imagens tag link




File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
apirest
demo
Hello
DAO.java
JavaBeans.java
index.html
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favicon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 <h1>Agenda de contatos</h1>
11 <a href="">Acessar</a>
12 </body>
13 </html>


eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
DAO.java
JavaBeans.java
index.html
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favicon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 <img src="imagens/agenda.png">
11 <h1>Agenda de contatos</h1>
12 <a href="">Acessar</a>
13 </body>
14 </html>
Markers Properties Servers Data Source Explorer Snippets Console


eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
DAO.java
JavaBeans.java
index.html
Run index.html
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favicon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 <img src="imagens/agenda.png">
11 <h1>Agenda de contatos</h1>
12 <a href="">Acessar</a>
13 </body>
14 </html>
Salve e execute


Run On Server
Run On Server
Select which server to use
How do you want to select the server?
Choose an existing server
Manually define a new server
Select the server that you want to use:
type filter text
Server
State
localhost
Tomcat v10.0 Server at localhost
Stopped
Apache Tomcat v10.0 supports J2EE 1.2, 1.3, 1.4, and Java EE 5, 6, 7, 8 and Jakarta EE 9 Web modules.
Columns...
Always use this server when running this project
< Back
Next >
Finish
Cancel

(117) Curso Java WEB (Java E | Free 4,782 communication icons | Agenda de contatos

localhost:8080/agenda/index.html

c++ | C++ | C++ | C | C++ VISUAL STUDIO | Domestika | ASSEMBLY | ss64 | kernel org

Agenda de contatos

Acessar


eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE
File Edit Navigate Search Project Run Window Help
Project Explorer
DAO.java
JavaBeans.java
index.html
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
agenda
Deployment Descriptor: ager
JAX-WS Web
Java Resourc
build
src
main
java
webapp
ima
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
New
Go Into
Show In Alt+Shift+W
Show in Local Terminal
Copy Ctrl+C
Copy Qualified Name
Paste Ctrl+V
Delete Delete
Build Path
Move...
Rename... F2
Import...
Export...
Refresh F5
Coverage As
Project...
File
Folder
SQL File
CSS File
HTML File
JSP File
JavaScript File
Example...
Other... Ctrl+N
New


Select a wizard
Select a wizard
Create a new CSS file
Wizards:
type filter text
User Assistance
Web
CSS File
Dynamic Web Project
Filter
HTML File
JSP File
JSP Tag
Listener
Servlet
Static Web Project
Web Fragment Project
< Back
Next >
Finish
Cancel


New CSS File
CSS
Create a new CSS file.
Enter or select the parent folder:
agenda/src/main/webapp
agenda
.settings
build
src
main
java
webapp
apirest
Hello
HelloJSP
Hello Tomcat
Servers
File name: style.css
Advanced >>
< Back
Next >
Finish
Cancel


eclipse-workspace - agenda/src/main/webapp/style.css - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
HelloJSP
Hello Tomcat
DAO.java
JavaBeans.java
index.html
style.css
1 @charset "ISO-8859-1";


eclipse-workspace - agenda/src/main/webapp/style.css - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
DAO.java
JavaBeans.java
index.html
style.css
1 @charset "utf-8";
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
HelloJSP
Hello Tomcat

(117) Curso Java WEB (Java E | Free 4,782 communication icons | Agenda de contatos | google fontes - Pesquisa Google

google.com/search?q=google+fontes&oq=google+fontes&aqs=chrome..69i57j0i10i131i433l4j0i10l5.3547j0j4&sourceid=chrome&ie=UTF-8

c++ C++ C++ C C++ VISUAL STUDIO Domestika ASSEMBLY ss64 kernel org Linux kernel gcc archlinux die.net manpage

Google

google fontes

Todas Imagens Notícias Vídeos Livros Mais Ferramentas

Aproximadamente 342.000.000 resultados (0,40 segundos)

Você quis dizer: google ***fonts***

https://fonts.google.com

Google Fonts: Browse Fonts

Making the web more beautiful, fast, and open through great typography.

Roboto

Google Fonts is a library of 1,426 open source font families and ...

(117) Curso Java WEB (Java E | Free 4,782 communication icons | Agenda de contatos | Fontes do Google

fonts.google.com

c++ | C++ | C++ | C | C++ VISUAL STUDIO | Domestika | ASSEMBLY | ss64 | kernel org | Linux kernel | Outros

inglês | português

Sempre traduzir do inglês

Google Translate

Google Fonts

Fontes | Ícones | Conhecimento

Pesquisar fontes | Frase | Digite algo | 40px

Categorias | Linguagem | Propriedades da fonte | Mostrar apenas fontes variáveis

1426 de 1426 famílias

Sobre estes resultados | Classificar por : Tendências

Roboto
12 estilos
Christian Robertson

Quase antes que percebêssemos, havíamos saído do chão.

Gulzar
1 estilo
Borna Izadpanah, Alice Savoie, Simon Cozens

Quase antes que percebêssemos,

Mingzat
1 estilo
SIL Internacional

Quase antes que percebêssemos, havíamos saído


(117) Curso Java WEB (Java E
Free 4,782 communication icons
Agenda de contatos
Google Fonts
fonts.google.com
c++
C++
C++
C
C++ VISUAL STUDIO
Domestika
ASSEMBLY
ss64
kernel org
Linux kernel
gcc
archlinux
die.net
manpage
Outros favo
Search fonts
Sentence
Type something
40px
Finlandica
Variable
Helsinki Type Studio, Niklas Ekholm, Juho Hiilivirta, Jaakko Suomalainen
Almost before we knew it, we had left the ground.
Open Sans
Variable
Steve Matteson
Almost before we knew it, we had left the ground.
Noto Sans Japanese
6 styles
Google
人類社会のすべての構成員の固有の尊厳と平等で譲ることのできない権利とを承認することは


(117) Curso Java WEB (Java E
Free 4,782 communication icons
Agenda de contatos
Open Sans - Google Fonts
fonts.google.com/specimen/Open+Sans
c++
C++
C++
C
C++ VISUAL STUDIO
Domestika
ASSEMBLY
ss64
kernel org
Linux kernel
gcc
archlinux
die.net
manpage
Outros favori
Open Sans
Download family
Select styles
Type Tester
Glyphs
About
License
Almost before we knew it, we had left t
Select this style
Regular 400
Almost before we knew it, we had le
Select this style
Regular 400 Italic


kernel
gcc
archlinux
die.net
manpage
»
Outros favoritos
Download family
Selected family
You can now share your selected families with others.
Dismiss
Select this style
Open Sans
Regular 400
Add more styles
Remove all
Remove this style
Use on the web
To embed a font, copy the code into the <head> of your html
<link>
@import
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleap
Select this style
API docs
Download all

Open Sans

Download family

Select styles | Type Tester | Glyphs | About | License

Almost before we knew it,

Select this style

Bold 700

Almost before we knew

Select this style

Bold 700 Italic

Almost before we knew it,

Select this style


Selected family
You can now share your selected families with others.
Dismiss
Regular 400
Bold 700
Add more styles
Remove all
Use on the web
To embed a font, copy the code into the

<link>
@import
<style>
@import url('https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;700&display=swap');
</style>
CSS rules to specify families
font-family: 'Open Sans', sans-ser

copy


<link>
@import
<style>
@import url('https://fonts.googlea
pis.com/css2?family=Open+Sans:wght
@400;700&display=swap');
</style>
CSS rules to specify families


eclipse-workspace - agenda/src/main/webapp/style.css - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
DAO.java
JavaBeans.java
index.html
*style.css
1 @charset "utf-8";
2 @import url('https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;700&d

cole


eclipse-workspace - agenda/src/main/webapp/style.css - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
DAO.java
JavaBeans.java
index.html
*style.css
1 @charset "utf-8";
2 @import url('https://fonts.googleapis.com/css2?f
3
4 body{
5
6 }



copy

eclipse-workspace - agenda/src/main/webapp/style.css - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- agenda
  - Deployment Descriptor: ager
  - JAX-WS Web Services
  - Java Resources
  - build
  - src
    - main
      - java
      - webapp
        - imagens
          - agenda.png
          - favicon.png
        - META-INF
        - WEB-INF

DAO.java | JavaBeans.java | index.html | *style.css

```
1 @charset "utf-8";
2 @import url('https://fonts.googleapis.com/css2?family=Open+Sans:wght@4
3
4 body{
5     font-family: 'Open Sans', sans-serif;
6 }
```

cole



Salve e atualize a pagina

(119) Curso Java WEB (Java E | Agenda de contatos | Open Sans - Google Fonts

localhost:8080/agenda/index.html

c++ | C++ | C++ | C | C++ VISUAL STUDIO | Domestika | ASSEMBLY | ss64 | kernel org | Lin

Agenda de contatos

Acessar

Nesse caso não é necessário reiniciar o servidor




eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
DAO.java
JavaBeans.java
*index.html
style.css
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favicon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 <img src="imagens/agenda.png">
11 <h1>Agenda de contatos</h1>
12 <a href="" class="Botao1">Acessar</a>
13 </body>
14 </html>
Markers
Properties
Servers
Data Source Explorer
Snippets
Console


eclipse-workspace - agenda/src/main/webapp/style.css - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
DAO.java
JavaBeans.java
index.html
style.css
3
4 body {
5 font-family: 'Open Sans', sans-serif;
6 font-size: 1em;
7 font-weight: 400;
8 }
9
10 h1 {
11 color: #66bbff;
12 }
13
14 .Botao1 {
15 text-decoration: none;
16 background-color: #66bbff;
17 padding: 5px 10px 5px 10px;
18
19 }
Markers
Properties
Servers
Data Source Explorer
Snippets
Console
Tomcat v10.0 Server at localhost [Started, Synchronized]



Depois de salvar tudo escolha o index e execute


Run On Server
Run On Server
Select which server to use
How do you want to select the server?
Choose an existing server
Manually define a new server
Select the server that you want to use:
type filter text
Server
State
localhost
Tomcat v10.0 Server at localhost
Started
Apache Tomcat v10.0 supports J2EE 1.2, 1.3, 1.4, and Java EE 5, 6, 7, 8 and Jakarta EE 9 Web modules.
Columns...
Always use this server when running this project
< Back
Next >
Finish
Cancel


Run On Server
Add and Remove
agenda is required and cannot be removed from the server
Move resources to the right to configure them on the server
Available:
Hello
Hello Tomcat
Add >
< Remove
Add All >>
<< Remove All
Configured:
agenda
HelloJSP
< Back
Next >
Finish
Cancel


eclipse-workspace - agenda/src/main/webapp/style.css - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
DAO.java
JavaBeans.java
index.html
style.css
font-size: 1em;
font-weight: 400;
}
h1 {
color: #66bbff;
}
.Botao1 {
text-decoration: none;
background-color: #66bbff;
padding: 5px 10px 5px 10px;
color: #fff;
font-size: 1.2em;
font-weight: 700;
border-radius: 5px;
}
Markers Properties Servers Data Source Explorer Snippets Console
Tomcat v10.0 Server at localhost [Started, Synchronized]

Salve e atualize a pagina
Nós só precisamos executar quando fizermos alterações no arquivo index.html




(126) Curso Java WEB (Java E
Agenda de contatos
localhost:8080/agenda/index.html
c++
C++
C++
C
C++ VISUAL STUDIO
Domestika
Agenda de contatos
Acessar

Criando a requisição ao servelet


eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
DAO.java
JavaBeans.java
index.html
style.css
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favicon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 <img src="imagens/agenda.png">
11 <h1>Agenda de contatos</h1>
12 <a href="main" class="Botao1">Acessar</a>
13 </body>
14 </html>
Markers Properties Servers Data Source Explorer Snippets Console
Tomcat v10.0 Server at localhost [Started, Synchronized]
Salve e execute


Run On Server
Run On Server
Select which server to use
How do you want to select the server?
Choose an existing server
Manually define a new server
Select the server that you want to use:
type filter text
Server
State
localhost
Tomcat v10.0 Server at localhost
Started
Apache Tomcat v10.0 supports J2EE 1.2, 1.3, 1.4, and Java EE 5, 6, 7, 8 and Jakarta EE 9 Web modules.
Columns...
Always use this server when running this project
< Back
Next >
Finish
Cancel


Run On Server
Add and Remove
agenda is required and cannot be removed from the server
Move resources to the right to configure them on the server
Available:
Hello
Hello Tomcat
Add >
< Remove
Add All >>
<< Remove All
Configured:
agenda
HelloJSP
< Back
Next >
Finish
Cancel



Click no botão ele deve retornar um erro


(126) Curso Java WEB (Java E
HTTP Status 404 – Não Encontrac
localhost:8080/agenda/main
c++
C++
C++
C
C++ VISUAL STUDIO
Domestika
ASSEMBLY
ss64
kernel org
Linux kernel
gcc
archlinux
die.net
manpage
HTTP Status 404 – Não Encontrado
Type Status Report
Message The requested resource [/agenda/main] is not available
Description The origin server did not find a current representation for the target resource or is not willing to disclose that one exists.
Apache Tomcat/10.0.22

Configurando o servelet


eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
src/main/java
controller
Controller.java
model
Libraries
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
DAO.java
JavaBeans.java
index.html
style.css
Controller.java
1 package controller;
2
3 import jakarta.servlet.ServletException;
9
10 /**
11 * Servlet implementation class Controller
12 */
13 public class Controller extends HttpServlet {
14 private static final long serialVersionUID = 1L;
15
16 /**
17 * @see HttpServlet#HttpServlet()
18 */
19 public Controller() {
20 super();
21 // TODO Auto-generated constructor stub
22 }
Abra a classe controller
Markers Properties Servers Data Source Explorer Snippets Console
Tomcat v10.0 Server at localhost [Started, Synchronized]


eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
src/main/java
controller
Controller.java
model
Libraries
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
DAO.java
JavaBeans.java
index.html
style.css
Controller.java
1 package controller;
2
3 import jakarta.servlet.ServletException;
9
10 /**
11 * Servlet implementation class Controller
12 */
13 @WebServlet(urlPatterns = {"/Controller", "/main"})
14 public class Controller extends HttpServlet {
15 private static final long serialVersionUID = 1L;
16
17 /**
18 * @see HttpServlet#HttpServlet()
19 */
20 public Controller() {
21 super();
22 // TODO Auto-generated constructor stub
Markers Properties Servers Data Source Explorer Snippets Console
Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (5 de jul. de 2022 18:07:38) [pid: 1032]

Salve selecione o index.html e execute




Run On Server
Run On Server
Select which server to use
How do you want to select the server?
Choose an existing server
Manually define a new server
Select the server that you want to use:
type filter text
Server
State
localhost
Tomcat v10.0 Server at localhost
Started
Apache Tomcat v10.0 supports J2EE 1.2, 1.3, 1.4, and Java EE 5, 6, 7, 8 and Jakarta EE 9 Web modules.
Columns...
Always use this server when running this project
< Back
Next >
Finish
Cancel


Run On Server
Add and Remove
agenda is required and cannot be removed from the server
Move resources to the right to configure them on the server
Available:
Hello
Hello Tomcat
Add >
< Remove
Add All >>
<< Remove All
Configured:
agenda
HelloJSP
< Back
Next >
Finish
Cancel


eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
src/main/java
controller
Controller.java
model
Libraries
build
src
main
java
webapp
imagens
agenda.png
favicon.png
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
DAO.java
JavaBeans.java
index.html
style.css
Controller.java
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="ico
7 <link rel="sty
8 </head>
9 <body>
10 <img src="
11 <h1>Agenda
12 <a href="
13 </body>
14 </html>
Se for preciso reinicie o eclipse ou manualmente o tomcat
Server
The server may need be restarted. Do you want to restart the server?
Restart server
Continue without restarting
Remember my decision
OK
Cancel
Markers Properties Servers Data Source Explorer Snippets Console
Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (5 de jul. de 2022 18:07:38) [pid: 1032]
... 14 more
jul 05, 2022 7:04:25 PM org.apache.catalina.core.StandardContext reload


(126) Curso Java WEB (Java E
localhost
localhost:8080/agenda/index.html
c++
C++
C++
C
C++ VISUAL STUDIO
Domestika
ASSEMBLY
ss64
kernel org
Linux kernel
gcc
archlinux
Não é possível acessar esse site
A conexão com localhost foi recusada.
Tente:
Verificar a conexão
Verificar o proxy e o firewall
ERR_CONNECTION_REFUSED
Recarregar
Saiba mais

Fechando o eclipse para resolver o erro



Depois de reiniciar execute




Run On Server
Add and Remove
agenda is required and cannot be removed from the server
Move resources to the right to configure them on the server
Available:
Hello
Hello Tomcat
Add >
< Remove
Add All >>
<< Remove All
Configured:
agenda
HelloJSP
< Back
Next >
Finish
Cancel
Problem Occurred
'Starting Tomcat v10.0 Server at localhost' has encountered a problem.
Server Tomcat v10.0 Server at localhost failed to start.
OK
Details >>


eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
src/main/java
controller
Controller.java
model
Libraries
build
src
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
DAO.java
JavaBeans.java
index.html
style.css
Controller.java
7 import jakarta.servlet.http.HttpServletResponse;
8 import java.io.IOException;
9
10 /**
11 * Servlet implementation class Controller
12 */
13 @WebServlet(urlPatterns = {"/Controller", "/main"})
14 public class Controller extends HttpServlet {
15 private static final long serialVersionUID = 1L;
16
17 /**
18 * @see HttpServlet#HttpServlet()
19 */
20 public Controller() {
21 super();
22 // TODO Auto-generated constructor stub
23 }
Comentando
essa linha volta a
funcionar


eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
META-INF
WEB-INF
index.html
style.css
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
Controller.java
index.html
style.css
import jakarta.servlet.ServletException;
/**
* Servlet implementation class Controller
*/
@WebServlet(urlPatterns = {"/controller", "/main"})
public class Controller extends HttpServlet {
private static final long serialVersionUID = 1L;
/**
* @see HttpServlet#HttpServlet()
*/
public Controller() {
super();
// TODO Auto-generated constructor stub
}
Markers
Properties
Servers
Data Source Explorer
Snippets
Console
Tomcat v10.0 Server at localhost [Started, Synchronized]

```
12  */
13 @WebServlet(urlPatterns = {"/controller", "/main"})
14 public class Controller extends HttpServlet {
```

Problema resolvido era o Controller era minusculo controller

(138) Curso Java WEB (Java E | Agenda de contatos

localhost:8080/agenda/index.html

c++ | C++ | C++ | C | C++ VISUAL STUDIO | Domestika | ASSEMBLY | ss64

Agenda de contatos

Acessar


(138) Curso Java WEB (Java E
localhost:8080/agenda/main
localhost:8080/agenda/main
c++
C++
C++
C
C++ VISUAL STUDIO
Domestika
Servido em: /agenda


eclipse-workspace - agenda/src/main/webapp/WEB-INF/web.xml - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
META-INF
WEB-INF
lib
web.xml
index.html
style.css
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers
Controller.java
index.html
style.css
web.xml
1 <?xml version="1.0" encoding="UTF-8"?>
2 <web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="
3 <display-name>agenda</display-name>
4 <welcome-file-list>
5 <welcome-file>index.html</welcome-file>
6 <welcome-file>index.jsp</welcome-file>
7 <welcome-file>index.htm</welcome-file>
8 <welcome-file>default.html</welcome-file>
9 <welcome-file>default.jsp</welcome-file>
10 <welcome-file>default.htm</welcome-file>
11 </welcome-file-list>
12 <servlet>
13 <description></description>
14 <display-name>Controller</display-name>
15 <servlet-name>Controller</servlet-name>
16 <servlet-class>controller.Controller</servlet-class>
Design
Source
Markers
Properties
Servers
Data Source Explorer
Snippets
Console
Tomcat v10.0 Server at localhost [Started, Synchronized]



Apague tudo e só deixe o index.html salve e execute


eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Project Explorer
Controller.java
index.html
style.css
Run index.html
agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
META-INF
WEB-INF
lib
web.xml
index.html
style.css
apirest
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favicon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 <img src="imagens/agenda.png">
11 <h1>Agenda de contatos</h1>
12 <a href="main" class="Botao1">Acessar</a>
13 </body>
14 </html>


Run On Server
Run On Server
Select which server to use
How do you want to select the server?
Choose an existing server
Manually define a new server
Select the server that you want to use:
type filter text
Server
State
localhost
Tomcat v10.0 Server at localhost
Started
Apache Tomcat v10.0 supports J2EE 1.2, 1.3, 1.4, and Java EE 5, 6, 7, 8 and Jakarta EE 9 Web modules.
Columns...
Always use this server when running this project
< Back
Next >
Finish
Cancel


Run On Server
Add and Remove
Modify the resources that are configured on the server
Move resources to the right to configure them on the server
Available:
Hello
Hello Tomcat
HelloJSP
Add >
< Remove
Add All >>
<< Remove All
Configured:
agenda
< Back
Next >
Finish
Cancel

(138) Curso Java WEB (Java E | Agenda de contatos

localhost:8080/agenda/index.html

c++ | C++ | C++ | C | C++ VISUAL STUDIO | Domestika | ASSEMBLY

Agenda de contatos

Acessar


(138) Curso Java WEB (Java E
localhost:8080/agenda/main
localhost:8080/agenda/main
c++
C++
C++
C
C++ VISUAL STUDIO
Domestika
ASSEN
Servido em: /agenda