



CONFIRMAÇÃO DA EXCLUSÃO



Akilles101





SCHEMAS

Filter objects

- dbagenda
 - Tables
 - contatos
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas

Information

No object selected



Limit to 1000 rows

```
1 • CREATE DATABASE dbagenda;
2 • show databases;
3 • use dbagenda;
4 • create table contatos(
5     idcon int primary key auto_increment,
6     nome varchar(50) not null,
7     fone varchar(15) not null,
8     email varchar(50)
9 );
10 • show tables;
11 • describe contatos;
12 /* could create */
```

Result Grid



Filter Rows:

Edit:



Export/Import:

idcon

nome

fone

email



Navigator:

SCHEMAS

Filter objects

- dbagenda
 - Tables
 - contatos
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas

Information

No object selected

agenda* x



Limit to 1000 rows

```
12  /* CRUD CREATE */
13  • insert into contatos (nome,fone,email) values ('Bill Gates', '99999-1111', 'Gates@outlook.com');
14
15  /* CRUD READ */
16  • select * from contatos order by nome;
17  • select * from contatos where idcon = 1;
18
19  /* CRUD UPDATE */
20  • update contatos set nome="Bruce Wayne" where idcon = 1;
21  • update contatos set nome='Bruce Wayne Jr', fone='55555-5555',email='bruce@gmail.com' where idcon = 1;
22  • select * from contatos;
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	idcon	nome	fone	email
▶	1	Bruce Wayne Jr	55555-5555	bruce@gmail.com
	2	Cris Oliveira	99999-2222	cris@gmail.com
	3	Joyce	11111-1111	joy@gmail.com
	4	Akiles Oliveira	33333-3333	ak@gmail.com
	5	Carlos Gomes	99999-3333	Gomes@outlook.com

contatos 1 x

Apply

Revert

Output

Action Output

Time Action

Message

Result Grid



SCHEMAS

Filter objects

- dbagenda
 - Tables
 - contatos
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas

No object selected



Limit to 1000 rows

```
15  /* CRUD READ */
16  •  select * from contatos order by nome;
17  •  select * from contatos where idcon = 1;
18
19  /* CRUD UPDATE */
20  •  update contatos set nome="Bruce Wayne" where idcon = 1;
21  •  update contatos set nome='Bruce Wayne Jr', fone='55555-5555',email='bruce@gmail.com' where idcon = 1;
22
23  /* CRUD DELET */
24  •  delete from contatos where idcon = 1;
25  •  select * from contatos;
```



Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	idcon	nome	fone	email
▶	1	Bruce Wayne Jr	55555-5555	bruce@gmail.com
	2	Cris Oliveira	99999-2222	cris@gmail.com
	3	Joyce	11111-1111	joy@gmail.com
	4	Akiles Oliveira	33333-3333	ak@gmail.com
	5	Carlos Gomes	99999-3333	Gomes@outlook.com

contatos 1 x

Apply



Navigator

SCHEMAS

Filter objects

- dbagenda
 - Tables
 - contatos
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas

Information

No object selected

agenda x



Limit to 1000 rows

```
15  /* CRUD READ */
16  • select * from contatos order by nome;
17  • select * from contatos where idcon = 1;
18
19  /* CRUD UPDATE */
20  • update contatos set nome="Bruce Wayne" where idcon = 1;
21  • update contatos set nome='Bruce Wayne Jr', fone='55555-5555',email='bruce@
22
23  /* CRUD DELET */
24  • delete from contatos where idcon = 1;
25  • select * from contatos;
```



Result Grid Filter Rows: Edit: Export/Import: Wrap Cel

	idcon	nome	fone	email
▶	2	Cris Oliveira	99999-2222	cris@gmail.com
	3	Joyce	11111-1111	joy@gmail.com
	4	Akilles Oliveira	33333-3333	ak@gmail.com
	5	Carlos Gomes	99999-3333	Gomes@outlook.com
*	NULL	NULL	NULL	NULL

contatos 2 x

Output


Action Output



```
27         <th>Opções</th>
28     </tr>
29 </thead>
30 <tbody>
31     <%for(int i = 0; i < lista.size(); i++) {%>
32         <tr>
33             <td><%=lista.get(i).getIdcon() %></td>
34             <td><%=lista.get(i).getNome() %></td>
35             <td><%=lista.get(i).getFone() %></td>
36             <td><%=lista.get(i).getEmail() %></td>
37             <td><a href="select?idcon=<%=lista.get(i).getIdcon() %>" clas
38                 <a href="" class="Botao2">Excluir</a>
39         </td>
40     </tr>
41     <%} %>
42 </tbody>
43 </table>
```

```
27 pcões</th>
28
29
30
31 = 0; i < lista.size(); i++) {%>
32
33     <td><%=lista.get(i).getIdcon() %></td>
34     <td><%=lista.get(i).getNome() %></td>
35     <td><%=lista.get(i).getFone() %></td>
36     <td><%=lista.get(i).getEmail() %></td>
37     <td><a href="select?idcon=<%=lista.get(i).getIdcon() %>" class="Botao1">Editar</a>
38     <a href="" class="Botao2">Excluir</a>
39 </td>
40
41
42
43
```

```
<> jsp:directive
<> jsp:directive
<> jsp:scriptlet
<> DOCTYPE:ht
html lang=p
<> head
body
<> h1: A
a href=
table i
<> the
<> tbc
<>
<>
<>
<>
<>
```

Salve tudo selecione o index.html e execute

eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE



File Edit Source Navigate Search Project Run Window Help



Pro... X [Icons] novo.html validator.js Controller.java agenda.j Run index.html X JavaBeans.java DAO.java style.css editar.jsp

agenda
apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favicon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10     
11     <h1>Agenda de contatos</h1>
12     <a href="main" class="Botao1">Acessar</a>
13 </body>
14 </html>
```




Pro... X

novo.html | validator.js | Controller.java | agenda.jsp | index.html X | JavaBeans.java | DAO.java | style.css | editar.jsp

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favi
7 <link rel="stylesheet" href="style.
8 </head>
9 <body>
10 
11 <h1>Agenda de contatos</h1>
12 <a href="main" class="Botao1">A
13 </body>
14 </html>
```

Markers Properties Servers Data Source Explorer Snippets

Tomcat v10.0 Server at localhost [Started, Synchronized]





```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favi
7 <link rel="stylesheet" href="style.
8 </head>
9 <body>
10 
11 <h1>Agenda de contatos</h1>
12 <a href="main" class="Botao1">A
13 </body>
14 </html>
```

```
jul 22, 2022 2:49:41 PM org.apache.catalina.startup.Catalina start
INFO: Server startup in [6550] milliseconds
/main
```

Agenda de contatos

localhost:8080/agenda/main

Agenda de Contatos

Novo Contato

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar Excluir
5	Carlos Gomes	99999-3333	Gomes@outlook.com	Editar Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar Excluir



Project Explorer × novo.html validador.js Controller.java agenda.jsp index.html × JavaBeans.jav

agenda

Deployment Descriptor: agenda

JAX-WS Web S

Java Resource

build

src

main

java

webapp

imag

META

script

va

WEB-

agen

edita

index

novo

style.

apiREST

demo

Hello

HelloJSP

Hello Tomcat

Servers

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
```

New

Go Into

Show In

Alt+Shift+W >

Show in Local Terminal



Copy

Ctrl+C



Copy Qualified Name



Paste

Ctrl+V



Delete

Delete

Build Path

Move...

Rename...

F2



Import...



Export...



Refresh

F5



Coverage As



Run As



Debug As

Profile As

Project...

File

Folder

SQL File

CSS File

HTML File

JSP File

JavaScript File

Example...

Other...

Ctrl+N

New

```
title>
ens/favicon.png">
="style.css">
```

```
a.png">
```

```
/h1>
```

```
otao1">Acessar</a>
```

Data Source Explorer Snippets Console ×

ache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 14:4

```
rotocolHandler ["http-nio-8080"]
```

Select a wizard

Select a wizard

Create a new JavaScript source file

Wizards:

type filter text

- > Gradle
- > Java
- > Java EE
- > Java Emitter Templates
- ▼ JavaScript
 - Bower Init
 - JavaScript File
 - npm Init
- > JAXB
- > JPA
- > Maven
- > Oomph





< Back

Next >

Finish

Cancel





Project Explorer

- agenda
 - Deployment Descriptor: agenda
 - JAX-WS Web Services
 - Java Resources
 - build
 - src
 - main
 - java
 - webapp
 - imagens
 - META-INF
 - scripts
 - confirmador.js
 - validador.js
 - WEB-INF
 - agenda.jsp
 - editar.jsp
 - index.html
 - novo.html
 - style.css
- apiREST
- demo
- Hello

nov.html validador.js Controller.java agenda.jsp index.html JavaBeans.java style.css confirmador.js

```
1 /**
2  *   confirmação de exclusão de um contato
3  *   @author cristiano oliveira
4  */
5
6 function confirmar(idcon){
7     let resposta = confirm("cnfirma a exclusão deste contato");
8     if (resposta === true){
9         alert(idcon);
10    }
11 }
```

```
30<tbody>
31    <%for(int i = 0; i < lista.size(); i++) {%>
32        <tr>
33            <td><%=lista.get(i).getIdcon() %></td>
34            <td><%=lista.get(i).getNome() %></td>
35            <td><%=lista.get(i).getFone() %></td>
36            <td><%=lista.get(i).getEmail() %></td>
37            <td><a href="select?idcon=<%=lista.get(i).getIdcon() %>" %></td>
38            <a href="javascript: confirmar(<%=lista.get(i).ge
39        </td>
40    </tr>
41    <%} %>
42</tbody>
43</table>
44<script src="scripts/confirmador.js"></script>
45</body>
46</html>
```

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 14:49:29) [pid: 8468]

INFO: Starting ProtocolHandler ["http-nio-8080"]

jul 22, 2022 2:49:41 PM org.apache.catalina.startup.Catalina start

INFO: Server startup in [6550] milliseconds

/main

```
<a href="javascript: confirmar(<%=lista.get(i).getIdcon() %>)" class="Botao2">Excluir</a>
```

eclipse-workspace - agenda/src/main/webapp/agenda.jsp - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer

- agenda
 - Deployment Descriptor: agenda
 - JAX-WS Web Services
 - Java Resources
 - build
 - src
 - main
 - java
 - webapp
 - imagens
 - META-INF
 - scripts
 - confirmador.js
 - validador.js
 - WEB-INF
 - agenda.jsp
 - editar.jsp
 - index.html
 - novo.html
 - style.css
 - apiREST
 - demo
 - Hello
 - HelloJSP
 - Hello Tomcat
 - Servers

novos.html | validador.js | Controller.java | agenda.jsp | index.html | JavaBeans.java | style.css | confirmador.js

```
30
31 i < lista.size(); i++) {%>
32
33 <td><%=lista.get(i).getIdcon() %></td>
34 <td><%=lista.get(i).getNome() %></td>
35 <td><%=lista.get(i).getFone() %></td>
36 <td><%=lista.get(i).getEmail() %></td>
37 <td><a href="select?idcon=<%=lista.get(i).getIdcon() %>" class="Botao1">Editar</td>
38 <a href="javascript: confirmar(<%=lista.get(i).getIdcon() %>)" class="Botao2">Confirmar</td>
39 </td>
40
41
42
43
44 </script>
45
46
```


confirmador.js

Markers Properties Servers Data Source Explorer Snippets Console

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 14:49:29) [pid: 8468]

```
INFO: Starting ProtocolHandler ["http-nio-8080"]
jul 22, 2022 2:49:41 PM org.apache.catalina.startup.Catalina start
INFO: Server startup in [6550] milliseconds
```

Salve tudo selecione o index.html e execute



```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favicon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 
11 <h1>Agenda de contatos</h1>
12 <a href="main" class="Botao1">Acessar</a>
13 </body>
14 </html>
```

Run On Server

Select which server to use

How do you want to select the server?

- ☒ Choose an existing server
☐ Manually define a new server

Select the server that you want to use:

type filter text

Server	State
▼ localhost	
Tomcat v10.0 Server at localhost	Started

Apache Tomcat v10.0 supports J2EE 1.2, 1.3, 1.4, and Java EE 5, 6, 7, 8 and Jakarta EE 9 Web modules.

Columns...

☐ Always use this server when running this project

< Back

Next >

Finish

Cancel

Add and Remove

Modify the resources that are configured on the server

Move resources to the right to configure them on the server

Available:

Hello
Hello Tomcat
HelloJSP

Configured:

agenda

Add >

< Remove

Add All >>

<< Remove All



< Back

Next >

Finish


Cancel

```
</title>  
agens/fav  
ref="style
```

```
enda.png">  
s</h1>  
"Botao1">
```

rer Snippets
es\Java\jdk-11.0.11\

```
er ["http-nio-8080"]  
apache.catalina.startup.Catalina start  
0] milliseconds
```



Agenda de contatos

←

→

↻

localhost:8080/agenda/main

🔍

🔗

☆

☰

🖼️

👤

⋮

c++

C++

C++

C

C++ VISUAL STUDIO

»

📁 Outros favoritos

Agenda de Contatos

Novo Contato

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	<div>EditarExcluir</div>
5	Carlos Gomes	99999-3333	Gomes@outlook.com	<div>EditarExcluir</div>
2	Cris Oliveira	99999-2222	cris@gmail.com	<div>EditarExcluir</div>
3	Joyce	11111-1111	joy@gmail.com	<div>EditarExcluir</div>

javascript: confirmar(2)

Agenda de contatos

localhost:8080/agenda/main

localhost:8080 diz
confirma a exclusão deste contato

OK Cancelar

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	<button>Editar</button> <button>Excluir</button>
5	Carlos Gomes	99999-3333	Gomes@outlook.com	<button>Editar</button> <button>Excluir</button>
2	Cris Oliveira	99999-2222	cris@gmail.com	<button>Editar</button> <button>Excluir</button>
3	Joyce	11111-1111	joy@gmail.com	<button>Editar</button> <button>Excluir</button>

javascript: confirmar(5)

Agenda de contatos

localhost:8080/agenda/main

localhost:8080 diz
5

OK

Agenda

Novo Con


Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	<div>EditarExcluir</div>
5	Carlos Gomes	99999-3333	Gomes@outlook.com	<div>EditarExcluir</div>
2	Cris Oliveira	99999-2222	cris@gmail.com	<div>EditarExcluir</div>
3	Joyce	11111-1111	joy@gmail.com	<div>EditarExcluir</div>

```
1 /**
2  *   confirmação de exclusão de um contato
3  *   @author cristiano oliveira
4  */
5
6 function confirmar(idcon){
7     let resposta = confirm("confirma a exclusão deste contato ?");
8     if (resposta === true){
9         //alert(idcon);
10        window.location.href = "delete?idcon=" + idcon;
11    }
12 }
```


```
/main
/main
/delete
4
```

eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help



Project Explorer



```
1
2
3+option;[
14
15 rns = {"/controller", "/main", "/insert", "/select", "/update", "/delete"}}
16 ler extends HttpServlet {
17 inal long serialVersionUID = 1L;
18 etos
19 O();
20 o = new JavaBeans();
21
22er() {
23
24
25
26oGet(HttpServletRequest request, HttpServletResponse response) throws Servlet
27 n = request.getServletPath();
```


Salve tudo selecione o index.html e execute

agenda

- > Deployment Descriptor: agenda
- > JAX-WS Web Services
- > Java Resources
- > build
- > src
 - > main
 - > java
 - > webapp
 - > imagens
 - > META-INF
 - > scripts
 - confirmador.js
 - validador.js
 - > WEB-INF
 - agenda.jsp
 - editar.jsp
 - index.html
 - novo.html
 - style.css

- > apirest
- > demo
- > Hello
- > HelloJSP
- > Hello Tomcat
- > Servers

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="img/icon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 
11 <h1>Agenda de contatos</h1>
12 <a href="main.html">Acessar</a>
13 </body>
14 </html>
```



novo.html | validator.js | Controller.java | agenda.jsp | index.html | JavaBeans.java | style.css | confirmador

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="img/icon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 
11 <h1>Agenda de Contatos</h1>
12 <a href="main" />
13 </body>
14 </html>
```

ptor: agenda
tes

validator.js
or.js

o
al
l

Markers | Properties | Servers | Data

Tomcat v10.0 Server at localhost [Apache Tomcat] C

jul 22, 2022 3:37:51 PM
INFO: Server startup in 1,234 seconds
/main

Agenda de contatos

localhost:8080/agenda/main

C++ C++ C++ C++ C++ VISUAL STUDIO

Outros favori

Agenda de Contatos

Novo Contato

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar Excluir
5	Carlos Gomes	99999-3333	Gomes@outlook.com	Editar Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar Excluir

javascript: confirmar(5)

bin/webapp/index.html - Eclipse IDE

ch Project Run Window Help

novo.html validador.js Controller.java agenda.jsp index.html x JavaBeans.java style.css confirmador.js

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="img/icon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 
11 <h1>Agenda de contatos</h1>
12 <a href="main.jsp" />Novo Contato</a>
13 </body>
14 </html>
```

Agenda de contatos

localhost:8080/agenda/main

localhost:8080 diz
confirma a exclusão deste contato

OK Cancelar

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar Excluir
5	Carlos Gomes	99999-3333	Gomes@outlook.com	Editar Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar Excluir

Markers Properties Servers Data

Tomcat v10.0 Server at localhost [Apache Tomcat]

Jul 22, 2022 3:37:51 PM
INFO: Server startup in 1000 ms
/main

Era para aparecer /delete aqui se não der certo aqui esta o erro

Project Explorer

- agenda
 - Deployment Descriptor: ager
 - JAX-WS Web Services
 - Java Resources
 - build
 - src
 - main
 - java
 - webapp
 - imagens
 - META-INF
 - scripts
 - confirmador.js
 - validador.js
 - WEB-INF
 - agenda.jsp
 - editar.jsp
 - index.html
 - novo.html
 - style.css
 - apiREST
 - demo
 - Hello
 - HelloJSP
 - Hello Tomcat
 - Servers


novo.html validador.js Controller.java agenda.jsp index.html x JavaBeans.java style.css confirmador.js

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contato</title>
6 <link rel="icon" href="img/icon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 
11 <h1>Agenda de contato</h1>
12 <a href="main" class="btn">Main</a>
13 </body>
14 </html>
```

Markers Properties Servers Data Source Explorer

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program

```
4
/main
/delete
5
```



Project Explorer

- agenda
 - Deployment Descriptor: ager
 - JAX-WS Web Services
 - Java Resources
 - build
 - src
 - main
 - java
 - webapp
 - imagens
 - META-INF
 - scripts
 - confirmador.js
 - validador.js
 - WEB-INF

- apirest
- demo
- Hello
- HelloJSP
- Hello Tomcat
- Servers

novo.html validador.js Controller.java X agenda.jsp index.html JavaBeans.java style.css confirmador.js »2

25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41

```
protected void doGet(HttpServletRequest request, HttpServletResponse resp)  
    String action = request.getServletPath();  
    System.out.println(action);  
    if (action.equals("/main")) {  
        contatos(request, response);  
    } else if (action.equals("/insert")) {  
        novoContato(request, response);  
    } else if (action.equals("/select")) {  
        listarContato(request, response);  
    } else if (action.equals("/update")) {  
        editarContato(request, response);  
    } else if (action.equals("/delete")) {  
        removerContato(request, response);  
    } else {  
        response.sendRedirect("index.html");  
    }  
}
```

Markers Properties Servers Data Source Explorer Snippets Console X

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 15:37:45) [pid: 9888]

jul 22, 2022 3:50:57 PM org.apache.jasper.servlet.TldScanner scanJars

INFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging to see the full message.

jul 22, 2022 3:50:57 PM org.apache.catalina.core.StandardContext reload

```
// remover um contato  
protected void removerContato(HttpServletRequest request, HttpServletResponse response)  
throws ServletException, IOException {  
  
}
```

```
90 // setar as variaveis JavaBeans
91 contato.setIdcon(request.getParameter("idcon"));
92 contato.setNome(request.getParameter("nome"));
93 contato.setFone(request.getParameter("fone"));
94 contato.setEmail(request.getParameter("email"));
95 // executar o metodo alterarContato
96 dao.alterarContato(contato);
97 // redirecionar para o documento agenda.jsp (atualizando as alterac
98 response.sendRedirect("main");
99 }
100 // remover um contato
101 protected void removerContato(HttpServletRequest request, HttpServletResponse
102     String idcon = request.getParameter("idcon");
103     System.out.println(idcon);
104 }
105 }
106
```

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 15:37:45) [pid: 9888]

jul 22, 2022 3:55:30 PM org.apache.jasper.servlet.TldScanner scanJars

INFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging

Salve tudo seleccione o index e execute



Project Explorer X

agenda

Deployment Descriptor: ager

JAX-WS Web Services

Java Resources

build

src

main

java

webapp

imagens

META-INF

scripts

confirmador.js

validador.js

WEB-INF

agenda.jsp

editar.jsp

index.html

novo.html

style.css

apiREST

demo

Hello

HelloJSP

Hello Tomcat

Servers

novo.html validador.js Controller.java agenda.jsp

index.html x JavaBeans.java


style.css

confirmador.js

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favi
7 <link rel="stylesheet" href="style.
8 </head>
9 <body>
10 
11 <h1>Agenda de contatos</h1>
12 <a href="main" class="Botao1">A
13 </body>
14 </html>
```

Markers Properties Servers X Data Source Explorer Snippets

Tomcat v10.0 Server at localhost [Started, Synchronized]



```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/favi
7 <link rel="stylesheet" href="style.
8 </head>
9 <body>
10 
11 <h1>Agenda de contatos</h1>
12 <a href="main" class="Botao1">A
13 </body>
14 </html>
```

```
INFO: Starting ProtocolHandler ["http-n
jul 22, 2022 3:57:54 PM org.apache.cata
INFO: Server startup in [2819] millise
/main
```

Agenda de contatos


localhost:8080/agenda/main


Agenda de Contatos

Novo Contato

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar Excluir
5	Carlos Gomes	99999-3333	Gomes@outlook.com	Editar Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar Excluir

javascript: confirmar(3)





eclipse-workspace - agenda/src/main/java/controller/Controller.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help



Project Explorer

agenda

Deployment Descriptor: ager

JAX-WS Web Services

Java Resources

build

src

main

java

webapp

imagens

META-INF

scripts

confirmador.js

validador.js

WEB-INF

agenda.jsp

editar.jsp

index.html

novo.html

style.css

apiREST

demo

Hello

HelloJSP

Hello Tomcat

Servers

novo.html validador.js Controller.java agenda.jsp index.html JavaBeans.java style.css confirmador.js

```
92 contato.setNome(request.getParameter("nome"));
93 contato.setFone(request.getParameter("fone"));
94 contato.setEmail(request.getParameter("email"));
95 // executar o metodo alterarContato
96 dao.alterarContato(contato);
97 // redirecionar para o documento agenda.jsp (atualizando as alteraç
98 response.sendRedirect("main");
99 }
100 // remover um contato
101 protected void removerContato(HttpServletRequest request, HttpServletRe
102 // recebimento do id do contato a ser excluido
103 String idcon = request.getParameter("idcon");
104 // setar a variavel idcon javaBeans
105 contato.setIdcon(idcon);
106 }
107 }
108 }
```

Markers Properties Servers Data Source Explorer Snippets Console

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 15:57:49) [pid: 60]

jul 22, 2022 4:16:30 PM org.apache.jasper.servlet.TldScanner scanJars
INFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for t

Project Explorer

- agenda
 - Deployment Descriptor: ager
 - JAX-WS Web Services
 - Java Resources
 - build
 - src
 - main
 - java
 - webapp
 - imagens
 - META-INF
 - scripts
 - confirmador.js
 - validador.js
 - WEB-INF
 - agenda.jsp
 - editar.jsp
 - index.html
 - novo.html
 - style.css
 - apirest
 - demo
 - Hello
 - HelloJSP
 - Hello Tomcat
 - Servers

novo.html validador.js Controller.java agenda.jsp index.html DAO.java X style.css confirmador.js

```
113 PreparedStatement pst = con.prepareStatement(create);
114 pst.setString(1, contato.getNome());
115 pst.setString(2, contato.getFone());
116 pst.setString(3, contato.getEmail());
117 pst.setString(4, contato.getIdcon());
118 pst.executeUpdate();
119 con.close();
120 } catch (Exception e) {
121     System.out.println(e);
122 }
123 }
124 /* CRUD DELETE */
125 public void deletarContato(JavaBeans contato) {
126
127 }
128 }
129
```

Markers Properties Servers Data Source Explorer Snippets Console X

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 15:57:49) [pid: 60]

jul 22, 2022 4:23:25 PM org.apache.jasper.servlet.TldScanner scanJars

INFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for

jul 22, 2022 4:23:25 PM org.apache.catalina.core.StandardContext reload

INFO: Reloading Context with name [/agenda] is completed

Project Explorer

agenda

Deployment Descriptor: ager

JAX-WS Web Services

Java Resources

build

src

main

java

webapp

imagens

META-INF

scripts

confirmador.js

validador.js

WEB-INF

agenda.jsp

editar.jsp

index.html

novo.html

style.css

apirest

demo

Hello

HelloJSP

Hello Tomcat

Servers

novo.html

validador.js

Controller.java

agenda.jsp

index.html

DAO.java

style.css

confirmador.js

>>2

```
94 contato.setEmail(request.getParameter("email"));
95 // executar o metodo alterarContato
96 dao.alterarContato(contato);
97 // redirecionar para o documento agenda.jsp (atualizando as alterac
98 response.sendRedirect("main");
99 }
100 // remover um contato
101 protected void removerContato(HttpServletRequest request, HttpServletRe
102 // recebimento do id do contato a ser excluido
103 String idcon = request.getParameter("idcon");
104 // setar a variavel idcon javabeans
105 contato.setIdcon(idcon);
106 // executar o metodo deletarContato (DAO) passando o objeto contato
107 dao.deletarContato(contato);
108 }
109 }
110 }
```

Markers Properties Servers Data Source Explorer Snippets Console

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 15:57:49) [pid: 60]

jul 22, 2022 4:23:36 PM org.apache.jasper.servlet.TldScanner scanJars

INFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging

jul 22, 2022 4:23:36 PM org.apache.catalina.core.StandardContext reload

eclipse-workspace - agenda/src/main/java/model/DAO.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help



Project Explorer X novo.html validador.js Controller.java agenda.jsp index.html DAO.java X style.css confirmador.js »2

agenda
Deployment Descriptor: ager
JAX-WS Web Services
Java Resources
build
src
main
java
webapp
imagens
META-INF
scripts
confirmador.js
validador.js
WEB-INF
agenda.jsp
editar.jsp
index.html
novo.html
style.css


```
122     }  
123 }  
124 /* CRUD DELETE */  
125 public void deletarContato(JavaBeans contato) {  
126     String delete = "delete from contatos where idcon=?";  
127     try {  
128         Connection con = conectar();  
129         PreparedStatement pst = con.prepareStatement(delete);  
130         pst.setString(1, contato.getIdcon());  
131         pst.executeUpdate();  
132         con.close();  
133     } catch (Exception e) {  
134         System.out.println(e);  
135     }  
136 }  
137 }  
138
```

apirest
demo
Hello
HelloJSP
Hello Tomcat
Servers

Markers Properties Servers Data Source Explorer Snippets Console X

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-11.0.11\bin\javaw.exe (22 de jul. de 2022 15:57:49) [pid: 60]

jul 22, 2022 4:30:49 PM org.apache.jasper.servlet.TldScanner scanJars
INFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging



Salve tudo selecione o index.html e execute



Project Explorer

agenda

Deployment Descriptor: ager

JAX-WS Web Services

Java Resources

build

src

main

java

webapp

imagens

META-INF

scripts

confirmador.js

validador.js

WEB-INF

agenda.jsp

editar.jsp

index.html

novo.html

style.css

apiREST

demo

Hello

HelloJSP

Hello Tomcat


Servers

novo.html validador.js Controller.java

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="img/icon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 
11 <h1>Agenda de contatos</h1>
12 <a href="main" class="btn">Acessar</a>
13 </body>
14 </html>
```

Markers Properties Servers Data Source Editor

Tomcat v10.0 Server at localhost [Started, Synchronized]





Project Explorer X

- agenda
 - Deployment Descriptor: ager
 - JAX-WS Web Services
 - Java Resources
 - build
 - src
 - main
 - java
 - webapp
 - imagens
 - META-INF
 - scripts
 - confirmador.js
 - validador.js
 - WEB-INF
 - agenda.jsp
 - editar.jsp
 - index.html
 - novo.html
 - style.css
 - apirest
 - demo
 - Hello
 - HelloJSP
 - Hello Tomcat
 - Servers

novo.html validador.js Controller.java

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos
6 <link rel="icon" href="i
7 <link rel="stylesheet" h
8 </head>
9 <body>
10 
14 </html>
```

Markers Properties Servers Data Source Explo

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Fi

```
INFO: Starting ProtocolHandl
jul 22, 2022 4:39:05 PM org.
INFO: Server startup in [282
/main
```

Agenda de contatos

localhost:8080/agenda/main

Agenda de Contatos

Novo Contato

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	<button>Editar</button> <button>Excluir</button>
5	Carlos Gomes	99999-3333	Gomes@outlook.com	<button>Editar</button> <button>Excluir</button>
2	Cris Oliveira	99999-2222	cris@gmail.com	<button>Editar</button> <button>Excluir</button>
3	Joyce	11111-1111	joy@gmail.com	<button>Editar</button> <button>Excluir</button>

javascript: confirmar(5)

Project Explorer

agenda

Deployment Descriptor: ager

JAX-WS Web Services

Java Resources

build

src

main

java

webapp

imagens

META-INF

scripts

confirmador.js

validador.js

WEB-INF

agenda.jsp

editar.jsp

index.html

novo.html

style.css

apiREST

demo

Hello

HelloJSP

Hello Tomcat

Servers

novo.html

validador.js

Controller.java

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="img/icone.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 
11 <h1>Agenda de contatos</h1>
12 <a href="main" class="btn">Novo Contato</a>
13 </body>
14 </html>
```

Markers Properties Servers Data Source Explorer

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Apache Software Foundation\Tomcat v10.0\bin\Tomcat100.exe

INFO: Starting ProtocolHandler for http://localhost:8080/

jul 22, 2022 4:39:05 PM org.apache.catalina.core.StandardEngine

INFO: Server startup in [282 ms]

/main

Agenda de contatos

localhost:8080/agenda/main

localhost:8080 diz
confirma a exclusão deste contato ?

OK Cancelar

Novo Contato

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar Excluir
5	Carlos Gomes	99999-3333	Gomes@outlook.com	Editar Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar Excluir

eclipse-workspace - agenda/src/main/webapp/index.html - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- agenda
 - Deployment Descriptor: ager
 - JAX-WS Web Services
 - Java Resources
 - build
 - src
 - main
 - java
 - webapp
 - imagens
 - META-INF
 - scripts
 - confirmador.js
 - validador.js
 - WEB-INF
 - agenda.jsp
 - editar.jsp
 - index.html
 - novo.html
 - style.css
 - apirest
 - demo
 - Hello
 - HelloJSP
 - Hello Tomcat
 - Servers

novos.html

```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3 <head>
4 <meta charset="utf-8">
5 <title>Agenda de contatos</title>
6 <link rel="icon" href="imagens/icon.png">
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10 
11 <h1>Agenda de contatos</h1>
12 <a href="main" class="btn btn-primary">Novo Contato</a>
13 </body>
14 </html>
```

Markers Properties Servers Data Source Explorer

Tomcat v10.0 Server at localhost [Apache Tomcat] C:\Program Files\Apache Software Foundation\Tomcat v10.0\bin

INFO: Server startup in [282ms]

/main
/delete
/main

Agenda de contatos

localhost:8080/agenda/main

Agenda de Contatos

Novo Contato

Id	Nome	Fone	E-mail	Opções
4	Akilles Oliveira	33333-3333	ak@gmail.com	Editar Excluir
2	Cris Oliveira	99999-2222	cris@gmail.com	Editar Excluir
3	Joyce	11111-1111	joy@gmail.com	Editar Excluir

Deletou e atualizou o documento

