

**Configurar vim e neovim
2023
nano**

Instalação do windows terminal

Microsoft Store

windows terminal

Filtros

"windows terminal"

Todos os departamentos Aplicativos Jogos Filmes Programas de TV

Windows Terminal

Aplicativos | Ferramentas de desenvolvedor Microsoft Corporation


4,8 ★ 469 Média Classificação L Livre

O Windows Terminal é um aplicativo de terminal moderno, rápido, eficiente, poderoso e produtivo para os usuários de ferramentas e shells de linha de comando, como prompt de comando, PowerShell e WSL. Seus principais...

Adquirir

Windows Terminal Preview Gratuito 4,8 ★ | Aplicativos | Ferramentas de de...

Essa é a versão prévia do Windows Terminal, que possui os recursos mais recentes na forma como foram desenvolvidos. O Windows...




Câmera do Windows Instalado 3,7 ★ | Aplicativos | Foto e vídeo

O aplicativo Câmera está mais rápido e mais simples do que nunca. Basta apontar e fotografar para tirar ótimas fotos automaticamente...



Calculadora Windows Instalado 4,4 ★ | Aplicativos | Utilitários e ferram...

Uma calculadora simples, porém poderosa, que inclui os modos padrão, científica e programador, além de um conversor de...



28°C Parc ens... 09:20

Microsoft Store

windows terminal

Filtros

"windows terminal"

Todos os departamentos Aplicativos Jogos Filmes Programas de TV

Windows Terminal

Aplicativos | Ferramentas de desenvolvedor Microsoft Corporation


4,8 ★ 469 Média Classificação L Livre

O Windows Terminal é um aplicativo de terminal moderno, rápido, eficiente, poderoso e produtivo para os usuários de ferramentas e shells de linha de comando, como prompt de comando, PowerShell e WSL. Seus principais...

Adquirir

Windows Terminal Preview Gratuito 4,8 ★ | Aplicativos | Ferramentas de de...

Essa é a versão prévia do Windows Terminal, que possui os recursos mais recentes na forma como foram desenvolvidos. O Windows...




Câmera do Windows Instalado 3,7 ★ | Aplicativos | Foto e vídeo

O aplicativo Câmera está mais rápido e mais simples do que nunca. Basta apontar e fotografar para tirar ótimas fotos automaticamente...



Calculadora Windows Instalado 4,4 ★ | Aplicativos | Utilitários e ferram...

Uma calculadora simples, porém poderosa, que inclui os modos padrão, científico e programador, além de um conversor de...



28°C Parc ens... 09:20

Microsoft Store

windows terminal

Filtros

Aplicativos

Jogos

Filmes e TV

Biblioteca

Ajuda

Todos os departamentos

Aplicativos

Jogos

Filmes

Programas de TV

"windows terminal"

Windows Terminal

Aplicativos | Ferramentas de desenvolvedor
Microsoft Corporation


4,8 ★ Média 469 Classificação L Livre

O Windows Terminal é um aplicativo de terminal moderno, rápido, eficiente, poderoso e produtivo para os usuários de ferramentas e shells de linha de comando, como prompt de comando, PowerShell e WSL. Seus principais...

Windows Terminal Preview Gratuito

4,8 ★ | Aplicativos | Ferramentas de de...

Essa é a versão prévia do Windows Terminal, que possui os recursos mais recentes na forma como foram desenvolvidos. O Windows...



Câmera do Windows Instalado

3,7 ★ | Aplicativos | Foto e vídeo


O aplicativo Câmera está mais rápido e mais simples do que nunca. Basta apontar e fotografar para tirar ótimas fotos automaticamente...



Calculadora Windows Instalado


4,4 ★ | Aplicativos | Utilitários e ferram...

Uma calculadora simples, porém poderosa, que inclui os modos padrão, científica e programador, além de um conversor de...



28°C Parc ens... 09:25

Windows Store Home



abra



```
Windows PowerShell      X + 
Windows PowerShell
Copyright (C) Microsoft Corporation. Todos os direitos reservados.

Experimente a nova plataforma cruzada PowerShell https://aka.ms/pscore6

PS C:\Users\brito> |
```

Vamos baixar a nerd fonts

The screenshot shows the homepage of the Nerd Fonts website (nerdfonts.com). The page features a large grid of colorful icons representing various software, tools, and developer-related symbols. Overlaid on this grid is the Nerd Fonts logo, which consists of a pair of yellow-rimmed glasses where the lenses are shaped like the letters 'E' and 'F'. Below the logo, the word "NERD FONTS" is written in a bold, serif font. Underneath that, the text "Iconic font aggregator, collection, and patcher" is displayed. At the top of the page, there is a navigation bar with links for "HOME", "FEATURES", "FONTS DOWNLOADS", "CHEAT SHEET", "CONTRIBUTORS", "BACKERS", and "CHANGELOG". A GitHub fork button is visible in the top right corner. Below the main title, there are social media and developer-related links: "RELEASE V2.3.3", "CHAT ON GITTER", and links for "Star 41,570", "Fork 3,207", and "OS". Two prominent buttons at the bottom are "Q Icons" and "Downloads". A note about "Powerline Symbols: 7 icons" is shown near the bottom left. The browser's address bar shows the URL "nerdfonts.com". The status bar at the bottom of the screen displays the weather (28°C), battery level, and system time (09:29).

baixe

CHEAT SHEET  CONTRIBUTORS  BACKERS  CHANGELOG

Fira Code
Terminus
Iosevka
Monoid

- Hack
- FiraCode
- Meslo
- Source Code Pro
- Terminus
- Monoid
- Noto
- Iosevka
- and many more ...

 Downloads

Cross Platform

Nerd Fonts - Iconic font aggregate X +

nerdfonts.com/font-downloads

LAR CARACTERÍSTICAS DOWNLOADS DE FONTES FOLHA DE DICAS CONTRIBUINTES APOIADORES LOG DE ALTERAÇÕES

DOWNLOADS DE FONTES

Transferências

3270 Nerd Font

abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
o008 iIIL1 {} [] g9qCGQ ~-+>

- **Nome da fonte original:** IBM 3270
- **Info:** Derivado da fonte x3270, um formato moderno de uma fonte com alto valor nostálgico

[Download](#)

[Visualização em ProgrammingFonts.org](#)

Agave Nerd Font

abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
o008 iIIL1 {} [] g9qCGQ ~-+>

- **Info:** Uma fonte pequena, monoespaçada, com contorno, que é geometricamente regular e simples

[Download](#)

[Visualização em ProgrammingFonts.org](#)

Anonymice Nerd Font

abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ


Arimo Nerd Font


abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ

BATE-PAPO ABERTO

28°C Parc ens... ^ ☀️ 🌐 09:35

Criei uma pasta para salvar as fontes






Instale as fontes que tem windows compatible


É só daar 2 clicks nela ai mesmo


The screenshot shows a Windows File Explorer window with the following details:

- Toolbar:** Arquivo, Início, Compartilhar, Exibir.
- Contextual menu icons:** Recortar, Copiar, Colar, Copiar caminho, Colar atalho, Mover para, Copiar para, Excluir, Renomear, Nova pasta, Fácil acesso, Novo item, Propriedades, Abrir, Selecionar tudo, Editar, Limpar seleção, Histórico, Inverter seleção.
- Address bar:** Este Computador > Downloads > FONTES > 3270.
- File list:** A table showing the following files:

Nome	Data de modificação	Tipo	Tamanho
IBM 3270 Condensed Nerd Font Complete Mono Windows Compatible.otf	24/01/2023 10:06	Arquivo de fonte ...	6.777 KB
IBM 3270 Condensed Nerd Font Complete Mono Windows Compatible.ttf	24/01/2023 10:06	Arquivo de fonte ...	2.286 KB
IBM 3270 Condensed Nerd Font Complete Mono.otf	24/01/2023 10:06	Arquivo de fonte ...	6.777 KB
IBM 3270 Condensed Nerd Font Complete Mono.ttf	24/01/2023 10:06	Arquivo de fonte ...	2.286 KB
IBM 3270 Condensed Nerd Font Complete Windows Compatible.otf	24/01/2023 10:02	Arquivo de fonte ...	6.043 KB
IBM 3270 Condensed Nerd Font Complete Windows Compatible.ttf	24/01/2023 10:02	Arquivo de fonte ...	2.370 KB
IBM 3270 Condensed Nerd Font Complete.otf	24/01/2023 10:02	Arquivo de fonte ...	6.043 KB
IBM 3270 Condensed Nerd Font Complete.ttf	24/01/2023 10:02	Arquivo de fonte ...	2.370 KB
IBM 3270 Nerd Font Complete Mono Windows Compatible.otf	24/01/2023 10:06	Arquivo de fonte ...	6.800 KB
IBM 3270 Nerd Font Complete Mono Windows Compatible.ttf	24/01/2023 10:06	Arquivo de fonte ...	2.309 KB
IBM 3270 Nerd Font Complete Mono.otf	24/01/2023 10:06	Arquivo de fonte ...	6.800 KB
IBM 3270 Nerd Font Complete Mono.ttf	24/01/2023 10:06	Arquivo de fonte ...	2.308 KB
IRM 3270 Nerd Font Complete Windows Compatible.otf	24/01/2023 10:02	Arquivo de fonte ...	1.886 KB







Windows PowerShell X Configurações + -

Interação

- Inicialização
- Interação**
- Aparência
- Esquema de cores
- Renderização
- Ações

Perfis

- Padrões
- Windows PowerShell
- Prompt de comando
- Ubuntu
- kali-linux
- Azure Cloud Shell
- Developer Command Prompt for VS 202
- Developer PowerShell for VS 2022

Copiar a seleção automaticamente para a área de transferência Desativado

Formato de texto ao copiar Somente texto simples

Define o tipo de formatação no qual o texto selecionado é copiado para a área de transferência.

Remover o espaço vazio na seleção retangular Ativado

Remover espaço em branco à direita ao colar Ativado

Delimitadores das palavras `\()~-,;:>~!@#$%^&*|+=[]{}~?|`

Símbolos usados para definir limites entre palavras.

Ajustar o redimensionamento da janela para a grade de caracteres Ativado

Quando desabilitado, a janela será redimensionada sem problemas.

Estilo de interface do alternador de guias Janela separada, em ordem de guia


Define o comportamento do terminal quando se alterna entre as guias com o teclado.


Focalizar painel automaticamente ao passar o mouse Desativado


Detectar automaticamente URLs e os tornar clicáveis Ativado


Salvar Descartar alterações

30°C Parc en... ^ ⚡ 10:07









Windows PowerShell X Configurações X + - □ X

Windows PowerShell

Nome
O nome do perfil que aparece na lista suspensa.
Windows PowerShell

Linha de comando ⓘ
Arquivo executável usado no perfil.
%SystemRoot%\System32\WindowsPowerShell
\\v1.0\powershell.exe

Diretório inicial
A pasta em que o perfil começa quando é carregado.
%USERPROFILE% ←
Procurar... Usar o diretório de processo pai

Ícone
Local do arquivo de imagem ou emoji do ícone usado no perfil.
ms-appx:///ProfileIcons/{61c54bbd-c2c6-5271-96e7-009a87ff44bf}.png

Título da guia
Substitui o nome do perfil como o título a ser passado para o Shell na inicialização.

Executar esse perfil como Administrador
Se habilitado, o perfil será aberto automaticamente em uma janela do terminal admin. Se a janela atual já estiver em execução como administrador, ela será aberta nesta janela.
 Desativado

Perfis

- Padrões
- Windows PowerShell**
- Prompt de comando
- Ubuntu
- kali-linux
- Azure Cloud Shell
- Developer Command Prompt for VS 202
- Developer PowerShell for VS 2022

Abrir o arquivo JSON

Salvar Descartar alterações

30°C Parc ens... 10:11

Deixe tudo padrão mais se quiser abrir o terminal já em algum projeto coloque o caminho ai

Windows PowerShell > Aparência

```
Windows Terminal  
Copyright (c) Microsoft Corporation
```

```
C:\Windows\Terminal>
```

Texto

Esquema de cores

Nome do esquema de cores a ser usado.

Campbell

Tipo de fonte

Nome do tipo de fonte usado no perfil.

Cascadia Mono

Mostrar todas as fontes

Tamanho da fonte

Tamanho da fonte por pontos.

12



Espessura da fonte

Define o peso (claridade ou pesado dos traços) para a fonte especificada.

Normal

Efeito de terminal retrô

Quando habilitado, habilita efeitos de terminal retrô, como texto brilhante e linhas de varredura.

Desativado



Ajuste automaticamente a clareza do texto indistinguível

Quando habilitado, habilita o ajuste automático de cores indistinguíveis, o que ajustará, somente quando necessário, a luz da cor de

Nunca

Salvar

Descartar alterações

Windows PowerShell

Configurações

- Inicialização
- Interação

- Aparência
- Esquema de cores

- Renderização

- Ações

Perfis

- Padrões

Windows PowerShell

Prompt de comando

Ubuntu

kali-linux

Azure Cloud Shell


Developer Command Prompt for VS 202

Developer PowerShell for VS 2022

Abrir o arquivo JSON




**Escolha a fonte ele estava usando a hack eu não
achei ela escolhi essa**



Procure a imagem no pc que você quer de fundo



O ideal da imagem é 25% mais vou testando ai esta em
100 mas vou mudar



O certo é tirar o papel de parede de fundo e deixar uma cor
solida dai eu uso essa transparencia

Windows PowerShell X Configurações X + | -

Início

Inicialização

Interação

Aparência

Esquema de cores

Renderização

Ações

Perfis

Padrões

Windows PowerShell

Prompt de comando

Ubuntu

kali-linux

Azure Cloud Shell

Developer Command Prompt for VS 2022

Developer PowerShell for VS 2022

Abrir o arquivo JSON

Windows PowerShell > Aparência

Formatação de Texto

Estilo de texto intenso

Cores brilhantes

Transparência

Opacidade de fundo

Define a opacidade da janela.

100%

Janela

Preenchimento

Define o preenchimento ao redor do texto na janela.

8


Visibilidade da barra de rolagem

Visível

Salvar

Descartar alterações

30°C Parc ens... 10:27



INSTALAÇÃO DO VIM E DO NEOVIM

PRIMEIRO DE TUDO O TERMINAL PRECISA ESTAR INSTALADO NO MEU CASO JA
INSTALEI E CONFIGUREI O WINDOWS TERMINAL POR SINAL MUITO BOM A
EVOLUÇÃO DO CMD

**1- PRECISAMOS INSTALAR O PYTHON
É SO IR NA PAGINA OFICIAL BAIXAR E INSTALAR A VERSÃO MAIS RECENTE**

The screenshot shows the Python.org homepage. At the top, there's a navigation bar with links like 'Bem-vindo ao Python.org', 'python.org', 'c++', 'C++', 'br-C.org', 'C++ VISUAL STUDIO', 'Domestika', 'ASSEMBLY', 'ss64', 'kernel.org', 'Linux kernel', 'gcc', 'archlinux', 'die.net', 'devdocs', and 'Outros favoritos'. Below the navigation bar is a main menu with categories: 'Pitão' (selected), 'PSF', 'Documentos', 'PyPI', 'Empregos', and 'Comunidade'. On the left, there's a sidebar with a Python logo and a red arrow pointing to the 'Transferências' button in the main menu. The main content area features two code snippets:

```
# Python 3: List comprehensions
>>> fruits = ['Banana', 'Apple', 'Lime']
>>> loud_fruits = [fruit.upper() for fruit in
fruits]
>>> print(loud_fruits)
['BANANA', 'APPLE', 'LIME']

# List and the enumerate function
>>> list(enumerate(fruits))
[(0, 'Banana'), (1, 'Apple'), (2, 'Lime')]
```

To the right of the code, there's a section titled 'Tipos de dados compostos' (Composite data types) with the following text:

As listas (conhecidas como arrays em outras linguagens) são um dos tipos de dados compostos que o Python entende. As listas podem ser indexadas, divididas e manipuladas com outras funções integradas. [Mais sobre listas em Python 3](#)

At the bottom of the page, there's a summary statement: "Python é uma linguagem de programação que permite trabalhar rapidamente e integrar sistemas de forma mais eficaz. [» Saber mais](#)". The status bar at the bottom shows various system icons and the time "10:50".

The screenshot shows the Python.org website's download section for Windows. On the left, there's a sidebar with a dark background featuring a snippet of Python code:

```
python
def f(a):
    w
fib(1
1 2 3
```

. The sidebar contains links: 'Todos os lançamentos', 'Código fonte', 'janelas', 'Mac OS', 'Outras plataformas', 'Licença', and 'Implementações Alternativas'. The main content area has a light blue header with tabs: 'Transferências' (selected), 'Documentação', 'Comunidade', 'Histórias de sucesso', and 'Notícias'. Below the header, the title 'Download for Windows' is displayed in bold blue text. A large button labeled 'Python 3.11.2' is centered. A note below it states: 'Note that Python 3.9+ cannot be used on Windows 7 or earlier.' It also mentions that Python can be used on many operating systems and environments, with a link to 'View the full list of downloads.'

Transferências

Documentação

Comunidade

Histórias de sucesso

Notícias

Todos os lançamentos

Código fonte

janelas

Mac OS

Outras plataformas

Licença

Implementações Alternativas


Download for Windows


Python 3.11.2

Note that Python 3.9+ cannot be used on Windows 7 or earlier.


Not the OS you are looking for? Python can be used on many operating systems and environments.

[View the full list of downloads.](#)





EXECUTEI A INSTALAÇÃO DO PYTHON COMO ADMINISTRADOR





Python 3.11.2 (64-bit) Setup




Setup Progress





Installing:

Initializing...




[Cancel](#)



A screenshot of a Windows PowerShell window titled "Windows PowerShell". The window has a dark blue background. In the center, white text displays the command "PS C:\> python --version" followed by the output "Python 3.9.6". Below this, another prompt "PS C:\>" is visible.

```
PS C:\> python --version
Python 3.9.6
PS C:\>
```



A screenshot of a Windows PowerShell window titled "Windows PowerShell". The window shows command-line output. The first command is "python --version", which returns "Python 3.9.6". The second command is "wsl -l -v", which lists two distributions: "Ubuntu" and "kali-linux", both in the "Stopped" state with version 2. The PowerShell window has a dark theme with light-colored text.

```
PS C:\> python --version
Python 3.9.6
PS C:\> wsl -l -v
  NAME          STATE      VERSION
* Ubuntu        Stopped    2
  kali-linux    Stopped    2
PS C:\> |
```

Vendo as distribuições linux no meu pc

Vendo a versão do pip



```
Windows PowerShell
PS C:\> pip --version
pip 21.3.1 from c:\users\brito\appdata\local\programs\python\python39\lib\site-packages\pip (python 3.9)
PS C:\> |
```

Fiquei na duvida de como instalar e se é preciso instalar o pynvim

Mas continuando se for preciso e der erro instale o nodejs é preciso instalar mais tenho ele atualizado e com o nvm

Mas é de boa va até o site e instale a versão atual LTS

Windows PowerShell X + | ^

```
PS C:\> pip --version
pip 21.3.1 from c:\users\brito\appdata\local\programs\python\python39\lib\site-packages\pip (python 3.9)
PS C:\> node --version
v19.6.0
PS C:\> |
```

welcome home : vim online

vim.org

SPONSOR VOTE
Vim development for features

the editor

BUY the Vim book HELP Uganda LEARN Vim

not logged in ([login](#))

ENHANCED BY Google Search

Home Advanced search

About Vim Community News Sponsoring Trivia Documentation Download

Scripts Tips My Account Site Help

What is Vim online?

Vim online is a central place for the Vim community to store useful Vim tips and tools. Vim has a scripting language that allows for plugin like extensions to enable IDE behavior, syntax highlighting, colorization as well as other advanced features. These scripts can be uploaded and maintained using Vim online.

Vim - the ubiquitous text editor

Vim is a highly configurable text editor built to make creating and changing any kind of text very efficient. It is included as "vi" with most UNIX systems and with Apple OS X.

Vim is rock stable and is continuously being developed to become even better. Among its features are:

- persistent, multi-level undo tree
- extensive plugin system
- support for hundreds of programming languages and file formats
- powerful search and replace
- integrates with many tools

News Vim 9.0.1298 is the current version

new :defer command

[2022-09-10] Cleaning up after creating a file or directory can easily be forgotten. To make it easier the :defer command has been added. It works like it does in the Go language. Also, you can add a flag to writefile() and mkdir() to have them defer a delete() call. This is especially useful in tests, where temp files need to be cleaned up. Read about it in [the help file](#). (Bram Moolenaar)

Virtual text has been implemented

[2022-09-10] The past weeks a new feature has been added, that allows for displaying text in between the buffer text. Since this text does not exist in the file this is often called "virtual text". The virtual text can appear inside the line, after the line and below the line. You can read about it in [the help](#). (Bram Moolenaar)

Vim 9.0 is released!

[2022-06-28] Finally, after years of hard work, there is a new major release of Vim. Besides many additions and fixes, the main new item is the support for Vim9 script. You can go straight to the [Download page](#) and try it out. Or read the [announcement](#). (Bram Moolenaar)

[more news...](#) Get a Vim T-shirt from [FreeWear](#) Get a Vim sticker or button [Vim items from Japan](#)

TempestaDE 11:29

Add the extension Microsoft

download : vim online

x +

vim.org/download.php

← → C 🔒

c++ C++ C++ br-C.org C++ VISUAL STUDIO Domestika ASSEMBLY ss64 kernel org Linux kernel gcc archlinux die.net devdocsc

SPONSOR VOTE
Vim development for features

 the editor

BUY HELP LEARN
the Vim book Uganda Vim

not logged in ([login](#))

ENHANCED BY Google

Search

[Home](#) [Advanced search](#)

[About Vim](#) [Community](#) [News](#) [Sponsoring](#) [Trivia](#) [Documentation](#)

[Download](#)

[Vim from GitHub](#) [Vim from Mercurial](#) [List of Mirrors](#) [Sources](#) [Patches](#) [Development](#) [Runtime files](#) [Script links](#) [Translations](#)

Downloading Vim

Vim is available for many different systems and there are several versions. This page will help you decide what to download.

Most popular:


MS-Windows: Recent and signed MS-Windows files are available on the [vim-win32-installer site](#).
The current stable version is [gvim_9.0.0000.exe](#) ← An alternative is the [standard self-installing executable](#), currently also version 9.0.


Unix: See the [GitHub](#) page, or [Mercurial](#), if you prefer that. There is also an [Appimage](#) which is build daily and runs on many Linux systems.



Mac: See the [MacVim](#) project for a GUI version and [Homebrew](#) for a terminal version


Details and options for:


- [Unix](#)
- [PC: MS-DOS and MS-Windows](#)
- [Amiga](#)
- [OS/2](#)
- [Macintosh](#)
- [Others](#)
















**Por padrão ele instala na pasta de
programasx82**


Mas decidi deixar na raiz c:\vim






Só conferindo ele foi instalado em c:\vim

COMO RODAR O VIM
VA ATÉ O WINDOWS TERMINAL E DIGITE VIM E TECLE ENTER





Obs:

No cmd o vim tambem funciona é só digitar vim e dar enter e o vim sera iniciado

[No Name] - VIM

VIM - Vi IMproved

version 9.0

by Bram Moolenaar et al.

Vim is open source and freely distributable

Help poor children in Uganda!

type :help iccf<Enter> for information

type :q<Enter> to exit


type :help<Enter> or <F1> for on-line help

type :help version9<Enter> for version info


0,0-1


All

Adicione o vim ao path e nessa pasta que contem o numero da versão



**Na dúvida de uma olhadinha pois tem o executável
Copie esse caminho e cole no path**





Confrir tudo pra sair
OK

INSTALAR O NEOVIM

A screenshot of a web browser window displaying the Neovim homepage. The title bar shows two tabs: 'download : vim online' and 'Início - Neovim'. The main content area features a large heading 'editor de texto baseado em Vim hiperextensível' and a green button labeled 'instale agora'. Below this, there are sections for 'Características' and 'Notícias'. The 'Características' section includes a 'Extensível' subsection with a bulleted list of features. The 'Notícias' section shows a tweet from the @Neovim account. The bottom of the screen shows a taskbar with various icons and the system tray.

The screenshot shows a Microsoft Edge browser window with a dark theme. The address bar displays the URL: github.com/neovim/neovim/wiki/Installing-Neovim#install-from-download. The main content area shows the "Install from download" section of the Neovim documentation, which includes instructions for running nvim instead of neovim, checking for updates, and links to the FAQ. To the right of the main content is a sidebar titled "Pages 29" containing a list of navigation links such as Home, Architectural musing and ideas, Building Neovim, C programming, C type refactoring guidelines, Code overview, Code review checklist, Configuration, Deps, Development tips, FAQ, Following HEAD, Generate callgraphs with Doxygen, and GSoC. The taskbar at the bottom of the screen shows various pinned icons, and the system tray indicates a weather forecast of 32°C and the date/time as 12:00.

download : vim online

Release Nvim release build · neovim · GitHub

github.com/neovim/neovim/releases/tag/stable

c++ C++ C++ br-C.org C++ VISUAL STUDIO Domestika ASSEMBLY ss64 kernel.org Linux kernel gcc archlinux die.net devdocsc Outros favoritos

Releases / stable

Nvim release build

Latest

github-actions released this 2 weeks ago · stable · 129264d

NVIM v0.8.3
Build type: Release
LuaJIT 2.1.0-beta3

Install

Windows

Zip

1. Download [nvim-win64.zip](#)
2. Extract the zip.
3. Run [nvim-qt.exe](#)




MSI


32°C Parc ens... 12:01

The screenshot shows a web browser window with the URL github.com/neovim/neovim/releases/tag/stable. The browser has several tabs open, including one for 'download : vim online'. The main content is the 'Assets' section of the GitHub release page for Nvim. It lists 16 items:


Asset	Size	Last Updated
nvim-linux64.deb	9.98 MB	2 weeks ago
nvim-linux64.deb.sha256sum	83 Bytes	2 weeks ago
nvim-linux64.tar.gz	9.98 MB	2 weeks ago
nvim-linux64.tar.gz.sha256sum	86 Bytes	2 weeks ago
nvim-macos.tar.gz	11.5 MB	2 weeks ago
nvim-macos.tar.gz.sha256sum	84 Bytes	2 weeks ago
nvim-win64.msi	42 MB	2 weeks ago
nvim-win64.msi.sha256sum	81 Bytes	2 weeks ago
nvim-win64.zip ←	42.3 MB	2 weeks ago
nvim-win64.zip.sha256sum	81 Bytes	2 weeks ago
nvim.appimage	14.7 MB	2 weeks ago
nvim.appimage.sha256sum	80 Bytes	2 weeks ago
nvim.appimage.zsync	51.5 KB	2 weeks ago
nvim.appimage.zsync.sha256sum	86 Bytes	2 weeks ago
Source code (zip)		2 weeks ago
Source code (tar.gz)		2 weeks ago

A red arrow points to the 'nvim-win64.zip' file in the list.








CRIEI UMA PASTA NO DOWNLOADS E EXTRAIR AQUI




**Crie uma pasta no C:\Neovim
E cole o conteúdo que extraímos**









**Copie o caminho da pasta e cole no path do windows
Como já fizemos**

Vai uma dica aqui
O PROCESSO DE ADICIONAR UMA VARIÁVEL DE AMBIENTE É SEMPRE USADO POR
ISSO DEVEMOS SABER A MAIORIA DOS PROGRAMAS QUE USO
PEDE ISSO

**COMO STARTAR O NVIM
VA NO TERMINAL E DIGITE NVIM**


```
C:\WINDOWS\system32\cmd.exe - NVIM
NVIM v0.8.3
Nvim is open source and freely distributable
https://neovim.io/#chat

type :help nvim<Enter>      if you are new!
type :checkhealth<Enter>      to optimize Nvim
digite :q<Enter>            para sair
type :help<Enter>            for help

          Ajude crianças pobres em Uganda!
digite :help iccf<Enter>      para informações

[Sem nome] 0,0-1 Tudo
```

NO CMD



PS C:\> nvim

Windows PowerShell

X +

- □ X

NVIM v0.8.3

Nvim is open source and freely distributable
<https://neovim.io/#chat>


type :help nvim<Enter> if you are new!
type :checkhealth<Enter> to optimize Nvim
digite :q<Enter> para sair
type :help<Enter> for help

Ajude crianças pobres em Uganda!
digite :help iccf<Enter> para informações

[Sem nome]

0,0-1

Tudo




32°C Parc ens... ^ ⚡ 🔋 12:26

O nvim é a evolução do vim


CONFIGURANDO O VIM E O NVIM

ONDE O VIM SALVA OS ARQUIVOS


C:/USERS/BRITO/.VIMRC



Não achei a pasta por isso temos que cria-la





Nesse caminho vamos criar o arquivo .vimrc




**Agora vamos fazer a mesma coisa com o nvim
Criar um arquivo**


Criamos uma pasta nesse local pro nvim







Agora dentro dela criamos o arquivo
Init.vim









**Abra os dois arquivos no notepad++
Para edita-los**





São dois arquivos em branco mais vamos editar




The screenshot shows the Notepad++ application window with the title bar "C:\Users\brito\AppData\Local\nvim\init.vim - Notepad++ [Administrator]". The menu bar includes "Arquivo", "Editar", "Localizar", "Visualizar", "Formatar", "Linguagem", "Configurações", "Ferramentas", "Macro", "Executar", "Plugins", "Janela", and "?". Below the menu is a toolbar with various icons. The main editor area displays the contents of the "init.vim" file, which contains numerous Vim configuration commands with their descriptions.

```
1 " Global Sets
2 syntax on          " Enable syntax highlight
3 set nu             " Enable line numbers
4 set tabstop=4       " Show existing tab with 4 spaces width
5 set softtabstop=4   " Show existing tab with 4 spaces width
6 set shiftwidth=4    " When indenting with '>', use 4 spaces width
7 set expandtab       " On pressing tab, insert 4 spaces
8 set smarttab        " Insert tabs on the start of a line according to shiftwidth
9 set smartindent     " Automatically inserts one extra level of indentation in some cases
10 set hidden         " Hides the current buffer when a new file is opened
11 set incsearch       " Incremental search
12 set ignorecase     " Ignore case in search
13 set smartcase       " Consider case if there is a upper case character
14 set scrolloff=8     " Minimun number of lines to keep above and below the cursor
15 set colorcolumn=100  " Draws a line at the given line to keep aware of the line size
16 set signcolumn=yes  " Add a column on the left. useful for linting
17 set cmdheight=2      " Give more space for displaying messages
18 set updatetime=100   " Time in miliseconds to consider the changes
19 set encoding=utf-8   " The encoding should be utf-8 to activate the font icons
20 set nobackup        " No backup files
21 set nowritebackup   " No backup files
22 set splitright      " Create the vertical splits to the right
23 set splitbelow       " Create the horizontal splits below
24 set autoread        " Update vim after file update from outside
25 set mouse=a          " Enable mouse support
26 filetype on          " Detect and set the filetype option and trigger the filetype
27 filetype plugin on   " Load the plugin file for the file type, if any
28 filetype indent on   " Load the indent file for the file type, if any
29 |
```

Essas configurações serve para os dois arquivos

**Teste o vim e o nvim
Para sair tecle
:q**

Instalando plugins



Va até essa pagina

github.com/junegunn/vim-plug

junegunn/vim-plug

Configurando o F

Configurando o F

README.md

vim

Unix

```
curl -fLo ~/.vim/autoload/plug.vim --create-dirs \
      https://raw.githubusercontent.com/junegunn/vim-plug/master/plug.vim
```

Você pode automatizar o processo colocando o comando em seu arquivo de configuração do Vim conforme sugerido [aqui](#).

copie

Windows (PowerShell)

```
iwr -useb https://raw.githubusercontent.com/junegunn/vim-plug/master/plug.vim |>
  ni $HOME/vimfiles/autoload/plug.vim -Force
```

Neovim

Unix, Linux

```
sh -c 'curl -fLo "${XDG_DATA_HOME:-$HOME/.local/share}"/nvim/site/autoload/plug.vim --create-dirs \
      https://raw.githubusercontent.com/junegunn/vim-plug/master/plug.vim'
```

Linux (Flatpak)

30°C Pred. nu... ^ ☰ 🔍 14:24

Windows PowerShell

```
PS C:\> iwr -useb https://raw.githubusercontent.com/junegunn/vim-plug/master/plug.vim |`  
-> ni $HOME/vimfiles/autoload/plug.vim -Force
```

Diretório: C:\Users\brito\vimfiles\autoload


Mode	LastWriteTime	Length	Name
-a---	13/02/2023 14:25	83127	plug.vim

PS C:\> |



Cole e tecle enter pra instalar

Faça a mesma coisa pro nvim



The screenshot shows a browser window with the URL github.com/junegunn/vim-plug. The page content includes:

- Neovim**: Unix, Linux
sh -c 'curl -fLo "\${XDG_DATA_HOME:-\$HOME/.local/share}"/nvim/site/autoload/plug.vim --create-dirs \
https://raw.githubusercontent.com/junegunn/vim-plug/master/plug.vim'
- Linux (Flatpak)**
curl -fLo ~/.var/app/io.neovim.nvim/data/nvim/site/autoload/plug.vim --create-dirs \
https://raw.githubusercontent.com/junegunn/vim-plug/master/plug.vim
- Windows (PowerShell)**
iwr -useb https://raw.githubusercontent.com/junegunn/vim-plug/master/plug.vim |
ni "\$(@(\$env:XDG_DATA_HOME, \$env:LOCALAPPDATA)[\${null -eq \$env:XDG_DATA_HOME}])\nvim-data\site\autoload\pla

Getting Help

- See [tutorial](#) page to learn the basics of vim-plug

The taskbar at the bottom shows icons for File Explorer, Google Chrome, Task View, and others. The system tray indicates a weather of 30°C, battery level, signal strength, and the time 14:26.

Windows PowerShell

```
PS C:\> iwr -useb https://raw.githubusercontent.com/junegunn/vim-plug/master/plug.vim |>> ni $HOME/vimfiles/autoload/plug.vim -Force
```

Diretório: C:\Users\brito\vimfiles\autoload


Mode	LastWriteTime	Length	Name
-	-	-	-
-a---	13/02/2023 14:25	83127	plug.vim

```
PS C:\> iwr -useb https://raw.githubusercontent.com/junegunn/vim-plug/master/plug.vim |`  
->     ni "$(@($env:XDG_DATA_HOME, $env:LOCALAPPDATA)[\$null -eq $env:XDG_DATA_HOME])/nvim-data/site/autoload/plug.vim" -Force
```


Diretório: C:\Users\brito\AppData\Local\nvim-data\site\autoload

Mode	LastWriteTime	Length	Name
----	-----	-----	----
-a---	13/02/2023	14:27	83127 plug.vim


PS C:\> |




Esse é o caminho que ele instala



O outro repare que um é do vim e o outro é do nvim



Como instalar um plugin



```
1 call plug#begin()
2 Plug 'sainnhe/sonokai' <-- Red arrow here
3 call plug#end()

4
5
6
7 " Global Sets ****
8 syntax on          " Enable syntax highlight
9 set nu             " Enable line numbers
10 set tabstop=4      " Show existing tab with 4 spaces width
11 set softtabstop=4  " Show existing tab with 4 spaces width
12 set shiftwidth=4   " When indenting with '>', use 4 spaces width
13 set expandtab      " On pressing tab, insert 4 spaces
14 set smarttab       " Insert tabs on the start of a line according to shiftwidth
15 set smartindent    " Automatically inserts one extra level of indentation in some cases
16 set hidden         " Hides the current buffer when a new file is opened
17 set incsearch      " Incremental search
18 set ignorecase    " Ignore case in search
19 set smartcase      " Consider case if there is a upper case character
20 set scrolloff=8    " Minimun number of lines to keep above and below the cursor
21 set colorcolumn=100 " Draws a line at the given line to keep aware of the line size
22 set signcolumn=yes " Add a column on the left. useful for linting
23 set cmdheight=2    " Give more space for displaying messages
24 set updatetime=100  " Time in miliseconds to consider the changes
25 set encoding=utf-8 " The encoding should be utf-8 to activate the font icons
26 set nobackup       " No backup files
27 set nowritebackup  " No backup files
28 set splitright     " Create the vertical splits to the right
29 set splitbelow     " Create the horizontal splits below
30 set autoread       " Update vim after file update from outside
31 set mouse=a        " Enable mouse support
32 filetype on        " Detect and set the filetype option and trigger the filetype
33 filetype plugin on " Load the plugin file for the file type, if any
34 filetype indent on " Load the indent fiel for the file type, if any
35
36
37
38 " Remaps ****
39 " remaps aqui
40
```

Adicionamos o local
do repositorio do
git

Inserimos o nome da pessoa e do repositorio
Para sair do vim tecle :q
E de enter

**PARA INSTALAR UM PLUGIN NO VIM PRECISAMOS DAR O COMANDO
:PlugInstall**

1

VIM - Vi IMproved

version 9.0

by Bram Moolenaar et al.

Vim is open source and freely distributable

Become a registered Vim user!

type :help register<Enter> for information

type :q<Enter>

type :help<Enter> or <F1> for on-line help

type :help version9<Enter> for version info

:PlugInstall

O comando só funcionou no nvim pois não adicionei
ele no vim


A screenshot of a Windows PowerShell window titled "Windows PowerShell". The terminal session shows the following output:

```
1 [updated. Elapsed time: 8.039319 sec.
2 [=]
3
4 - Finishing ... Done!
5 - sonokai: Cloning into 'C:\Users\brito\AppData\Local\nvim-d'
```

The background of the window features a dark, artistic image of a figure's head in profile, facing right, with a bright light source at the horizon. The status bar at the bottom displays the following information:

[Plugins] 1,1 Tudo [Sem nome] 0,0-1 Tudo

Windows taskbar icons are visible at the very bottom.




A screenshot of a dark-themed Vim editor window. The title bar shows the path: C:\Users\bruno\OneDrive - Wesleyan\Documentos\programador. The menu bar includes Arquivo, Editar, Localizar, Visualizar, Formatar, Linguagem, Configurações, Ferramentas, and M. Below the menu is a toolbar with various icons. The main area displays two tabs: 'init.vim' and '.vimrc'. The '.vimrc' tab is active, showing the following configuration code:

```
1 call plug#begin()
2 Plug 'sainnhe/sonokai'
3 call plug#end()
4
5
6
7 " Global Sets """
8 syntax on          " Enable syntax highlight
9 set nu            " Enable line numbers
10 set tabstop=4     " Show existing tab with 4 spaces width
11 set softtabstop=4   " Show existing tab with 4 spaces width
12 set shiftwidth=4    " When indenting with '>'. use 4 spaces width
```

AGORA ADICIONEI VAMOS TESTAR

O erro era esse mesmo agora ele instalou no vim




[No Name]

:q

Pra sair



Adicione essa linha aos dois arquivos para habilitar o tema



```
C:\Users\brito\AppData\Local\nvim\init.vim - Notepad+ [Administrator]
Arquivo Editar Localizar Visualizar Formatar Linguagem Configurações Ferramentas Macro Executar Plugins Janela ?
init.vim .vimrc

9 set nu          " Enable line numbers
10 set tabstop=4   " Show existing tab with 4 spaces width
11 set softtabstop=4 " Show existing tab with 4 spaces width
12 set shiftwidth=4 " When indenting with '>', use 4 spaces width
13 set expandtab    " On pressing tab, insert 4 spaces
14 set smarttab      " Insert tabs on the start of a line according to shiftwidth
15 set smartindent    " Automatically inserts one extra level of indentation in some cases
16 set hidden        " Hides the current buffer when a new file is opened
17 set incsearch     " Incremental search
18 set ignorecase    " Ignore case in search
19 set smartcase      " Consider case if there is an upper case character
20 set scrolloff=8    " Minimum number of lines to keep above and below the cursor
21 set colorcolumn=100 " Draws a line at the given line to keep aware of the line size
22 set signcolumn=yes " Add a column on the left. useful for linting
23 set cmdheight=2     " Give more space for displaying messages
24 set updatetime=100   " Time in milliseconds to consider the changes
25 set encoding=utf-8   " The encoding should be utf-8 to activate the font icons
26 set nobackup       " No backup files
27 set nowritebackup   " No backup files
28 set splitright      " Create the vertical splits to the right
29 set splitbelow      " Create the horizontal splits below
30 set autoread        " Update vim after file update from outside
31 set mouse=a         " Enable mouse support
32 filetype on         " Detect and set the filetype option and trigger the filetype
33 filetype plugin on  " Load the plugin file for the file type, if any
34 filetype indent on  " Load the indent file for the file type, if any
35
36
37
38 " Themes """
39 colorscheme sonokai
40
41
42 " Remaps """
43 " remaps aqui
44
45
46
47 " autocmd """
48 " autocmds aqui

Normal text file | length : 2.484 lines: 48 | Ln : 40 Col : 5 Pos : 2.142 | Windows (CR LF) | UTF-8 | INS

```

Adicione essas linhas aos dois arquivos e salve lembrando de que se for visualizar precisa reiniciar o vim ou o

C:\Users\brito\AppData\Local\nvim\init.vim - Notepad++ [Administrator]

Arquivo Editar Localizar Visualizar Formatar Linguagem Configurações Ferramentas Macro Executar Plugins Janela ?

init.vim .vimrc

```
9 set nu          " Enable line numbers
10 set tabstop=4   " Show existing tab with 4 spaces width
11 set softtabstop=4 " Show existing tab with 4 spaces width
12 set shiftwidth=4 " When indenting with '>', use 4 spaces width
13 set expandtab    " On pressing tab, insert 4 spaces
14 set smarttab      " Insert tabs on the start of a line according to shiftwidth
15 set smartindent    " Automatically inserts one extra level of indentation in some cases
16 set hidden        " Hides the current buffer when a new file is opened
17 set incsearch     " Incremental search
18 set ignorecase    " Ignore case in search
19 set smartcase      " Consider case if there is an upper case character
20 set scrolloff=8    " Minimum number of lines to keep above and below the cursor
21 set colorcolumn=100 " Draws a line at the given line to keep aware of the line size
22 set signcolumn=yes " Add a column on the left. useful for linting
23 set cmdheight=2     " Give more space for displaying messages
24 set updatetime=100   " Time in milliseconds to consider the changes
25 set encoding=utf-8   " The encoding should be utf-8 to activate the font icons
26 set nobackup       " No backup files
27 set nowritebackup   " No backup files
28 set splitright      " Create the vertical splits to the right
29 set splitbelow      " Create the horizontal splits below
30 set autoread        " Update vim after file update from outside
31 set mouse=a         " Enable mouse support
32 filetype on         " Detect and set the filetype option and trigger the filetype
33 filetype plugin on  " Load the plugin file for the file type, if any
34 filetype indent on  " Load the indent file for the file type, if any
35
36
37
38 " Themes """
39 let g:sonokai_style = 'andromeda'
40 let g:sonokai_enable_italic = 1
41 let g:sonokai_diagnostic_line_highlight = 1
42 let g:sonokai_current_word = 'bold' ←
43 colorscheme sonokai
44
45 " Remaps """
46 " remaps aqui
47
48
49
```

Normal text file | length : 2.630 lines : 51 | Ln: 44 Col: 1 Pos: 2.290 | Windows (CR LF) | UTF-8 | INS

Adicione essas linhas aos dois arquivos mas só funciona no nvim

C:\Users\brito\vimrc - Notepad++ [Administrator]

funciona no nvim

Arquivo Editar Localizar Visualizar Formatar Linguagem Configurações Ferramentas Macro Executar Plugins Janela ?

init.vim vimrc

```
19 set smartcase " Consider case if there is a upper case character
20 set scrolloff=8 " Minimun number of lines to keep above and below the cursor
21 set colorcolumn=100 " Draws a line at the given line to keep aware of the line size
22 set signcolumn=yes " Add a column on the left. useful for linting
23 set cmdheight=2 " Give more space for displaying messages
24 set updatetime=100 " Time in miliseconds to consider the changes
25 set encoding=utf-8 " The encoding should be utf-8 to activate the font icons
26 set nobackup " No backup files
27 set nowritebackup " No backup files
28 set splitright " Create the vertical splits to the right
29 set splitbelow " Create the horizontal splits below
30 set autoread " Update vim after file update from outside
31 set mouse=a " Enable mouse support
32 filetype on " Detect and set the filetype option and trigger the filetype
33 filetype plugin on " Load the plugin file for the file type, if any
34 filetype indent on " Load the indent file for the file type, if any
35
36
37
38 " Themes """
39 if exists('+termguicolors')
40     let &t_8f = "\<Esc>[38;2;%lu;%lu;%lum"
41     let &t_8f = "\<Esc>[38;2;%lu;%lu;%lum"
42     set termguicolors
43 endif
44
45 let g:sonokai_style = 'andromeda'
46 let g:sonokai_enable_italic = 1
47 let g:sonokai_diagnostic_line_highlight = 1
48 let g:sonokai_current_word = 'bold'
49 colorscheme sonokai
50
51
52 " Remaps """
53 " remaps aqui
54
55
56
57 " autocmd """
58 " autocmds aqui
```

Adicione essas linhas mais lembre-se elas só funcionam com o nvim

C:\Users\brito\AppData\Local\nvim\init.vim - Notepad++ [Administrator]

Arquivo Editar Localizar Visualizar Formatar Linguagem Configurações Macro Executar Plugins Janela ?

init.vim .vimrc

```
24 set updatetime=100 " Time in milliseconds to consider the changes
25 set encoding=utf-8 " The encoding should be utf-8 to activate the font icons
26 set nobackup " No backup files
27 set nowritebackup " No backup files
28 set splitright " Create the vertical splits to the right
29 set splitbelow " Create the horizontal splits below
30 set autoread " Update vim after file update from outside
31 set mouse=a " Enable mouse support
32 filetype on " Detect and set the filetype option and trigger the filetype
33 filetype plugin on " Load the plugin file for the file type, if any
34 filetype indent on " Load the indent file for the file type, if any
35
36
37
38 " Themes """
39 if exists('+termguicolors')
40     let &t_8f = "\<Esc>[38;2;%lu;%lu;%lum]"
41     let &t_8f = "\<Esc>[38;2;%lu;%lu;%lum]"
42     set termguicolors
43 endif
44
45 let g:sonokai_style = 'andromeda'
46 let g:sonokai_enable_italic = 1
47 let g:sonokai_diagnostic_line_highlight = 1
48 let g:sonokai_current_word = 'bold'
49 colorscheme sonokai
50
51 if (has("nvim")) "Transparent background. Only for nvim"
52     highlight Normal guibg=NONE ctermbg=NONE
53     highlight EndOfBuffer guibg=NONE ctermbg
54 endif
55
56 |
57 " Remaps """
58 " remaps aqui
59
60
61
62 " autocmd """
63 " autocmds aqui
```









