Advanced Machine Learning Cristian Perez Jensen October 26, 2024

Note that these are not the official lecture notes of the course, but only notes written by a student of the course. As such, there might be mistakes. The source code can be found at github.com/cristianpjensen/eth-cs-notes. If you find a mistake, please create an issue or open a pull request.

Contents

List of symbols

 \doteq Equality by definition

Approximate equality \approx

Proportional to

Set of natural numbers \mathbb{N}

 ${\rm I\!R}$ Set of real numbers

i:jSet of natural numbers between i and j. *I.e.*, $\{i, i+1, ..., j\}$

 $f:A\to B$ Function *f* that maps elements of set *A* to elements of

set B

1{predicate} Indicator function (1 if predicate is true, otherwise 0)

 $v \in \mathbb{R}^n$ *n*-dimensional vector

 $\mathbf{M} \in \mathbb{R}^{m \times n}$ $m \times n$ matrix

 M^{\top} Transpose of matrix M

 M^{-1} Inverse of matrix M

det(M)Determinant of M

 $\frac{\mathrm{d}}{\mathrm{d}x}f(x)$ Ordinary derivative of f(x) w.r.t. x at point $x \in \mathbb{R}$

 $\frac{\partial}{\partial x} f(x)$ Partial derivative of f(x) w.r.t. x at point $x \in \mathbb{R}^n$

 $\nabla_x f(x) \in \mathbb{R}^n$ Gradient of $f: \mathbb{R}^n \to \mathbb{R}$ at point $x \in \mathbb{R}^n$

 $\nabla_x^2 f(x) \in \mathbb{R}^{n \times n}$ Hessian of $f : \mathbb{R}^n \to \mathbb{R}$ at point $x \in \mathbb{R}^n$

References