





		Automotive Product Group 6501 William Cannon Drive West Austin, TX 78725-8598	
This document contains information proprietary to NXP and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of NXP Semiconductors.			
© NXP SEMICONDUCTORS		Classification:	-FCP> X
Designer: Antonio Q. / Ethen D.	Drawing Title:	FRDM-A-S32K344	
Drawn by: Antonio Quiróz	Page Title:	NOTES & BLOCK DIAGRAM	
Approved: Ethen Diaz	Size C	Document Number SCH-96536 PDF: SPF-96535	Rev A
Date:	Wednesday, January 28, 2020	Sheet 2	of 14

VBUS DET


USB TYPE-C PD



Always ON LDO

USB PD

USB2.0 TYPE-C




SYS PWR SW

Control CC for Type-C PD power on/off control




SW1	PD ADAPTER
1-2-3-5	ON (default)
3-2-5	ON

		Automotive Product Group 6501 Williams Cannon Drive West Austin, TX 78725-6508	
This document contains information proprietary to NXP and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of NXP Semiconductors.			
© NXP SEMICONDUCTORS Designer: Antonio Q. / Ethen D.	Drawing Title: FRDM-A-S32K344	Classification: <FC>	X
Drawn by: Antonio Quiróz	Page Title: USB TYPE-C		
Approved: Ethen Diaz	Size C	Document Number SCH-96336 PDF: SPF-96336	Rev A
Date: Wednesday, Jan 28, 2020		Sheet 3 of 14	

FS26 - Power Supply **SMPS-based SBC**








Power Supply Pins



		Automotive Product Group 6501 William Cannon Drive West Austin, TX 78735-6068	
This document contains information proprietary to NXP and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of NXP Semiconductor.			
© NXP SEMICONDUCTORS		Classification: -FCP- X	
Designer: Antonio G. / Elen D.		Drawing Title: FRDM-A-S32K344	
Drawn by: Antonio Guizao		Page Title: S32K33Xx - MCU POWER Supply Pins	
Approved: Elen Diaz		Size C Document Number SCH-96536 PDF: SPUR-96536	Rev A
Date: Wednesday, January 28, 2020		Sheet 5 of 14	



Ports A/B/C/D/E











		Automotive Product Group 6000 Weghorst 6000 Weghorst 6000 Weghorst	
No document content is intended to be used for any other purpose than the intended use of the product.		No document content is intended to be used for any other purpose than the intended use of the product.	
OpenSDA Interface		FRDM-A-S32K344	
Version: 1.0		Date: 2023-01-10	
Author: NXP		Project: FRDM-A-S32K344	
Description: OpenSDA Interface		Document: SCH-00000000000000000000	
Date: 2023-01-10		Version: 1.0	

LIN Physical Layer
TJA1022T: Quad LIN 2.2A/SAE J2602 transceiver









		Automotive Product Group 6501 Williams Cannon Drive West Austin, TX 78725-8598	
This document contains information proprietary to NXP and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of NXP Semiconductors.			
© NXP SEMICONDUCTORS		Classification: <FCP> X	
Designer: Antonio Q. / Ethen D.	Drawing Title: FRDM-A-S32K344		
Drawn by: Antonio Quinonez	Page Title: QSPI Memory Interface		
Approved: Ethen Diaz	Size C	Document Number SCH-96536 PDF: SPF-96536	Rev A
Date: Wednesday, January 28, 2020		Sheet 11	of 14

ACCEL SENSOR



I2C ADDRESS: WR:30 RD:31

TEMP SENSOR



I2C ADDRESS: 0X90

JUMPER Table

REF DES	JUMPER(DEFAULT)	PAGE NAME
JP11	I-2	04. FS26
JP4,JP5	I-2	05. MCU PWR
J12	OPEN	07. OPENSDA K26
JP1	I-2	12. ARDUINO HDRS

DNP Table

REF DES	ASSY_OPT	PAGE NAME
R88,R123,R128,R448,R449,R455, R456,R457,R458,R502,R730, TPH23	DNP	03. USB TYPE-C/PD
C1,C9,D1,J10,R4,R42,R529, R733,TPH2,TPH11	DNP	04. FS26
C62,C63,C64,Q5,R47,TPH3	DNP	05. MCU PWR
R50,R64,R65,R66,R67,R76,R79, R81	DNP	06. MCU PORTS1
C99,J12,R107,R115,R116,R117, R118,R138,R150,R153,TPH10, TPH16	DNP	07. OPENSDA K26
C104,C105,C113,C114,R167, R168,R170,R180,R181,R182, R454,R535,R536,TPH24	DNP	08. CAN/LIN PHY
C117,C118,C119,C120,R183, R184,R185,R186,R191,R192, R194,R195,R196,R199,R200, R202,R206,R207,R208,R209, R212,R213,R214,R215,R221, R222,R225,R230,R231,R236, R237,R238,R239,R245,R246, R247,R248,R250,R251,R252, R253,R254,R255,R266,R268, R269,R305,R307,R308,R309, R311,R443,R537,R539,R542,R544	DNP	09. ETHERNET 10/100BASET
C133,C134,C135,C136,C137, C138,J8,R272,R273,R274,R275, R276,R277,R278,R279,R282, R283,R284,R285,R286,R287, R288,R289,R290,R291,R292, R293,R295,R296,R297,R298, R299,R300,R301,R302,R303, R304,TPH7,TPH12	DNP	10. ETHERNET CONNECTOR
R325,R326,R327,R328,R329, R330,R346,R350,R351,R352, R353,R368,TPH6,TPH19	DNP	11. QSPIA / JTAG / PERIPHERALS
JB1,JB3,JB6,R371,R372,R373, R384,R385,R386,R387,R388, R390,R393,R395,R398,R399, R400,R402,R410,R413,R414, R416,R418,R420,R421,R422, R423,R430,R433,R434,R435	DNP	12. ARDUINO HDRS
R523	DNP	13. SENSORS

SWITCH Table

REF DES	SWITCH(DEFAULT)	PAGE NAME
SW5	I-2 / 4-5	03. USB TYPE-C/PD

Shunt Table

REF DES	SHORT(DEFAULT)	PAGE NAME
SJ4	I-2	05. MCU PWR
SJ1,SJ2	I-2	07. OPENSDA K26
SJ5	I-2	13. SENSORS

		Automotive Product Group 6501 Williams Cannon Drive West Austin, TX 78725-6598	
This document contains information proprietary to NXP and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of NXP Semiconductors.			
© NXP SEMICONDUCTORS		Classification:	<FCP> X
Designer: Antonio Q. / Ethen D.	Drawing Title: FRDM-A-S32K344		
Drawn by: Antonio Quiroz	Page Title: NOTES & BLOCK DIAGRAM		
Approved: Ethen Diaz	Size C	Document Number SCH-96536 PDF: SPF-96535	Rev A
Date: Wednesday, January 28, 2026		Sheet 14 of 14	