

Unknown Title

: 13/11/2025



[Documentation](#) → [PostgreSQL 18](#)

Supported Versions: [Current \(18\)](#) / [17](#) / [16](#) / [15](#) / [14](#)

Development Versions: [devel](#)

Unsupported versions: [13](#) / [12](#) / [11](#) / [10](#) / [9.6](#) / [9.5](#) / [9.4](#) / [9.3](#) / [9.2](#) / [9.1](#) / [9.0](#) / [8.4](#) / [8.3](#) / [8.2](#) / [8.1](#) / [8.0](#) / [7.4](#) / [7.3](#) / [7.2](#) / [7.1](#)

CREATE USER SQL Commands

[Prev](#)

[Up](#)

[Home](#)

[Next](#)

CREATE USER

CREATE USER — define a new database role

Synopsis

CREATE USER

name

[[WITH]

option

[...]]

where

option

can be:

SUPERUSER | NOSUPERUSER
| CREATEDB | NOCREATEDB
| CREATEROLE | NOCREATEROLE
| INHERIT | NOINHERIT
| LOGIN | NOLOGIN
| REPLICATION | NOREPLICATION
| BYPASSRLS | NOBYPASSRLS
| CONNECTION LIMIT

connlimit

```

    | [ ENCRYPTED ] PASSWORD '
password
' | PASSWORD NULL
  | VALID UNTIL '
timestamp
'
  | IN ROLE
role_name
[, ...]
  | IN GROUP
role_name
[, ...]
  | ROLE
role_name
[, ...]
  | ADMIN
role_name
[, ...]
  | USER
role_name
[, ...]
  | SYSID
uid

```

Description

CREATE USER is now an alias for [CREATE ROLE](#). The only difference is that when the command is spelled CREATE USER, LOGIN is assumed by default, whereas NOLOGIN is assumed when the command is spelled CREATE ROLE.

Compatibility

The CREATE USER statement is a PostgreSQL extension. The SQL standard leaves the definition of users to the implementation.

See Also

[CREATE ROLE](#)

Submit correction

If you see anything in the documentation that is not correct, does not match your experience with the particular feature or requires further clarification, please use [this form](#) to report a documentation issue.