

consumo API

Add a description...

GET get



http://localhost:3000/search/?allUser=true&oneUser=true&id=5ea33857e6c47b17183e45fb

this url is used to consult the users of the database exchange json information and the GET vervo is used

Params

allUser true consult all registered users oneUser true consult a single registered user

i	d	5ea33857e6c47b17183e45fb
		registration id

Example Request get

curl --location --request GET 'http://localhost:3000/search/?allUser=true&oneUser=true&id=5e a33857e6c47b17183e45fb'

DELETE delete



http://localhost:3000/delete?allUser=true&oneUser=true&id=5ea3672d72582c24202f935e

This url is used to remove user data from the database. json information exchange and DELETE is used as vervo

Headers

Content-Type	application/json
	use json

Params

allUser	true
	delete all registered users
oneUser	true
	delete a single registered user
id	5ea3672d72582c24202f935e
	registration id

Example Request delete

```
curl --location --request DELETE 'http://localhost:3000/delete?allUser=true&oneUser=true&id=
5ea3672d72582c24202f935e' \
--header 'Content-Type: application/json'
```

PUT put



http://localhost:3000/update?id=5ea363c8f5be6b2920ed23be

This url is used to update the data of the users of the database. json information exchange and use PUT as vervo

Headers

Content-Type	application/json	
--------------	------------------	--

Params

```
id
                           5ea363c8f5be6b2920ed23be
                           registration id
```

Body raw (application/json)

```
{
   "nombre": "?",
    "apellido": "?",
    "email": "?",
    "fechaNacimiento": "?",
    "tipoDoc": "?",
    "movil": "?",
   "numeroDoc": "?"
}
```

Example Request put

```
curl --location --request PUT 'http://localhost:3000/update?id=5ea363c8f5be6b2920ed23be' \
--header 'Content-Type: application/json' \
--data-raw '{
    "nombre": "?",
    "apellido": "?",
    "email": "?",
    "fechaNacimiento": "?",
    "tipoDoc": "?",
    "movil": "?",
    "numeroDoc": "?"
```

POST REGISTRATION-FORM



http://localhost:3000/registration-form

this url is used to register the vervo is POST json is used to exchange information the form's schema is: { "Name": "?", "surname": "?", "email": "?", "birth date": "?", "tipoDoc": "?", "mobile": "?", "docDoc": "?" }

Headers

Content-Type	application/json
	use json
Content-Type	multipart/form-data use for img and pdf files

Body raw (application/json)

```
"nombre": "?",
   "apellido": "?",
    "email": "?",
    "fechaNacimiento": "?",
    "tipoDoc": "?",
   "movil": "?",
   "numeroDoc": "?"
}
```

Example Request REGISTRATION-FORM

```
curl --location --request POST 'http://localhost:3000/registration-form' \
--header 'Content-Type: application/json' \
--header 'Content-Type: multipart/form-data' \
--data-raw '{
    "nombre": "?",
    "apellido": "?",
    "email": "?",
    "fechaNacimiento": "?",
    "tipoDoc": "?",
    "movil": "?"
```