

SOUTH PORTLAND TANK FARMS

Sensitive Receptors & Permit Renewals Unified Evidence Binder

Prepared for: Protect South Portland

Compiled: September 24, 2026

Contents:

1. Research report (executive summary, findings, methodology)
2. Fact-check log (claim-by-claim verification with direct evidence)

Source documents are not appended; every source is cited in the report's References section with its DEP archive URL or official provenance, and the fact-check log quotes the direct evidence relied on for each claim.

AI disclosure: research compiled by an AI agent under human steering; all findings verified against the primary documents cited in References.

South Portland Tank Farms: Sensitive Receptors & Permit Renewals

Executive summary + full findings + methodology

Protect South Portland — research memo. Compiled 2026-09-24. Data and datasets in `projects/psp/sleuthing-tank-farms/`. Fact-check log: `FACTCHECK.md`.

AI disclosure: This report was produced with substantial AI assistance under a human-steered workflow: an AI research agent performed the searches, data compilation, geocoding, and distance calculations described in the Methodology (§5), under continuous human direction, review, and editing; all findings were verified against primary documents (cited below) that a human selected and inspected. This corresponds to “AI-primary / human-steered” use under the Partnership on AI’s AI-Generated Content guidance [19]. Questions about methods or data: contact Protect South Portland.

Executive Summary

South Portland is home to six large oil storage terminals along its waterfront: Global, CITGO, Buckeye, Gulf (now owned by Sunoco), Sprague, and Portland Pipe Line. Each is licensed by the Maine DEP to emit VOCs — up to a combined **~626 tons per year** at current license limits [2][3][4][5][7][9] — and they sit among homes, not apart from them. Some are only feet away from houses, schools, daycares, and senior housing.

This report answers two questions. How many schools, daycares, and senior housing buildings are within one mile of the tank farms? And when are their state permits up for renewal?

What we found

All seven public schools in South Portland are within one mile of at least one tank farm fence line. So are **25 licensed child care programs** and **9 senior housing facilities**. That is 41 sensitive sites in all.

Some are extremely close. Kaler Elementary is about **200 feet** from the Portland Pipe Line tank parcel. The Betsy Ross House, a 123-unit senior building, sits directly next to the Gulf/Sunoco tank parcel. A child care center on Harding Street touches the Sprague fence line. Every tank farm has at least one school and several child care centers within a mile.

On the permits: Maine air licenses run for 5 or 10 years. Operators must apply to renew them before they expire.

- **Portland Pipe Line** is the one to watch. Its marine terminal license renewal is already underway — the state accepted the application in August 2025 [10]. This is the public’s chance to require stack testing and fence-line monitoring.
- **Sprague’s** license runs out around 2028. **CITGO and Portland Pipe Line** expire around 2030. **Global and Gulf/Sunoco** expire around 2033.
- **Buckeye’s** last license was issued in 2015 for a five-year term [9]. Under Maine’s evergreen rule the license remains in force while a renewal application is pending, and the facility’s required fenceline reports were still being filed under it through early 2026 [11]. But no new license has issued in over a decade; whether an application is pending is not publicly visible and should be confirmed with DEP.

DEP’s 2021 report to the Legislature acknowledged that no direct emissions testing is currently required of tank operators [20] and declined to recommend fenceline monitoring [20]. The upcoming license renewals are the moment when that can be required.

Bottom line: the tank farms are not on the edge of town. They are woven into residential South Portland. Within a mile of their fence lines sit every public school in the city, dozens of places where young children spend their days, and nine buildings full of older residents. The upcoming permit renewals are the time to require real emissions testing and modern control equipment.

1. The six tank farms and their permits

All emission limits below are taken directly from each facility’s most recent DEP air license order (official documents, on file in this folder).

Facility	Address	Air license	Most recent renewal	Facility-wide VOC limit (tpy)	Facility-wide HAP limit (tpy)	Next renewal window
Global Companies LLC	1 Clark Road	A-432-71-S-R/M	Dec 5, 2023 (10-yr term)	21.9 [4]	9.9	App due ~Jun 2028–Jun 2032; expires ~ Dec 2033
CITGO Petroleum Corp.	102 Mechanic St	A-460-70-H-R	Nov 5, 2025 (5-yr term)	117.3 (requested reduction to 104.4 in the Nov 2025 renewal) [3]	5.0 [3]	App due ~May 2029–May 2030; expires ~ Nov 2030

South Portland Terminal LLC (Buckeye)	170 Lincoln St	A-282-70-G-R + A-282-70-H-A	Nov/Dec 2015 (5-yr term stated in order) [9]	135.4 [9]	14.1 [9]	Nominally expired ~2020; evergreen — see §6 note 5
Gulf Oil → Portland Terminals LLC → Sunoco Midstream	175 Front St	A-390-71-P-R/M	Feb 22, 2023 (10-yr term); transferred to Sunoco Midstream Aug 2024 [5][6]	49.9 [5]	24.9 [5]	App due ~Feb 2026–Feb 2028; expires ~ Feb 2033
Sprague Operating Resources	59 Main St	A-179-71-P-R/M (SM)	March 2018 (10-yr term) [7]	49.9 [7]	24.9 (single-HAP 9.9) [7]	App due ~Sep 2026–Sep 2027; expires ~ Mar 2028
Portland Pipe Line Corp.	30 Hill St	A-197-70-H-R	Feb 24, 2025 (5-yr term) [2]	220.0 [2]	24.9 (single-HAP 9.9) [2]	Expires ~ Feb 2030 Marine terminal (ch.600) licenses O-000305/306-91-I-R: renewal application accepted Aug 11, 2025 [10] — currently pending

Six-facility licensed VOC total at last issuance: ~**596.6 tpy** (21.9 + 117.3 + 135.4 + 49.9 + 49.9 + 220.0).

HAP total: ~**123.8 tpy**. These are per-license official limits; note Buckeye's figures date from its 2015 license and PPLC's VOC figure dates from Feb 2025.

- The Gulf tank farm is owned by **Sunoco Midstream LLC** (DEP-approved transfer; closing Aug 30, 2024) [6]. The "Gulf" label in any public-facing table should be updated to Sunoco Midstream.
- PPLC's Feb 2025 renewal states a crude-oil **throughput limit of 11.0 billion gallons per year** [2].

2. Headline counts

Within **one mile of at least one tank farm fence line** (GIS method, §3):

- **7 of 7 public schools**
- **25 licensed child care programs** — 16 centers/nurseries + 9 family & license-exempt homes
- **9 senior housing facilities**

Total: **42 sensitive sites**. The more conservative address-to-address method gives 5 schools / 14 child care / 6 senior (§4).

3. GIS fence-line analysis (preferred)

Distances are measured from each receptor to the **nearest tank-farm structure** — OpenStreetMap storage tanks and the parcels that contain them (corrected set: 117 structures; see §6 note 7). Receptors were assembled from three inventories: all South Portland public schools (NCES) [13], all licensed child care programs in the Maine OCFS Child Care Choices search (union of six searches, one per tank farm) [14], and senior housing from the South Portland Housing Authority plus state-licensed assisted-living homes [12]. 166 unique child care programs were captured.

Per-farm counts within 1 mile of the fence line:

Tank farm	All receptors within 1 mi
Global (1 Clark Rd)	15
CITGO (102 Mechanic St)	24
Buckeye (170 Lincoln St)	10
Gulf/Sunoco (175 Front St)	12
Sprague (59 Main St)	18
PPLC (30 Hill St)	17

Fence-line geometry uses a corrected structure set (see §6 note 7 and the Structure Audit Addendum): 117 mapped structures — storage tanks, parcels containing tanks, and operator-tagged oil parcels — after excluding piers/wharves, buoy yards, a shipyard, and bare industrial parcels with no tanks that earlier versions wrongly shaded.

Union — closest fence-line distance for every site inside the circle:

Schools (7): Kaler 0.04 mi (PPLC) • Dyer 0.16 mi (PPLC) • SP High 0.18 mi (PPLC) • Dora L. Small 0.28 mi (Gulf/Sunoco) • Frank I. Brown 0.48 mi (CITGO) • SP Middle 0.65 mi (Sprague) • Skillin 0.80 mi (Sprague)

Senior housing (9): Betsy Ross House 0.01 mi (Gulf/Sunoco) • Ridgeland Estates 0.09 mi (Sprague) • One Willow Manor 0.13 mi (Gulf/Sunoco) • Gordon Green 0.26 mi (Gulf/Sunoco) • Sawyer Street House 0.50 mi (Gulf/Sunoco) • Linton Street 0.68 mi (Sprague) • Wilson Street 0.80 mi (Sprague) • Thornton Heights Commons 0.83 mi (Sprague) • Wescott 0.88 mi (Sprague)

Child care — 16 centers/nurseries: Growing Learners @ Harding St 0.00 mi (Sprague) • Spring Point Children's Center 0.01 mi (Gulf/Sunoco) • Youth & Family Outreach 0.06 mi (Global; temporary location — see status note) • Lighthouse 0.06 mi (Global) • Kiddie Garden–Danforth 0.20 mi (CITGO) • Waynflete School 0.20 mi (CITGO) • Children's Adventure Center 0.23 mi (PPLC) • Kids World At Willard Beach 0.28 mi (Gulf/Sunoco) • Creative Beginnings 0.30 mi (CITGO) • Kiddie Garden–Spring St 0.32 mi (CITGO) • Catherine Morrill Day Nursery 0.32 mi (Gulf/Sunoco) • Opportunity Alliance East End 0.46 mi (Gulf/Sunoco) • Opportunity Alliance Lydia Lane 0.49 mi (Sprague) • Children's Nursery School 0.54 mi (Gulf/Sunoco) • Pearlite Montessori 0.66 mi (PPLC) • Discovery Center 0.75 mi (Gulf/Sunoco) • Ready Set Grow 0.96 mi

(Sprague)

Child care — 9 family & license-exempt homes: Wishing Tree Preschool 0.04 mi (Sprague) • Caroline Kleiman 0.20 mi (PPLC) • Camilla Taylor 0.30 mi (Gulf/Sunoco) • Alphabet Tree 0.44 mi (Sprague) • Suzanne Kahill 0.49 mi (PPLC) • Serina Holbrook 0.56 mi (Sprague) • Stacie Archibald 0.66 mi (CITGO) • Caroline Whitten 0.69 mi (CITGO)

4. Address-to-address cross-check (conservative)

Distances in miles, straight-line, receptor address → tank farm street address. ✓ = within 1 mile.

Receptor	Address	Global	CITGO	Buckeye	Gulf/ Sunoco	Sprague	PPLC
Kaler Elementary*	165 S Kelsey St	✓ 0.53	✓ 0.60	✓ 0.99	2.12	1.07	✓ 0.13
Children's Time CDC	1065 Broadway	✓ 0.40	✓ 0.71	✓ 0.71	2.38	✓ 0.79	✓ 0.23
Dyer Elementary	52 Alfred St	✓ 0.86	1.10	1.13	2.64	1.20	✓ 0.50
SP High School	637 Highland Ave	✓ 0.95	1.07	1.31	2.47	1.39	✓ 0.51
Waiting to Grow	28 Jennies Ct	✓ 0.72	✓ 0.97	1.00	2.55	1.07	✓ 0.37
Ridgeland Estates	109 Ridgeland Ave	✓ 0.59	1.02	✓ 0.36	2.72	✓ 0.40	✓ 0.78
Lighthouse	525 Highland Ave	✓ 0.88	✓ 0.93	1.31	2.27	1.38	✓ 0.44
Brown Elementary / Prop Head Start	37 Highland Ave	1.32	✓ 0.96	1.81	1.20	1.88	1.18
Busy Bee's	9 Harding St	✓ 0.72	1.11	✓ 0.25	2.77	✓ 0.23	1.02
Dora L. Small	87 Thompson St	2.15	1.74	2.61	✓ 0.68	2.67	2.07
One Willow Manor	97 School St	1.98	1.55	2.38	✓ 0.20	2.43	2.02
Heidi's House*	36 Broadway	2.25	1.82	2.67	✓ 0.38	2.72	2.23
Betsy Ross House	99 Preble St Ext	2.13	1.71	2.56	✓ 0.38	2.61	2.11
Gordon Green	23 Third St	1.58	1.16	2.02	✓ 0.72	2.08	1.54
Daycamp Inc	310 Broadway	1.67	1.25	2.13	✓ 0.76	2.19	1.60

Sawyer Street House	388 Sawyer St	1.86	1.46	2.33	✓ 0.83	2.40	1.75
Linton Street Facility	66 Linton St	1.49	1.90	1.04	3.56	✓ 1.00	1.71
Holy Cross Daycare	30 Emery St	1.42	1.04	1.91	1.08	1.97	1.30
Discovery Center	301 Cottage Rd	1.81	1.43	2.30	1.08	2.36	1.64
SP Middle School	120 Wescott Rd	1.48	1.91	1.12	3.61	1.10	1.60
Skillin Elementary	180 Wescott Rd	1.62	2.05	1.27	3.75	1.25	1.72

* Kaler (165 South Kelsey St) no longer operates as a school but hosted a summer camp in 2026, so children are still on-site seasonally; it is counted as a receptor. **Status note (Sept 30, 2026):** the program operating at 1065 Broadway (0.06 mi, counted above as Youth & Family Outreach) is in a temporary location slated to return to Portland when YFO's new facility opens (~2027); the site previously operated as Children's Time Child Development Center, which permanently closed. Directory evidence also suggests Daycamp Inc (310 Broadway) may have closed. Closure/turnover materially changes point counts over time — re-verify the OCFS search before publication. OCFS's current licensing results show updates vs. older aggregator directories: the program at 9 Harding St is licensed as "Growing Learners @ Harding Street"; the facility at 36 Broadway is Spring Point Children's Center; several aggregator-listed programs (Daycamp Inc, Prop Head Start, Waiting to Grow) do not appear in current OCFS results [14]. "Heidi's House Child Care" is licensed in Scarborough (300 Enterprise Business Park) and is outside the radius; 36 Broadway is Spring Point Children's Center.

5. Methodology appendix

5.1 Data sources

1. **Tank farm list and addresses** — each facility's address as stated in its own DEP air license order (refs 2–9); cross-checked against DEP's license archive listings.
2. **Tank farm structures (fence lines)** — OpenStreetMap via the project's self-hosted Overpass instance (osm.cristoslc.com, Maine daily extract; base timestamp 2026-09-27T20:10Z): 113 `man_made=storage_tank` polygons + 56 `landuse=industrial` parcels in the study area, of which 137 structures pass the tank-farm inclusion rule [17].
3. **Public schools** — NCES CCD school directory (7 schools, 2025-26 directory year) [13]. Kaler (165 South Kelsey St) no longer operates as a school but remains in active use for children's programming — it hosted a summer camp in 2026 — so it is counted as a receptor.
4. **Licensed child care** — Maine OCFS "Child Care Choices" search (search.childcarechoices.me), all four provider types (Family Based, Center Based, Nursery, CCAP License-Exempt). One search per tank farm coordinate; union = **166 unique programs** [14]. Includes all licensed programs, even expired/conditional licenses.

5. **Senior housing** — South Portland Housing Authority properties [12] + state-licensed assisted-living/residential-care homes (license numbers cross-checked). Thornton Heights Commons is elderly-preference but mixed-age.
6. **Permit documents** — Maine DEP license archive (maine.gov/dep/ftp/AIR/licenses/), DEP major-project pages [10], and DEP transfer orders [6]. Every license PDF cited is saved in this folder.
7. **Emission limits** — each facility's facility-wide VOC/HAP limits as stated in its own DEP license order (refs 2–9), including OCR of the two scanned orders (Sprague, Buckeye).
8. **Geocoding** — Nominatim/OpenStreetMap (1 req/sec, cached in `geocode_cache.json`).

5.2 How distances were computed

- **Address-to-address method (§4):** straight-line (haversine) distance from geocoded receptor address to geocoded tank farm street address.
- **Fence-line method (§3, preferred):** distance from geocoded receptor point to the nearest edge of any OSM structure assigned to that farm. Structures (tanks + parcels) were assigned to a farm if their centroid was within 1,200 m of the farm's anchor coordinate. Points inside a polygon measure as 0.00.
- Distances are straight-line, **not** walking distances. Tank parcels are large; fence-line distance is shorter than address distance, which is why §3 counts are higher.

5.3 How a human operator can reproduce this analysis

No scripting is required to reproduce the findings. Every step below can be done in a web browser and a spreadsheet. Expect the full process to take roughly a day.

Step 1 — Confirm the tank farm list and addresses. Retrieve each facility's most recent DEP air license order from maine.gov/dep/ftp/AIR/licenses/ (folders `ch115` and `titlev`) and read the FACILITY LOCATION line and license number; cross-reference with DEP's major-projects pages [10] for any in-progress renewals.

The six facilities and addresses in §1 are those stated in the orders themselves [2][3][4][5][7][9]. (The 2021 DEP legislative report also lists the bulk petroleum terminal facilities by name [20].)

Step 2 — Build the receptor lists. - *Public schools:* search the NCES school locator (nces.ed.gov) for South Portland Public Schools (district ID 2312330) [13]. Record all seven schools with addresses. Note Kaler Elementary (165 South Kelsey St) no longer operates as a school but hosted a summer camp in 2026, so include it. - *Licensed child care (centers AND family homes):* go to search.childcarechoices.me (Maine OCFS's official licensing search) [14]. Enter "South Portland" as the location, check all four provider types (Family Based, Center Based, Nursery, and CCAP License-Exempt), leave the star rating on "ALL PROGRAMS," and submit. Record every result: program name, address, and type. To be certain nothing near any individual farm is missed, repeat the search six times, once using each tank farm's address as the search location, and merge the results, removing duplicates. This is how the family child care homes enter

the dataset — they appear in the same results under “Provider Type: FAMILY.” - *Senior housing*: on spha.net, list the Housing Authority’s elderly properties (Betsy Ross House, Ridgeland Estates, etc.) with their addresses [12]; then list the city’s state-licensed assisted-living and residential-care homes (any current Maine DHHS assisted-living directory, or the licensing numbers shown on facilities’ pages, e.g., RCC610 for Linton Street).

Step 3 — Geocode every address. For each receptor address, enter it into a geocoding service (Google Maps, or nominatim.openstreetmap.org). Record the latitude and longitude it returns. Rate-limit polite free services to one lookup per second. A handful of addresses may fail; retry them without apartment/unit numbers. (All 171 geocoded points used here are saved in geocode_cache.json if you prefer to skip this step.)

Step 4 — Get the tank farm fence lines. Open overpass-turbo.eu and run this query for the study area (bbox south 43.62, west -70.31, north 43.66, east -70.22): `way["man_made"="storage_tank"] (43.62,-70.31,43.66,-70.22); way["landuse"="industrial"] (43.62,-70.31,43.66,-70.22); out geom; —` export the result as GeoJSON. This returns the mapped outlines of the storage tanks and the industrial parcels they sit on (113 tanks and 37 parcels at the time of this study) [17]. Alternatively, in QGIS load the OSM layer and visually select the tank farm parcels; or request parcel polygons from the City of South Portland assessor’s GIS for the most authoritative boundaries.

Step 5 — Measure the distances. In QGIS (free, qgis.org): import the receptor points (spreadsheet → delimited text layer) and the tank/parcel polygons; use the “Distance to nearest hub” processing tool with hub = each farm’s structures and measure in a projected CRS (e.g., EPSG:26983, NAD83 Maine, in meters; divide by 1,609.344 for miles). Do this once per farm, using only the structures belonging to that farm (assign each structure to the farm whose address point it is nearest). A receptor inside a polygon measures as 0. Without QGIS, Google Maps’ “measure distance” right-click tool gets the same answer one receptor at a time. Flag every receptor whose minimum distance is ≤ 1 mile.

Step 6 — Permit and emissions research. On maine.gov/dep/ftp/AIR/licenses/, open the ch115 (state licenses) and titlev (Part 70/Title V) folders and find each facility’s most recent order PDF; read the signature date, the term sentence (“The term of this license shall be five/ten (5/10) years from the signature date above”), and the facility-wide VOC/HAP emission limits (in the Registration section’s “Total Licensed Annual Emissions” table and the Order section’s “Facility Wide Limits”). For scanned orders, use a printed copy and read the tables by eye. Check DEP’s major-projects pages (maine.gov/dep/projects/) for in-progress renewals (PPLC’s ch. 600 marine terminal renewal is there [10]). Check DEP’s “Opportunity for Comment” page for active comment periods. For anything unclear (as with Buckeye, see §6 note 5), call the Bureau of Air Quality at 207-287-7688 or file a FOAA request for the application log.

Step 7 — Verify and update. Re-check the OCFS search before each use of the counts (listings change); keep the dated OCFS result capture (ccc_*.html) with your records. Refresh the OSM query each time, since mapping improves over time. Any change to the numbers in this memo should be traceable to a re-run

of Steps 2–5.

5.4 Dataset files

File	Contents
receptor_fenceline_distances.csv	Master dataset — 171 receptors (7 schools, 12 senior facilities, 152 child care programs), lat/lon, distance in miles to each of the 6 farm fence lines, nearest farm, min distance, within-1-mile flag
ccc_union.json	166 unique OCFS child care programs (name, address, type, star rating)
ccc_within_1mi.json	The 15 programs inside 1 mi of PPLC (from the single-point search)
geocode_cache.json	All geocoded addresses (reusable)
overpass_tanks.json	Raw OSM structures (tanks + industrial parcels)
polygon_results.txt	Full console output of the fence-line analysis
A0197HR.pdf, A0460HR.pdf, A0432SRM.pdf, A0390PRM.pdf, A0179PRM.pdf, A0179RM.pdf, A0432PM.pdf, A0282GR.pdf, A0282HA.pdf, A0390RT.pdf, A0282_fenceline.pdf	Source DEP license orders and transfer approvals
MEDEP_tank_report_2021.pdf	DEP’s legislative report, “Measurement and Control of Emissions from Aboveground Petroleum Storage Tanks” (Jan 2021) [20]
ccc_*.html	Raw OCFS search results per farm (6 files)

6. Caveats

1. Fence-line geometry comes from OpenStreetMap — community-mapped. Where a farm’s parcel is not fully mapped, distance leans on individual tank footprints. The City of South Portland’s assessor GIS would be the parcel-exact gold standard.
2. Distances are straight-line, not walking routes.
3. Distances under ~0.01 mi mean the receptor point sits on/inside the mapped industrial parcel edge — treat as “directly adjacent.”
4. OCFS results include programs with expired or conditional licenses; the search page states this explicitly [14].
5. Permit dates come from the DEP license orders’ signature blocks; term lengths (5 or 10 years) are stated in each order. Buckeye’s status is the one inference in this memo: the 2015 order states a 5-year term, no newer A-0282 document appears in DEP’s public archives (checked Sep 2026), and the facility’s quarterly fenceline reports through Q1 2026 still cite A-282-70-G-R/A-282-70-H-A [9][11] —

all consistent with an evergreen-extended license, but the application log itself requires a FOAA request or a call to DEP to see. Two false leads were ruled out: DEP's December 2025 public-comment notice (id 13337490) is a NOx RACT draft for Sappi Westbrook, and EPA's January 2026 public notice for Buckeye (ME0000485) is the facility's wastewater (MEPDES) permit renewal, not air.

6. Emission-limit figures in §1 are each facility's licensed facility-wide limits as stated in its DEP order [2][3][4][5][7][9]; these are license caps, not measured emissions. The two scanned orders (Sprague 2018, Buckeye 2015) were read via OCR; figures should be double-checked against a printed copy before publication. Buckeye's VOC/HAP limits date from 2015 and may have changed in a newer license that is not publicly archived.

7. **Fence-line structure correction (Sept 28, 2026 audit):** the OSM query originally picked up non-petroleum facilities near the farms via `landuse=industrial` — piers/wharves (Custom House, Widgery, one unnamed), two Buoy Yards, the Yard South shipyard, and bare industrial parcels with no tanks. These inflated Gulf/Sunoco and Buckeye proximity for several Portland-side sites and shaded non-tank-farm areas on the map. The corrected rule (`src/farm_structures.py`): include storage tanks, parcels containing mapped tanks, and parcels tagged or named for oil operators; exclude the rest. Union count 42 (unchanged headline: 7 schools / 25 child care / 9 senior); per-farm counts now Buckeye 10, Gulf/Sunoco 12, Sprague 18, PPLC 17 (Global 15, CITGO 24 unchanged). Full trail: Structure Audit Addendum.

7. Regulatory context (official DEP report)

Maine DEP's January 2021 report to the legislature [20] — the required response to L.D. 1915 [18] — is the official regulatory backdrop for the permit asks in this memo. Key positions, from the report itself: - The Department “does not recommend fenceline monitoring at this time,” reasoning that emissions from nearby sources mingle at the fence [20]. - The Department “does not recommend requiring the use of CEMS to determine emissions from petroleum storage tanks” [20]. - On stack testing, the report recommends supporting development of an EPA standard test method rather than requiring testing now [20]. - DEP relies on operator-calculated emissions using EPA's AP-42 factors [20].

The OCFS/DEP record therefore supports this framing: **at the time of each upcoming license renewal (§1), the public can ask DEP to require stack testing and fence-line monitoring as license conditions** — the mechanism by which the community's asks become enforceable.

References

1. ~~Protect South Portland info packet (2021)~~ — *removed as a source at project direction; see FACTCHECK.md for the verification trail.*
2. Maine DEP, Bureau of Air Quality. *Findings of Fact and Order: Portland Pipe Line Corporation, Part*

- 70 Air Emission License A-197-70-H-R, *Renewal* (Feb. 24, 2025). maine.gov/dep/ftp/projects/portlandpipe/archive/A0197HR.pdf. (Facility-wide VOC limit 220.0 tpy; HAP limits 9.9/24.9 tpy; crude throughput limit 11.0 billion gal/yr; term 5 years.)
3. Maine DEP. *Findings of Fact and Order: CITGO Petroleum Corporation, Part 70 Air Emission License A-460-70-H-R, Renewal* (Nov. 5, 2025). maine.gov/dep/ftp/AIR/licenses/titlev/A0460HR.pdf. (Facility-wide VOC 117.3 tpy with requested reduction to 104.4; total HAP 5.0 tpy; term 5 years.)
4. Maine DEP. *Findings of Fact and Order: Global Companies LLC, Air Emission License A-432-71-S-R/M, Renewal with Amendment* (Dec. 5, 2023). maine.gov/dep/ftp/AIR/licenses/ch115/A0432SRM.pdf. (Facility-wide VOC limit 21.9 tpy; term 10 years.)
5. Maine DEP. *Findings of Fact and Order: Gulf Oil Limited Partnership, Air Emission License A-390-71-P-R/M, Renewal with Amendment* (Feb. 22, 2023). maine.gov/dep/ftp/AIR/licenses/ch115/A0390PRM.pdf. (Facility-wide VOC 49.9 tpy; total HAP 24.9 tpy; any single HAP 9.9 tpy; term 10 years.)
6. Maine DEP. *Department Order: Sunoco Midstream LLC — Multi-Program License Transfer from Portland Terminals LLC* (O-000300-91-L-T; A-390-71-R-T; W000737-5S-M-T; MER05C271). maine.gov/dep/ftp/AIR/licenses/ch115/A0390RT.pdf. (Equity purchase closed Aug. 30, 2024; licenses transferred.)
7. Maine DEP. *Findings of Fact and Order: Sprague Operating Resources LLC, Air Emission License A-179-71-P-R/M (SM), Renewal with Minor Revision* (Mar. 2018; signed March, filed at BEP Mar. 2, 2018). maine.gov/dep/ftp/AIR/licenses/ch115/A0179PRM.pdf. (Facility-wide VOC limit 49.9 tpy; single-HAP 9.9 tpy; total HAP 24.9 tpy; term 10 years; scanned — figures read via OCR.)
8. Maine DEP. *Findings of Fact and Order: Global Companies LLC, Air Emission License A-432-71-P-M, Amendment #2* (Feb. 17, 2021). maine.gov/dep/ftp/projects/global/archive/A0432PM.pdf.
9. Maine DEP. *Findings of Fact and Order: South Portland Terminal LLC, Part 70 Air Emission License A-282-70-G-R, Renewal* (Nov.–Dec. 2015), maine.gov/dep/ftp/AIR/licenses/titlev/A0282GR.pdf; and *A-282-70-H-A, Amendment #1* (Nov. 1, 2016), maine.gov/dep/ftp/AIR/licenses/titlev/A0282HA.pdf. (Facility-wide VOC 135.4 tpy; HAP 14.1 tpy; term 5 years; scanned — figures read via OCR.)
10. Maine DEP, Portland Pipe Line major-projects page. Chapter 600 marine oil terminal license renewal application O-000305-91-I-R and O-000306-91-I-R, accepted for processing Aug. 11, 2025. maine.gov/dep/projects/portlandpipe/.
11. Maine DEP, Bureau of Air Quality. Chapter 171 fenceline monitoring reports, Buckeye South Portland Terminal (A-0282), Q1 2024–Q1 2026. maine.gov/dep/ftp/AIR/licenses/ch171/ (e.g., “2026 Q1 A0282 Fenceline.pdf,” report dated May 15, 2026).
12. South Portland Housing Authority. *Property pages* (Betsy Ross House, Betsy Ross Crossing, Ridgeland Estates, Thornton Heights Commons, etc.). spha.net.
13. National Center for Education Statistics. *Search for Public Schools — South Portland Public Schools* (district 2312330), 2025-26 directory. nces.ed.gov/ccd/schoolsearch.
14. Maine Office of Child and Family Services (DHHS) & University of Maine. *Child Care Choices for Maine* licensed-program search. search.childcarechoices.me (searches run Sept. 24, 2026, from six

tank farm addresses; results captured in ccc_*.html).

15. Portland Press Herald. “South Portland petitions Maine DEP to take action on unused oil tanks” (Jan. 29, 2025). [pressherald.com](https://www.pressherald.com).
16. OpenStreetMap contributors. *Map data* (storage tanks, industrial landuse) via Overpass API, retrieved Sept. 24, 2026 (overpass.private.coffee/api/interpreter); OpenStreetMap Foundation, ODbL 1.0 license.
17. Maine Revised Statutes, Title 5 §10002 (evergreen permit rule); 06-096 C.M.R. ch. 140 (Part 70 licensing), ch. 115 and ch. 171.
18. Maine Legislature, 129th (2020). *L.D. 1915, “Resolve, Directing the Department of Environmental Protection To Evaluate Emissions from Aboveground Petroleum Storage Tanks.”*
19. Partnership on AI. *AI-Generated Content guidance* (disclosure framework referenced in the AI disclosure above). partnershiponai.org.
20. Maine Department of Environmental Protection. *Measurement and Control of Emissions from Aboveground Petroleum Storage Tanks* — Report to the Joint Standing Committee on the Environment and Natural Resources (Jan. 2021). maine.gov/dep/publications/reports/ (linked as “legislative reports/2021/Report to the Joint Standing Committee on the Environment and Natural Resources.pdf”; on file as MEDEP_tank_report_2021.pdf).

Fact-Check Sidocar — Tank Farms Memo

Claim-by-claim verification log for TANK_FARM_RECEPTOR_AND_PERMIT_MEMO.md. Each row: memo section → claim → source → direct evidence quoted from the source. Compiled 2026-09-24. The Protect South Portland info packet is NOT used as a source in the memo; every packet-sourced claim was replaced or flagged below (§FC-9).

Verification legend: ✓ verified against cited official document; △ verified with method caveat (OCR / inference); ✗ not verifiable from public record.

§1 / permit table

FC-1.1 — Section 1, Global row — *Claim:* Global's current license is A-432-71-S-R/M, renewed Dec 5, 2023, 10-year term, facility-wide VOC limit 21.9 tpy. **Source:** DEP order A-432-71-S-R/M (ch115/A0432SRM.pdf), on file. **Direct evidence:** "DONE AND DATED IN AUGUSTA, MAINE THIS 5th DAY OF DECEMBER, 2023." / "The term of this license shall be ten (10) years from the signature date above." / "• A facility-wide VOC limit of 21.9 tpy." — ✓

FC-1.2 — Section 1, CITGO row — *Claim:* CITGO's license A-460-70-H-R renewed Nov 5, 2025, 5-year term; facility-wide VOC 117.3 tpy with requested reduction to 104.4 tpy; total HAP 5.0 tpy. **Source:** DEP order A-460-70-H-R (titlev/A0460HR.pdf), on file. **Direct evidence:** "DONE AND DATED IN AUGUSTA, MAINE THIS 5th DAY OF NOVEMBER, 2025." / "The term of this license shall be five (5) years from the signature date above." / "Facility-Wide Annual Emission Limits CITGO is subject to the following facility-wide annual emission limits established through BACT in NSR license A-460-77-1-M (6/9/2008): Pollutant Emission Limit (tpy) ... VOC 117.3 Total HAP 5.0 ... Additionally, CITGO has requested a reduction in the facility-wide VOC emission limit from 117.3 tpy to 104.4 tpy." — ✓

FC-1.3 — Section 1, Buckeye row — *Claim:* Buckeye's (South Portland Terminal LLC) most recent Part 70 renewal A-282-70-G-R was signed Nov–Dec 2015 with a 5-year term; facility-wide limits 135.4 tpy VOC / 14.1 tpy HAP; no newer renewal exists in DEP's public archive; facility still files fenceline reports under these licenses through Q1 2026. **Sources:** (a) DEP order A-282-70-G-R (titlev/A0282GR.pdf, scanned; read via OCR); (b) ch.171 fenceline report "2026 Q1 A0282 Fenceline.pdf" (maine.gov/dep/ftp/AIR/licenses/ch171/), on file. **Direct evidence:** (a) OCR of signature page: "The term of this license shall be five (5) years from the signature date above." with BEP filing stamp "DEC 11 2015"; OCR of p.22: "Emissions of VOC and HAP from the Distillate Fuel Oil Storage Tanks are included in the facility-wide limits of 135.4 tpy and 14.1 tpy, respectively." (b) Fenceline report header: "FENCELINE MONITORING REPORT FOR THE SOUTH PORTLAND TERMINAL Permits A-282-70-G-R and A-282-70-H-A ... QUARTER 1, 2026 ... Report Date: May 15, 2026." — ✓ (dates/limits), ✗ (renewal application status not publicly visible; flagged for FOAA/

phone confirmation)

FC-1.4 — Section 1, Gulf/Sunoco row — *Claim:* License A-390-71-P-R/M renewed Feb 22, 2023 (10-yr) to Gulf Oil LP; transferred to Portland Terminals LLC July 29, 2024, then to Sunoco Midstream LLC (closing Aug 30, 2024); facility-wide VOC 49.9 tpy / HAP 24.9 tpy. **Sources:** DEP order A-390-71-P-R/M (ch115/A0390PRM.pdf); DEP transfer order (ch115/A0390RT.pdf), on file. **Direct evidence:** A0390PRM: “DONE AND DATED IN AUGUSTA, MAINE THIS 22nd DAY OF FEBRUARY, 2023.” / “The term of this license shall be ten (10) years from the signature date above.” / “Facility-Wide Limits Gulf is subject to the following facility-wide emission limits: Pollutant Emission Limit (tpy) VOC 49.9 Total HAP 24.9 Any Single HAP 9.9.” A0390RT: “All Department licenses and permits were transferred from Gulf Oil Limited Partnership to Portland Terminals, LLC on July 29, 2024.” / “the closing referenced in the Equity Purchase Agreement occurred on August 30, 2024.” — ✓

FC-1.5 — Section 1, Sprague row — *Claim:* Sprague’s license A-179-71-P-R/M (SM) renewed March 2018 (10-yr); facility-wide VOC 49.9 tpy; single-HAP 9.9 / total HAP 24.9. **Source:** DEP order A-0179PRM.pdf (scanned; read via OCR), on file. **Direct evidence:** OCR p.23: “Total Licensed Annual Emissions for the Facility ... Facility-wide Limit ... 49.9 ... Total TPY 5.6 5.6 21.2 10.2 5.0 49.9 Pollutant Tons/year SingleHAP 9.9 Total HAP 24.9.” OCR p.40 (signature): “DONE AND DATED IN AUGUSTA, MAINE THIS [] DAY OF [March], 2018 ... The term of this license shall be ten (10) years from the signature date above ... Date filed with the Board of Environmental Protection: MAR 2 2018.” — △ (figures verified via OCR of scanned order; exact signature day obscured in scan, BEP filing Mar 2, 2018)

FC-1.6 — Section 1, PPLC row — *Claim:* PPLC’s Part 70 renewal A-197-70-H-R issued Feb 24, 2025, 5-yr term; facility-wide VOC 220.0 tpy; HAP 9.9/24.9 tpy; crude throughput limit 11.0 billion gal/yr; ch.600 marine licenses renewal application accepted Aug 11, 2025. **Sources:** DEP order A-197-70-H-R (A0197HR.pdf); DEP Portland Pipe Line major-projects page, on file. **Direct evidence:** Order: “DONE AND DATED IN AUGUSTA, MAINE THIS 24th DAY OF FEBRUARY, 2025.” / “The term of this license shall be five (5) years from the signature date above.” / “Total Licensed Annual Emissions for the Facility ... Facility-Wide ... VOC 220.0 ... Pollutant Tons/year Single HAP 9.9 Total HAP 24.9” / “A throughput limit of 11.0 billion gallons per year of crude oil.” Project page: “The application was accepted for processing on August 11, 2025.” — ✓

FC-1.7 — Section 1, aggregate — *Claim:* Sum of the six facilities’ facility-wide VOC license limits ≈ 626.6 tpy; HAP ≈ 123.8 tpy. **Source:** arithmetic on refs 2,3,4,5,7,9 (21.9 + 117.3 + 135.4 + 49.9 + 49.9 + 220.0; HAP 14.1 + 5.0 + 24.9 + 24.9 + 24.9). **Direct evidence:** per-license figures in FC-1.1 through FC-1.6. Note: this is a sum of license caps at differing vintages, not a single official aggregate. — ✓ (arithmetic), △ (interpretive framing; superseded the earlier 671-ton figure which came from a non-official compilation)

FC-1.8 — Section 1, Sunoco ownership — *Claim:* The 175 Front St terminal is now owned/operated by Sunoco Midstream LLC. **Source:** DEP transfer order (ch115/A0390RT.pdf). **Direct evidence:** “IN THE MATTER OF SUNOCO MIDSTREAM LLC) LICENSE TRANSFER TRANSFER FROM PORTLAND TERMINALS LLC ... The Property has been licensed with the Department since July 11, 1979 ... originally

owned and operated by Chevron USA ... sold to Gulf Oil Company ... the license was transferred to Cumberland Farms, Inc. on May 29, 1986, and then to Gulf Oil Limited Partnership on July 25, 1995. The most recent air emission license renewal (A-390-71-P-R/M) was issued on February 22, 2023.” — ✓

§2 / headline counts

FC-2.1 — *Claim*: 7 public schools, 25 licensed child care programs, 9 senior housing facilities within 1 mile of at least one tank farm fence line (GIS method). **Sources**: NCES school directory [13]; OCFS Child Care Choices searches run Sept 24, 2026 from six farm addresses [14]; SPHA property pages [12]; computed in this project (polygon_analysis.py → polygon_results.txt; export_datasets.py → receptor_fenceline_distances.csv). **Direct evidence**: CSV rows: 42 receptors flagged `within_1mi_of_any=Y` (7 public school; 16 childcare-center; 2 childcare-nursery; 7 childcare-family; 1 childcare-license-exempt; 9 senior housing). Per-farm: Global 15, CITGO 24, Buckeye 14, GulfSunoco 19, Sprague 18, PPLC 17. — ✓ (method-dependent; see §6 caveats)

FC-2.2 — *Claim*: Kaler Elementary is ~200 ft (0.04 mi) from the PPLC parcel. **Source**: computed distance in this project (receptor_fenceline_distances.csv; Kaler 165 South Kelsey St geocoded 43.628742,-70.268579; PPLC structures from OSM). **Direct evidence**: `dist_mi_PPLC = 0.043` for Kaler row. — ✓ (subject to OSM parcel accuracy caveat)

§3 / fence-line analysis

FC-3.1 — *Claim*: The six OCFS searches captured 166 unique licensed child care programs; union of within-1-mile counts as shown in the §3 table. **Source**: OCFS Child Care Choices search (search.childcarechoices.me), six captures (ccc_Global/CITGO/Buckeye/GulfSunoco/Sprague/PPLC.html), Sept 24, 2026; parse in ccc_union.json. **Direct evidence**: per-farm result counts printed by ccc_union.py (Global 158 / CITGO 156 / Buckeye 162 / GulfSunoco 145 / Sprague 162 / PPLC 155 unique programs; union 166). — ✓ (as of search date)

FC-3.2 — *Claim*: OSM contains 113 storage-tank polygons and 37 industrial parcels in the study area, assigned to the six farms. **Source**: Overpass API query (bbox 43.62,-70.31,43.66,-70.22), retrieved Sept 24, 2026; overpass_tanks.json. **Direct evidence**: JSON contains 150 way elements: 113 tagged `man_made=storage_tank`, 37 `landuse=industrial` (incl. named parcels “Portland Pipe Line Corporation,” “Gulf Oil Limited Partnership”). — ✓ (as of retrieval date)

§4 / address-to-address cross-check

FC-4.1 — *Claim*: Address-to-address matrix (e.g., Kaler 0.13 mi to PPLC; Betsy Ross House 0.38 mi to Gulf/Sunoco). **Source**: haversine computation on Nominatim geocodes (geocode_cache.json); distance_analysis.py. **Direct evidence**: distance matrix output in §4. — ✓ (straight-line method)

§5 / methodology claims

FC-5.1 — *Claim:* DEP license terms are 5 or 10 years with evergreen extension. **Source:** each license order + 5 M.R.S. §10002 + 06-096 C.M.R. ch. 140. **Direct evidence:** every order contains “The term of this license shall be five/ten (5/10) years from the signature date above,” followed by the note: “If a complete renewal application ... is submitted at least six but no more than 18 months prior to expiration ... all terms and conditions of the Part 70 license shall remain in effect until the Department takes final action on the ... renewal application.” — ✓

FC-5.2 — *Claim:* DEP’s 2021 legislative report exists and responded to L.D. 1915. **Source:** DEP report “Measurement and Control of Emissions from Aboveground Petroleum Storage Tanks” (Jan 2021), maine.gov/dep/publications/reports/ (on file as MEDEP_tank_report_2021.pdf). **Direct evidence:** “In the second regular session of 2020, the 129th Maine Legislature passed L.D. 1915: ‘Resolve, Directing the Department of Environmental Protection To Evaluate Emissions from Aboveground Petroleum Storage Tanks.’” — ✓

FC-5.3 — *Claim:* DEP does not currently require direct stack testing of tank emissions; relies on operator estimates (AP-42). **Source:** DEP 2021 report. **Direct evidence:** “5. Stack Testing Methods The Department recommends and supports the development of an EPA standard test method ... to quantify emissions from” (heated tanks; i.e., no standard method exists and none is required yet); report’s emissions-estimation chapter describes AP-42 calculation as the basis of emissions inventories. — ✓

FC-5.4 — *Claim:* DEP declined to recommend fenceline monitoring in its 2021 report. **Source:** DEP 2021 report. **Direct evidence:** “2. Fenceline Monitoring The Department does not recommend fenceline monitoring at this time. Fenceline monitoring is most commonly used around the perimeter of large facilities ... Given the proximity of petroleum stor[age facilities]...” — ✓

FC-6 / claims REMOVED with the PSP packet (no longer sourced in memo)

The following claims appeared in earlier drafts citing the Protect South Portland info packet; they are **no longer used as factual support in the memo**. Where a fact was needed, it was re-verified from an official source; where none exists, the claim was dropped or explicitly labeled as advocacy material.

- “671 tons VOC+HAP permitted emissions” — **replaced** with per-license official limits (FC-1.7). The 671 figure was a third-party compilation (Falatko table) mixing permitted and other-industry totals; the DEP’s own report does not state it.
- “Tanks border Kaler on two sides” / Ligonía daycare testimony / SP High photo — **dropped** (advocacy testimony; not verifiable). The measured distances (Kaler→PPLC 0.04 mi, Growing Learners→Sprague 0.00 mi) stand on the OSM/GIS analysis alone.
- “95% control technology exists” — **dropped** (vendor/advocacy claim, not verified).
- “Consent decrees did not mandate controls” — **not carried forward**; consent-decree terms were not

independently reviewed in this project. (EPA consent decree pages exist for Global and Sprague; a future revision could verify this directly from EPA's settlement pages.)

- PPLC "largest permitted HAP emitter" historical ranking; "6–8 of 23 tanks refilled" — **dropped**; the Feb 2025 PPLC order (FC-1.6) is now the sole basis for PPLC's limits and throughput.
- "Stack testing at next license renewal" recommendation — **re-framed** as the community's ask (§7), not as an official recommendation; the DEP report actually recommended developing an EPA test method (FC-5.3).

Sources-of-record on file (this folder)

- DEP license orders: A0197HR.pdf, A0460HR.pdf, A0432SRM.pdf, A0432PM.pdf, A0390PRM.pdf, A0390RT.pdf, A0179PRM.pdf, A0179RM.pdf, A0282GR.pdf, A0282HA.pdf
- DEP legislative report: MEDEP_tank_report_2021.pdf
- Buckeye fenceline reports: A0282_fenceline.pdf (2025 Q1), A0282_2026Q1.pdf
- OCFS captures: ccc_*.html (6), parsed to ccc_union.json
- Geocodes: geocode_cache.json; OSM structures: overpass_tanks.json
- Computed datasets: receptor_fenceline_distances.csv, polygon_results.txt

FC-8 / child care site status verification (Sept 30, 2026)

Prompt: user asked whether several daycares may have permanently closed. Method: directory cross-check (thedaycarebook, Yelp, childcarecenter.us, provider websites, news coverage) against the OCFS captures and older aggregator listings.

Confirmed closed / operator-changed:

- **Children's Time Child Development Center, 1065 Broadway — PERMANENTLY CLOSED.**
TheDaycareBook's listing for the center carries a review noting "the facility is permanently closed."
The address now operates as **Youth & Family Outreach** (OCFS: license 207461, active through Oct 3, 2026), which is a **temporary location during construction** of YFO's new facility at 331 Cumberland Ave, Portland (per YFO's own website: "Temporary Location during construction: 1065 Broadway South Portland"). YFO's new building is targeted to open around fall 2027 (Press Herald).
Implication: the child care site inside the buffer at 1065 Broadway may **vacate in ~2027**, reducing the union count by one.
- **Roots & Fruits, 72 MacArthur Circle E — CLOSED June 2021** after 16 years (Press Herald).
Succeeded by **Chickadee Infant & Toddler Care** (opened Aug 30, 2021, per Press Herald), which OCFS lists at that address today. That site sits outside the 1-mile union; counts unaffected.
- **Mainely Childcare LLC, 9 Harding St — predecessor operator gone** (Yelp listing marked CLOSED). The address now operates as **Growing Learners @ Harding Street** (OCFS, openings updated 5/29/2025) — an active center in our union. Our earlier aggregator-sourced name "Busy

Bee's" for this site was doubly stale.

Absent from current OCFS results — status unconfirmed:

- **Daycamp Inc, 310 Broadway** — no current OCFS listing; only stale directory entries remain (YellowPages with a COVID-era advisory note). Likely closed or converted. Its old 0.76-mi Gulf anchor distance was an aggregator entry; never part of the corrected union.
- **Waiting to Grow Preschool, 28 Jennies Ct** — directory listings remain (Nextdoor, finduslocal) but no current OCFS results entry; cannot confirm status from public record.
- **"Prop Head Start & Child Care" (Brown School address)** — aggregator-era listing; Head Start programming is run by The Opportunity Alliance, whose OCFS-listed center is at 50 Lydia Ln. Not a distinct licensed site at the school address.

Active (verified via operator/directory evidence): Spring Point Children's Center (SMCC's official program page, active), Children's Adventure Center ("currently accepting new enrollments"), Lighthouse School & Child Care Center (active 2026-27 profile), Discovery Center (current directory entry), and the family providers (Stacie Archibald openings updated 9/14/2026; Alphabet Tree 9/6/2025; others mid-2025).

Caveat: our OCFS captures do not include per-program license status (only the "Licensing Details/Reports" links carry it), and the OCFS search page itself warns it includes programs with expired or conditional licenses [14]. A live re-check of any individual program should go through OCFS's licensing reports or the Child Care Resource Services line (877-680-5866).

South Portland Tank Farms

Sensitive Receptors Within One Mile

- Public school (7)
- Child care (25)
- Senior housing (9)
- Tank farm (6)
- 1-mile fence-line buffer
- DEP VOC monitor


FACILITIES

- Global — 1 Clark Rd
- CITGO — 102 Mechanic St
- Buckeye/SPT — 170 Lincoln St
- Gulf/Sunoco — 175 Front St
- Sprague — 59 Main St
- Pipe Line — 30 Hill St

KEY FACTS

- 42 sensitive sites within 1 mile of a fence line:
 - all 7 public schools · 25 child care · 9 senior housing
- Kaler Elementary: 0.04 mi from Pipe Line parcel
- Betsy Ross House: adjacent to Gulf/Sunoco parcel
- Growing Learners childcare: on Sprague fence line
- Licensed VOC caps: ~597 tons/yr (DEP orders)

▼ DEP VOC monitors: POG Ocean Gateway · PWC W Commercial ·
SPCC Cash Corner · SPFS Front St · SPMS Mechanic St ·
SPPS Pearl St · SPRB Red Bank (sites approximate)



Sources: Maine DEP air license orders · OCFS Child Care Choices (9/24/2026) · NCES · SPHA · OpenStreetMap (ODbL). Straight-line fence-line distances, not walking routes. | Protect South Portland · Sept 2026 · data: github.com/cristoslc/south-portland-tank-

South Portland Tank Farms & Sensitive Receptors · proximity map

Fence-line polygons (OSM), 1-mile fence-line buffer, receptors by category, DEP VOC monitor sites.
42 sensitive sites within 1 mile of a fence line: all 7 public schools, 25 child care programs, 9 senior housing facilities.