

Basic principles of responsive web design

- Mobile-first
- Progressive enhancement
- Fluid layouts
- Media Queries
- Images
- Typography



Mobile First

- Different user **goals** - more focused
- Different user **emotions** - more personal
- Different user **cognitive approach** - less attention, if possible. While watching TV, "second screen". Hopefully not while driving.
- Different user **environment** - more intimate locations, more variety (shopping, transit, work, home)
- Different user **time** - lots of use at commute time and at night for mobile but not desktop
- Different user **interface**
 - Fat finger, gestural, accelerometer, camera, location-based
 - Wide variations in device resolution, viewport size


How to mobilize

- From <http://www.nngroup.com/articles/mobile-site-vs-full-site/>
- **cut features**, to eliminate things that are not core to the mobile use case;
- **cut content**, to reduce word count and defer secondary information to secondary pages; and
- **enlarge interface elements**, to accommodate the "fat finger" problem.

Mobilization Exercise

1. Work through example with instructor
2. Break into teams
 1. Choose a mature product or category
 2. List at least ten major features
 3. Choose the most important one for a mobile user
 4. Sketch a single mobile screen that performs that feature
3. Report to class

Progressive Enhancement



**These are just examples of enhancements. What you do depends on the project.*

How To Progressively Enhance

- **Step 1: Create an HTML-only layout**
 - No CSS, JS
 - Small, low-res images & scalable vector graphics
 - Leverage HTML5 tag types
`<article>` instead of `<div class="article">`
 - Leverage the browser's default layout packing behavior for a full-width, single-column layout
 - Use conventions that exist to make styling easier (i.e. a container div) sparingly if at all
 - Make sure the essential functions work without JS

How To Progressively Enhance

- **Step 2: Use CSS, JS to enhance for mobile**
 - Add CSS & JS to enhance the mobile experience
 - Use modern mobile UI patterns
 - DO NOT change the HTML structure
(its ok to add classes)
 - DO NOT write media queries for mobile devices

How To Progressively Enhance

- **Step 3: Use CSS, JS to enhance larger screens**
 - Add CSS & JS to enhance the widescreen experience
 - DO NOT change the HTML structure
(its ok to add classes)
 - Write media queries for larger devices
 - Use Horizontal layout aesthetics
 - Bring down higher resolution images via CSS
 - Use AJAX to bring in additional content as needed

HTML-only Exercise

- Take the single-function mobile web site wireframe from the previous exercise
- Do a quick sketch in HTML of its basic structure
- Leverage Emmett snippets and Lorem Ipsum gibberish for content
- Don't worry about images
- Be prepared to show your code to class

Responsive HTML

Use the Viewport

- Set the viewport

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

- This allows the page to reflow content to match different screen sizes
- Size content to the viewport
 - Do not use large fixed width elements.
 - Content should not rely on a particular viewport width to render well.

Responsive CSS: Fluid Layouts

Fluid Layouts

Units of measure

- **%** - Percentage of parent container
- **em** - based on font size in *parent* element
- **rem** - based on font size of *root* element
- **vw/vh** - based on viewport size
 - vw**: hundredths of the viewport width.
 - vh**: hundredths of the viewport height.
 - vmin**: hundredths of whichever is smaller, the viewport width or height.
 - vmax**: hundredths of whichever is larger, the viewport width or height.

<http://viewportsizes.com/mine/>

Root Em Units

- em - equal to the size of the font that applies to the *parent* of the element in question.
- rem - always equal to the font-size of the HTML root element
- Much easier to use
- Not available in IE8 (<http://caniuse.com/#feat=rem>)
- Example: <http://codepen.io/Auraelius/pen/yyjQJZ>

Not everything is fluid

- Widths should always be fluid
- Verticals are not related to viewport width and more related to content and design: “white space” and “rhythm”
- Padding & margin also related to content and design, not viewport width. Sometimes low percentages, sometime rems.

A note of perspective...

- Developers squeeze and stretch layouts all the time
- Laptop users infrequently change window sizes
- Mobile users rarely change window size but sometimes switch between landscape and portrait.
- It's more important to start with the right page for the viewport size than to transition gracefully from one to another

Responsive CSS: Media Queries

Media Queries

https://developer.mozilla.org/en-US/docs/Web/Guide/CSS/Media_queries

- CSS3 **media queries** let us apply CSS selectively to different user environments based on the current value of relevant media features.
- **Media types** (e.g., screen, print, projection) have **media features** (width, color, monochrome, orientation). It's these media features we evaluate in our media queries.
- A **CSS media query is a logical expression**. When it evaluates to TRUE, the enclosed CSS rules are applied.
- There are lots of media features: screen size, screen density, orientation and many others.

http://pieroxy.net/blog/2012/10/18/media_features_of_the_most_common_devices.html


Syntax

```
1 <!-- CSS media query on a link element -->
2 <link rel="stylesheet" media="(max-width: 800px)" href="example.css" />
3
4 <!-- CSS media query within a stylesheet -->
5 <style>
6 @media (max-width: 600px) {
7     .facet_sidebar {
8         display: none;
9     }
10 }
11 </style>
```

https://developer.mozilla.org/en-US/docs/Web/Guide/CSS/Media_queries

Mobile-first media queries

- Design mobile styles first.
- Add media query for larger devices.
- Override styles & specific properties as needed.




Media query exercise

- Use Codepen.io to create a snippet
- Step 1: Make a box that almost fills the viewport and is blue on a phone but green on a laptop. Use a pixel-based, mobile-first media query.
- Step 2: Fill the box with text. Use a larger font size on mobile than laptop.
- Step 3 (stretch): Use two columns on laptop.

Breakpoints

- Create breakpoints based on content, never on specific devices, products or brands.
- Design for the smallest mobile device first, then progressively enhance the experience as more screen real estate becomes available.
- Keep lines of text to a maximum of around 70 or 80 characters.



<https://developers.google.com/web/fundamentals/layouts/rwd-fundamentals/how-to-choose-breakpoints>
<http://www.smashingmagazine.com/2013/03/01/logical-breakpoints-responsive-design/>

Responsive Images

Responsive Images

- Choose image format based on content
- Manage images in HTML/CSS using fluid layout
- Load different image files based on device features



<https://smartaddons.s3.amazonaws.com/images/Released-Image/sj-lifemag/new/responsive.png>

Start with the right format

- Use JPG for photographic images.
- Use SVG for vector art and solid color graphics such as logos and line art.
- Use PNG-8 rather than GIF as it allows for better transparency, more colors and offers better compression ratios.
- Use GIF for small animations but for longer animations, consider using <video> which provide better image quality and gives the user control over playback.
- Reduce file size



<https://developers.google.com/web/fundamentals/media/images/optimize-images-for-performance>
<http://stackoverflow.com/questions/2336522/png-vs-gif-vs-jpeg-when-best-to-use>

Scalable Vector Graphics

- Image format is text (a form of XML) so very small and fast to load
- Drawn by the browser so old browsers have trouble
- Contains default sizes for HTML-only layouts
- Can be included by `` tag or directly as text.
- See <https://thenounproject.com/> for fun examples

Manage images in CSS

- Set media to 100% width of parent container for fluid layout

```
img, embed, object, video {  
    max-width: 100%;  
}
```

- Change the background-image or content property in CSS for using media queries

```
.picture {  
    content: url(elephant_1620217f.jpg);  
}
```

- Serve smaller/more compressed files to small devices



<http://codepen.io/Auraelius/pen/sClka>

Responsive images exercise

- Go to <http://codepen.io/Auraelius/pen/zchlq>
- Examine the page at different widths
- Answer these questions:
 1. What are the media query breakpoints?
 2. What tag is used to display the SVG file?
 3. What CSS property is used to change the image?
 4. Why does the image disappear at some viewport widths?
 5. What changes in the HTML to make the caption change?
 6. What class & selector controls the changing caption?
 7. With the cache disabled, does the page load faster at different widths? Use the network tab to get your numbers.

Pixel density

- Change the background-image property in CSS for high DPI displays using media queries with `min-resolution` and `-webkit-min-device-pixel-ratio`.
- Use the `picture` element when you want to specify different images depending on device characteristics.
- Use `srcset` to provide high resolution images in addition to the 1x image in markup.
- Use `srcset` and the `x` descriptor in the `img` element to give hints to the browser about the best image to use when choosing from different densities.




<https://developers.google.com/web/fundamentals/media/images/>
<http://www.techspot.com/images/teaser/retina.jpg>
<http://www.bbc.co.uk/gel/tablet/tablet-device-considerations/pixel-density>

Responsive Typography


Responsive Typography

- Text has been around for thousands of years.
- We know how to make text readable.
- Our techniques are based on content & human physiology (Interpupillary distance, arm length), not device size.




Key Aspects

- Typeface
- Column width
- Line height



Typeface



- Word shape
- Contrast



*On Web Typography,
Jason Santa Maria,
A Book Apart*

Font face

- **System** fonts - always available 'cos the OS uses them.
- **Common** fonts - frequently present 'cos everybody (like MS Office) loads them
- **Custom** fonts (downloadable) - best typography but adds download time

```
<style type="text/css" media="screen, print">
  @font-face {
    font-family: "Bitstream Vera Serif Bold";
    src: url("https://mdn.mozillademos.org/files/2468/VeraSeBd.ttf");
  }

  body { font-family: "Bitstream Vera Serif Bold", serif }
</style>
```

Readability

- Line length = 40 to 70 characters per line
 - set column width in rem units
- Leading - depends on content, font and line length but typically 150% of font height
 - set line-height property in rem units

<http://www.vanseodesign.com/web-design/legible-readable-typography/>

Caslon 10/12;
column 10 pica;
characters 25-30;
too narrow

Ad mo beritat iumque cus serorestrum inusdae. Itas el mo beruptatior aligeniam quatissit, voluptatum faccate qui unt ullectum quos dustiis modionseque ne con nes nectius mod quiatem quasper cipsum aditatusant. Tem ium et autem harum voluptatus, to eatur, nossit vollute mperferiorem que que natur si natemol uptur? Unt esecpere, voluptiist in corpore opti ditatur? Eperiat accum velique as entis a cumqui re dolecto inihicitium diam fuga. Ic tet il ipit, consedipicia doluptate consed eictas deliciate lab ide cone pa doloratios doloribusant dolores trumqui tem. Neque cuptias aut laborecit, sam sitias molor repel int ressumet, im quibeat. Musa voloe velenti zveruntus mosam

Caslon 10/12;
column 15 pica;
characters 38-45;
optimal width

Ad mo beritat iumque cus serorestrum inusdae. Itas el mo beruptatior aligeniam quatissit, voluptatum faccate qui unt ullectum quos dustiis modionseque ne con nes nectius mod quiatem quasper cipsum aditatusant. Tem ium et autem harum voluptatus, to eatur, nossit vollute mperferiorem que que natur si natemol uptur? Unt esecpere, voluptiist in corpore opti ditatur? Eperiat accum velique as entis a cumqui re dolecto inihicitium diam fuga. Ic tet il ipit, consedipicia doluptate consed eictas deliciate lab ide cone pa doloratios doloribusant dolores trumqui tem. Neque cuptias aut laborecit, sam sitias molor repel int ressumet, im quibeat. Musa voloe velenti zveruntus mosam faceribus dem reri aut velenihil molesequo commolo reperis poriore volupta vellit latest in restotas acea dolorec aboeepudi optaeserchil in nos aditae. Dunt idionse rumqui resequi-dem lant di core sitaquia samus, et offic temquis incipsundis alitas dolupic tempore onserumquod quibus soluptatur? Fugitatisima derovite decr blati bea iusam

Caslon 10/12;
column 25 pica;
characters 70-80;
too wide

Ad mo beritat iumque cus serorestrum inusdae. Itas el mo beruptatior aligeniam quatissit, voluptatum faccate qui unt ullectum quos dustiis modionseque ne con nes nectius mod quiatem quasper cipsum aditatusant. Tem ium et autem harum voluptatus, to eatur, nossit vollute mperferiorem que que natur si natemol uptur? Unt esecpere, voluptiist in corpore opti ditatur? Eperiat accum velique as entis a cumqui re dolecto inihicitium diam fuga. Ic tet il ipit, consedipicia doluptate consed eictas deliciate lab ide cone pa doloratios doloribusant dolores trumqui tem. Neque cuptias aut laborecit, sam sitias molor repel int ressumet, im quibeat. Musa voloe velenti zveruntus mosam faceribus dem reri aut velenihil molesequo commolo reperis poriore volupta vellit latest in restotas acea dolorec aboeepudi optaeserchil in nos aditae. Dunt idionse rumqui resequi-dem lant di core sitaquia samus, et offic temquis incipsundis alitas dolupic tempore onserumquod quibus soluptatur? Fugitatisima derovite decr blati bea iusam que eatus mos autende liquiduciant et vendio. Et lanti con repudae ceperia aut milit, veles non corporioere reum latist aut res magnate eior sincimi zvenihit undit volupta doleoercipid que ne et ulupta ella vel ius, ut optaspe rchillanima volupta conectotae preheni squiaspit plia velique litaspe disquis apis dici verrum rem rersperi aute qui dolor sit que voluptatum est, consequae nostibus, quunt volecum que offic voluptae estotas ipsae expla nus, sinum harum solorero volliae conet aut et min conse et accupat vit as eatium ipsa voluptas estorum ne pa dolorum con nus voloe aut dolam volupta sandis

Good

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed elit metus, condimentum quis urna vel, consequat adipiscing mi. Cras ultrices, massa a porta fermentum, mi odio vestibulum lorem, a suscipit mi arcu at augue.

Bad

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed elit metus, condimentum quis urna vel, consequat adipiscing mi. Cras ultrices, massa a porta fermentum, mi odio vestibulum lorem, a suscipit mi arcu at augue.