On-Page SEO Audit Report

Find technical, content, image, and schema issues on saliceexim.com

Passed	Error	Warning
13	5	8

Page Analysis

Title Tag

Title tag may truncate or read short. Adjust the copy so the main topic and value are clear in search results. 11 CHARS

SALICe EXIM

Aim for 50-60 characters. Put the main topic near the front, keep the title unique, and move brand or secondary details after the core value.

Learn how to optimize title tags.

Meta Description

Meta description may truncate. Put the main value earlier so the snippet still works in search results. 175 CHARS

Salice Exim is a leading supplier of solar water heaters and energy-saving solutions in Chennai, offering quality products, professional installation, and after-sales service.

Keep it concise, ideally 135 characters or less for this check. Lead with the page's main value so the snippet still works if search results truncate it.

Learn how to write meta descriptions.

ALT Attributes

Most images are missing alt text. Add descriptive alt text so the content is accessible and easier to understand. 46 MISSING

Missing alt text: 46 of 46 images.

Describe meaningful images in a short phrase or sentence. Skip "image of" unless it adds clarity, and leave decorative images empty with alt="".

Learn how to add alt text.

Text/HTML Ratio

Text/HTML ratio was calculated. Use it as a rough content-to-code signal, not an SEO score. 16.9%

Text/HTML ratio: 16.9%; HTML: 70.3 KB.

Heading Structure

Heading issues were found. Fix missing, repeated, or skipped levels so the page is easier to scan. MULTIPLE H1

Heading issues: 27; 15 H1, 17 H2, 1 H3.

Use one clear H1 for the page topic. Use H2s for main sections and H3s for subsections; avoid skipping levels like H2 to H4.

Learn how to use heading tags.

URL

URL is clean and easy for users and search engines to understand. 14 CHARS

https://saliceexim.com/

Keyword Density

Keyword density was calculated. Use it to see which terms dominate the page, not to hit a target percentage. 3.3%

water appears 65 times in 1994 visible words.

Internal Links	Link status has not been checked. Use Check link status to check eligible URLs. Internal links: 58; unique URLs: 12; checked: 0; broken: not checked; couldn't check: 0; skipped: 0. Use internal links to connect related pages and help users continue into relevant next topics. Review anchor text and broken targets in the Links report. Learn how to use internal links.	NOT CHECKED

Mobile Compliance

Viewport Meta Tag	Meta viewport tag is implemented, so the page can scale properly on mobile devices. Viewport: width=device-width, initial-scale=1.0	SET
Responsive Design	Responsive design signals were detected, so the page should adapt across screen sizes. Viewport: width=device-width, initial-scale=1.0; responsive rules detected: 105.	DETECTED

Technical Compliance

HTTP Status	HTTP status is successful, so users and crawlers can access the page. 200 OK	200
XML Sitemap	XML sitemap is reachable, helping search engines discover important URLs. https://saliceexim.com/sitemap.xml	FOUND
Robots.txt	Robots.txt allows the current URL, so crawlers can access this page. https://saliceexim.com/robots.txt	ALLOWED
Meta Robots	Meta robots directives allow indexing, so search engines can index your content as intended. all	INDEXABLE
HTTPS	Page resolves to HTTPS, so the URL uses a secure protocol. Final URL: https://saliceexim.com/	SECURE
X-Robots-Tag	Server-level robots directives are clear, so this page is not blocked by response headers. X-Robots-Tag header: not present.	INDEXABLE
Mixed Content	No mixed content was detected, so secure pages and assets load cleanly. Insecure resources: 0.	NONE
HSTS	HSTS header is missing or weak. Strengthen it after confirming HTTPS works across the site. Strict-Transport-Security: none. HSTS tells browsers to use HTTPS for future visits. Treat it as advanced security hardening, and add it only after HTTPS works reliably across the site. Learn more about HTTPS and site security.	MISSING
Page Size	Main page payload is too large. Compress and remove unnecessary code to improve load time. Main page payload: 3.65 MB. Large pages can slow load time. Review heavy HTML, unused scripts, large images, and third-party tags before treating page size as an SEO issue. Learn how to improve page speed.	3.65 MB

Canonical — MISSING

Canonical is missing or conflicting. Add one clear canonical URL to guide search engines.

No canonical link tag was found.

Use one canonical URL that points to the preferred version of the page. Avoid pointing canonicals to redirects, blocked URLs, or unrelated pages.

Learn how to set canonical URLs.

Language Declaration — EN

Language declaration is present, so browsers and assistive technologies can interpret the content correctly.

<html lang="en">

Favicon — REVIEW

Favicon may not resolve reliably. Use a clear, valid icon file.

https://saliceexim.com/own_img/logo.png

Use a clear favicon for browser tabs, bookmarks, and search surfaces. Treat it as brand and UX polish, not a core ranking fix.

Learn more about technical SEO.

Schema.org Markup — 1 TYPE

Structured data is present and parseable, helping search engines understand the page entities.

LocalBusiness

Hreflang — 0 TAGS

No hreflang tags were found. This is fine for single-language sites, but review if you target multiple regions.

Alternate languages or regions detected: none.

Use hreflang only for alternate language or regional versions. Each alternate should reference the others and include a self-referencing tag.

Learn how to set up hreflang.

Google Analytics — MISSING

Analytics tracking was not detected. Add tracking if you need traffic and engagement data for this page.

Detected IDs: none (GA4, UA, or GTM).

Use GA4 to connect page-level SEO checks with traffic and engagement data. Confirm the tag is installed once, fires correctly, and respects your tracking setup.

Learn how to get started with GA4.

Noindex Tag — INDEXABLE

No noindex directive was found, so this check does not block the page from indexing.

Meta robots: all; X-Robots-Tag: none.

Document Info

Encoding	UTF-8
Doctype	HTML5
HTML Size	72 KB
HTTP Headers	accept-ranges, content-length, content-type, date, last-modified, server

Heading Structure

H1	Precision in Water Management, Performance in Every Drop
H1	Pioneering Energy Efficiency for Homes and Businesses .

H1 Powering Your Future with Sustainable Solar Solutions

H1 Precision in Water Management, Performance in Every Drop

H1 Pioneering Energy Efficiency for Homes and Businesses .

H1 Powering Your Future with Sustainable Solar Solutions

H1 Precision in Water Management, Performance in Every Drop

H1 10000

H5 Happy Client

H1 24

H5 Years Experience

H1 135

H5 Expert Workers

H6 About Us

H1 Your Trusted Source

H6 Why Choose Us!

H1 Powering Progress with Innovative Solar Solutions

H5 Services

H5 Workers

H5 Consultation

H5 Support

H6 Our Product

H1 Our Product with best quality

H5 Price:

H2 100 LPD - ₹24,500

H2 150 LPD - ₹32,000

H2 200 LPD - ₹42,500

H5 Mercury Domestic-M-series

H5 Mercury Domestic SS-Series

H5 Mercury Domestic DI-Series

H4 Pressurised Model

H5 Price:

H2 100 LPD ₹57,500

H2 200 LPD ₹87,500

H5 Halo Domestic - Solar

H5 Halo Commercial

H5 Solar & Heat Pump Combo

H5 Price:

H2 ₹4,500

H5 Water level controller, Model: VG

H5 Water level controller, Model: Borewell

H5 Water level controller, Model: 3 Phase

H5 All In One Heat Pump

H5 Price:

H2 200L ₹1,30,000

H2 300L ₹1,65,000

H2 500L ₹2,05,000

H2 1000L ₹3,85,000

H5 Domestic Heat Pump

H5 Commercial Heat Pump

H5 All In One Heat Pump

H5 High Temperature Heat Pump

H5 Swimming Pool Heat Pump

H4 PM SURYA GHAR Schemes - Bank Loan & Subsidy Available

H5 Price:

H2 1kw ₹85,000

H2 2kw ₹1,45,000

H2 3Kw ₹2,20,000

H2 5kw ₹3,50,000

H3 GOVT.SUBSIDY:

H2 1kw ₹30,000

H2 2kw ₹60,000

H2 3kw to 10Kw ₹78,000

H5 2 kW Domestic Rooftop Solar Power System

H5 4 kw Rooftop Solar Systems

H5 Rooftop Commercial Solar System In Ahmedabad

H6 Free Quote

H1 Get A Free Quote

H6 Testimonial

H1 What Our Clients Say!

H5 — Priya Menon

H5 — Suresh Babu,

H5 — Ramesh Kumar


H5 — Priya Menon

H5	— Suresh Babu,
H5	— Ramesh Kumar
H5	— Priya Menon
H5	Address
H5	Quick Links
H5	Project Gallery

Image Analysis

Total Images	46
With Alt-text	0
Missing Alt-text	46 100%
Oversized Images	9 TOO LARGE

Format Distribution



Missing Alt-Text

46 images

Filename	Dimensions	Status
logo_big.jpeg	3652×954	MISSING ALT
ch_main.jpeg	1422×800	MISSING ALT
main_3.jpg	1280×960	MISSING ALT
main_1.JPG	5120×2880	MISSING ALT
ch_main.jpeg	1422×800	MISSING ALT
main_3.jpg	1280×960	MISSING ALT
main_1.JPG	5120×2880	MISSING ALT
ch_main.jpeg	1422×800	MISSING ALT
main_1.JPG	5120×2880	MISSING ALT
ch_main.jpeg	1422×800	MISSING ALT
main_3.jpg	1280×960	MISSING ALT
side_1.JPG	2048×1536	MISSING ALT
side_2.jpg	4000×2256	MISSING ALT

pro_1.jpg	487×673	MISSING ALT
pro_2.jpg	750×750	MISSING ALT
pro_3.jpg	750×750	MISSING ALT
pro_4.png	720×620	MISSING ALT
pro_5.png	500×500	MISSING ALT
pro_6.png	500×500	MISSING ALT
pro_7.webp	1180×906	MISSING ALT
pro_8.webp	1180×906	MISSING ALT
pro_9.webp	1180×906	MISSING ALT
pro_10.jpg	500×500	MISSING ALT
pro_11.png	500×500	MISSING ALT
pro_12.png	500×500	MISSING ALT
pro_13.png	500×500	MISSING ALT
pro_14.png	720×620	MISSING ALT
pro15.jpg	720×620	MISSING ALT
pro_16.webp	1000×733	MISSING ALT
pro_17.webp	1000×652	MISSING ALT
pro_18.webp	1000×750	MISSING ALT
side_3.jpg	1280×721	MISSING ALT
person 2.jpg	600×400	MISSING ALT
person 3.jpg	540×360	MISSING ALT
person.jpeg	3000×2000	MISSING ALT
person 2.jpg	600×400	MISSING ALT
person 3.jpg	540×360	MISSING ALT
person.jpeg	3000×2000	MISSING ALT
person 2.jpg	600×400	MISSING ALT
main_3.jpg	1280×960	MISSING ALT
main_2.JPG	5152×3864	MISSING ALT
main_1.JPG	5120×2880	MISSING ALT
side_3.jpg	1280×721	MISSING ALT
side_2.jpg	4000×2256	MISSING ALT
side_1.JPG	2048×1536	MISSING ALT
(inline image)	1×1	MISSING ALT

Oversized Images

9 images

main_2.JPG	5152×3864	4.7 MB	TOO LARGE
side_2.jpg	4000×2256	4.3 MB	TOO LARGE
side_2.jpg	4000×2256	4.3 MB	TOO LARGE
main_1.JPG	5120×2880	4.0 MB	TOO LARGE
main_1.JPG	5120×2880	4.0 MB	TOO LARGE
main_1.JPG	5120×2880	4.0 MB	TOO LARGE
main_1.JPG	5120×2880	4.0 MB	TOO LARGE
side_1.JPG	2048×1536	1.4 MB	TOO LARGE
side_1.JPG	2048×1536	1.4 MB	TOO LARGE

Schema Summary

Schema Format	JSON-LD
Types Found	LocalBusiness

Detected Schema Types

LocalBusiness 8 PROPERTIES


```
{
  "@context": "https://schema.org",
  "@type": "LocalBusiness",
  "name": "Salice Exim",
  "image": "https://saliceexim.com/logo.png",
  "url": "https://saliceexim.com",
  "telephone": "+91-9841145498",
  "address": {
    "@type": "PostalAddress",
    "streetAddress": "#26/42, Post Office Street, 2nd Floor, Parrys",
    "addressLocality": "Chennai",
    "addressRegion": "TN",
    "postalCode": "600001",
    "addressCountry": "IN"
  },
  "description": "Salice Exim is an exclusive dealer of Venus Solar Water Heaters and supplier of energy saving and industrial mineral products in Chennai, Tamil Nadu, offering quality products and after-sales service."
}
```



Open Graph Tags

Open Graph	No tags found

Twitter Card

Twitter Card	No tags found

Social Share Preview



SALICEEXIM.COM

SALICe EXIM

Salice Exim is a leading supplier of solar water heaters and energy-saving solutions in Chennai, offering quality products, professional installation, and after-sales service.