Farmington Avenue Dental Care

576 Farmington Ave Lower Level, Hartford, CT, 06105 · https://farmingtonavedentalcare.com/

Patient Access Score

5 of 10 checks need attention.

How easy it is for a new patient to find you, reach you and book, based on your website.

What we checked

- ✕ **Online booking**
  No way to book online. New patients have to call during office hours.
- ✕ **Website chat**
  No chat. Visitors after hours have no quick way to ask a question.
- ✕ **Text / SMS**
  Patients can't text the office from the website.
- ✕ **Lead follow-up**
  No follow-up or CRM system detected. Enquiries are likely followed up by hand.
- ✕ **Reviews on website**
  Reviews aren't shown on the website.
- ? **Ad tracking**
  Found: Google Analytics, Google Tag Manager. No Facebook/Instagram pixel seen.
- ✓ **Contact form**
  Contact form found.
- ✓ **Tap-to-call on mobile**
  Phone number is tappable on mobile.
- ✓ **Mobile friendly**
  Set up for phones.
- ✓ **Speed**
  Loaded in a reasonable time.
- ✓ **Secure (HTTPS)**
  Secure connection.

What we would set up for Farmington Avenue Dental Care

- Online booking calendar that fills straight into your schedule
- Website chat that texts back new enquiries within a minute, day or night
- Two-way texting from your main business number
- Automatic follow-up by text and email so no enquiry goes cold
- Automatic review requests after each visit, shown on your site
- Analytics and retargeting set up so ad spend can be measured

Everything runs on one GoHighLevel system. Usually live in 7 to 14 days, and your team doesn't need to learn new software.

Want us to walk you through it?
A free 15-minute call to go through this report and what it would take to fix.

Usman Ali · CRM Flow Lab · info@crmflowlab.com · https://www.crmflowlab.com/book.html

Based on an automated check of the publicly visible parts of your website on 03 November 2026. Some tools only load after cookie consent or login and may not be visible to us. Marked "?" where we couldn't confirm. Prepared by CRM Flow Lab.