

Is Entra Connect Sync Still the Best Choice? Let's Sync About It!



Workplace Ninjas





Thank you Sponsors


Gold Sponsors



Silver Sponsors



About us



Fabian Bader

@fabian_bader ✉

/in/fabianbader in

cloudbrothers.info 🏠

Chris Brumm

@cbrhh

/in/christopherbrumm

chris-brumm.com



Cyber Security Architects

@

glueck  **kanja**

Microsoft MVPs

Object limitations

Entra Clouds Sync
supports
only
150.000 objects




Agenda




- Hybrid Identities - The tale of two sync engines
- Key differences
- Migration
- Coexistence
- Change of Source of Authority
- Security Implications



Introduction to Hybrid Identities



External HR provider




Source: <https://learn.microsoft.com/en-us/entra/identity/saas-apps/workday-inbound-tutorial#solution-architecture>



Source of Authority responsibilities




- CRUD actions
- Password management
- Password verification
 - Password-hash sync
 - Pass-Through Authentication
 - Federation (AD FS)
- Authentication method exchange
 - Seamless SSO (Kerberos TGS -> (SAML) -> OAuth2 Token)
 - Cloud Kerberos Trust (Cloud Kerberos -> Kerberos TGT)
 - Kerberos Constrained Delegation SSO (OAuth2 -> TGS)



Attribute or object writeback




- Password attribute writeback
- ms-ds-consistencyGUID attribute writeback
- Device object writeback
- Group object writeback
- ~~User object writeback~~




Methods to manage hybrid identities




Entra Connect Sync




Entra Cloud Sync



What are key difference in the tools



OnPrem Footprint	
Heavy	Light
Config and Database	
OnPrem	Cloud
Architecture	
Monolithic	Agentbased
Redundancy	
Hot Standby	Active-Active
Schedule	
every 30 Minutes	every 2 Minutes



Signature moves

Connect Sync

- Device Sync/Writeback 🚨
- Active / Passive (Staging)
- Pass-Trough Authentication
- Attribute Filter, Transformation, Customization
- Resource Forest
- Entra Domain Services
- Authenticate to Microsoft Entra ID using Application Identity
- ms-DS-ConsistencyGuid writeback

Cloud Sync

- Group Writeback 📢
 - High Availability (Active/Active)
 - Disconnected environments
 - Change of Authority (Preview)
 - Provision on demand
-



Migration Blocker

- PTA / AD FS Deployment
 - **Solution: Use Password-Hash-Sync!**
- Windows Hello for Business
 - Key Trust & Certificate trust
 - **Solution: Cloud Kerberos Trust**
- Hybrid Devices
 - **Solution: Entra joined Clients and AVD/W365**
- Merging of two identities from different domains
 - **Solution: Move to a single user object**



but remember...





Why don't we have both?

imgflip.com



That's why not both forever

We are investing all the new capabilities in Cloud Sync moving forward and the goal is to have one Sync Client for all our customers.

And that's Cloud Sync [...]

- Dhanyah K, Microsoft PM for Entra Connect/Cloud Sync




Coexistence Scenario #1



Add Cloud Sync to use Group Writeback

(until my migration blocker is solved)


**Entra Connect
with Group Writeback**




Coexistence Scenario #2




**Keep Connect Sync for
Hybrid-Joined Devices**
(until my migration blocker is solved)



Migration Path




Shift Sync features



cloudNoFlow

- Special attribute
- Prevents change sync to Entra ID
- Exceptions: Attributes of type “Reference”
 - memberOf
 - manager
 - ...



Demo

The cloudNoFlow



www.workplaceninjas.us





Recycle Bin



Azure AD
Connect



stuff


Migration Takeaways

*Never deselect OUs in Entra
Connect while migration!*



More Migration Takeaways



- ✓ The “shift sync feature” phase should be short
 - ✓ The necessary changes are unintuitive and error-prone
 - ✓ The changes made by Entra Connect are not switched off completely (References)
- ✓ Entra Cloud Sync has no exclude option for OUs
 - ✓ Consider to sync the whole directory
 - ✓ Consider to rearrange your OU structure (yeah – I know...)
- ✓ After config changes you should “restart provisioning” aka Full Sync
- ✓ A sync is now done every two minutes 




Change of Source of Authority


Migrate groups to cloud-based management with write-back



Classic hybrid group management



Change of Source of Authority #1




Scenario #2


Move to fully cloud managed



Cloud hybrid group management



Change of Source of Authority #2



Demo

isCloudManaged



www.workplaceninjas.us



WPNUS25-Demo - Microsoft E...

Graph Explorer | Try Microsoft C...

entra.microsoft.com/#view/Microsoft_AAD_IAM/GroupDetailsMenuBlade/~./Overview/groupId/edcf9c6d-1d2e-41e6-a7e2-7c58d197c131/menuId/

Google Chrome isn't your default browser

Set as default

Microsoft Entra admin center

Search resources, services, and docs (G+)

Copilot

Admin-Chris@c4a8feluc...
GK FELUCIA DEMO ENVIRONME...

Home

Entra agents

Favorites

Entra ID

Overview

Users

Groups

Devices

Agent ID (Preview)

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Home > Groups | Overview >

WPNUS25-Demo

Group

Overview

Diagnose and solve problems

Manage

Properties

Members

Owners

Roles and administrators

Administrative units

Group memberships

Applications

Licenses

Azure role assignments

Activity

Access reviews

Audit logs

Bulk operation results

Troubleshooting + Support

New support request

Delete

Got feedback?

Overview

Basic information

WPNUS25-Demo

Membership type	Assigned	Total direct members	1
Source	Windows Server AD	User(s)	1
Type	Security	Group(s)	0
Object ID	edcf9c6d-1d2e-41e6-a7e2-7c58d197c131	Device(s)	0
Created on	12/8/2025, 9:59 PM	Other(s)	0

Group memberships

0

View group memberships

Owners

0

View group owners

Total members

1

Group SOA Takeaways



- ✓ Convert groups that need write-back to Universal
- ✓ Make sure the write-back scope can access the group or the group is moved
- ✓ There is no indication of the change on-prem.
Delete the group as soon as possible if no longer needed
- ✓ You can revert the change by setting `IsCloudManaged = false`
- ✓ Graph Permission Consent required

➤ Request Body 📄 Request Headers 🛡️ Modify Permissions 🔑 Access token

One of the following permissions is required to run the query. If possible, consent to the least privileged permission.


Permission	Description	📘 Admin consent required	Status	📘 Consent type
Group- OnPremisesSyncBehavior.ReadWrite.All <small>📘</small>	Allows the app to update the on-premises sync behavior of groups on your behalf.	Yes	Consent	

Change of Source of Authority



Migrate users and contacts to cloud-based management ~~with write-back~~




Change of Source of Authority #1




Change of Source of Authority #1



Change of Source of Authority #2



Change of Source of Authority #2



Combination of User + Group SOA





**WE SUPPORT
USER SOA SWITCH NOW!**



**YEAH - LET'S COMBINE
IT WITH GROUP WRITEBACK!**



imgflip.com



**IT WORKS WITH
GROUP WRITEBACK... RIGHT?**

The user change of SOA problem



- After the SOA change the user is 100% cloud
- Cloud users cannot be added to on-premises groups by group writeback
- Already existing group memberships in cloud managed groups will be removed

Provisioning log details

Steps Troubleshooting & Recommendations Modified Properties Summary

1. Import user from Microsoft Entra ID

2. Determine if user is in scope

EntrySynchronizationSkip	
Result	Skipped
Description	The User '0f9da168-9458-433e-8097-0a2d34340468' will be skipped due to the following reasons: 1) This object is not assigned to the application. If you did not expect the object to be skipped, assign the object to the application or change your scoping filter to allow all users and groups to be in scope for provisioning. 2) This object does not have required entitlement for provisioning. If you did not expect the object to be skipped, update provisioning scope to 'Sync all users and groups' or assign the object to the application with entitlement of provisioning category 3) This object did not pass a scoping filter. If you did not expect the object to be skipped, please review your scoping filters and ensure that the object passes your specified scoping criteria. The scope evaluation result is: {"On-prem Owned Users.dirSyncEnabled IS TRUE":false}
SkipReason	NotEffectivelyEntitled
IsActive	True
Assigned to the application	False
IsInProvisioningScope	False
ScopeEvaluationResult	{"On-prem Owned Users.dirSyncEnabled IS TRUE":false}
ReportableIdentifier	0f9da168-9458-433e-8097-0a2d34340468



User SOA Takeaways



- ✓ The user must use a PWless authentication method to access OnPrem resources.
 - ✓ Windows Hello for Business
 - ✓ Passkey/FIDO2 authentication
- ✓ All on-prem Auth must use either Kerberos or NTLM
- ✓ LDAP based authentication is no longer supported
- ✓ Converted users will be removed from group-writeback enabled groups, even if the AD users is still existent



Special case


Last Exchange Server



Cloud-Managed Remote Mailboxes



Manage exchange attributes from cloud and remove LES



Source: <https://learn.microsoft.com/en-us/exchange/hybrid-deployment/enable-exchange-attributes-cloud-management#identity-exchange-attributes-and-writeback>



Cloud-Managed Remote Mailboxes



- New attribute: IsExchangeCloudManaged
- Replacement for Last Exchange Server on-prem
- Only 23 Exchange attributes support write-back
 - 20x ExtensionAttributes
 - msExchRecipientDisplayType
 - msExchRecipientTypeDetails
 - proxyAddresses
- It's the exception from the "Entra Cloud Sync First" rule
 - Currently: Only Entra ID Connect
 - Future: Entra Cloud Sync
- No solution for a local mail relay



Let's talk security



Security - Authentication



- Entra Connect
 - On-premises
 - Legacy service user with password stored in the Connect database
 - Cloud
 - ~~User and password stored in the Connect database~~
 - Certificate based authentication with TPM support (since 2025)
- Entra Cloud Sync
 - On-premises
 - Group Managed Service Account
 - Cloud
 - Hybrid Identity Service (HIS) Registration Service
 - Certificate based authentication



Security - AD least privileged



Entra Connect

- ms-DS-ConsistencyGuid
- **Password hash sync**
- Password writeback
- Exchange hybrid
- Exchange Mail Public Folder
- Device writeback

Entra Cloud Sync

- BasicRead
- **Password hash sync**
- Password writeback
- Exchange hybrid
- Exchange Mail Public Folder
- UserGroupCreateDelete

<https://learn.microsoft.com/en-us/entra/identity/hybrid/cloud-sync/how-to-gmsa-cmdlets#using-set-aadcloudsyncpermissions>

<https://learn.microsoft.com/en-us/entra/identity/hybrid/connect/reference-connect-accounts-permissions>



Security - Attack points




- Entra Connect
 - Local user and password stored in DB
 - Cloud user and password stored in DB
 - Certificate can be protected in TPM / HSM
 - signing an asseration is still possible
 - without TPM replacing the certificate as a backdoor is possible
- Entra Cloud Sync
 - Local agent certificate can be extracted and used to plant a backdoor agent
 - gMSA is bound to the device, no attack known



Cloud Sync - Attack paths



Entra Cloud Sync attack graph (overview)



Source: Dr. AzureAD



Sync compromise == Entra compromise ?



Since the last hardening measures of Microsoft, for a compromise the attacker also needs:

- Synced Admins
- No or partial MFA (or device) enforcement

Sync compromise == AD compromise ?

Depending on the privileges of the gMSA:

- PHS = Full compromise
- Connect Sync = All Domains
- Cloud Sync = maybe only a subset



Security - Remediation



- Entra Connect
 - Rotate password of local user account
 - Rotate password of cloud sync account
 - Remove unknown certificates from service principal
 - Rotate certificate for cloud sync service principal
- Entra Cloud Sync
 - Call **Microsoft** to request removal of the malicious agent
 - Recreate the group managed service account



Security - Recommendations



- Protect all Sync Servers like any other tier 0 system
- Onboard those systems to Defender for Identity
- Minimize lateral movement paths
 - Don't sync users that have privileged roles in Entra ID
 - Don't sync users that have any privileged role in any RBAC system
 - Enforce MFA: everytime, everywhere
 - Enforce compliant devices
 - Use PAW devices for privileged accounts
- Adopt your detection for certificate based Entra Connect
- Unrelated but: Disable Seamless Single Sign On 🤪







Thank You!

