CONFIDENTIAL, ALL RIGHTS RESERVED DIN 34
Format ISO/DIN A3

Purpose of Document				Type of Document
Information		for Approval		As Built

Place for digital signature of Contractor

Place for digital signature of Revisor

AS BUILT

Rev.	Revision Description	Drawn by	Checked by	Approved by Designer	Approved by Contractor	Date
00	As built	Luka Božičević	Antonio Aleksić	Grga Kolić		01.04.2026.

Document No. (CSD) PER-E-8-U7-ROU-001-00-VHHR

Employer: epcg Elektroprivreda Crne Gore AD

Consultant: ENERGOPROJEKT HIDROINŽENJERING a.d.

Contractor: VOITH HYDRO GmbH&CoKG St. Pölten

Project:

Reconstruction and Modernisation of HPP Perucica - Phase II

Title:

Unit 7 process control cable diagrams

2

Approved by Contractor			Reconstruction and Modernisation of HPP Perucica - Phase II	epcg	SINTAKSA A Voith Company Sintaksa - A Voith Company Ulica Domovinskog rata 104C, 21 000 Split, Hrvatska
Approved by Designer	Grga Kolić	01.04.2026.			
Checked by	Antonio Aleksić	01.04.2026.			
Drawn by	Luka Božičević	01.04.2026.	PROJECT NAME	EMPLOYER	DESIGNER

Unit 7 process control cable diagrams	DRAWING No.: PERU-01-17-170-33-001	REV No.: 00	= U7CJA10GH100 + U7CJA10
TITLE PAGE	Designer No.: 22044-DD-EE-08-07-100	SALES No.:	PAGE 1 PAGE 1 / 9

Cable name :	+U7CJA10-W5001	**Number of conductors :**	10	**Description :**	
Cable type :	NYCY	**Number of used conductors :**	10		
		Cable cross section :	1.5		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7CMB10GH100+U7CMB10-X13	1	=U7CJA10GH100+U7CJA10/38.7:B	**1**	=U7CJA10GH100+U7CJA10-X50	2:A	=U7CJA10GH100+U7CJA10/38.7:B
=U7CMB10GH100+U7CMB10-X13	2	=U7CJA10GH100+U7CJA10/38.7:C	**2**	=U7CJA10GH100+U7CJA10-1K177	A1	=U7CJA10GH100+U7CJA10/38.7:D
=U7CMB10GH100+U7CMB10-X13	4	=U7CJA10GH100+U7CJA10/38.8:C	**3**	=U7CJA10GH100+U7CJA10-1K178	A1	=U7CJA10GH100+U7CJA10/38.8:D
=U7CMB10GH100+U7CMB10-X13	6	=U7CJA10GH100+U7CJA10/39.1:C	**4**	=U7CJA10GH100+U7CJA10-1K181	A1	=U7CJA10GH100+U7CJA10/39.1:D
=U7CMB10GH100+U7CMB10-X13	8	=U7CJA10GH100+U7CJA10/39.2:C	**5**	=U7CJA10GH100+U7CJA10-1K182	A1	=U7CJA10GH100+U7CJA10/39.2:D
=U7CMB10GH100+U7CMB10-X13	9	=U7CJA10GH100+U7CJA10/39.3:B	**6**	=U7CJA10GH100+U7CJA10-X50	3:A	=U7CJA10GH100+U7CJA10/39.3:B
=U7CMB10GH100+U7CMB10-X13	10	=U7CJA10GH100+U7CJA10/39.3:C	**7**	=U7CJA10GH100+U7CJA10-1K183	A1	=U7CJA10GH100+U7CJA10/39.3:D
=U7CMB10GH100+U7CMB10-X13	12	=U7CJA10GH100+U7CJA10/39.4:C	**8**	=U7CJA10GH100+U7CJA10-1K184	A1	=U7CJA10GH100+U7CJA10/39.4:D
=U7CMB10GH100+U7CMB10-X13	14	=U7CJA10GH100+U7CJA10/39.5:C	**9**	=U7CJA10GH100+U7CJA10-1K185	A1	=U7CJA10GH100+U7CJA10/39.5:D
=U7CMB10GH100+U7CMB10-X13	16	=U7CJA10GH100+U7CJA10/39.6:C	**10**	=U7CJA10GH100+U7CJA10-1K186	A1	=U7CJA10GH100+U7CJA10/39.6:D

Cable name :	+U7CJA10-W5002	**Number of conductors :**	10	**Description :**	
Cable type :	NYCY	**Number of used conductors :**	4		
		Cable cross section :	1.5		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7CMB10GH100+U7CMB10-X16	1	=U7CJA10GH100+U7CJA10/39.7:B	**1**	=U7CJA10GH100+U7CJA10-X50	3:B	=U7CJA10GH100+U7CJA10/39.3:B
=U7CMB10GH100+U7CMB10-X16	2	=U7CJA10GH100+U7CJA10/39.7:C	**2**	=U7CJA10GH100+U7CJA10-1K187	A1	=U7CJA10GH100+U7CJA10/39.7:D
=U7CMB10GH100+U7CMB10-X16	4	=U7CJA10GH100+U7CJA10/39.8:C	**3**	=U7CJA10GH100+U7CJA10-1K188	A1	=U7CJA10GH100+U7CJA10/39.8:D
=U7CMB10GH100+U7CMB10-X16	6	=U7CJA10GH100+U7CJA10/40.1:C	**4**	=U7CJA10GH100+U7CJA10-1K191	A1	=U7CJA10GH100+U7CJA10/40.1:D
			5			
			6			
			7			
			8			
			9			
			10			

Cable name :	+U7CJA10-W5003	**Number of conductors :**	3	**Description :**	
Cable type :	NYY-J	**Number of used conductors :**	2		
		Cable cross section :	2.5		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7CJA10GH100+U7CJA10-X38	1:A	=U7CJA10GH100+U7CJA10/10.1:D	**BN**	=ET200AL+6ES7157_1AB00_0AB0	-X80:1	=U7CJA10GH100+U7CJA10/106.3:E
=U7CJA10GH100+U7CJA10-X38	3:A	=U7CJA10GH100+U7CJA10/10.2:D	**BU**	=ET200AL+6ES7157_1AB00_0AB0	-X80:3	=U7CJA10GH100+U7CJA10/106.3:E
			GNYE			

CONFIDENTIAL, ALL RIGHTS RESERVED DIN 34

Format ISO/DIN A3

Approved by Contractor			Reconstruction and Modernisation of HPP Perucica - Phase II	epcg	SINTAKSA A Voith Company **Sintaksa - A Voith Company** Ulica Domovinskog rata 104C, 21 000 Split, Hrvatska	Unit 7 process control cable diagrams	DRAWING No.:	REV No.:	= U7CJA10GH100
Approved by Designer	Grga Kolić	01.04.2026.					PERU-01-17-170-33-001		+ U7CJA10
Checked by	Antonio Aleksić	01.04.2026.				CABLE DIAGRAM	Designer No.:	SALES No.:	PAGE 2
Drawn by	Luka Božičević	01.04.2026.	PROJECT NAME	EMPLOYER	DESIGNER		22044-DD-EE-08-07-100		PAGE 2 / 9

CONFIDENTIAL, ALL RIGHTS RESERVED DIN 34

Cable name :	+U7CJA10-W5004	**Number of conductors :**	10
Cable type :	NYCY	**Number of used conductors :**	8
		Cable cross section :	1.5

Description :

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7CJA10GH100+U7CJA10-X44	8:B	=U7CJA10GH100+U7CJA10/24.5:B	**1**	=U7SAA10GH100+U7SAA10-X71	1	=U7CJA10GH100+U7CJA10/24.2:B
=U7CJA10GH100+U7CJA10-1K32	A1	=U7CJA10GH100+U7CJA10/24.2:D	**2**	=U7SAA10GH100+U7SAA10-X71	2	=U7CJA10GH100+U7CJA10/24.2:C
=U7CJA10GH100+U7CJA10-1K33	A1	=U7CJA10GH100+U7CJA10/24.3:D	**3**	=U7SAA10GH100+U7SAA10-X71	3	=U7CJA10GH100+U7CJA10/24.3:C
=U7CJA10GH100+U7CJA10-1K34	A1	=U7CJA10GH100+U7CJA10/24.4:D	**4**	=U7SAA10GH100+U7SAA10-X71	4	=U7CJA10GH100+U7CJA10/24.4:C
=U7CJA10GH100+U7CJA10-1K36	A1	=U7CJA10GH100+U7CJA10/24.6:D	**5**	=U7SAA10GH100+U7SAA10-X71	5	=U7CJA10GH100+U7CJA10/24.6:C
=U7CJA10GH100+U7CJA10-X71	104:A	=U7CJA10GH100+U7CJA10/96.6:D	**6**	=U7SAA10GH100+U7SAA10-X61	3	=U7CJA10GH100+U7CJA10/96.6:E
=U7CJA10GH100+U7CJA10-X71	105:A	=U7CJA10GH100+U7CJA10/96.6:D	**7**	=U7SAA10GH100+U7SAA10-X61	4	=U7CJA10GH100+U7CJA10/96.6:E
=U7CJA10GH100+U7CJA10-1K41	A1	=U7CJA10GH100+U7CJA10/25.1:D	**8**	=U7SAA10GH100+U7SAA10-X71	6	=U7CJA10GH100+U7CJA10/25.1:C
			9			
			10			

Cable name :	+U7CJA10-W5005	**Number of conductors :**	7
Cable type :	NYCY	**Number of used conductors :**	5
		Cable cross section :	1.5

Description :

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7CJA10GH100+U7CJA10-X71	5:A	=U7CJA10GH100+U7CJA10/88.2:D	**1**	=OUT+OUT-H02	4	=U7CJA10GH100+U7CJA10/88.2:D
=U7CJA10GH100+U7CJA10-X71	13:A	=U7CJA10GH100+U7CJA10/88.3:D	**2**	=OUT+OUT-H02	2	=U7CJA10GH100+U7CJA10/88.3:D
=U7CJA10GH100+U7CJA10-X71	14:A	=U7CJA10GH100+U7CJA10/88.4:D	**3**	=OUT+OUT-H02	3	=U7CJA10GH100+U7CJA10/88.4:D
=U7CJA10GH100+U7CJA10-X71	15:A	=U7CJA10GH100+U7CJA10/88.5:D	**4**	=OUT+OUT-H02	1	=U7CJA10GH100+U7CJA10/88.5:D
=U7CJA10GH100+U7CJA10-X71	6:A	=U7CJA10GH100+U7CJA10/88.2:E	**5**	=OUT+OUT-H02	0	=U7CJA10GH100+U7CJA10/88.2:E
			6			
			7			

Cable name :	+U7CJA10-W5101	**Number of conductors :**	12
Cable type :	NYCY	**Number of used conductors :**	9
		Cable cross section :	1.5

Description :

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=7NU01+SC44-X3	1	=U7CJA10GH100+U7CJA10/40.2:B	**1**	=U7CJA10GH100+U7CJA10-X48	2:A	=U7CJA10GH100+U7CJA10/40.2:B
=7NU01+SC44-X3	6	=U7CJA10GH100+U7CJA10/40.2:C	**2**	=U7CJA10GH100+U7CJA10-1K192	A1	=U7CJA10GH100+U7CJA10/40.2:D
=7NU01+SC44-X3	5	=U7CJA10GH100+U7CJA10/40.3:C	**3**	=U7CJA10GH100+U7CJA10-1K193	A1	=U7CJA10GH100+U7CJA10/40.3:D
			4			
=U7CJA10GH100+U7CJA10-1K197	A1	=U7CJA10GH100+U7CJA10/40.7:D	**5**	=7NU01+SC44-X3	8	=U7CJA10GH100+U7CJA10/40.7:C
=7N601+SC44-X3	7	=U7CJA10GH100+U7CJA10/45.1:C	**6**	=U7CJA10GH100+U7CJA10-1K241	A1	=U7CJA10GH100+U7CJA10/45.1:D
=7NU01+SC44-X3	9	=U7CJA10GH100+U7CJA10/89.2:E	**7**	=U7CJA10GH100+U7CJA10-X71	9:A	=U7CJA10GH100+U7CJA10/89.2:D
=7NU01+SC44-X3	12	=U7CJA10GH100+U7CJA10/89.3:E	**8**	=U7CJA10GH100+U7CJA10-X71	10:A	=U7CJA10GH100+U7CJA10/89.3:D
=7NU01+SC44-X3	10	=U7CJA10GH100+U7CJA10/89.3:E	**9**	=U7CJA10GH100+U7CJA10-X71	11:A	=U7CJA10GH100+U7CJA10/89.3:D
=7NU01+SC44-X3	11	=U7CJA10GH100+U7CJA10/89.4:E	**10**	=U7CJA10GH100+U7CJA10-X71	12:A	=U7CJA10GH100+U7CJA10/89.4:D

Format ISO/DIN A3

Approved by Contractor			Reconstruction and Modernisation of HPP Perucica - Phase II	epcg	SINTAKSA A Voith Company **Sintaksa - A Voith Company** Ulica Domovinskog rata 104C, 21 000 Split, Hrvatska	Unit 7 process control cable diagrams	DRAWING No.: PERU-01-17-170-33-001	REV No.:	= U7CJA10GH100
Approved by Designer	Grga Kolić	01.04.2026.							+ U7CJA10
Checked by	Antonio Aleksić	01.04.2026.				CABLE DIAGRAM	Designer No.: 22044-DD-EE-08-07-100	SALES No.:	PAGE 3
Drawn by	Luka Božičević	01.04.2026.	PROJECT NAME	EMPLOYER	DESIGNER				PAGE 3 / 9

CONFIDENTIAL, ALL RIGHTS RESERVED DIN 34

Cable name :	+U7CJA10-W5102	Number of conductors :	4	Description :
Cable type :	LiYCY	Number of used conductors :	2	
		Cable cross section :	1.5	

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7CJA10GH100+U7CJA10-X48	2:B	=U7CJA10GH100+U7CJA10/40.2:B	BN	=?+?-?	13	=U7CJA10GH100+U7CJA10/40.4:B
=U7CJA10GH100+U7CJA10-1K194	A1	=U7CJA10GH100+U7CJA10/40.4:D	WH	=?+?-?	14	=U7CJA10GH100+U7CJA10/40.4:B

Cable name :	+U7CJA10-W5103	Number of conductors :	4	Description :
Cable type :	LiYCY	Number of used conductors :	2	
		Cable cross section :	1.5	

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7CJA10GH100+U7CJA10-X48	3:B	=U7CJA10GH100+U7CJA10/40.7:B	BN	=?+?-?	13	=U7CJA10GH100+U7CJA10/40.5:B
=U7CJA10GH100+U7CJA10-1K195	A1	=U7CJA10GH100+U7CJA10/40.5:D	WH	=?+?-?	14	=U7CJA10GH100+U7CJA10/40.5:B

Cable name :	+U7CJA10-W5201	Number of conductors :	10	Description :
Cable type :	NYCY	Number of used conductors :	10	
		Cable cross section :	1.5	

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKC10GH100+U7MKC11-X050	1	=U7CJA10GH100+U7CJA10/35.7:B	1	=U7CJA10GH100+U7CJA10-X47	2:A	=U7CJA10GH100+U7CJA10/35.7:B
=U7MKC10GH100+U7MKC11-X050	3	=U7CJA10GH100+U7CJA10/35.7:C	2	=U7CJA10GH100+U7CJA10-1K147	A1	=U7CJA10GH100+U7CJA10/35.7:D
=U7MKC10GH100+U7MKC11-X050	4	=U7CJA10GH100+U7CJA10/35.8:C	3	=U7CJA10GH100+U7CJA10-1K148	A1	=U7CJA10GH100+U7CJA10/35.8:D
=U7MKC10GH100+U7MKC11-X050	5	=U7CJA10GH100+U7CJA10/36.1:C	4	=U7CJA10GH100+U7CJA10-1K151	A1	=U7CJA10GH100+U7CJA10/36.1:D
=U7MKC10GH100+U7MKC11-X050	6	=U7CJA10GH100+U7CJA10/36.2:C	5	=U7CJA10GH100+U7CJA10-1K152	A1	=U7CJA10GH100+U7CJA10/36.2:D
=U7MKC10GH100+U7MKC11-X050	7	=U7CJA10GH100+U7CJA10/36.3:C	6	=U7CJA10GH100+U7CJA10-1K153	A1	=U7CJA10GH100+U7CJA10/36.3:D
=U7MKC10GH100+U7MKC11-X050	9	=U7CJA10GH100+U7CJA10/36.4:C	7	=U7CJA10GH100+U7CJA10-1K154	A1	=U7CJA10GH100+U7CJA10/36.4:D
=U7MKC10GH100+U7MKC11-X050	10	=U7CJA10GH100+U7CJA10/36.5:C	8	=U7CJA10GH100+U7CJA10-1K155	A1	=U7CJA10GH100+U7CJA10/36.5:D
=U7MKC10GH100+U7MKC11-X050	11	=U7CJA10GH100+U7CJA10/36.6:C	9	=U7CJA10GH100+U7CJA10-1K156	A1	=U7CJA10GH100+U7CJA10/36.6:D
=U7MKC10GH100+U7MKC11-X050	12	=U7CJA10GH100+U7CJA10/36.7:C	10	=U7CJA10GH100+U7CJA10-1K157	A1	=U7CJA10GH100+U7CJA10/36.7:D

Cable name :	+U7CJA10-W5202	Number of conductors :	10	Description :
Cable type :	NYCY	Number of used conductors :	10	
		Cable cross section :	1.5	

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKC10GH100+U7MKC11-X050	13	=U7CJA10GH100+U7CJA10/36.8:C	1	=U7CJA10GH100+U7CJA10-1K158	A1	=U7CJA10GH100+U7CJA10/36.8:D
=U7MKC10GH100+U7MKC11-X050	14	=U7CJA10GH100+U7CJA10/37.1:C	2	=U7CJA10GH100+U7CJA10-1K161	A1	=U7CJA10GH100+U7CJA10/37.1:D
=U7MKC10GH100+U7MKC11-X050	17	=U7CJA10GH100+U7CJA10/37.2:C	3	=U7CJA10GH100+U7CJA10-1K162	A1	=U7CJA10GH100+U7CJA10/37.2:D
=U7MKC10GH100+U7MKC11-X050	18	=U7CJA10GH100+U7CJA10/37.3:C	4	=U7CJA10GH100+U7CJA10-1K163	A1	=U7CJA10GH100+U7CJA10/37.3:D
=U7MKC10GH100+U7MKC11-X081	10	=U7CJA10GH100+U7CJA10/85.2:B	5	=U7CJA10GH100+U7CJA10-X42	7:A	=U7CJA10GH100+U7CJA10/85.2:B
=U7MKC10GH100+U7MKC11-X081	11	=U7CJA10GH100+U7CJA10/85.2:C	6	=U7CJA10GH100+U7CJA10-X120	25:C	=U7CJA10GH100+U7CJA10/85.2:D
=U7MKC10GH100+U7MKC11-X081	12	=U7CJA10GH100+U7CJA10/85.3:C	7	=U7CJA10GH100+U7CJA10-X120	26:C	=U7CJA10GH100+U7CJA10/85.3:D
=U7MKC10GH100+U7MKC11-X081	16	=U7CJA10GH100+U7CJA10/85.4:B	8	=U7CJA10GH100+U7CJA10-X42	8:A	=U7CJA10GH100+U7CJA10/85.4:B
=U7MKC10GH100+U7MKC11-X081	17	=U7CJA10GH100+U7CJA10/85.4:C	9	=U7CJA10GH100+U7CJA10-X120	27:C	=U7CJA10GH100+U7CJA10/85.4:D

Approved by Contractor			Reconstruction and Modernisation of HPP Perucica - Phase II	epcg	SINTAKSA A Voith Company	Unit 7 process control cable diagrams	DRAWING No.: PERU-01-17-170-33-001	REV No.: = U7CJA10GH100 + U7CJA10
Approved by Designer	Grga Kolić	01.04.2026.			Sintaksa - A Voith Company Ulica Domovinskog rata 104C, 21 000 Split, Hrvatska	CABLE DIAGRAM	Designer No.: 22044-DD-EE-08-07-100	SALES No.: PAGE 4
Checked by	Antonio Aleksić	01.04.2026.						PAGE 4 / 9
Drawn by	Luka Božičević	01.04.2026.	PROJECT NAME	EMPLOYER	DESIGNER			

Cable name :	+U7CJA10-W5202	**Number of conductors :**	10	**Description :**	
Cable type :	NYCY	**Number of used conductors :**	10		
		Cable cross section :	1.5		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKC10GH100+U7MKC11-X081	18	=U7CJA10GH100+U7CJA10/85.5:C	**10**	=U7CJA10GH100+U7CJA10-X120	28:C	=U7CJA10GH100+U7CJA10/85.5:D

Cable name :	+U7CJA10-W5203	**Number of conductors :**	10	**Description :**	
Cable type :	NYCY	**Number of used conductors :**	6		
		Cable cross section :	1.5		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
			1			
			2			
			3			
=U7MKC10GH100+U7MKC11-X030	2	=U7CJA10GH100+U7CJA10/92.1:E	**4**	=U7CJA10GH100+U7CJA10-X71	51:A	=U7CJA10GH100+U7CJA10/92.1:D
=U7MKC10GH100+U7MKC11-X040	2	=U7CJA10GH100+U7CJA10/92.2:E	**5**	=U7CJA10GH100+U7CJA10-X71	52:A	=U7CJA10GH100+U7CJA10/92.2:D
=U7MKC10GH100+U7MKC11-X030	1	=U7CJA10GH100+U7CJA10/92.2:E	**6**	=U7CJA10GH100+U7CJA10-X71	53:A	=U7CJA10GH100+U7CJA10/92.2:D
=U7MKC10GH100+U7MKC11-X040	1	=U7CJA10GH100+U7CJA10/92.3:E	**7**	=U7CJA10GH100+U7CJA10-X71	54:A	=U7CJA10GH100+U7CJA10/92.3:D
=U7MKC10GH100+U7MKC11-X030	3	=U7CJA10GH100+U7CJA10/92.3:E	**8**	=U7CJA10GH100+U7CJA10-X71	55:A	=U7CJA10GH100+U7CJA10/92.3:D
=U7MKC10GH100+U7MKC11-X040	3	=U7CJA10GH100+U7CJA10/92.4:E	**9**	=U7CJA10GH100+U7CJA10-X71	56:A	=U7CJA10GH100+U7CJA10/92.4:D
			10			

Cable name :	+U7CJA10-W5204	**Number of conductors :**	10	**Description :**	
Cable type :	NYCY	**Number of used conductors :**	10		
		Cable cross section :	1.5		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKC10GH100+U7MKC11-X030	4	=U7CJA10GH100+U7CJA10/92.4:E	**1**	=U7CJA10GH100+U7CJA10-X71	57:A	=U7CJA10GH100+U7CJA10/92.4:D
=U7MKC10GH100+U7MKC11-X040	4	=U7CJA10GH100+U7CJA10/92.5:E	**2**	=U7CJA10GH100+U7CJA10-X71	58:A	=U7CJA10GH100+U7CJA10/92.5:D
=U7MKC10GH100+U7MKC11-X030	5	=U7CJA10GH100+U7CJA10/92.5:E	**3**	=U7CJA10GH100+U7CJA10-X71	59:A	=U7CJA10GH100+U7CJA10/92.5:D
=U7MKC10GH100+U7MKC11-X040	5	=U7CJA10GH100+U7CJA10/92.6:E	**4**	=U7CJA10GH100+U7CJA10-X71	60:A	=U7CJA10GH100+U7CJA10/92.6:D
=U7MKC10GH100+U7MKC11-X030	6	=U7CJA10GH100+U7CJA10/92.6:E	**5**	=U7CJA10GH100+U7CJA10-X71	61:A	=U7CJA10GH100+U7CJA10/92.6:D
=U7MKC10GH100+U7MKC11-X040	6	=U7CJA10GH100+U7CJA10/92.7:E	**6**	=U7CJA10GH100+U7CJA10-X71	62:A	=U7CJA10GH100+U7CJA10/92.7:D
=U7MKC10GH100+U7MKC11-X030	7	=U7CJA10GH100+U7CJA10/92.7:E	**7**	=U7CJA10GH100+U7CJA10-X71	63:A	=U7CJA10GH100+U7CJA10/92.7:D
=U7MKC10GH100+U7MKC11-X040	7	=U7CJA10GH100+U7CJA10/92.8:E	**8**	=U7CJA10GH100+U7CJA10-X71	64:A	=U7CJA10GH100+U7CJA10/92.8:D
=U7MKC10GH100+U7MKC11-X030	8	=U7CJA10GH100+U7CJA10/93.1:E	**9**	=U7CJA10GH100+U7CJA10-X71	65:A	=U7CJA10GH100+U7CJA10/93.1:D
=U7MKC10GH100+U7MKC11-X040	8	=U7CJA10GH100+U7CJA10/93.2:E	**10**	=U7CJA10GH100+U7CJA10-X71	66:A	=U7CJA10GH100+U7CJA10/93.2:D

CONFIDENTIAL, ALL RIGHTS RESERVED DIN 34

Format ISO/DIN A3

Approved by Contractor			Reconstruction and Modernisation of HPP Perucica - Phase II	epcg	SINTAKSA A Voith Company	Unit 7 process control cable diagrams	DRAWING No.:	REV No.:	= U7CJA10GH100
Approved by Designer	Grga Kolić	01.04.2026.					PERU-01-17-170-33-001		+ U7CJA10
Checked by	Antonio Aleksić	01.04.2026.			Sintaksa - A Voith Company Ulica Domovinskog rata 104C, 21 000 Split, Hrvatska	CABLE DIAGRAM	Designer No.:	SALES No.:	PAGE 5
Drawn by	Luka Božičević	01.04.2026.	PROJECT NAME	EMPLOYER	DESIGNER		22044-DD-EE-08-07-100		PAGE 5 / 9

CONFIDENTIAL, ALL RIGHTS RESERVED DIN 34

Cable name :	+U7CJA10-W5205	**Number of conductors :**	10	**Description :**	
Cable type :	NYCY	**Number of used conductors :**	10		
		Cable cross section :	1.5		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKC10GH100+U7MKC11-X030	9	=U7CJA10GH100+U7CJA10/93.2:E	**1**	=U7CJA10GH100+U7CJA10-X71	67:A	=U7CJA10GH100+U7CJA10/93.2:D
=U7MKC10GH100+U7MKC11-X040	9	=U7CJA10GH100+U7CJA10/93.3:E	**2**	=U7CJA10GH100+U7CJA10-X71	68:A	=U7CJA10GH100+U7CJA10/93.3:D
=U7MKC10GH100+U7MKC11-X030	10	=U7CJA10GH100+U7CJA10/93.3:E	**3**	=U7CJA10GH100+U7CJA10-X71	69:A	=U7CJA10GH100+U7CJA10/93.3:D
=U7MKC10GH100+U7MKC11-X040	10	=U7CJA10GH100+U7CJA10/93.4:E	**4**	=U7CJA10GH100+U7CJA10-X71	70:A	=U7CJA10GH100+U7CJA10/93.4:D
=U7MKC10GH100+U7MKC11-X030	14	=U7CJA10GH100+U7CJA10/93.4:E	**5**	=U7CJA10GH100+U7CJA10-X71	71:A	=U7CJA10GH100+U7CJA10/93.4:D
=U7MKC10GH100+U7MKC11-X040	14	=U7CJA10GH100+U7CJA10/93.5:E	**6**	=U7CJA10GH100+U7CJA10-X71	72:A	=U7CJA10GH100+U7CJA10/93.5:D
=U7MKC10GH100+U7MKC11-X030	15	=U7CJA10GH100+U7CJA10/93.6:E	**7**	=U7CJA10GH100+U7CJA10-X71	75:A	=U7CJA10GH100+U7CJA10/93.6:D
=U7MKC10GH100+U7MKC11-X040	15	=U7CJA10GH100+U7CJA10/93.7:E	**8**	=U7CJA10GH100+U7CJA10-X71	76:A	=U7CJA10GH100+U7CJA10/93.7:D
=U7MKC10GH100+U7MKC11-X030	17	=U7CJA10GH100+U7CJA10/93.7:E	**9**	=U7CJA10GH100+U7CJA10-X71	77:A	=U7CJA10GH100+U7CJA10/93.7:D
=U7MKC10GH100+U7MKC11-X040	17	=U7CJA10GH100+U7CJA10/93.8:E	**10**	=U7CJA10GH100+U7CJA10-X71	78:A	=U7CJA10GH100+U7CJA10/93.8:D

Cable name :	+U7CJA10-W5206	**Number of conductors :**	10	**Description :**	
Cable type :	NYCY	**Number of used conductors :**	9		
		Cable cross section :	1.5		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKC10GH100+U7MKC11-X030	11	=U7CJA10GH100+U7CJA10/78.1:E	**1**	=U7CJA10GH100+U7CJA10-X90	1:A	=U7CJA10GH100+U7CJA10/78.1:D
=U7MKC10GH100+U7MKC11-X040	11	=U7CJA10GH100+U7CJA10/78.2:E	**2**	=U7CJA10GH100+U7CJA10-X90	2:A	=U7CJA10GH100+U7CJA10/78.2:D
=U7MKC10GH100+U7MKC11-X040	12	=U7CJA10GH100+U7CJA10/78.3:E	**3**	=U7CJA10GH100+U7CJA10-X90	4:A	=U7CJA10GH100+U7CJA10/78.3:E
=U7MKC10GH100+U7MKC11-X080	13	=U7CJA10GH100+U7CJA10/94.6:E	**4**	=U7CJA10GH100+U7CJA10-X71	85:A	=U7CJA10GH100+U7CJA10/94.6:D
=U7MKC10GH100+U7MKC11-X080	14	=U7CJA10GH100+U7CJA10/94.7:E	**5**	=U7CJA10GH100+U7CJA10-X71	86:A	=U7CJA10GH100+U7CJA10/94.7:D
=U7MKC10GH100+U7MKC11-X080	2	=U7CJA10GH100+U7CJA10/94.2:E	**6**	=U7CJA10GH100+U7CJA10-X71	81:A	=U7CJA10GH100+U7CJA10/94.2:D
=U7MKC10GH100+U7MKC11-X080	5	=U7CJA10GH100+U7CJA10/94.3:E	**7**	=U7CJA10GH100+U7CJA10-X71	82:A	=U7CJA10GH100+U7CJA10/94.3:D
=U7MKC10GH100+U7MKC11-X080	6	=U7CJA10GH100+U7CJA10/94.4:E	**8**	=U7CJA10GH100+U7CJA10-X71	83:A	=U7CJA10GH100+U7CJA10/94.4:D
=U7MKC10GH100+U7MKC11-X080	10	=U7CJA10GH100+U7CJA10/94.5:E	**9**	=U7CJA10GH100+U7CJA10-X71	84:A	=U7CJA10GH100+U7CJA10/94.5:D
			10			

Cable name :	+U7CJA10-W5207	**Number of conductors :**	7	**Description :**	
Cable type :	NYCY	**Number of used conductors :**	2		
		Cable cross section :	1.5		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=FES+FES-X?		=U7CJA10GH100+U7CJA10/76.6:E	**1**	=U7CJA10GH100+U7CJA10-X100	3:A	=U7CJA10GH100+U7CJA10/76.6:D
=FES+FES-X?		=U7CJA10GH100+U7CJA10/76.7:E	**2**	=U7CJA10GH100+U7CJA10-X100	4:A	=U7CJA10GH100+U7CJA10/76.7:D
			3			
			4			
			5			
			6			
			7			

Approved by Contractor			Reconstruction and Modernisation of HPP Perucica - Phase II	epcg	SINTAKSA A Voith Company	Unit 7 process control cable diagrams	DRAWING No.:	REV No.:	= U7CJA10GH100
Approved by Designer	Grga Kolić	01.04.2026.			Sintaksa - A Voith Company Ulica Domovinskog rata 104C, 21 000 Split, Hrvatska		PERU-01-17-170-33-001		+ U7CJA10
Checked by	Antonio Aleksić	01.04.2026.				CABLE DIAGRAM	Designer No.:	SALES No.:	PAGE 6
Drawn by	Luka Božičević	01.04.2026.	PROJECT NAME	EMPLOYER	DESIGNER		22044-DD-EE-08-07-100		PAGE 6 / 9

Format ISO/DIN A3

CONFIDENTIAL, ALL RIGHTS RESERVED DIN 34

Cable name :	+U7CJA10-W6501	Number of conductors :	3	Description :
Cable type :	NYY-J	Number of used conductors :	2	
		Cable cross section :	4	

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKC10GH100+U7MKC11-X100	23	=U7CJA10GH100+U7CJA10/103.6:E	BN	=U7CJA10GH100+U7CJA10-XT4	3:B	=U7CJA10GH100+U7CJA10/101.4:E
=U7MKC10GH100+U7MKC11-X100	25	=U7CJA10GH100+U7CJA10/103.6:E	BU	=U7CJA10GH100+U7CJA10-XT3	9:B	=U7CJA10GH100+U7CJA10/101.5:C
			GNYE			

Cable name :	+U7CJA10-W7001	Number of conductors :	12	Description :
Cable type :	LiYCY	Number of used conductors :	12	
		Cable cross section :	0.75	

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKA10GH100+U7MKA10-X	1	=U7CJA10GH100+U7CJA10/58.5:B	WH	=U7CJA10GH100+U7CJA10-X43	32:A	=U7CJA10GH100+U7CJA10/58.5:C
=U7MKA10GH100+U7MKA10-X	1	=U7CJA10GH100+U7CJA10/58.5:B	BN	=U7CJA10GH100+U7CJA10-X43	31:A	=U7CJA10GH100+U7CJA10/58.5:C
=U7MKA10GH100+U7MKA10-X	2	=U7CJA10GH100+U7CJA10/58.5:B	GN	=U7CJA10GH100+U7CJA10-X43	34:A	=U7CJA10GH100+U7CJA10/58.5:C
=U7MKA10GH100+U7MKA10-X	2	=U7CJA10GH100+U7CJA10/58.5:B	YE	=U7CJA10GH100+U7CJA10-X43	33:A	=U7CJA10GH100+U7CJA10/58.5:C
=U7MKA10GH100+U7MKA10-X	17	=U7CJA10GH100+U7CJA10/59.2:B	GY	=U7CJA10GH100+U7CJA10-X43	39:A	=U7CJA10GH100+U7CJA10/59.2:C
=U7MKA10GH100+U7MKA10-X	17	=U7CJA10GH100+U7CJA10/59.2:B	PK	=U7CJA10GH100+U7CJA10-X43	40:A	=U7CJA10GH100+U7CJA10/59.2:C
=U7MKA10GH100+U7MKA10-X	10	=U7CJA10GH100+U7CJA10/59.2:B	BU	=U7CJA10GH100+U7CJA10-X43	41:A	=U7CJA10GH100+U7CJA10/59.2:C
=U7MKA10GH100+U7MKA10-X	10	=U7CJA10GH100+U7CJA10/59.2:B	RD	=U7CJA10GH100+U7CJA10-X43	42:A	=U7CJA10GH100+U7CJA10/59.2:C
=U7MKA10GH100+U7MKA10-X	11	=U7CJA10GH100+U7CJA10/58.7:B	BK	=U7CJA10GH100+U7CJA10-X43	35:A	=U7CJA10GH100+U7CJA10/58.7:C
=U7MKA10GH100+U7MKA10-X	11	=U7CJA10GH100+U7CJA10/58.7:B	VT	=U7CJA10GH100+U7CJA10-X43	36:A	=U7CJA10GH100+U7CJA10/58.7:C
=U7MKA10GH100+U7MKA10-X	12	=U7CJA10GH100+U7CJA10/58.7:B	GY-PK	=U7CJA10GH100+U7CJA10-X43	37:A	=U7CJA10GH100+U7CJA10/58.7:C
=U7MKA10GH100+U7MKA10-X	12	=U7CJA10GH100+U7CJA10/58.7:B	RD-BU	=U7CJA10GH100+U7CJA10-X43	38:A	=U7CJA10GH100+U7CJA10/58.7:C

Cable name :	+U7CJA10-W7002	Number of conductors :	12	Description :
Cable type :	LiYCY	Number of used conductors :	12	
		Cable cross section :	0.75	

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKA10GH100+U7MKA10-X	3	=U7CJA10GH100+U7CJA10/59.3:B	WH	=U7CJA10GH100+U7CJA10-X43	44:A	=U7CJA10GH100+U7CJA10/59.3:C
=U7MKA10GH100+U7MKA10-X	3	=U7CJA10GH100+U7CJA10/59.3:B	BN	=U7CJA10GH100+U7CJA10-X43	43:A	=U7CJA10GH100+U7CJA10/59.3:C
=U7MKA10GH100+U7MKA10-X	4	=U7CJA10GH100+U7CJA10/59.4:B	GN	=U7CJA10GH100+U7CJA10-X43	46:A	=U7CJA10GH100+U7CJA10/59.4:C
=U7MKA10GH100+U7MKA10-X	4	=U7CJA10GH100+U7CJA10/59.4:B	YE	=U7CJA10GH100+U7CJA10-X43	45:A	=U7CJA10GH100+U7CJA10/59.4:C
=U7MKA10GH100+U7MKA10-X	5	=U7CJA10GH100+U7CJA10/59.5:B	GY	=U7CJA10GH100+U7CJA10-X43	47:A	=U7CJA10GH100+U7CJA10/59.5:C
=U7MKA10GH100+U7MKA10-X	5	=U7CJA10GH100+U7CJA10/59.5:B	PK	=U7CJA10GH100+U7CJA10-X43	48:A	=U7CJA10GH100+U7CJA10/59.5:C
=U7MKA10GH100+U7MKA10-X	6	=U7CJA10GH100+U7CJA10/59.5:B	BU	=U7CJA10GH100+U7CJA10-X43	49:A	=U7CJA10GH100+U7CJA10/59.5:C
=U7MKA10GH100+U7MKA10-X	6	=U7CJA10GH100+U7CJA10/59.5:B	RD	=U7CJA10GH100+U7CJA10-X43	50:A	=U7CJA10GH100+U7CJA10/59.5:C
=U7MKA10GH100+U7MKA10-X	7	=U7CJA10GH100+U7CJA10/59.7:B	BK	=U7CJA10GH100+U7CJA10-X43	51:A	=U7CJA10GH100+U7CJA10/59.7:C
=U7MKA10GH100+U7MKA10-X	7	=U7CJA10GH100+U7CJA10/59.7:B	VT	=U7CJA10GH100+U7CJA10-X43	52:A	=U7CJA10GH100+U7CJA10/59.7:C
=U7MKA10GH100+U7MKA10-X	8	=U7CJA10GH100+U7CJA10/59.7:B	GY-PK	=U7CJA10GH100+U7CJA10-X43	53:A	=U7CJA10GH100+U7CJA10/59.7:C
=U7MKA10GH100+U7MKA10-X	8	=U7CJA10GH100+U7CJA10/59.7:B	RD-BU	=U7CJA10GH100+U7CJA10-X43	54:A	=U7CJA10GH100+U7CJA10/59.7:C

Approved by Contractor			Reconstruction and Modernisation of HPP Perucica - Phase II	epcg	SINTAKSA A Voith Company Sintaksa - A Voith Company Ulica Domovinskog rata 104C, 21 000 Split, Hrvatska	Unit 7 process control cable diagrams	DRAWING No.: PERU-01-17-170-33-001	REV No.: = U7CJA10GH100
Approved by Designer	Grga Kolić	01.04.2026.						+ U7CJA10
Checked by	Antonio Aleksić	01.04.2026.				CABLE DIAGRAM	Designer No.: 22044-DD-EE-08-07-100	SALES No.: PAGE 7
Drawn by	Luka Božičević	01.04.2026.	PROJECT NAME	EMPLOYER	DESIGNER			PAGE 7 / 9

CONFIDENTIAL, ALL RIGHTS RESERVED DIN 34

Cable name :	+U7CJA10-W7003	**Number of conductors :**	12	**Description :**	
Cable type :	LiYCY	**Number of used conductors :**	12		
		Cable cross section :	0.75		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKA10GH100+U7MKA10-X	23	=U7CJA10GH100+U7CJA10/60.2:B	**WH**	=U7CJA10GH100+U7CJA10-X43	56:A	=U7CJA10GH100+U7CJA10/60.2:C
=U7MKA10GH100+U7MKA10-X	23	=U7CJA10GH100+U7CJA10/60.2:B	**BN**	=U7CJA10GH100+U7CJA10-X43	55:A	=U7CJA10GH100+U7CJA10/60.2:C
=U7MKA10GH100+U7MKA10-X	24	=U7CJA10GH100+U7CJA10/60.2:B	**GN**	=U7CJA10GH100+U7CJA10-X43	58:A	=U7CJA10GH100+U7CJA10/60.2:C
=U7MKA10GH100+U7MKA10-X	24	=U7CJA10GH100+U7CJA10/60.2:B	**YE**	=U7CJA10GH100+U7CJA10-X43	57:A	=U7CJA10GH100+U7CJA10/60.2:C
=U7MKA10GH100+U7MKA10-X	25	=U7CJA10GH100+U7CJA10/60.3:B	**GY**	=U7CJA10GH100+U7CJA10-X43	59:A	=U7CJA10GH100+U7CJA10/60.3:C
=U7MKA10GH100+U7MKA10-X	25	=U7CJA10GH100+U7CJA10/60.3:B	**PK**	=U7CJA10GH100+U7CJA10-X43	60:A	=U7CJA10GH100+U7CJA10/60.3:C
=U7MKA10GH100+U7MKA10-X	26	=U7CJA10GH100+U7CJA10/60.4:B	**BU**	=U7CJA10GH100+U7CJA10-X43	61:A	=U7CJA10GH100+U7CJA10/60.4:C
=U7MKA10GH100+U7MKA10-X	26	=U7CJA10GH100+U7CJA10/60.4:B	**RD**	=U7CJA10GH100+U7CJA10-X43	62:A	=U7CJA10GH100+U7CJA10/60.4:C
=U7MKA10GH100+U7MKA10-X	13	=U7CJA10GH100+U7CJA10/60.5:B	**BK**	=U7CJA10GH100+U7CJA10-X60	1:A	=U7CJA10GH100+U7CJA10/60.5:C
=U7MKA10GH100+U7MKA10-X	13	=U7CJA10GH100+U7CJA10/60.5:B	**VT**	=U7CJA10GH100+U7CJA10-X60	2:A	=U7CJA10GH100+U7CJA10/60.5:C
=U7MKA10GH100+U7MKA10-X	14	=U7CJA10GH100+U7CJA10/60.5:B	**GY-PK**	=U7CJA10GH100+U7CJA10-X60	3:A	=U7CJA10GH100+U7CJA10/60.5:C
=U7MKA10GH100+U7MKA10-X	14	=U7CJA10GH100+U7CJA10/60.5:B	**RD-BU**	=U7CJA10GH100+U7CJA10-X60	4:A	=U7CJA10GH100+U7CJA10/60.5:C

Cable name :	+U7CJA10-W7004	**Number of conductors :**	12	**Description :**	
Cable type :	LiYCY	**Number of used conductors :**	8		
		Cable cross section :	0.75		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKA10GH100+U7MKA10-X	15	=U7CJA10GH100+U7CJA10/60.7:B	**WH**	=U7CJA10GH100+U7CJA10-X60	6:A	=U7CJA10GH100+U7CJA10/60.7:C
=U7MKA10GH100+U7MKA10-X	15	=U7CJA10GH100+U7CJA10/60.7:B	**BN**	=U7CJA10GH100+U7CJA10-X60	5:A	=U7CJA10GH100+U7CJA10/60.7:C
=U7MKA10GH100+U7MKA10-X	16	=U7CJA10GH100+U7CJA10/60.7:B	**GN**	=U7CJA10GH100+U7CJA10-X60	8:A	=U7CJA10GH100+U7CJA10/60.7:C
=U7MKA10GH100+U7MKA10-X	16	=U7CJA10GH100+U7CJA10/60.7:B	**YE**	=U7CJA10GH100+U7CJA10-X60	7:A	=U7CJA10GH100+U7CJA10/60.7:C
=U7MKA10GH100+U7MKA10-X	17	=U7CJA10GH100+U7CJA10/61.2:B	**GY**	=U7CJA10GH100+U7CJA10-X61	1:A	=U7CJA10GH100+U7CJA10/61.2:C
=U7MKA10GH100+U7MKA10-X	17	=U7CJA10GH100+U7CJA10/61.2:B	**PK**	=U7CJA10GH100+U7CJA10-X61	2:A	=U7CJA10GH100+U7CJA10/61.2:C
=U7MKA10GH100+U7MKA10-X	18	=U7CJA10GH100+U7CJA10/61.2:B	**BU**	=U7CJA10GH100+U7CJA10-X61	3:A	=U7CJA10GH100+U7CJA10/61.2:C
=U7MKA10GH100+U7MKA10-X	18	=U7CJA10GH100+U7CJA10/61.2:B	**RD**	=U7CJA10GH100+U7CJA10-X61	4:A	=U7CJA10GH100+U7CJA10/61.2:C
			BK			
			VT			
			GY-PK			
			RD-BU			

Cable name :	+U7CJA10-W7005	**Number of conductors :**	12	**Description :**	
Cable type :	LiYCY	**Number of used conductors :**	8		
		Cable cross section :	0.75		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7MKA10GH100+U7MKA10-X	21	=U7CJA10GH100+U7CJA10/61.5:B	**WH**	=U7CJA10GH100+U7CJA10-X61	19:A	=U7CJA10GH100+U7CJA10/61.5:C
=U7MKA10GH100+U7MKA10-X	21	=U7CJA10GH100+U7CJA10/61.5:B	**BN**	=U7CJA10GH100+U7CJA10-X61	17:A	=U7CJA10GH100+U7CJA10/61.5:C
=U7MKA10GH100+U7MKA10-X	22	=U7CJA10GH100+U7CJA10/61.5:B	**GN**	=U7CJA10GH100+U7CJA10-X61	23:A	=U7CJA10GH100+U7CJA10/61.5:C
=U7MKA10GH100+U7MKA10-X	22	=U7CJA10GH100+U7CJA10/61.5:B	**YE**	=U7CJA10GH100+U7CJA10-X61	21:A	=U7CJA10GH100+U7CJA10/61.5:C
=U7CJA10GH100+U7CJA10-X61	9:A	=U7CJA10GH100+U7CJA10/61.3:C	**GY**	=U7MKA10GH100+U7MKA10-X	19	=U7CJA10GH100+U7CJA10/61.3:B
=U7CJA10GH100+U7CJA10-X61	11:A	=U7CJA10GH100+U7CJA10/61.3:C	**PK**	=U7MKA10GH100+U7MKA10-X	19	=U7CJA10GH100+U7CJA10/61.3:B

Format ISO/DIN A3

Approved by Contractor			Reconstruction and Modernisation of HPP Perucica - Phase II	epcg	SINTAKSA A Voith Company **Sintaksa - A Voith Company** Ulica Domovinskog rata 104C, 21 000 Split, Hrvatska	Unit 7 process control cable diagrams CABLE DIAGRAM	DRAWING No.: PERU-01-17-170-33-001	REV No.:	= U7CJA10GH100 + U7CJA10
Approved by Designer	Grga Kolić	01.04.2026.							
Checked by	Antonio Aleksić	01.04.2026.					Designer No.: 22044-DD-EE-08-07-100	SALES No.:	PAGE 8 PAGE 8 / 9
Drawn by	Luka Božičević	01.04.2026.	PROJECT NAME	EMPLOYER	DESIGNER				

CONFIDENTIAL, ALL RIGHTS RESERVED DIN 34

Cable name :	+U7CJA10-W7005	Number of conductors :	12	Description :
Cable type :	LiYCY	Number of used conductors :	8	
		Cable cross section :	0.75	

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7CJA10GH100+U7CJA10-X61	13:A	=U7CJA10GH100+U7CJA10/61.4:C	BU	=U7MKA10GH100+U7MKA10-X	20	=U7CJA10GH100+U7CJA10/61.4:B
=U7CJA10GH100+U7CJA10-X61	15:A	=U7CJA10GH100+U7CJA10/61.4:C	RD	=U7MKA10GH100+U7MKA10-X	20	=U7CJA10GH100+U7CJA10/61.4:B
			BK			
			VT			
			GY-PK			
			RD-BU			

Cable name :	+U7CJA10-W7014	Number of conductors :	4	Description :
Cable type :	LiYCY	Number of used conductors :	4	
		Cable cross section :	0.75	

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=??+??-X?		=U7CJA10GH100+U7CJA10/61.7:B	BN	=U7CJA10GH100+U7CJA10-X61	25:A	=U7CJA10GH100+U7CJA10/61.7:C
=??+??-X?		=U7CJA10GH100+U7CJA10/61.7:B	WH	=U7CJA10GH100+U7CJA10-X61	27:A	=U7CJA10GH100+U7CJA10/61.7:C
=??+??-X?		=U7CJA10GH100+U7CJA10/61.7:B	YE	=U7CJA10GH100+U7CJA10-X61	29:A	=U7CJA10GH100+U7CJA10/61.7:C
=??+??-X?		=U7CJA10GH100+U7CJA10/61.7:B	GN	=U7CJA10GH100+U7CJA10-X61	31:A	=U7CJA10GH100+U7CJA10/61.7:C

Cable name :	+U7CJA10-W8001	Number of conductors :		Description :
Cable type :	ETHERLINE Y CAT5 2X2XAWG22	Number of used conductors :	1	
		Cable cross section :		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
	P1	=U7CJA10GH100+U7CJA10/104.8:D	IE	=U7CJA10GH100+U7CJA10-U111	P13	=U7CJA10GH100+U7CJA10/104.5:C

Cable name :	+U7CJA10-W8002	Number of conductors :		Description :
Cable type :	ETHERLINE Y CAT5 2X2XAWG22	Number of used conductors :	1	
		Cable cross section :		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
	P1	=U7CJA10GH100+U7CJA10/105.8:D	IE	=U7CJA10GH100+U7CJA10-U112	P13	=U7CJA10GH100+U7CJA10/105.5:C

Cable name :	+U7CJA10-W8003	Number of conductors :		Description :
Cable type :	ETHERLINE Y CAT5 2X2XAWG22	Number of used conductors :	1	
		Cable cross section :		

External Connections			Connection color/number	Internal Connections		
To device	Pin designation	Page/column		From device	Pin designation	Page/column
=U7CJA10GH100+U7CJA10-A201	P2 R	=U7CJA10GH100+U7CJA10/14.2:B	IE	=A7+ET200AL-A1	X1P1 R	=U7CJA10GH100+U7CJA10/106.4:B

Format ISO/DIN A3

Approved by Contractor			Reconstruction and Modernisation of HPP Perucica - Phase II	epcg	SINTAKSA A Voith Company	Unit 7 process control cable diagrams	DRAWING No.:	REV No.:	= U7CJA10GH100	
Approved by Designer	Grga Kolić	01.04.2026.			Sintaksa - A Voith Company Ulica Domovinskog rata 104C, 21 000 Split, Hrvatska		PERU-01-17-170-33-001		+ U7CJA10	
Checked by	Antonio Aleksić	01.04.2026.				CABLE DIAGRAM	Designer No.:	SALES No.:	PAGE	9
Drawn by	Luka Božičević	01.04.2026.	PROJECT NAME	EMPLOYER	DESIGNER		22044-DD-EE-08-07-100		PAGE	9 / 9