Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

HYDRO DOLOMITI ENERGIA

Centrale Idroelettrica S.Massenza

GRUPPO 3

Armadio Sala Macchine

- Quadri SA CC
- Quadri SA CA
- Morsettiere armadi automatismo (ASM, ASQ e Q.IA)
- Morsettiera permutatore
- Morsettiera Eccitatrice
- Morsettiera quadro regolatore di velocità
- Morsettiera quadro protezioni
- Morsettiere quadro SG
- Morsettiera Celle MT
- Morsettiera cassette/quadri
- Morsettiera cassette TA e TV
- Morsettiera banco manovre - ASC
- Morsettiera cassetta alternatore
- Morsettiera QSA trasformatore
- Morsettiera cassetta GIS (SF6 teste cavi 220kV)
- Morsettiera cassetta bordo trasformatore
- SOD A4
- SOD P4
- Morsettiera cassetta pompa
- Morsettiera cassetta turbina
- Morsettiera casseta giunto
- Morsettiera cassetta raffreddamento
- Morsettiera cassetta lubrificazione
- Morsettiera interruttore di gruppo
- Morsettiera cassetta supporti rotativa 1
- Morsettiera cassetta supporti rotativa 2
- Morsettiera cassetta supporti rotativa aspiranti
- Morsettiera cassetta supporti rotativa mandata
- Morsettiera MCC

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo FOGLIO DEL TITOLO

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 1

Cliente N° 26002-DD-EE-04-06-002 | Segue - 2

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Indice

Foglio	Titolo	Revisione
1	FOGLIO DEL TITOLO	A
2	INDICE	A
3	INDICE	A
4	INDICE	A
5	INDICE	A
6	INDICE	A
7	INDICE	A
8	INDICE	A
9	INDICE	A
21	LEGENDA MORSETTI	A
22	IDENTIFICAZIONE DEI CONDUTTORI	A
23	LEGENDA SIMBOLI	A
24	LAYOUT ESTERNO	A
25	LAYOUT INTERNO FRONTE	A
26	LAYOUT INTERNO RETRO	A
27	TARGA CE	A
31	SERVIZI QUADRO ALIMENTAZIONE 230VCA	A
41	DISTRIBUZIONE 110VCC	A
42	DISTRIBUZIONE 110VCC	A
43	DISTRIBUZIONE 110VCC	A
44	DISTRIBUZIONE 110VCC	A
45	DISTRIBUZIONE 110VCC	A
46	DISTRIBUZIONE 110VCC	A
47	DISTRIBUZIONE 110VCC	A
48	DISTRIBUZIONE 110VCC PC PANEL	A
49	DISTRIBUZIONE 110VCC	A
50	DISTRIBUZIONE 24 VCC INTERNO	A
51	DISTRIBUZIONE 24 VCC INTERNO	A
52	DISTRIBUZIONE 24 VCC INTERNO	A
53	DISTRIBUZIONE 24 VCC INTERNO RISERVA	A
54	DISTRIBUZIONE 24 VCC ESTERNO	A
55	DISTRIBUZIONE 24 VCC ECB 1	A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INDICE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 2

Cliente N° 26002-DD-EE-04-06-002

Segue - 3

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Indice

Foglio	Titolo	Revisione
56	DISTRIBUZIONE 24 VCC ECB 2	A
57	DISTRIBUZIONE 24 VCC ESTERNO	A
58	DISTRIBUZIONE 24 VCC ESTERNO RISERVA	A
61	CONFIGURAZIONE PLC BUS 1	A
62	CONFIGURAZIONE PLC BUS 2	A
63	CONFIGURAZIONE PLC BUS 3	A
64	INTERCONNESSIONE RETE DATI SWITCH 1	A
65	INTERCONNESSIONE RETE DATI SWITCH 2	A
66	INTERCONNESSIONE RETE DATI SWITCH 3	A
67	INTERCONNESSIONE RETE DATI PC PANEL	A
71	INGRESSI DIGITALI: BUS-2 POS-1_1	A
72	INGRESSI DIGITALI: BUS-2 POS-1_2	A
73	INGRESSI DIGITALI: BUS-2 POS-1_3	A
74	INGRESSI DIGITALI: BUS-2 POS-1_4	A
75	INGRESSI DIGITALI: BUS-2 POS-2_1	A
76	INGRESSI DIGITALI: BUS-2 POS-2_2	A
77	INGRESSI DIGITALI: BUS-2 POS-2_3	A
78	INGRESSI DIGITALI: BUS-2 POS-2_4	A
79	INGRESSI DIGITALI: BUS-2 POS-3_1	A
80	INGRESSI DIGITALI: BUS-2 POS-3_2	A
81	INGRESSI DIGITALI: BUS-2 POS-3_3	A
82	INGRESSI DIGITALI: BUS-2 POS-3_4	A
83	INGRESSI DIGITALI: BUS-2 POS-4_1	A
84	INGRESSI DIGITALI: BUS-2 POS-4_2	A
85	INGRESSI DIGITALI: BUS-2 POS-4_3	A
86	INGRESSI DIGITALI: BUS-2 POS-4_4	A
87	INGRESSI DIGITALI: BUS-2 POS-5_1	A
88	INGRESSI DIGITALI: BUS-2 POS-5_2	A
89	INGRESSI DIGITALI: BUS-2 POS-5_3	A
90	INGRESSI DIGITALI: BUS-2 POS-5_4	A
91	INGRESSI DIGITALI: BUS-2 POS-6_1	A
92	INGRESSI DIGITALI: BUS-2 POS-6_2	A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INDICE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 3

Cliente N° 26002-DD-EE-04-06-002

Segue - 4

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Indice

Foglio	Titolo	Revisione
93	INGRESSI DIGITALI: BUS-2 POS-6_3	A
94	INGRESSI DIGITALI: BUS-2 POS-6_4	A
95	INGRESSI DIGITALI: BUS-2 POS-7_1	A
96	INGRESSI DIGITALI: BUS-2 POS-7_2	A
97	INGRESSI DIGITALI: BUS-2 POS-7_3	A
98	INGRESSI DIGITALI: BUS-2 POS-7_4	A
111	INGRESSI ANALOGICI: BUS-2 POS-8_1	A
112	INGRESSI ANALOGICI: BUS-2 POS-8_2	A
113	INGRESSI ANALOGICI: BUS-2 POS-9_1	A
114	INGRESSI ANALOGICI: BUS-2 POS-9_2	A
161	USCITE DIGITALI: BUS-2 POS-10_1	A
162	USCITE DIGITALI: BUS-2 POS-10_2	A
163	USCITE DIGITALI: BUS-2 POS-11_1	A
164	USCITE DIGITALI: BUS-2 POS-11_2	A
165	USCITE DIGITALI: BUS-2 POS-12_1	A
166	USCITE DIGITALI: BUS-2 POS-12_2	A
181	USCITE ANALOGICHE: BUS-2 POS-13_1	A
182	USCITE ANALOGICHE: BUS-2 POS-13_2	A
201	LOGICA DI BLOCCO HARDWARE	A
202	LOGICA DI BLOCCO HARDWARE	A
203	LOGICA DI BLOCCO HARDWARE	A
204	PULSANTE DI BLOCCO	A
205	COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO	A
206	COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO	A
207	COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO	A
208	COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO	A
209	COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO	A
210	COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO	A
211	COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO	A
212	COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO	A
213	COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA	A
214	COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA	A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INDICE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 4

Cliente N° 26002-DD-EE-04-06-002

Segue - 5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Indice

Foglio	Titolo	Revisione
215	COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA	A
216	COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA	A
217	COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA	A
218	COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA	A
219	COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA	A
220	COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA	A
221	CIRCUITI AP e CH 52	A
222	ABILITAZ ECC e REG VELOCITA	A
223	CIRCUITI MAIG	A
224	CIRCUITI MAIG	A
225	PNP SENSORI	A
226	SGANCIO TESTA CONDOTTA	A
251	COMANDO BANCO	A
252	COMANDO BANCO	A
253	COMANDO BANCO	A
254	COMANDO SG	A
255	COMANDO SG	A
256	COMANDO T347	A
257	COMANDO SOD A4	A
258	COMANDO ROTATIVA	A
259	COMANDO VALVOLA RITEGNO	A
260	COMANDO QP	A
261	COMANDO 52GR	A
262	COMANDO ECC	A
263	COMANDO SEGNALATORE LED	A
264	COMANDO SEGNALATORE LED	A
265	COMANDO SEGNALATORE LED	A
266	COMANDO SEGNALATORE LED	A
267	COMANDO MT	A
301	SEGNALAZIONE	A
302	SEGNALAZIONE	A
303	SEGNALAZIONE	A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INDICE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 5

Cliente N° 26002-DD-EE-04-06-002

Segue - 6

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Indice

Foglio	Titolo	Revisione
311	TERMINALE DI DISTRIBUZIONE DI DISPONIBLE	A
312	TERMINALE DI DISTRIBUZIONE DI DISPONIBLE	A
313	TERMINALE DI DISTRIBUZIONE DI DISPONIBLE	A
314	TERMINALE DI DISTRIBUZIONE DI DISPONIBLE	A
315	TERMINALE DI DISTRIBUZIONE DI DISPONIBLE	A
316	TERMINALE DI DISTRIBUZIONE DI DISPONIBLE	A
317	TERMINALE DI DISTRIBUZIONE DI DISPONIBLE	A
318	TERMINALE DI DISTRIBUZIONE DI DISPONIBLE	A
319	TERMINALE DI DISTRIBUZIONE DI DISPONIBLE	A
351	ELENCO APPARECCHIATURE	A
352	ELENCO APPARECCHIATURE	A
353	ELENCO APPARECCHIATURE	A
354	ELENCO APPARECCHIATURE	A
355	ELENCO APPARECCHIATURE	A
401	Schema morsetti =ASM+ASM-K4-H	A
402	Schema morsetti =ASM+ASM-K5-H	A
403	Schema morsetti =ASM+ASM-K5-K	A
404	Schema morsetti =ASM+ASM-K5-PLC	A
405	Schema morsetti =ASM+ASM-K5-SIG	A
406	Schema morsetti =ASM+ASM-XD01	A
407	Schema morsetti =ASM+ASM-XD10	A
408	Schema morsetti =ASM+ASM-XD11	A
409	Schema morsetti =ASM+ASM-XD12	A
410	Schema morsetti =ASM+ASM-XD13	A
411	Schema morsetti =ASM+ASM-XD14	A
412	Schema morsetti =ASM+ASM-XD15	A
413	Schema morsetti =ASM+ASM-XD16	A
414	Schema morsetti =ASM+ASM-XD17	A
415	Schema morsetti =ASM+ASM-XD18	A
416	Schema morsetti =ASM+ASM-XD19	A
417	Schema morsetti =ASM+ASM-XD20	A
418	Schema morsetti =ASM+ASM-XD21	A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INDICE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 6

Cliente N° 26002-DD-EE-04-06-002

Segue - 7

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Indice

Foglio	Titolo	Revisione
419	Schema morsetti =ASM+ASM-XD22	A
420	Schema morsetti =ASM+ASM-XD23	A
421	Schema morsetti =ASM+ASM-XD24	A
422	Schema morsetti =ASM+ASM-XD25	A
423	Schema morsetti =ASM+ASM-XD26	A
424	Schema morsetti =ASM+ASM-XD27	A
425	Schema morsetti =ASM+ASM-XD28	A
426	Schema morsetti =ASM+ASM-XD50	A
427	Schema morsetti =ASM+ASM-XD51	A
428	Schema morsetti =ASM+ASM-XD52	A
429	Schema morsetti =ASM+ASM-XD53	A
430	Schema morsetti =ASM+ASM-XG	A
431	Schema morsetti =ASM+ASM-XG	A
432	Schema morsetti =ASM+ASM-XG	A
433	Schema morsetti =ASM+ASM-XG	A
434	Schema morsetti =ASM+ASM-XG	A
435	Schema morsetti =ASM+ASM-XG01	A
436	Schema morsetti =ASM+ASM-XG03	A
437	Schema morsetti =ASM+ASM-XG52G	A
438	Schema morsetti =ASM+ASM-XG201	A
439	Schema morsetti =ASM+ASM-XG201	A
440	Schema morsetti =ASM+ASM-XG201	A
441	Schema morsetti =ASM+ASM-XG202	A
442	Schema morsetti =ASM+ASM-XG203	A
443	Schema morsetti =ASM+ASM-XG204	A
444	Schema morsetti =ASM+ASM-XG205	A
445	Schema morsetti =ASM+ASM-XG206	A
446	Schema morsetti =ASM+ASM-XG206	A
447	Schema morsetti =ASM+ASM-XG207	A
448	Schema morsetti =ASM+ASM-XG207	A
449	Schema morsetti =ASM+ASM-XG207	A
450	Schema morsetti =ASM+ASM-XG208	A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INDICE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 7

Cliente N° 26002-DD-EE-04-06-002

Segue - 8

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Indice

Foglio	Titolo	Revisione
451	Schema morsetti =ASM+ASM-XG208	A
452	Schema morsetti =ASM+ASM-XG209	A
453	Schema morsetti =ASM+ASM-XG209	A
454	Schema morsetti =ASM+ASM-XG304	A
455	Schema morsetti =ASM+ASM-XG304	A
456	Schema morsetti =ASM+ASM-XGAQT	A
457	Schema morsetti =ASM+ASM-XGAUTO	A
458	Schema morsetti =ASM+ASM-XGBH	A
459	Schema morsetti =ASM+ASM-XGBH	A
460	Schema morsetti =ASM+ASM-XGBH	A
461	Schema morsetti =ASM+ASM-XGBH	A
462	Schema morsetti =ASM+ASM-XGBH	A
464	Schema morsetti =ASM+ASM-XGBL	A
465	Schema morsetti =ASM+ASM-XGBLP	A
466	Schema morsetti =ASM+ASM-XGCI	A
467	Schema morsetti =ASM+ASM-XGCI	A
468	Schema morsetti =ASM+ASM-XGCI52	A
469	Schema morsetti =ASM+ASM-XGDISP	A
470	Schema morsetti =ASM+ASM-XGDISP	A
471	Schema morsetti =ASM+ASM-XGECC	A
472	Schema morsetti =ASM+ASM-XGMAIG	A
473	Schema morsetti =ASM+ASM-XGPAT347	A
474	Schema morsetti =ASM+ASM-XGPNP	A
475	Schema morsetti =ASM+ASM-XGQP	A
476	Schema morsetti =ASM+ASM-XGROT1	A
477	Schema morsetti =ASM+ASM-XGROT2	A
478	Schema morsetti =ASM+ASM-XGROTASP	A
479	Schema morsetti =ASM+ASM-XGROTMAND	A
480	Schema morsetti =ASM+ASM-XGRV	A
481	Schema morsetti =ASM+ASM-XGSEGLED	A
482	Schema morsetti =ASM+ASM-XGSEGLED	A
483	Schema morsetti =ASM+ASM-XGSEGLED	A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - (Codeword/Unit)

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia | VOITH

Armadio Sala Macchine

Titolo INDICE

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 8

Cliente N° 26002-DD-EE-04-06-002 | Segue - 9

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Indice

Foglio	Titolo	Revisione
484	Schema morsetti =ASM+ASM-XGSG	A
485	Schema morsetti =ASM+ASM-XGSG	A
486	Schema morsetti =ASM+ASM-XGSODA4	A
487	Schema morsetti =ASM+ASM-XGT347	A
488	Schema morsetti =ASM+ASM-XGVALRIT	A
489	Schema morsetti =ASM+ASM-XG205	

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INDICE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 9

Cliente N° 26002-DD-EE-04-06-002

Segue - 21

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

LEGENDA MORSETTI

- Quadri SA CC
- Quadri SA CA
- Morsettiere armadi automatismo (ASM, ASQ e Q.IA)
- Morsettiera permutatore
- Morsettiera Eccitatrice
- Morsettiera quadro regolatore di velocità
- Morsettiera quadro protezioni
- Morsettiere quadro SG
- Morsettiera Celle MT
- Morsettiera cassette/quadri
- Morsettiera cassette TA e TV
- Morsettiera banco manovre - ASC
- Morsettiera cassetta alternatore
- Morsettiera QSA trasformatore
- Morsettiera cassetta GIS (SF6 teste cavi 220kV)
- Morsettiera cassetta bordo trasformatore
- SOD A4
- SOD P4
- Morsettiera cassetta pompa
- Morsettiera cassetta turbina
- Morsettiera casseta giunto
- Morsettiera cassetta raffreddamento
- Morsettiera cassetta lubrificazione
- Morsettiera interruttore di gruppo
- Morsettiera cassetta supporti rotativa 1
- Morsettiera cassetta supporti rotativa 2
- Morsettiera cassetta supporti rotativa aspiranti
- Morsettiera cassetta supporti rotativa mandata
- Morsettiera MCC

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - (Codeword/Unit)

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo LEGENDA MORSETTI

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 21

Cliente N° 26002-DD-EE-04-06-002 | Segue - 22

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Tipologia di conduttore *Conductor Type*	Identificazione dei Conduttori *Identification of Conductors*	
	Alfanumerica *Alphanumeric*	Colore *Color*
Alimentazione a monte dell'interruttore principale *Power Supply before the main breaker*	L/N	Arancione *Orange*
Conduttore in c.a. - Linea 1 *a.c. conductor - Line 1*	L1	Nero *Black*
Conduttore in c.a. - Linea 2 *a.c. conductor - Line 2*	L2	Marrone *Brown*
Conduttore in c.a. - Linea 3 *a.c. conductor - Line 3*	L3	Grigio *Grey*
Conduttore in c.a. - Neutro *a.c. conductor - Neutral*	N	Turchese *Light Blue*
Conduttore in c.c. - Positivo (superiore ai 60V) *d.c. conductor - Positive (higher than 60V)*	L+	Rosso *Red*
Conduttore in c.c. - Negativo (superiore ai 60V) *d.c. conductor - Negative (higher than 60V)*	L-	Bianco *White*
Conduttore in c.c. - Positivo (inferiore ai 60V) *d.c. conductor - Positive (lower than 60V)*	L+	Blu scuro *Dark Blue*
Conduttore in c.c. - Negativo (inferiore ai 60V) *d.c. conductor - Negative (lower than 60V)*	L-	Bianco *White*
Conduttore di Protezione *Protection Conductor*	PE	Giallo-Verde *Yellow-Green*
Conduttori per Segnali *Conductors for Signals*	-	Blu scuro *Dark Blue*

Secondo CEI EN 60446 *According to CEI EN 60446*

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia VOITH

Armadio Sala Macchine

Titolo IDENTIFICAZIONE DEI CONDUTTORI

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 22

Cliente N° 26002-DD-EE-04-06-002 | Segue - 23

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

LEGENDA SIMBOLI / *SYMBOLS LEGEND*

Ident. *Ident.*	Simboli *Symbols*	Descrizione *Description*	Ident. *Ident.*	Simboli *Symbols*	Descrizione *Description*	Ident. *Ident.*	Simboli *Symbols*	Descrizione *Description*
-		Connessione Connection	-		Contatto normalmente chiuso Normaly close contact	-		Connettore Connector
X		Morsetto (simbolo generico) Terminal (generic symbol)	-		Contatto in scambio Change-over contact	(*) Axy	-	Modulo PLC PLC module
X		Morsetto fusibilato (simbolo generico) Terminal fuse (generic symbol)	S		Pulsante manuale Manual pushbutton	U	-	Trasmettitore Transmitter
X		Morsetto sezionato (simbolo generico) Terminal Isolating connectors (generic symbol)	S	LOCAL 0 1 REMOTE	Selettore due posizioni permanenti Two permanent position selector	P	h	Contatore del tempo Time counter
X		Morsetto a piu' piani (simbolo generico) Multi-level Terminal Block (generic symbol)	TB		Diodo Diode	KE	-	Pannello PC e dispositivo di comunicazione PC Panel and communication device
FC		Interruttore automatico magnetotermico Miniature Circuit Breaker	H		Indicatore luminoso Lamp			
FC	I> I> I>	Interruttore di protezione motore Motor Protection Circuit Breaker	F		Fusibile Fuse			
FTR		Interruttore di protezione transformatore Transformer Protection Circuit Breaker	SW		Contatto apertura porta Limit switch			
-		Contatti ausiliari (simbolo generico) Auxiliary Contacts (generic symbol)	EA		Lampada interna quadro Internal cabinet lamp			
QB		Interruttore di manovra Switch	BT		Termostato Termostat			
F		Interruttore fusibilato Fused Switch Disconnector	BM	%	Umidostato Hygrostat			
TA		AC/DC Convertitore (simbolo generico) AC/DC Converter (generic symbol)	EB		Scaldiglia Heaters			
K		Rele' Command Coil			Terra di protezione Protection earth			
-		Contatto di potenza Power contact	TR		Transformatore di tensione Voltage transformer			
-		Contatto normalmente aperto Normaly open contact						

Secondo IEC 60617 - CEI EN 81346-2 *According to IEC 60617 - CEI EN 81346-2*

(*)x rappresenta il numero di bus
y rappresenta la posizione nel bus

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29


F Release note

Armadio Sala Macchine
Titolo LEGENDA SIMBOLI


Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 23
Cliente N° 26002-DD-EE-04-06-002 | Segue - 24

Confidential, all rights reserved ISO 16016 Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.


VISTA DI FRONTE CON PORTE / FRONT VIEW WITH DOORS



VISTA POSTERIORE CON PORTE / REAR VIEW WITH DOORS



VISTA DALL'ALTO / TOP VIEW



NOTE / NOTES			
	PESO / WEIGHT	kg	
	COLORE / COLOR (RAL)	STRUTTURA-PORTA-PARETE POSTERIORE STRUCTURE-DOOR-BACK SIDE PANNEL	
		TETTO / ROOF	
		ZOCCOLO / PLINTH	
	GRADO PROTEZIONE PROTECTION DEGREE		

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 – Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine


Titolo LAYOUT ESTERNO

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 24

Cliente N° 26002-DD-EE-04-06-002 | Segue - 25

VISTA DI FRONTE SENZA PORTE/ FRONT VIEW WITHOUT DOORS



Vertraulich, alle Rechte vorbehalten ISO 16016

Confidential, all rights reserved ISO 16016

No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3

-

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

Release note

Armadio Sala Macchine

Titolo LAYOUT INTERNO FRONTE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795


Cliente N° 26002-DD-EE-04-06-002

Foglio 25

Segue - 26

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

VISTA POSTERIORE SENZA PORTE / REAR VIEW WITHOUT DOORS



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo LAYOUT INTERNO RETRO

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 26

Cliente N° 26002-DD-EE-04-06-002

Segue - 27

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

SINTAKSA
A Voith Company

CE

STANDARD DI RIFERIMENTO :	IEC 60204-1
IDENTIFICAZIONE QUADRO :	GRUPPO 3 - ASM
NUMERO DI DISEGNO :	2-10637333
NUMERO DI SERIE :	---
ANNO DI COSTRUZIONE :	2025
TENSIONE NOMINALE (Un) :	230Vca/110Vcc
NUMERO DI FASI :	1 +/-
FREQUENZA NOMINALE (Hz) :	50
CORRENTE NOMINALE DEL QUADRO (InA) :	---
CORRENTE NOMINALE DI CORTO CIRCUITO CONDIZIONATA (Icc) :	---

MATERIALE :

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo TARGA CE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795


Cliente N° 26002-DD-EE-04-06-002

Foglio 27

Segue - 31

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

ALIMENTATORE 230 VCA | VENTILATORE A ARMADIO | ILLUMINAZIONE DEI ARMADIO | RISCALDAMENTO DI ARMADIO | PRESA



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo SERVIZI QUADRO ALIMENTAZIONE 230VCA

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 31
Cliente N° 26002-DD-EE-04-06-002
Segue - 41

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

ALIMENTATORE 110 VCC

SCARICATORI DI SOVRATENSIONI

PRESENZA 110VCC

=QSA CC
+QSA CC

-XT1

-QSACC3-ASM3/110V
FG16OM16 3G35 mm²

MA

BL

-XD10

-XD10

41 - 1
10 RD

41 - 3
10 WH

-FC10
16 A/B

41 - 2
10 RD

41 - 4
10 WH

PE

41 - 5
10 GNYE

-SC1

DC+

DC-

PE

VAL-SEC-T2-2+0-120DC-FM

PHOENIX CONTACT

41 - 6
25 RD

41 - 8
25 WH

41 - 9
25 WH

-QB2
100A

/303.6

41 - 7
25 RD

41 - 10
25 WH

-X1
690VAC, 125A, 5.81W/Pole

110VCC
L

110VCC
N

1L+
110VCC
/ 43.2

1L-
-110VCC
/ 43.2

110VCC
1P+N BLOCCO DI DISTRIBUZIONE

41 - 11
6 RD

41 - 15
6 WH

41 - 12
6 RD

MCBG1+
110VCC
/ 42.2

41 - 16
6 WH

MCBG1-
-110VCC
/ 42.2

-FC11
2A/C

41 - 13
1.5 RD

41 - 14
1.5 WH

-K1
110 V

/303.5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo
DISTRIBUZIONE 110VCC

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 41

Cliente N° 26002-DD-EE-04-06-002

Segue - 42

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo
DISTRIBUZIONE 110VCC

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Cliente N° 26002-DD-EE-04-06-002

Foglio 42

Segue - 43

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

24 VCC CONVERTITORE CC-CC ESTERNO 1

MODULO DI RIDONDANZA ESTERNO

24 VCC CONVERTITORE CC-CC ESTERNO 2

-X1
690VAC, 125A, 5.81W/Pole

41.8 / 1L+ 110VCC
41.8 / 1L- -110VCC
110VCC
1P+N BLOCCO DI DISTRIBUZIONE

A3
B3

1L+ 110VCC / 44.2
1L- -110VCC / 44.2

43 - 1 6 RD
43 - 5 6 WH
43 - 2 6 RD
43 - 6 6 WH

-FC14
10 A/B

-FC15
10 A/B

PE

43 - 3 1.5 RD
43 - 7 1.5 WH
43 - 9 1.5 GNYE

43 - 15 1.5 RD
43 - 16 1.5 WH
43 - 17 1.5 GNYE

-TA3
20 A

-TA4
20 A

L N PE

PHOENIX CONTACT
QUINT-PS/1AC/24DC/20

DCOK
I<IN

+ +' - -' -" 13 14

/76.6

/76.7

43 - 4 4 BU
43 - 8 4 WH
43 - 10 4 GNYE

43 - 12 4 BU
43 - 14 4 WH
43 - 18 4 GNYE

PE

-TB2
40 A

IN1 IN2 IN1 IN2

PHOENIX CONTACT
QUINT-DIODE/12-24DC/2X20/1X40

43 - 11 6 BU
43 - 13 6 WH

24B+ 24VCC / 54.1
24B- 0VCC / 54.4

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo DISTRIBUZIONE 110VCC

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Cliente N° 26002-DD-EE-04-06-002

Foglio 43

Segue - 44

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

DISPONIBLE | COMANDO 110VCC | ECCITATRICE | ALIMENTAZIONE ARMADIO PROTEZIONI

-X1
690VAC, 125A, 5.81W/Pole

43.8 / 1L+ 110VCC
43.8 / 1L- -110VCC
110VCC
1P+N BLOCCO DI DISTRIBUZIONE

A4 B4

1L+ 110VCC / 45.2
1L- -110VCC / 45.2

44 - 1 6 RD
44 - 4 6 WH
44 - 2 6 RD
44 - 5 6 WH
44 - 17 6 RD
44 - 18 6 WH
44 - 28 6 RD
44 - 30 6 WH

-FC16 6 A/B
-FC17 6 A/B
-FC18 10 A/B
-FC19 10 A/B

44 - 3 2.5 RD
44 - 6 2.5 WH
44 - 7 2.5 RD
44 - 29 2.5 RD
44 - 31 2.5 WH
44 - 32 2.5 RD
44 - 33 2.5 WH

/77.3
/77.4
/77.4

-XD11
-XD11
-XD12
-XD12
-XD13
-XD13

-X2

3	44 - 8 1.5 RD	A201EXC+ 110VCC / 73.1
4	44 - 9 1.5 RD	A205EXC+ 110VCC /
5	44 - 10 1 RD	A206EXC+ 110VCC / 89.1
6	44 - 11 1 RD	BL+ 110VCC / 201.1
7	44 - 12 1 RD	BH1+ 110VCC / 205.1
8	44 - 14 2.5 RD	BH3+ 110VCC / 213.1
9	44 - 15 1 RD	VALVOLA+ 110VCC / 257.1
10	44 - 16 2.5 RD	BLP+ 110VCC / 204.1
11	44 - 34 2.5 RD	

-X3

-X4

1	44 - 19 2.5 WH	
3	44 - 20 1 WH	A201R- -110VCC / 73.2
4	44 - 21 1 WH	A202R- -110VCC / 75.2
5	44 - 22 1 WH	A203R- -110VCC / 81.2
6	44 - 23 1 WH	A204R- -110VCC / 83.2
7	44 - 24 1 WH	A205R- -110VCC / 87.2
8	44 - 24 1 WH	A206R- -110VCC / 91.2
9	44 - 25 1 WH	BL- -110VCC / 201.1
10	44 - 26 2.5 WH	VALVOLA- -110VCC / 257.1
11	44 - 27 2.5 WH	

-X5

-ASM3-ECC3/110V
FG16OM16 3G2.5 mm²
MA BL
X80 3 4
=ECC
+ECC

-ASM3-QP3/110V
FG16OM16 3G2.5 mm²
MA BL
-CC-A 1 3
=QP
+QP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia


VOITH

Armadio Sala Macchine

Titolo DISTRIBUZIONE 110VCC

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 44
Cliente N° 26002-DD-EE-04-06-002
Segue - 45

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine
Titolo DISTRIBUZIONE 110VCC

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 45
Cliente N° 26002-DD-EE-04-06-002
Segue - 46

COMANDO 110VCC AQT

DISPONIBILE - AQT

DISPONIBILE - AQT

-X1
690VAC, 125A, 5.81W/Pole

45.8 / 1L+
110VCC
45.8 / 1L-
-110VCC
110VCC
1P+N BLOCCO DI DISTRIBUZIONE

A7
B7

1L+
110VCC
/ 47.2
1L-
-110VCC
/ 47.2

46 - 1
6 RD
46 - 4
6 WH
46 - 2
6 RD
46 - 5
6 WH
46 - 7
6 RD
46 - 9
6 WH

-FC24
6 A/B
-FC25
10 A/B
-FC26
6 A/B

46 - 3
2.5 RD
46 - 6
2.5 WH
46 - 8
2.5 RD
46 - 10
2.5 WH
46 - 11
2.5 RD
46 - 12
2.5 WH

-XD18
-XD18
-XD19
-XD19
-XD20
-XD20

-ASM3-AQT3/110V5
FG16OM16 3G2.5 mm²
-ASM3-AQT3/110V6
FG16OM16 3G2.5 mm²
-ASM3-AQT3/110V7
FG16OM16 3G2.5 mm²

-XD10

=AQT
+AQT

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine
Titolo DISTRIBUZIONE 110VCC

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 46
Cliente N° 26002-DD-EE-04-06-002
Segue - 47

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

RV - DISPONIBILE | RV - ALIMENTAZIONE | RV - DISPONIBILE | RV - DISPONIBILE

-X1
690VAC, 125A, 5.81W/Pole

46.8 / 1L+
110VCC
46.8 / 1L-
-110VCC
110VCC
1P+N BLOCCO DI DISTRIBUZIONE

A8 B8 A9 B9

1L+ 110VCC / 48.2
1L- -110VCC / 48.2

47 - 1 6 RD
47 - 4 6 WH
47 - 2 6 RD
47 - 5 6 WH
47 - 9 6 RD
47 - 12 6 WH
47 - 10 6 RD
47 - 13 6 WH

-FC27 10 A/B
-FC28 16 A/B
-FC29 16 A/B
-FC30 6 A/B

47 - 3 2.5 RD
47 - 6 2.5 WH
47 - 7 2.5 RD
47 - 8 2.5 WH
47 - 11 2.5 RD
47 - 14 2.5 WH
47 - 15 2.5 RD
47 - 16 2.5 WH

-XD21 -XD22 -XD23 -XD24

-ASM3-RV3/110V
FG16OM16 3G2.5 mm²
MA BL

-XAL110

=RV
+RV

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia | VOITH

Armadio Sala Macchine
Titolo DISTRIBUZIONE 110VCC

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 47
Cliente N° 26002-DD-EE-04-06-002
Segue - 48

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

PC PANEL ASM

PC PANEL ASQ

PC PANEL QT

-X1
690VAC, 125A, 5.81W/Pole

47.8 / 1L+
110VCC
47.8 / 1L-
-110VCC
110VCC
1P+N BLOCCO DI DISTRIBUZIONE

A10
B10

1L+
110VCC
/ 49.2
1L-
-110VCC
/ 49.2

48 - 1
6 RD
48 - 4
6 WH
48 - 2
6 RD
48 - 5
6 WH
48 - 8
6 RD
48 - 10
6 WH

-FC31
6 A/B
-FC32
6 A/B
-FC33
6 A/B
1
2
3
4
12
14
11
/77.5

48 - 3
2.5 RD
48 - 6
2.5 WH
48 - 9
2.5 RD
48 - 11
2.5 WH
48 - 12
2.5 RD
48 - 13
2.5 WH

-XD25
-XD25
-XD26
-XD26
B
A
1
2

-ASM3-ASQ3/110V
FG16OM16 3G2.5 mm²
-ASM3-QT3/110V
FG16OM16 3G2.5 mm²
MA
BL

-XD10
-XD10
A
B
1
2

=ASQ
+ASQ
=QT
+QT

-KE4
DC1+
DC1-

48 - 7
1.5 GN/YE
PE

				S.Massenza gr.3	Dis.	S.Jurak	2026/09/29	F	dolomiti energia	VOITH	Armadio Sala Macchine	Sales Order 32950	Turbina N. 21506-21507
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB	-	Con.	T.Trogrlić	2026/09/29				Titolo DISTRIBUZIONE 110VCC PC PANEL	Disegno N. 2ACS01-0000-10710795	Foglio 48
00	PRIMA EMISSIONE	2026/07/17	SJ		Appr.	P.Kovač	2026/09/29	Release note				Cliente N° 26002-DD-EE-04-06-002	Segue - 49
Rev.	Descrizione Modifiche	Data	Nome	Codeword/Unit									

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

DISPONIBILE DISPONIBILE DISPONIBILE DISPONIBILE

-X1
690VAC, 125A, 5.81W/Pole

48.8 / 1L+
110VCC
48.8 / 1L-
-110VCC
110VCC
1P+N BLOCCO DI DISTRIBUZIONE

A11 A12 A13 A14 A15
B11 B12 B13 B14 B15
110VCC L
110VCC N

49 - 1 6 RD
49 - 4 6 WH
49 - 2 6 RD
49 - 5 6 WH
49 - 9 6 RD
49 - 10 6 WH
49 - 11 6 RD
49 - 13 6 WH

-FC34 10 A/B
-FC35 10 A/B
-FC36 6 A/B
-FC37 6 A/B

49 - 3 2.5 RD
49 - 6 2.5 WH
49 - 7 2.5 RD
49 - 8 2.5 WH
49 - 12 2.5 RD
49 - 14 2.5 WH
49 - 15 2.5 RD
49 - 16 2.5 WH

-XD27
-XD27
-XD28
-XD28

-X6
-X7
-X8
-X9

				S.Massenza gr.3	Dis.	S.Jurak	2026/09/29	F	dolomiti energia	VOITH	Armadio Sala Macchine	Sales Order 32950 / Turbina N. 21506-21507
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB	-	Con.	T.Trogrlić	2026/09/29	Release note			Titolo DISTRIBUZIONE 110VCC	Disegno N. 2ACS01-0000-10710795 / Foglio 49
00	PRIMA EMISSIONE	2026/07/17	SJ		Appr.	P.Kovač	2026/09/29					Cliente N° 26002-DD-EE-04-06-002 / Segue - 50
Rev.	Descrizione Modifiche	Data	Nome	Codeword/Unit								

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

24 VCC INTERNO

42.4 /-

24A+
24VCC

42 - 9
6 BU

-X10

1
2
3
4
5
6
7
8
9
10
11

50 - 1
2.5 BU
CPU/SWL+
24VCC
/ 51.1

50 - 2
2.5 BU
IM1L+
24VCC
/ 52.1

50 - 2
2.5 BU
IM2L+
24VCC
/ 52.3

50 - 3
2.5 BU
MCBIR1+
24VCC
/ 53.1

50 - 4
2.5 BU
MCBIR2+
24VCC
/ 53.4

0 VCC INTERNO

42.5 /-

24A-
0VCC

42 - 11
6 WH

-X11

1
2
3
4
5
6
7
8
9
10
11

50 - 5
2.5 WH
CPU/SWL-
0 VCC
/ 51.1

50 - 6
2.5 WH
IM1L-
0 VCC
/ 52.1

50 - 6
2.5 WH
IM2L-
0 VCC
/ 52.3

50 - 7
2.5 WH
MCBIR1-
0 VCC
/ 53.1

50 - 8
2.5 WH
MCBIR2-
0 VCC
/ 53.4

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo
DISTRIBUZIONE 24 VCC INTERNO

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 50

Cliente N° 26002-DD-EE-04-06-002

Segue - 51

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

ALIMENTATORE CPU

ALIMENTATORE SWITCH 1

ALIMENTATORE SWITCH 2

ALIMENTATORE SWITCH 3

50.5 /- CPU/SWL-
0 VCC

50.2 /- CPU/SWL+
24VCC

50 - 1
2.5 BU

50 - 5
2.5 WH

51 - 1
2.5 BU

51 - 3
2.5 WH

51 - 5
2.5 BU

51 - 7
2.5 WH

51 - 11
2.5 BU

51 - 13
2.5 WH

-FC41
6 A/B

-FC42
2 A/B

-FC43
2 A/B

-FC44
2 A/B

/77.2

51 - 2
1.5 BU

51 - 4
1.5 WH

51 - 6
1.5 BU

51 - 8
1.5 WH

51 - 12
1.5 BU

51 - 14
1.5 WH

51 - 16
1.5 BU

51 - 17
1.5 WH

-KE1
SDI-862-SM-SC30
CPU Switch

-KE2
SDI-862-SM-SC30
HMI Switch

-KE3
SDI-862-SM-SC30
SG Switch

DC1+ DC1-

51 - 10
1.5 GNYE

51 - 15
1.5 GNYE

51 - 9
1.5 GNYE

PE

CPU+
24VCC / 61.2

CPU-
0 VCC / 61.2

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo DISTRIBUZIONE 24 VCC INTERNO

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 51

Cliente N° 26002-DD-EE-04-06-002

Segue - 52

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo DISTRIBUZIONE 24 VCC INTERNO

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 52


Cliente N° 26002-DD-EE-04-06-002

Segue - 53

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

DISPONIBILE

DISPONIBILE



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo DISTRIBUZIONE 24 VCC INTERNO RISERVA

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 53

Cliente N° 26002-DD-EE-04-06-002

Segue - 54

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

DISTRIBUZIONE
24 VCC ESTERNO

43.4 /- 24B+ 24VCC — 43 - 11 6 BU

-X14

1			
2	54 - 1 2.5 BU	ECB1+ 24VCC	/ 55.1
3	54 - 2 2.5 BU	ECB2+ 24VCC	/ 56.1
4	54 - 3 2.5 BU	ANA+ 24VCC	/ 57.1
5	54 - 4 2.5 BU	COML+ 24VCC	/ 57.4
6	54 - 5 2.5 BU	ASQL+ 24VCC	/ 57.6
7	54 - 6 2.5 BU	MCBER1+ 24VCC	/ 58.1
8	54 - 7 2.5 BU	MCBER2+ 24VCC	/ 58.4
9	54 - 8 2.5 BU	MCBER3+ 24VCC	/ 58.6
10			
11	54 - 9 6 BU		

-X15

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	

DISTRIBUZIONE
0 VCC ESTERNO

43.5 /- 24B- 0VCC — 43 - 13 6 WH

-X16

1			
2	54 - 11 2.5 WH	ECB1- 0 VCC	/ 55.1
3	54 - 12 2.5 WH	ECB2- 0 VCC	/ 56.1
4	54 - 13 2.5 WH	ANA- 0 VCC	/ 57.1
5	54 - 14 2.5 WH	COML- 0 VCC	/ 57.4
6	54 - 15 2.5 WH	ASQL- 0 VCC	/ 57.6
7	54 - 16 2.5 WH	MCBER1- 0 VCC	/ 58.1
8	54 - 17 2.5 WH	MCBER2- 0 VCC	/ 58.4
9	54 - 18 2.5 WH	MCBER3- 0 VCC	/ 58.6
10			
11	54 - 19 6 WH		

-X17

1			
2	54 - 20 1 WH	A201L- 0 VCC	/ 62.2
3	54 - 21 1 WH	A202L- 0 VCC	/ 62.2
4	54 - 22 1 WH	A203L- 0 VCC	/ 62.3
5	54 - 23 1 WH	A204L- 0 VCC	/ 62.4
6	54 - 24 1 WH	A205L- 0 VCC	/ 62.4
7	54 - 24 1 WH	A206L- 0 VCC	/ 62.5
8	54 - 25 1 WH	A207L- 0 VCC	/ 62.6
9	54 - 26 1 WH	A2081L- 0 VCC	/ 62.7
10	54 - 26 1 WH	A209L- 0 VCC	/ 62.7
11	54 - 28 6 WH		

-X18

1			
2	54 - 31 1 WH	A301L- 0 VCC	/ 63.2
3	54 - 27 1 WH	A208EX- 0 VCC	/ 111.1
4	54 - 32 1 WH	A301L1- 0 VCC	/ 161.1
5	54 - 34 1 WH	A302L1- 0 VCC	/ 163.1
6	54 - 36 1 WH	A303L1- 0 VCC	/ 165.1
7	54 - 33 1 WH	A302L- 0 VCC	/ 63.3
8	54 - 29 1 WH	A209EX- 0 VCC	/ 113.1
9			
10			
11	54 - 37 6 WH		

-X19

1			
2			
3	54 - 38 1 WH	A304L- 0 VCC	/ 63.4
4			
5			
6	54 - 35 1 WH	A303L- 0 VCC	/ 63.3
7			
8			
9			
10			
11			

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: DISTRIBUZIONE 24 VCC ESTERNO

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 54
Cliente N° 26002-DD-EE-04-06-002 | Segue - 55

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

ALIMENTAZIONE SCHEDA INGRESSI DIGITALI A201

ALIMENTAZIONE SCHEDA INGRESSI DIGITALI A202

ALIMENTAZIONE SCHEDA INGRESSI DIGITALI A203

ALIMENTAZIONE SCHEDA INGRESSI DIGITALI A204

ALIMENTAZIONE SCHEDA INGRESSI DIGITALI A205

ALIMENTAZIONE SCHEDA INGRESSI DIGITALI A206

ALIMENTAZIONE SCHEDA INGRESSI ANALOGICI A207

ALIMENTAZIONE SCHEDA INGRESSI ANALOGICI A208

54.4 / ECB1- 0 VCC

54.2 / ECB1+ 24VCC

54 - 1 2.5 BU

54 - 11 2.5 WH

-FC51 6 A/B

55 - 1 2.5 BU

55 - 3 2.5 WH

-FC53

IN+

IN-

13 14 RESET I>80% /303.2

PHOENIX CONTACT CBM E8 24DC/0.5-10A NO-R

0,5 1 2 4 6 10 I = 0,5 A

OUT+

1	55 - 2 1 BU	B A201L+	-XG201 A1 24VCC / 62.2
2	55 - 4 1 BU	B A202L+	-XG202 A1 24VCC / 62.2
3	55 - 5 1 BU	B A203L+	-XG203 A1 24VCC / 62.3
4	55 - 6 1 BU	B A204L+	-XG204 A1 24VCC / 62.4
5	55 - 7 1 BU	B A205L+	-XG205 A1 24VCC / 62.4
6	55 - 7 1 BU	B A206L+	-XG206 A1 24VCC / 62.5
7	55 - 8 1 BU	B A207L+	-XG207 A1 24VCC / 62.6
8	55 - 9 1 BU	B A208L+	-XG208 A1 24VCC / 62.7

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo DISTRIBUZIONE 24 VCC ECB 1

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 55

Cliente N° 26002-DD-EE-04-06-002 | Segue - 56

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

ALIMENTAZIONE SCHEDA USCITE DIGITALI A209

ALIMENTAZIONE SCHEDA USCITE DIGITALI A210

ALIMENTAZIONE SCHEDA USCITE DIGITALI A211

ALIMENTAZIONE SCHEDA USCITE ANALOGICI A212

DISPONIBILE

DISPONIBILE

DISPONIBILE

DISPONIBILE

54.4 / ECB2-
0 VCC

54.2 / ECB2+
24VCC

54 - 2
2.5 BU

54 - 12
2.5 WH

-FC52
6 A/B

56 - 1
2.5 BU

56 - 3
2.5 WH

-FC54

IN+

IN-

13 14 RESET I>80%
/303.3

PHOENIX CONTACT
CBM E8 24DC/0.5-10A NO-R

0,5 1 2 4 6 10
I = 0,5 A

OUT+

55 - 10
1 BU

56 - 2
1 BU

56 - 4
1 BU

56 - 5
1 BU

56 - 6
1 BU

-XG209 B A209L+ 24VCC / 62.7

A301L+ 24VCC / 63.2

A302L+ 24VCC / 63.3

A303L+ 24VCC / 63.3

A304L+ 24VCC / 63.4

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo DISTRIBUZIONE 24 VCC ECB 2

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 56

Cliente N° 26002-DD-EE-04-06-002

Segue - 57

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

ALIMENTAZIONE SEPARATORI GALVANICI ATTVI ANALOGICI

54.4 /- ANA- 0 VCC
54.2 /- ANA+ 24VCC

-FC55 6 A/B
54 - 3 2.5 BU
54 - 13 2.5 WH
/77.6

-X20
57 - 2 1 BU → A304L1+ 24VCC / 181.1
57 - 1 2.5 BU
57 - 3 2.5 WH

-X21
57 - 4 1 WH → A304L1- 0 VCC / 181.1

COMANDO 24 VCC

54.4 /- COML- 0 VCC
54.2 /- COML+ 24VCC

-FC56 6 A/B
54 - 4 2.5 BU
54 - 14 2.5 WH
/77.7

-X22
57 - 6 1 BU → SIG+ 24VCC / 301.1
57 - 7 1 BU → SEGLEDL+ 24VCC / 263.1
57 - 5 2.5 BU
57 - 8 2.5 WH
54 - 10 1.5 BU → PNP+ 24VCC / 225.1

-X23
57 - 9 1 WH → SIG- 0 VCC / 301.1
57 - 10 1 WH → SEGLEDL- 0 VCC / 263.1
54 - 39 1.5 WH → PNP- 0 VCC / 225.1

CPU & HMI SWITCH - ASQ

54.4 /- ASQL- 0 VCC
54.2 /- ASQL+ 24VCC

-FC57 2 A/B
54 - 5 2.5 BU
54 - 15 2.5 WH
/77.7

-XD51
57 - 11 2.5 BU
57 - 12 2.5 WH

-ASM3-ASQ3/24V
FG16OH2M16 3G2.5 mm²

-XD50

=ASQ
+ASQ

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine
Titolo DISTRIBUZIONE 24 VCC ESTERNO

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 57
Cliente N° 26002-DD-EE-04-06-002
Segue - 58

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

DISPONIBILE

54.4 /- MCBER1-
0 VCC

54.2 /- MCBER1+
24VCC

54 - 6 2.5 BU
54 - 16 2.5 WH

-FC58
2 A/B
1 2 3 4 12 14 11

58 - 1 2.5 BU
58 - 2 2.5 WH

-XD52 B A1 B A2
-XD52 B A3 B A4

DISPONIBILE

54.4 /- MCBER2-
0 VCC

54.2 /- MCBER2+
24VCC

54 - 7 2.5 BU
54 - 17 2.5 WH

-FC59
6 A/B
1 2 3 4 12 14 11

58 - 3 2.5 BU
58 - 4 2.5 WH

-X24
1 2 3 4 5 6 7 8 9 10 11

-X25
1 2 3 4 5 6 7 8 9 10 11

DISPONIBILE

54.4 /- MCBER3-
0 VCC

54.2 /- MCBER3+
24VCC

54 - 8 2.5 BU
54 - 18 2.5 WH

-FC60
6 A/B
1 2 3 4 12 14 11

58 - 5 2.5 BU
58 - 6 2.5 WH

-XD53 B A1 B A2
-XD53 B A3 B A4

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo DISTRIBUZIONE 24 VCC ESTERNO RISERVA

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 58
Cliente N° 26002-DD-EE-04-06-002
Segue - 61

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

BUS-1

ANTA *CABINET* 4

-A100
SIE.6ES7954-8LF04-0AA0
SIE.6ES7515-2AN03-0AB0

-A101
6GK7542-1AX10-0XE0



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo CONFIGURAZIONE PLC BUS 1

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 61


Cliente N° 26002-DD-EE-04-06-002

Segue - 62

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

BUS-2

ANTA *CABINET* 4



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo CONFIGURAZIONE PLC BUS 2

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 62


Cliente N° 26002-DD-EE-04-06-002

Segue - 63

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

BUS-3

ANTA *CABINET* 4



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo CONFIGURAZIONE PLC BUS 3

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 63

Cliente N° 26002-DD-EE-04-06-002

Segue - 64

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

MODULO DI INTERFACCIA 1

CPU

AQT CPU SWITCH

ASQ CPU SWITCH

=AQT
+AQT

-PATCHPANEL

1.1 2.1

CAVO 1

1.2 2.2

=SG
+SG

1 2

1 2

-PATCHPANEL1

1.2 2.2 3.2 4.2 5.2 6.2 1.2 2.2 3.2 4.2 5.2 6.2

CAVO 1 CAVO 2

1.1 2.1 3.1 4.1 5.1 6.1 1.1 2.1 3.1 4.1 5.1 6.1

PATCH1_4 / 66.3

PATCH1_3 / 66.3

-KE1
SDI-862-SM-SC30
CPU Switch

WESTERMO

TX 7 TX 8

7 8

RX 7 RX 8

RJ45 5 RJ45 6

RJ45 3 RJ45 4

RJ45 1 RJ45 2

SDI-862

-A200

P1

P2

-A100

X1

P1 R

=ASQ
+ASQ -KE1
CPU Switch

RJ45 1

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INTERCONNESSIONE RETE DATI SWITCH 1

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 64

Cliente N° 26002-DD-EE-04-06-002

Segue - 65

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

ASQ HMI SWITCH

CPU

AQT HMI SWITCH

QP ??

=AQT
+AQT

-PATCHPANEL

3.1 4.1

3.2 4.2

=ECC
+ECC

1 2

1 2

-PATCHPANEL2

1.2 2.2 3.2 4.2 5.2 6.2 1.2 2.2 3.2 4.2 5.2 6.2

CAVO 1

CAVO 2

1.1 2.1 3.1 4.1 5.1 6.1 1.1 2.1 3.1 4.1 5.1 6.1

-KE2
SDI-862-SM-SC30
HMI Switch

WESTERMO

TX 7

TX 8

7

8

RX 7

RX 8

RJ45 5

RJ45 6

RJ45 3

RJ45 4

RJ45 1

RJ45 2

SDI-862

=ASQ
+ASQ

-KE2
HMI Switch

RJ45 1

-A100

X1
P2 R

=QP
+QP

RJ45

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INTERCONNESSIONE RETE DATI SWITCH 2

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795


Foglio 65

Cliente N° 26002-DD-EE-04-06-002

Segue - 66

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

MODULO DI
COMUNICAZIONE



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INTERCONNESSIONE RETE DATI
SWITCH 3

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 66

Cliente N° 26002-DD-EE-04-06-002


Segue - 67

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

TASTIERA

CPU

PC PANEL



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INTERCONNESSIONE RETE DATI PC PANEL

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 67

Cliente N° 26002-DD-EE-04-06-002

Segue - 71

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



PT-CONSCOM DI050.0 DISP
PT-RROT DI050.1 RICHIESTA ROTAZIONE DA QL
PT-RGEN DI050.2 RICHIESTA GENERAZIONE DA QL
PT-RFER DI050.3 RICHIESTA FERMO DA QL
PT-RPOMP DI050.4 RICHIESTA POMPAGGIO DA QL
PR-RLT DI050.5 DISP
PT-RA-P DI050.6 AUMENTA CARICO DA QL
PT-RD-P DI050.7 DIMINUISCI CARICO DA QL

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INGRESSI DIGITALI: BUS-2 POS-1_1

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 71
Cliente N° 26002-DD-EE-04-06-002
Segue - 72

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

-A201 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 1 | SIEMENS

DI051.0 11 DI b — 72 - 1 1 BU — B 31 A — -XG201
DI051.1 12 DI b — 72 - 2 1 BU — B 32 A — -XG201
DI051.2 13 DI b — 72 - 3 1 BU — B 33 A
DI051.3 14 DI b — 72 - 4 1 BU — B 34 A
DI051.4 15 DI b — 72 - 5 1 BU — B 35 A
DI051.5 16 DI b — 72 - 6 1 BU — B 36 A
DI051.6 17 DI b — 72 - 7 1 BU — B 37 A
DI051.7 18 DI b — 72 - 8 1 BU — B 38 A

-QCI3-ASM3/S 10 11
FG16OH2M16 24G1.5 mm²
=QCI +QCI
-X 333 325
-X 335 327
71.8 /

-QCI3-ASM3/S 13
FG16OH2M16 24G1.5 mm²
=QCI +QCI
-X 158
-X 160
-QCI3-ASM3/S 12
FG16OH2M16 24G1.5 mm²

73.8 / A201EX+ 24VCC — -XG201 A B4 A B5 A B6 A B7 A B8 A B9 — A201EX+ 24VCC / 71.3

PT-RA-V DI051.0 AUMENTA TENSIONE DA QL
PT-RD-V DI051.1 DIMINUISCI TENSIONE DA QL
DI051.2 CONSENSO INIZIO ENER. GRADUALE TRAFO DA T347
DI051.3 89 AT APERTI O ASSENZA TENSIONE SBARRE 220KV DA T347
DI051.4 INIBIZIONE ENER. GRADUALE TRAFO DA T347
DI051.5 ASSENZA ENER. GRADUALE TRAFO DA T347
DI051.6 DISP
PT-PRLAMP DI051.7 PROVA LAMPADE

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine
Titolo INGRESSI DIGITALI: BUS-2 POS-1_2

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 72
Cliente N° 26002-DD-EE-04-06-002 | Segue - 73

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

-A201 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 1 | SIEMENS

DI052.0 21 DI c — 73 - 1 1 BU — 12 14 — -73K01 /73.2 — 11 — 73 - 2 1 BU — B
DI052.1 22 DI c — 73 - 6 1 BU — 12 14 — -73K02 /73.3 — 11
DI052.2 23 DI c — 73 - 10 1 BU — 12 14 — -73K03 /73.4 — 11
DI052.3 24 DI c — 73 - 14 1 BU — 12 14 — -73K04 /73.4 — 11
73 - 3 1 BU; 73 - 7 1 BU; 73 - 11 1 BU

74.8 / A201L1+ 24VCC -XG201 A 22

44.5 / A201R- -110VCC — 44 - 20 1 WH

73 - 4 1 WH; 73 - 8 1 WH; 73 - 12 1 WH

-73K01: A2 / 110VCC 2966197 / A1 — NO /73.2 | NC /73.2 — 73 - 5 1 RD — B — -XG201 39 — A
-73K02: A2 / 110VCC 2966197 / A1 — NO /73.3 | NC /73.3 — 73 - 9 1 RD — B — -XG201 40 — A
-73K03: A2 / 110VCC 2966197 / A1 — NO /73.4 | NC /73.4 — 73 - 13 1 RD — B — -XG201 41 — A
-73K04: A1 / 2966171 / A2 — NO /73.4 | NC /73.4 — 73 - 15 1 RD — B — -XG201 42 — A

-XG01 A 4 — 73 - 12 1 WH

-ASC3-ASM3/S FG16OH2M16 12G1.5 mm² — 2 4 6 8

=ASC +ASC — -X 55 — -X? ?? — -X? ?? — -F1 — -F2 — -F1.3 — -F2.3

-A2 X43QLC2 — 216 — 226 — 215 — -X 53 — 55 — -X? ?? — -X? ??

*NOTA: Durante i cablaggi

-ASC3-ASM3/S FG16OH2M16 12G1.5 mm² — 1 3 5

44.4 / A201EXC+ 110VCC — 44 - 8 1.5 RD — -XG01 B 1 — A; B 2 — A; B 3 — A

DI052.4 25 DI c — 73 - 16 1 BU — B 43 — A
DI052.5 26 DI c — 73 - 17 1 BU — B 44 — A
DI052.6 27 DI c — 73 - 18 1 BU — B 45 — A
DI052.7 28 DI c — 73 - 19 1 BU — B 46 — A

-T347-ASM3/S FG16OH2M16 12G1.5 mm² — 2 1

=T347 +T347 — -X 133 — -X 135

-T347-ASM3/S FG16OH2M16 12G1.5 mm² — 1

74.2 / A201EX+ 24VCC -XG201 B 10 — A; B 11 — A; B 12 — A; B 13 — A — A201EX+ 24VCC / 72.3

CENT-TC — DI052.0 — CENTRALE IN TELECOMANDO
RIC-IS-A — DI052.1 — RICEZIONE GRUPPI IN ISOLA SU SBARRA A
RIC-IS-B — DI052.2 — RICEZIONE GRUPPI IN ISOLA SU SBARRA B
DI052.3 — ACCENSIONE SEGNALAZIONI BANCO
DI052.4 — DISP
DI052.5 — DISP
DI052.6 — DISP
T347-52-AP — DI052.7 — INTERRUTTORE AT T347 APERTO DA TR347

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 — - — Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia — VOITH

Armadio Sala Macchine
Titolo: INGRESSI DIGITALI: BUS-2 POS-1_3

Sales Order 32950 — Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 — Foglio 73
Cliente N° 26002-DD-EE-04-06-002 — Segue - 74

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

-A201 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 1 | SIEMENS

	DI053.0	DI053.1	DI053.2	DI053.3	DI053.4	DI053.5	DI053.6	DI053.7
	31 DI d	32 DI d	33 DI d	34 DI d	35 DI d	36 DI d	37 DI d	38 DI d
	74 - 1 1 BU	74 - 2 1 BU	74 - 3 1 BU	74 - 4 1 BU	74 - 5 1 BU	74 - 6 1 BU	74 - 7 1 BU	74 - 8 1 BU
	B	B	B	B	B	B	B	B
-XG201	47	48	49	50	51	52	53	54
	A	A	A	A	A	A	A	A
	-T347-ASM3/S 3 FG16OH2M16 12G1.5 mm²		-PA T347-ASM3/S 9 FG16OH2M16 24G1.5 mm²					
	=T347 +T347 -X 132		=AUT T3 +AUT T3-X? ??					
			*NOTA: Durante i cablaggi					
			-X? ??					
			-PA T347-ASM3/S 2 FG16OH2M16 24G1.5 mm²					
73.5 / A201EX+ 24VCC -XG201	A 14	A 15	A 16	A 17	A 18	A 19	A 20	A 21 A201L1+ 24VCC / 73.2
	B	B	B	B	B	B	B	B

T347-	PAT347-INS	PAT347-ANOM	PAT347-AUMF	PAT347-DIMF	PAT347-AUMV	PAT347-DIMV	PAT347-
DI053.0 INTERRUTTORE AT T347 CHIUSO DA TR347	DI053.1 DISPOSITIVO PA T347 INSERITO	DI053.2 DISPOSITIVO PA T347 IN ANOMALIA	DI053.3 AUM FREQ. DA DISPOSITIVO PA T347	DI053.4 DIM FREQ. DA DISPOSITIVO PA T347	DI053.5 AUM TENSIONE DA DISPOSITIVO PA T347	DI053.6 DIM TENSIONEF DA DISPOSITIVO PA T347	DI053.7 COMANDO CHIUSURA INTERRUTTORE DI GRUPPO INVIATO DA T347

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INGRESSI DIGITALI: BUS-2 POS-1_4

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 74

Cliente N° 26002-DD-EE-04-06-002 | Segue - 75

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

-A202 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 2 | SIEMENS

DI054.0 1 DI a — 75 - 1 1 BU — -75K01 /75.2 (12 14 / 11)
DI054.1 2 DI a — 75 - 4 1 BU — -75K02 /75.3 (12 14 / 11)
DI054.2 3 DI a — 75 - 6 1 BU — -75K03 /75.4 (12 14 / 11)
DI054.3 4 DI a — 75 - 8 1 BU — -75K04 /75.4 (12 14 / 11)
DI054.4 5 DI a — 75 - 10 1 BU — -75K05 /75.5 (12 14 / 11)
DI054.5 6 DI a — 75 - 12 1 BU
DI054.6 7 DI a — 75 - 13 1 BU
DI054.7 8 DI a — 75 - 14 1 BU

*NOTE: PONTICELLI CONTINUI FBST 500-PLC RD

75 - 2 1 BU → -XG202 B 8 A
78.8 /- A202L1+ 24VCC

44.5 /- A202R- -110VCC
44 - 21 1 WH

*NOTE: PONTICELLI CONTINUI FBST 500-PLC BU

-75K01 … -75K05: A2 / A1, 110VCC 2966197, NO | NC
-75K01 /75.2 | /75.2
-75K02 /75.3 | /75.3
-75K03 /75.4 | /75.4
-75K04 /75.4 | /75.4
-75K05 /75.5 | /75.5

75 - 3 1 RD → TB3_1 204.2
75 - 5 1 RD → TB3_2 204.3
75 - 7 1 RD → TB3_3 204.4
75 - 9 1 RD → TB3_4 204.5
75 - 11 1 RD → TB3_5 204.6

-XG202 B 9 A / B 10 A / B 11 A
-ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²

=ASQ +ASQ
-XGASM A 21 B / A 16 B C C1 / A 17 B C C1
RIPRISTINO BLOCCO GR / RIPRISTINO BLOCCO P
-S101 23 24
-S100 1 AE / 2 AI
-XGASM B A 10 / B A 11
-ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²
62.3 /- A202EX+ 24VCC -XG202 A B 3 — A202EX+ 24VCC / 76.2

ASQ-BL DI054.0 PULSANTE DI BLOCCO DA ASQ INTERVENUTO
ASM-BL DI054.1 PULSANTE DI BLOCCO DA ASM INTERVENUTO
QT-BL DI054.2 PULSANTE DI BLOCCO DA QT INTERVENUTO
PT-BL DI054.3 PULSANTE DI BLOCCO DA QL INTERVENUTO
DISP-BL DI054.4 PULSANTE DI BLOCCO DISPONIBILE INTERVENUTO
DI054.5 SBLOCCO POMPA DA PULSANTE ASQ
AA-43AE DI054.6 SELETTORE AUTOMATISMO IN AE
AA-43AI DI054.7 SELETTORE AUTOMATISMO IN AI

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 — - — Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine
Titolo: INGRESSI DIGITALI: BUS-2 POS-2_1
Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 75
Cliente N° 26002-DD-EE-04-06-002 | Segue - 76

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

-A202 6ES7521-1BL00-0AB0 SM 321 DI 32 x DC24V HF BUS: 2 POS: 2 SIEMENS

DI055.0 11 DI b
DI055.1 12 DI b
DI055.2 13 DI b
DI055.3 14 DI b
DI055.4 15 DI b
DI055.5 16 DI b
DI055.6 17 DI b
DI055.7 18 DI b

76 - 1 1 BU
76 - 2 1 BU
76 - 3 1 BU
76 - 4 1 BU
76 - 7 1 BU
76 - 9 1 BU
76 - 11 1 BU
76 - 13 1 BU

-XG202 B 12 A
-XG202 B 13 A
-XG202 B 14 A

-ASQ3-ASM3/S
FG16OH2M16 12G1.5 mm²

=ASQ +ASQ
-XGASM A 18 B C C1
-XGASM A 19 B C C1
-XGASM A 20 B

-S100 3 E / 4 M
-S101 RIPRISTINO BLOCCO GR / RIPRISTINO BLOCCO P 13 / 14

-XGASM B 12 A / B 13 A / B 14 A / / 78.7

-ASQ3-ASM3/S
FG16OH2M16 12G1.5 mm²

75.8 / A202EX+ 24VCC
-XG202 A 4 B
-XG202 B 5 A
A202EX+ 24VCC / 78.2

-TA1 /42.3 13 14
-TA2 /42.5 13 14
-TA3 /43.3 13 14
-TA4 /43.5 13 14
-SC1 /41.3 12 14 11

76 - 5 1 BU
76 - 6 1 BU
76 - 8 1 BU
76 - 10 1 BU
76 - 12 1 BU
76 - 14 1 BU
ASM+ 24VCC / 77.2

AA-43ESC DI055.0 SELETTORE AUTOMATISMO IN ESCLUSO
AA-43M DI055.1 SELETTORE AUTOMATISMO IN MANUALE
AA-RSBL DI055.2 SBLOCCO GRUPPO DA PULSANTE ASQ
ASM-ALIM1I DI055.3 ALIMENTATORE 1 110/24 VDC INTERNO QUADRO ASM OK
ASM-ALIM2I DI055.4 ALIMENTATORE 2 110/24 VDC INTERNO QUADRO ASM OK
ASM-ALIM1E DI055.5 ALIMENTATORE 1 110/24 VDC ESTERNO QUADRO ASM OK
ASM-ALIM2E DI055.6 ALIMENTATORE 2 110/24 VDC ESTERNO QUADRO ASM OK
ASM-CCALL DI055.7 INTERVENTO SC1 SCARICATORE LINEA 110 VDC

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note


dolomiti energia

VOITH

Armadio Sala Macchine
Titolo INGRESSI DIGITALI: BUS-2 POS-2_2

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 76
Cliente N° 26002-DD-EE-04-06-002
Segue - 77

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



ASM-FC42/43/44-AP
DI056.0
INTERR. SWITCH RETI CPU/HMI/SG APERTI

ASM-FC17-AP
DI056.1
INTERR. COMANDI 110 VDC APERTO

ASM-FC18-AP
DI056.2
INTERR. ALIM. 110 VDC PER ECCITATRICE APERTO

ASM-FC19-AP
DI056.3
INTERR. ALIM. 110 VDC PER Q. PROTEZIONI APERTO

ASM-FC31/32/33-AP
DI056.4
INTERR. ALIM. PC PANEL ASM/ASQ/QT APERTI

ASM-FC55-AP
DI056.5
INTERR. SEPARATORI GALVANICI APERTO

ASM-FC56-AP
DI056.6
INTERR. ALIM. SEGNALATORI LED APERTO

ASM-FC57-AP
DI056.7
INTERR. ALIM. SWITCH CPU/HMI ASQ APERTO

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia


VOITH

Armadio Sala Macchine

Titolo
INGRESSI DIGITALI: BUS-2 POS-2_3

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 77
Cliente N° 26002-DD-EE-04-06-002
Segue - 78

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



AQT-FC41/42-AP DI057.0 INTERR. SWITCH RETI CPU/HMI APERTI

AQT-FC56-CH DI057.1 FUSIBILE ELETTRONICO FC56 QUADRO AQT OK

AQT-FC57-CH DI057.2 FUSIBILE ELETTRONICO FC57 QUADRO AQT OK

AQT-FC58-CH DI057.3 FUSIBILE ELETTRONICO FC58 QUADRO AQT OK

AQT-FC59-CH DI057.4 FUSIBILE ELETTRONICO FC59 QUADRO AQT OK

AQT-FC60-CH DI057.5 FUSIBILE ELETTRONICO FC60 QUADRO AQT OK

ASQ-FC10/40-AP DI057.6 INTERR. PC PANEL/SWITCH APERTI

QT-FC10-AP DI057.7 INTERRUTTORE PC PANEL APERTO

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INGRESSI DIGITALI: BUS-2 POS-2_4

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 78

Cliente N° 26002-DD-EE-04-06-002

Segue - 79

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



DI058.0 GUASTO ALTERNATORE DA PROTEZIONI ELETTRICHE

DI058.1 DISP

DI058.2 GUASTO ESTERNO DA PROTEZIONI ELETTRICHE

64RALL DI058.3 ALLARME TERRA ROTORE

64RBL DI058.4 BLOCCO TERRA ROTORE

DI058.5 ALLARME RELE SEQUENZA INVERSA

DI058.6 PROTEZIONE ELETTRICA A O B IN ANOMALIA

DI058.7 ASSENZA TENSIONE SBARRA 15KV

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INGRESSI DIGITALI: BUS-2 POS-3_1

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 79

Cliente N° 26002-DD-EE-04-06-002

Segue - 80

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A203 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 3 | SIEMENS

DI059.0 11 DI b — 80 - 1 1 BU — B — -XG203 18 A — -QSA1-ASM3/S FG16OH2M16 5G1.5 mm² — =MCCA +MCCA -XT1 1 — *NOTA: Durante i cablaggi — -XT1 2 — -QSA1-ASM3/S FG16OH2M16 5G1.5 mm² — A203EX+ 24VCC -XG203 A B5 — 79.4 /

DI059.1 12 DI b — 80 - 2 1 BU — B — 19 A — -QSA2-ASM3/S FG16OH2M16 5G1.5 mm² — =MCCB +MCCB -XT1 1 — *NOTA: Durante i cablaggi — -XT1 2 — -QSA2-ASM3/S FG16OH2M16 5G1.5 mm² — A B6

DI059.2 13 DI b — 80 - 3 1 BU — B 20 A — A B7

DI059.3 14 DI b — 80 - 4 1 BU — -X-PROT1 /201.5 R2 T2 M2 — 80 - 5 1 BU — A B8 — A203L1+ 24VCC / 81.2

DI059.4 15 DI b — 80 - 7 1 BU — -K-BE1 /202.3 R2 T2 M2 — 80 - 6 1 BU

DI059.5 16 DI b — 80 - 9 1 BU — -K-BM1 /203.3 R3 T3 M3 — 80 - 8 1 BU

DI059.6 17 DI b — 80 - 11 1 BU — -K-SC1 /203.7 R2 T2 M2 — 80 - 10 1 BU

DI059.7 18 DI b — 80 - 13 1 BU — -K-BP1 /203.5 R2 T2 M2 — 80 - 12 1 BU

DI059.0	ASSENZA TENSIONE SACA 1 DI CENTRALE (QSA1)	
DI059.1	ASSENZA TENSIONE SACA 2 DI CENTRALE (QSA2)	
DI059.2	DISP	
XPROT DI059.3	RELE X PROTEZIONI INTERVENUTO	
KBE DI059.4	PRESENZA BLOCCO ELETTRICO	
KBM DI059.5	PRESENZA BLOCCO MECCANICO	
KSC DI059.6	PRESENZA SCATTO	
KBP DI059.7	PRESENZA BLOCCO POMPA	

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 — - — Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: INGRESSI DIGITALI: BUS-2 POS-3_2

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 80

Cliente N° 26002-DD-EE-04-06-002 | Segue - 81

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A203 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 3 | SIEMENS

DI060.0 21 DI c — 81 - 1 1 BU — 12 14 — -81K01 /81.2 — 11
DI060.1 22 DI c — 81 - 4 1 BU — 12 14 — -81K02 /81.3 — 11
DI060.2 23 DI c — 81 - 6 1 BU — 12 14 — -81K03 /81.4 — 11
DI060.3 24 DI c — 81 - 8 1 BU — 12 14 — -81K04 /81.4 — 11
DI060.4 25 DI c — 81 - 10 1 BU — 12 14 — -81K05 /81.5 — 11
DI060.5 26 DI c — 81 - 12 1 BU — 12 14 — -81K06 /81.6 — 11
DI060.6 27 DI c — 81 - 14 1 BU — 12 14 — -81K07 /81.7 — 11
DI060.7 28 DI c — 81 - 16 1 BU — 12 14 — -81K08 /81.7 — 11

*NOTE: PONTICELLI CONTINUI FBST 500-PLC RD

A203L1+ 24VCC / 82.2

81 - 2 1 BU — B

80.5 / A203L1+ 24VCC — -XG203 A 9

44.5 / A203R- -110VCC — 44 - 22 1 WH

*NOTE: PONTICELLI CONTINUI FBST 500-PLC BU

A203R- -110VCC / 82.2

-81K01 … -81K08: A2 / 110VCC 2966197 / A1 — NO | NC

-81K01 NO /81.2 | NC /81.2 — 81 - 3 1 RD — D1_PLC 205.3
-81K02 NO /81.3 | NC /81.3 — 81 - 5 1 RD — D2_PLC 205.5
-81K03 NO /81.4 | NC /81.4 — 81 - 7 1 RD — D3_PLC 205.6
-81K04 NO /81.4 | NC /81.4 — 81 - 9 1 RD — D4_PLC 205.7
-81K05 NO /81.5 | NC /81.5 — 81 - 11 1 RD — D5_PLC 206.2
-81K06 NO /81.6 | NC /81.6 — 81 - 13 1 RD — D6_PLC 206.3
-81K07 NO /81.7 | NC /81.7 — 81 - 15 1 RD — D7_PLC 206.5
-81K08 NO /81.7 | NC /81.7 — 81 - 17 1 RD — D8_PLC 206.6

DI060.0 DISP
T347-BL DI060.1 BLOCCO DA T347
T347-SC DI060.2 SCATTO DA T347
MOLV-BL DI060.3 BLOCCO GENERALE DI CONDOTTA 2 (MOLVENO)
DI060.4 DISP
DI060.5 DISP
DI060.6 DISP
ECC-BL DI060.7 ECC - BLOCCO DA ECCITATRICE

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo: INGRESSI DIGITALI: BUS-2 POS-3_3

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 81
Cliente N° 26002-DD-EE-04-06-002 | Segue - 82

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

-A203 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 3 | SIEMENS

DI061.0 31 DI d — 82 - 1 1 BU — 12 14 — -82K01 /82.2 — 11
DI061.1 32 DI d — 82 - 3 1 BU — 12 14 — -82K02 /82.3 — 11
DI061.2 33 DI d — 82 - 5 1 BU — 12 14 — -82K03 /82.4 — 11
DI061.3 34 DI d — 82 - 7 1 BU — 12 14 — -82K04 /82.4 — 11
DI061.4 35 DI d — 82 - 9 1 BU — 12 14 — -82K05 /82.5 — 11
DI061.5 36 DI d — 82 - 11 1 BU — 12 14 — -82K06 /82.6 — 11
DI061.6 37 DI d — 82 - 13 1 BU — 12 14 — -82K07 /82.7 — 11
DI061.7 38 DI d — 82 - 15 1 BU — 12 14 — -82K08 /82.7 — 11

81.8 / A203L1+ 24VCC

*NOTE: PONTICELLI CONTINUI FBST 500-PLC RD

81.8 / A203R- -110VCC

*NOTE: PONTICELLI CONTINUI FBST 500-PLC BU

-82K01 A2 — 110VCC 2966197 — A1 — NO /82.2 | NC /82.2 — 82 - 2 1 RD — D9_PLC 206.7
-82K02 A2 — 110VCC 2966197 — A1 — NO /82.3 | NC /82.3 — 82 - 4 1 RD — D10_PLC 207.2
-82K03 A2 — 110VCC 2966197 — A1 — NO /82.4 | NC /82.4 — 82 - 6 1 RD — D11_PLC 207.3
-82K04 A2 — 110VCC 2966197 — A1 — NO /82.4 | NC /82.4 — 82 - 8 1 RD — D12_PLC 207.5
-82K05 A2 — 110VCC 2966197 — A1 — NO /82.5 | NC /82.5 — 82 - 10 1 RD — D13_PLC 207.6
-82K06 A2 — 110VCC 2966197 — A1 — NO /82.6 | NC /82.6 — 82 - 12 1 RD — D14_PLC 207.7
-82K07 A2 — 110VCC 2966197 — A1 — NO /82.7 | NC /82.7 — 82 - 14 1 RD — D15_PLC 208.2
-82K08 A2 — 110VCC 2966197 — A1 — NO /82.7 | NC /82.7 — 82 - 16 1 RD — D16_PLC 208.3

ZS.DCM DI061.0 INTERVENTO CENTRIFUGO VELOCITA GRUPPO
RVWD DI061.1 RV - WATCHDOG CPU
UBLOCCO DI061.2 RV - RICHIESTA DI BLOCCO
ZTP9.A4 DI061.3 MINIMA PRESSIONE AZOTO ACCUMULATORE GRUPPO
ZS.AOP.A4.bl DI061.4 MINIMO LIVELLO OLIO ACCUMULATORE GRUPPO
DI061.5 DISP
DI061.6 DISP
DI061.7 DISP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia | VOITH

Armadio Sala Macchine
Titolo INGRESSI DIGITALI: BUS-2 POS-3_4

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 82
Cliente N° 26002-DD-EE-04-06-002 | Segue - 83

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A204 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 4 | SIEMENS

DI062.0 … DI062.7 → 1 … 8 DI a

83 - 1 … 83 - 16 1 BU

-83K01 /83.2 | -83K02 /83.3 | -83K03 /83.4 | -83K04 /83.4 | -83K05 /83.5 | -83K06 /83.6 | -83K07 /83.7 | -83K08 /83.7

12 | 14 | 11

*NOTE: PONTICELLI CONTINUI FBST 500-PLC RD

A204L1+ 24VCC → / 84.2

83 - 2 1 BU B

62.5 / A204L1+ 24VCC -XG204 A 3

44.5 / A204R- -110VCC

44 - 23 1 WH

*NOTE: PONTICELLI CONTINUI FBST 500-PLC BU

A204R- -110VCC → / 84.2

-83K01 … -83K08 A2 | 110VCC 2966197 | A1

NO | NC

/83.2 | /83.2 … /83.7 | /83.7

83 - 3 … 83 - 17 1 RD

D17_PLC 209.3 | D18_PLC 209.5 | D19_PLC 209.6 | D20_PLC 209.7 | D21_PLC 210.2 | D22_PLC 210.3 | D23_PLC 210.5 | D24_PLC 210.6

LS401.LL DI062.0 LUBRIFICAZIONE - MINIMO LIVELLO OLIO CENTRALINA

LS401.HH DI062.1 LUBRIFICAZIONE - MASSIMO LIVELLO OLIO CENTRALINA

LS300 DI062.2 MIN LIVELLO OLIO SUPPORTO TRONCHETTO

LS301 DI062.3 MAX LIVELLO OLIO SUPPORTO TRONCHETTO

TE501.dx.HH DI062.4 MAX TEMP. SUPPORTO 1 ALTERNAT. - SONDA DX

TE502.dx.HH DI062.5 MAX TEMP. SUPPORTO 2 ALTERNAT. - SONDA DX

TE300.HH DI062.6 MASSIMA TEMPERATURA MB SUPPORTO TRONCHETTO

DI062.7 RICEZIONE INTERVENTO MAI DA ESTERNO

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia | VOITH

Armadio Sala Macchine

Titolo: INGRESSI DIGITALI: BUS-2 POS-4_1

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 83

Cliente N° 26002-DD-EE-04-06-002 | Segue - 84

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A204 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 4 | SIEMENS

DI063.0 11 DI b — 84 - 1 1 BU — 12 14 — -84K01 /84.2 — 11
DI063.1 12 DI b — 84 - 3 1 BU — 12 14 — -84K02 /84.3 — 11
DI063.2 13 DI b — 84 - 5 1 BU — 12 14 — -84K03 /84.4 — 11
DI063.3 14 DI b — 84 - 7 1 BU — 12 14 — -84K04 /84.4 — 11
DI063.4 15 DI b — 84 - 9 1 BU — 12 14 — -84K05 /84.5 — 11
DI063.5 16 DI b — 84 - 11 1 BU — 12 14 — -84K06 /84.6 — 11
DI063.6 17 DI b — 84 - 13 1 BU — 12 14 — -84K07 /84.7 — 11
DI063.7 18 DI b — 84 - 15 1 BU — 12 14 — -84K08 /84.7 — 11

83.8 / A204L1+ 24VCC — *NOTE: PONTICELLI CONTINUI FBST 500-PLC RD — A204L1+ 24VCC / 85.2

83.8 / A204R- -110VCC — *NOTE: PONTICELLI CONTINUI FBST 500-PLC BU — A204R- -110VCC / 85.2

-84K01 A2 — 110VCC 2966197 — A1 — NO /84.2 | NC /84.2 — 84 - 2 1 RD → D25_PLC 210.7
-84K02 A2 — 110VCC 2966197 — A1 — NO /84.3 | NC /84.3 — 84 - 4 1 RD → D26_PLC 211.2
-84K03 A2 — 110VCC 2966197 — A1 — NO /84.4 | NC /84.4 — 84 - 6 1 RD → D27_PLC 211.3
-84K04 A2 — 110VCC 2966197 — A1 — NO /84.4 | NC /84.4 — 84 - 8 1 RD → D28_PLC 211.5
-84K05 A2 — 110VCC 2966197 — A1 — NO /84.5 | NC /84.5 — 84 - 10 1 RD → D29_PLC 211.6
-84K06 A2 — 110VCC 2966197 — A1 — NO /84.6 | NC /84.6 — 84 - 12 1 RD → D30_PLC 211.7
-84K07 A2 — 110VCC 2966197 — A1 — NO /84.7 | NC /84.7 — 84 - 14 1 RD → D31_PLC 212.2
-84K08 A2 — 110VCC 2966197 — A1 — NO /84.7 | NC /84.7 — 84 - 16 1 RD → D32_PLC 212.3

DI063.0 INTERVENTO MAIG PROPRIA
DI063.1 DISP
DI063.2 DISP
DI063.3 DISP
DI063.4 DISP
DI063.5 DISP
DI063.6 DISP
DI063.7 DISP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia — VOITH

Armadio Sala Macchine
Titolo: INGRESSI DIGITALI: BUS-2 POS-4_2

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 84
Cliente N° 26002-DD-EE-04-06-002 | Segue - 85

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A204 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 4 | SIEMENS

DI064.0 21 DI c — 85 - 1 1 BU — 12 14 — -85K01 /85.2 — 11
DI064.1 22 DI c — 85 - 3 1 BU — 12 14 — -85K02 /85.3 — 11
DI064.2 23 DI c — 85 - 5 1 BU — 12 14 — -85K03 /85.4 — 11
DI064.3 24 DI c — 85 - 7 1 BU — 12 14 — -85K04 /85.4 — 11
DI064.4 25 DI c — 85 - 9 1 BU — 12 14 — -85K05 /85.5 — 11
DI064.5 26 DI c — 85 - 11 1 BU — 12 14 — -85K06 /85.6 — 11
DI064.6 27 DI c — 85 - 13 1 BU — 12 14 — -85K07 /85.7 — 11
DI064.7 28 DI c — 85 - 15 1 BU — 12 14 — -85K08 /85.7 — 11

84.8 / A204L1+ 24VCC — *NOTE: PONTICELLI CONTINUI FBST 500-PLC RD — A204L1+ 24VCC / 86.2

84.8 / A204R- -110VCC — *NOTE: PONTICELLI CONTINUI FBST 500-PLC BU — A204R- -110VCC / 86.2

-85K01 A2 — 110VCC 2966197 A1 — NO /85.2 | NC /85.2 — 85 - 2 1 RD — D33_PLC 213.3
-85K02 A2 — 110VCC 2966197 A1 — NO /85.3 | NC /85.3 — 85 - 4 1 RD — D34_PLC 213.5
-85K03 A2 — 110VCC 2966197 A1 — NO /85.4 | NC /85.4 — 85 - 6 1 RD — D35_PLC 213.6
-85K04 A2 — 110VCC 2966197 A1 — NO /85.4 | NC /85.4 — 85 - 8 1 RD — D36_PLC 213.7
-85K05 A2 — 110VCC 2966197 A1 — NO /85.5 | NC /85.5 — 85 - 10 1 RD — D37_PLC 214.2
-85K06 A2 — 110VCC 2966197 A1 — NO /85.6 | NC /85.6 — 85 - 12 1 RD — D38_PLC 214.3
-85K07 A2 — 110VCC 2966197 A1 — NO /85.7 | NC /85.7 — 85 - 14 1 RD — D39_PLC 214.5
-85K08 A2 — 110VCC 2966197 A1 — NO /85.7 | NC /85.7 — 85 - 16 1 RD — D40_PLC 214.6

PPJA-BL DI064.0 ALLAGAMENTO POMPA NUTRICE
DI064.1 INTERVENTO CENTRIFUGO SOTTOVELOCITA POMPA
ZTP9.P4 DI064.2 MINIMA PRESSIONE AZOTO ACCUMULATORE POMPA
ZS.AOP.P4.bl DI064.3 MINIMO LIVELLO OLIO ACCUMULATORE POMPA
DI064.4 DISP
LS200-LS201 DI064.5 MIN O MAX LIVELLO OLIO SUPPORTO COMB P3
LS100-LS101 DI064.6 MIN O MAX LIVELLO OLIO SUPPORTO FINALE P3
TE204.HH DI064.7 MAX TEMP. MB PATTINI GUIDA LATO GRUPPO SUPP. COMB. P3

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo INGRESSI DIGITALI: BUS-2 POS-4_3

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 85
Cliente N° 26002-DD-EE-04-06-002 | Segue - 86

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

-A204 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 4 | SIEMENS

DI065.0 31 DI d — 86 - 1 1 BU — 12 14 — -86K01 /86.2 — 11
DI065.1 32 DI d — 86 - 3 1 BU — 12 14 — -86K02 /86.3 — 11
DI065.2 33 DI d — 86 - 5 1 BU — 12 14 — -86K03 /86.4 — 11
DI065.3 34 DI d — 86 - 7 1 BU — 12 14 — -86K04 /86.4 — 11
DI065.4 35 DI d — 86 - 9 1 BU — 12 14 — -86K05 /86.5 — 11
DI065.5 36 DI d — 86 - 11 1 BU — 12 14 — -86K06 /86.6 — 11
DI065.6 37 DI d — 86 - 13 1 BU — 12 14 — -86K07 /86.7 — 11
DI065.7 38 DI d — 86 - 15 1 BU — 12 14 — -86K08 /86.7 — 11

85.8 / A204L1+ 24VCC

*NOTE: PONTICELLI CONTINUI FBST 500-PLC RD

85.8 / A204R- -110VCC

*NOTE: PONTICELLI CONTINUI FBST 500-PLC BU

-86K01 A2 — 110VCC 2966197 — A1 — NO /86.2 | NC /86.2 — 86 - 2 1 RD — D41_PLC 214.7
-86K02 A2 — 110VCC 2966197 — A1 — NO /86.3 | NC /86.3 — 86 - 4 1 RD — D42_PLC 215.2
-86K03 A2 — 110VCC 2966197 — A1 — NO /86.4 | NC /86.4 — 86 - 6 1 RD — D43_PLC 215.3
-86K04 A2 — 110VCC 2966197 — A1 — NO /86.4 | NC /86.4 — 86 - 8 1 RD — D44_PLC 215.5
-86K05 A2 — 110VCC 2966197 — A1 — NO /86.5 | NC /86.5 — 86 - 10 1 RD — D45_PLC 215.6
-86K06 A2 — 110VCC 2966197 — A1 — NO /86.6 | NC /86.6 — 86 - 12 1 RD — D46_PLC 215.7
-86K07 A2 — 110VCC 2966197 — A1 — NO /86.7 | NC /86.7 — 86 - 14 1 RD — D47_PLC 216.2
-86K08 A2 — 110VCC 2966197 — A1 — NO /86.7 | NC /86.7 — 86 - 16 1 RD — D48_PLC 216.3

TE200.HH — DI065.0 — MAX TEMP. MB PATTINI SPINTA SUPP. COMB. P3
TE206.HH — DI065.1 — MAX TEMP. MB PATTINI CONTROSPINTA SUPP. COMB. P3
TE202.HH — DI065.2 — MAX TEMP. MB GUIDA LATO POMPA SUPP. COMB. P3
TE100.dx.HH — DI065.3 — MAX TEMP. SUPPORTO FINALE P3 - SONDA DX
ZS.GI.DIS — DI065.4 — DISINNESTO GIUNTO IN POMPAGGIO
DI065.5 — DISP
DI065.6 — VALVOLA RITEGNO BLOCCATA CHIUSA IN POMPAGGIO
DI065.7 — MINIMA PRESSIONE POMPA IN POMPAGGIO

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia — VOITH

Armadio Sala Macchine
Titolo: INGRESSI DIGITALI: BUS-2 POS-4_4

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 86
Cliente N° 26002-DD-EE-04-06-002 | Segue - 87

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A205 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 4 | SIEMENS

DI066.0 … DI066.7 → 1 … 8 DI a

87 - 1 1 BU

-87K01 /87.2 | -87K02 /87.3 | -87K03 /87.4 | -87K04 /87.4 | -87K05 /87.5 | -87K06 /87.6 | -87K07 /87.7 | -87K08 /87.7

12 | 14 | 11

A205L1+ 24VCC / 88.2

*NOTE: PONTICELLI CONTINUI FBST 500-PLC RD

87 - 2 1 BU

62.5 / A205L1+ 24VCC → -XG205 B A3 → A205EX+ 24VCC / 89.2

44.5 / A205R- -110VCC

44 - 23 1 WH

*NOTE: PONTICELLI CONTINUI FBST 500-PLC BU

A205R- -110VCC / 89.2

-87K01 … -87K08 : A2 | 110VCC 2966197 | A1

NO | NC

/87.2 | /87.2 — /87.3 | /87.3 — /87.4 | /87.4 — /87.4 | /87.4 — /87.5 | /87.5 — /87.6 | /87.6 — /87.7 | /87.7 — /87.7 | /87.7

217 - 1 1 RD → D49_PLC 217.3

217 - 1 1 RD → D50_PLC 217.5

217 - 1 1 RD → D51_PLC 217.6

217 - 1 1 RD → D52_PLC 217.7

218 - 1 1 RD → D53_PLC 218.2

218 - 1 1 RD → D54_PLC 218.3

218 - 1 1 RD → D55_PLC 218.5

218 - 1 1 RD → D56_PLC 218.6

52PN-MS
DI066.0 MOLE SCARICHE 52PN
DI066.1 MIN MAX LIVELLO OLIO MITCHELL PN
DI066.2 MIN MAX LIVELLO OLIO SUPPORTO INFERIORE PN
DI066.3 MIN LIVELLO GRASSO PN
DI066.4 MIN LIVELLO ACQUA ASPIRAZIONE PN
DI066.5 ANOMALIA GRAVE TRAFO PF
DI066.6 ANOMALIA LIEVE TRAFO PN
DI066.7 MAX TEMPERATURA SUPPORTO INFERIORE PN

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 – Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Dolomiti Energia | VOITH

Armadio Sala Macchine

Titolo: INGRESSI DIGITALI: BUS-2 POS-5_1

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 87

Cliente N° 26002-DD-EE-04-06-002 | Segue - 88

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A205 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 4 | SIEMENS

DI067.0 DI067.1 DI067.2 DI067.3 DI067.4 DI067.5 DI067.6 DI067.7

11 12 13 14 15 16 17 18 DI b

88 - 1 1 BU

-88K01 /88.2 | -88K02 /88.3 | -88K03 /88.4 | -88K04 /88.4 | -88K05 /88.5 | -88K06 /88.6 | -88K07 /88.7 | -88K08 /88.7

12 14 11

87.8 / A205L1+ 24VCC

*NOTE: PONTICELLI CONTINUI FBST 500-PLC RD

A205L1+ 24VCC /

88.8 / A205R- -110VCC

*NOTE: PONTICELLI CONTINUI FBST 500-PLC BU

A205R- -110VCC / 88.2

-88K01 -88K02 -88K03 -88K04 -88K05 -88K06 -88K07 -88K08

A2 A1 110VCC 2966197

NO /88.2 /88.3 /88.4 /88.4 /88.5 /88.6 /88.7 /88.7

NC /88.2 /88.3 /88.4 /88.4 /88.5 /88.6 /88.7 /88.7

218 - 1 | 219 - 1 | 219 - 1 | 219 - 1 | 219 - 1 | 219 - 1 | 220 - 1 | 220 - 1

1 RD

D57_PLC 218.7 | D58_PLC 219.2 | D59_PLC 219.3 | D60_PLC 219.5 | D61_PLC 219.6 | D62_PLC 219.7 | D63_PLC 220.2 | D64_PLC 220.3

DI067.0 MAX TEMPERATURA MITCHELL PN

DI067.1 MAX TEMPERATURA SUPPORTO SUPERIORE PN

DI067.2 ANOMALIE CIRCOLAZIONE ACQUA RAFF PN

DI067.3 PROTEZIONI MOTORE E TRAFO PN

DI067.4 MAX TEMPERATURA ARIA MOTORE PN

DI067.5 MINIMA PRESSIONE VALLE PN

DI067.6 DISP

DI067.7 DISP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia | VOITH

Armadio Sala Macchine


Titolo INGRESSI DIGITALI: BUS-2 POS-5_2

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 88

Cliente N° 26002-DD-EE-04-06-002 | Segue - 89

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



52PN-INS	DI068.0	INTERRUTTORE POMPA	NUTRICE INSERITO
52PN-EST	DI068.1	INTERRUTTORE POMPA	NUTRICE ESTRATTO
52PN-AP	DI068.2	INTERRUTTORE POMPA	NUTRICE APERTO
52PN-CH	DI068.3	INTERRUTTORE POMPA	NUTRICE CHIUSO
DI068.4	DISP		
DI068.5	DISP		
DI068.6	DISP		
DI068.7	DISP		

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: INGRESSI DIGITALI: BUS-2 POS-5_3

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 89

Cliente N° 26002-DD-EE-04-06-002

Segue - 90

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A205 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 4 | SIEMENS

	DI069.0	DI069.1	DI069.2	DI069.3	DI069.4	DI069.5	DI069.6	DI069.7
	31 DI d	32 DI d	33 DI d	34 DI d	35 DI d	36 DI d	37 DI d	38 DI d
	90 - 1 1 BU	90 - 2 1 BU	90 - 3 1 BU	90 - 4 1 BU	90 - 5 1 BU	90 - 6 1 BU	90 - 7 1 BU	90 - 8 1 BU
	B	B	B	B	B	B	B	B
-XG205	15 A	16 A	17 A	18 A	19 A	20 A	21 A	22 A

89.3 / A205EX+ 24VCC → -XG205 A B6

DI069.0 DISP | DI069.1 DISP | DI069.2 DISP | DI069.3 DISP | DI069.4 DISP | DI069.5 DISP | DI069.6 DISP | DI069.7 DISP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 – Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia | VOITH

Armadio Sala Macchine

Titolo: INGRESSI DIGITALI: BUS-2 POS-5_4

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 90

Cliente N° 26002-DD-EE-04-06-002 | Segue - 91

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

-A206 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 5 | SIEMENS

DI070.0 1 DI a — 91 - 1 1 BU — -XGI_INS /91.2 R1 T1 M1 — 91 - 2 1 BU — B
DI070.1 2 DI a — 91 - 6 1 BU — -91K02 /91.3 12 14 11 — 91 - 3 1 BU
DI070.2 3 DI a — 91 - 10 1 BU — -XGI_DIS /91.4 R1 T1 M1 — 91 - 7 1 BU
DI070.3 4 DI a — 91 - 14 1 BU — -91K04 /91.4 12 14 11 — 91 - 11 1 BU
DI070.4 5 DI a — 91 - 18 1 BU — -XGI_INIZ /91.5 R1 T1 M1 — 91 - 15 1 BU
DI070.5 6 DI a — 91 - 22 1 BU — -91K06 /91.6 12 14 11 — 91 - 19 1 BU
DI070.6 7 DI a — 91 - 26 1 BU
DI070.7 8 DI a — 91 - 27 1 BU

91 - 23 1 BU → A206L1+ 24VCC / 93.2

94.7 / A206L1+ 24VCC → -XG206 A 17

44.5 / A206R- -110VCC — 44 - 24 1 WH

91 - 24 1 WH → A206R- -110VCC / 93.2

91 - 4 1 WH — 91 - 8 1 WH — 91 - 12 1 WH — 91 - 16 1 WH — 91 - 20 1 WH

-XGI_INS 2 — 110VCC 10A OKSFCE50-C110 — NO /91.2 /213.2 /202.6 /313.7 — NC /91.2 /213.2 /202.6 /313.7 — 91 - 5 1 RD — B 18
-91K02 2 — 110VCC 2966197 — NO /91.3 — NC /91.3 — 91 - 9 1 RD — B 19
-XGI_DIS 2 — 110VCC 10A OKSFCE50-C110 — NO /91.4 /213.2 /202.5 /215.6 — NC /91.4 /213.2 /202.5 /215.6 — 91 - 13 1 RD — B 20
-91K04 2 — 110VCC 2966197 — NO /91.4 — NC /91.4 — 91 - 17 1 RD — B 21
-XGI_INIZ 2 — 110VCC 10A OKSFCE50-C110 — NO /91.5 /314.2 /314.3 /314.3 — NC /91.5 /314.2 /314.3 /314.3 — 91 - 21 1 RD — B 22
-91K06 2 — 110VCC 2966197 — NO /91.6 — NC /91.6 — 91 - 25 1 RD — B 23

-XG206 A 24 B 25

-JB14-ASM3/S FG16OH2M16 12G1.5 mm² — 2 3 4 5 6 7

=CASSETTE DI GIUNZIONE +JB14 -X3 — A 7 B — B 8 A — B 9 A — B 10 A — B 11 A — B 12 A

GIUNTO -X3 B A 1

-JB14-ASM3/S FG16OH2M16 12G1.5 mm² — 1

62.6 / A206EX+ 24VCC -XG206 A B 3 — A B 4 — A206EX+ 24VCC / 92.2

91.6 / A206EXC+ 110VCC — 44 - 9 1.5 RD — -XG03 A B 1 — A B 2 — A B 3 — A B 4 — A B 5 — A B 6 — A206EXC+ 110VCC / 91.1

ZS.GI.IN DI070.0 GIUNTO INNESTATO
NZS.GI.IN DI070.1 GIUNTO NON INNESTATO
ZS.GI.DIS DI070.2 GIUNTO DISINNESTATO
NZS.GI.DIS DI070.3 GIUNTO NON DISINNESTATO
ZS.GI.IN.IN DI070.4 GIUNTO IN FASE DI INNESTO
NZS.GI.IN.IN DI070.5 GIUNTO NON IN FASE DI INNESTO
DI070.6 DISP
DI070.7 DISP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 — - — Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29


F Release note

dolomiti energia | VOITH

Armadio Sala Macchine
Titolo: INGRESSI DIGITALI: BUS-2 POS-6_1

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 91
Cliente N° 26002-DD-EE-04-06-002 | Segue - 92

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



DI071.0 INTERVENTO MAI DA ALTRI MONTANTI

DI071.1 INTERVENTO MAIG GR3

DI071.2 MAIG ESCLUSA

DI071.3 INTERRUTTORI 230VAC QP CH

DI071.4 INTERVENTO MASSIMA CORRENTE DERIVAZIONE TE

DI071.5 PROTEZIONE DERIVAZIONE TE IN ANOMALIA

DI071.6 DISP

DI071.7 DISP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: INGRESSI DIGITALI: BUS-2 POS-6_2

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 92

Cliente N° 26002-DD-EE-04-06-002 | Segue - 93

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A206 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 5 | SIEMENS

DI072.0 21 DI c — 93 - 1 1 BU — -X89GAP /93.2 R1 T1 M1
DI072.1 22 DI c — 93 - 5 1 BU — -X89GCH /93.3 R1 T1 M1
DI072.2 23 DI c — 93 - 9 1 BU — -93K03 /93.4 12 14 11
DI072.3 24 DI c — 93 - 13 1 BU — -93K04 /93.4 12 14 11
DI072.4 25 DI c — 93 - 17 1 BU — -93K05 /93.5 12 14 11
DI072.5 26 DI c — 93 - 21 1 BU — -X52INS /93.6 R1 T1 M1
DI072.6 27 DI c — 93 - 25 1 BU — -X52EST /93.7 R1 T1 M1
DI072.7 28 DI c — 93 - 29 1 BU — -X52AP /93.7 R1 T1 M1

91.6 / A206L1+ 24VCC — 91 - 23 1 BU — 93 - 2 1 BU — 93 - 6 1 BU — 93 - 10 1 BU — 93 - 14 1 BU — 93 - 18 1 BU — 93 - 22 1 BU — 93 - 26 1 BU — 93 - 30 1 BU — A206L1+ 24VCC / 94.2

91.6 / A206R- -110VCC — 91 - 24 1 WH — 93 - 3 1 WH — 93 - 7 1 WH — 93 - 11 1 WH — 93 - 15 1 WH — 93 - 19 1 WH — 93 - 23 1 WH — 93 - 27 1 WH — 93 - 31 1 WH — A206R- -110VCC / 94.2

-X89GAP 110VDC 10A OKSFCE50-C110 B4 2 B1 NO /93.2 /223.6 /224.6 /224.7 NC /93.2 /223.6 /224.6 /224.7 — 93 - 4 1 RD — B 34 A
-X89GCH 110VDC 10A OKSFCE50-C110 B4 2 B1 NO /93.3 /314.8 /315.2 /315.3 NC /93.3 /314.8 /315.2 /315.3 — 93 - 8 1 RD — B 35 A
-93K03 110VDC 2966197 A2 A1 NO /93.4 NC /93.4 — 93 - 12 1 RD — B 36 A
-93K04 110VDC 2966197 A2 A1 NO /93.4 NC /93.4 — 93 - 16 1 RD — B 37 A
-93K05 110VDC 2966197 A2 A1 NO /93.5 NC /93.5 — 93 - 20 1 RD — B 38 A
-X52INS 110VDC 10A OKSFCE50-C110 B4 2 B1 NO /93.6 /314.5 /314.6 /314.7 NC /93.6 /314.5 /314.6 /314.7 — 93 - 24 1 RD — B 39 A
-X52EST 110VDC 10A OKSFCE50-C110 B4 2 B1 NO /93.7 /223.7 /224.3 /224.4 NC /93.7 /223.7 /224.3 /224.4 — 93 - 28 1 RD — B 40 A
-X52AP 110VDC 10A OKSFCE50-C110 B4 2 B1 NO /93.7 /213.2 /223.5 /205.2 NC /93.7 /213.2 /223.5 /205.2 — 93 - 32 1 RD — B 41 A

-XG206
-MT3-ASM3/S FG16OH2M16 7G1.5 mm² — 2 3 4
-MT3-ASM3/S2 FG16OH2M16 12G1.5 mm² — 2 4 6 7 8

=MT +SEZIONATORE MONTANTE GR
-XD1 57 — 61 — -XD1 28
-FC0 A12 A14 A11
-FC1 A12 A14 A11
-FC2 A12 A14 A11
-QC1 131 132
-XD1 58 — -XD1 30

=MT +52G
-XD1 52 — 51 — 13 — 19 — 1
-BGQ0 -XDB1:60 -XDB1:61
-BGS2 -XDB1:24 -XDB1:34
-QB1 223 224
-QB1 111 112
-QA1 -XDB1:8 -XDB1:18
-XD1 54 — 53 — 14
-QA1 / 94.2

-MT3-ASM3/S FG16OH2M16 7G1.5 mm² — 1
-MT3-ASM3/S2 FG16OH2M16 12G1.5 mm² — 1 3 5

93.6 / A206EXC+ 110VCC — -XG03 B7 — A B8 — A B9 — A B10 — A B11 — A206EXC+ 110VCC / 93.2

89G-AP DI072.0 MT CELLE PARTENZA GRUPPO INTERRUTTORE ANTIC CHIUSO
89G-CH DI072.1 MT CELLE PARTENZA GRUPPO INTERRUTORI CM E AUX CHIUSI
89G-ANOM DI072.2 PARTENZA GRUPPO SEZIONATORE DI TERRA APERTO
52G-DP DI072.3 CARELLO INTEERRUTORE DI GRUPPO BLOCCATO
52G- DI072.4 MOLLE CARICHE INTERRUTTORE DI GRUPPO
52G-INS DI072.5 INTERRUTTORE DI GRUPPO INSERITO
52G-EST DI072.6 INTERRUTTORE DI GRUPPO ESTRATTO
52G-AP DI072.7 INTERRUTTORE DI GRUPPO APERTO

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 — - — Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia | VOITH

Armadio Sala Macchine
Titolo INGRESSI DIGITALI: BUS-2 POS-6_3
Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 93
Cliente N° 26002-DD-EE-04-06-002 | Segue - 94

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A206 | 6ES7521-1BL00-0AB0 | SM 321 DI 32 x DC24V HF | BUS: 2 | POS: 5 | SIEMENS

DI073.0 31 DI d — 94 - 1 1 BU — R1 T1 — -X52CH /94.2 — M1
DI073.1 32 DI d — 94 - 5 1 BU — R1 T1 — -AB_CHIAVE /94.3 — M1
DI073.2 33 DI d — 94 - 9 1 BU — R1 T1 — -XAP52MAN /94.4 — M1
DI073.3 34 DI d
DI073.4 35 DI d
DI073.5 36 DI d
DI073.6 37 DI d
DI073.7 38 DI d — 94 - 16 1 BU — R1 T1 — -XCH52 /94.8 — M1

93.8 / A206L1+ 24VCC — 93 - 30 1 BU — 94 - 2 1 BU — 94 - 6 1 BU — 94 - 10 1 BU

93.8 / A206R- -110VCC — 93 - 31 1 WH — 94 - 3 1 WH — 94 - 7 1 WH

-X52CH: B4 — 2 — B1 — 110VDC 10A OKSFCE50-C110 — NO: /94.2 /302.5 /223.6 /314.4 — NC: /94.2 /302.5 /223.6 /314.4 — 94 - 4 1 RD — B — 42
-AB_CHIAVE: B4 — 2 — B1 — 110VDC 10A OKSFCE50-C110 — NO: /94.3 /221.4 /315.3 /315.4 — NC: /94.3 /221.4 /315.3 /315.4 — 94 - 8 1 RD — B — 43
-XAP52MAN: B4 — 2 — B1 — 110VDC 10A OKSFCE50-C110 — NO: /94.4 /221.6 /315.5 /315.6 — NC: /94.4 /221.6 /315.5 /315.6 — 94 - 11 1 RD — B — 44

-XG206 A

94 - 12 1 BU — B 45 — A
94 - 13 1 BU — B 46 — A
94 - 14 1 BU — B 47 — A
94 - 15 1 BU — B 48 — A

-MT3-ASM3/S2 FG16OH2M16 12G1.5 mm² — -MT3-ASM3/S3 FG16OH2M16 7G1.5 mm² — -QP3-ASM3/S2 FG16OH2M16 12G1.5 mm²

=MT +52G — -XD1 7 — -XDB16 — -QA1 — -XDB1:16 — 93.8 / -QA1

=MT +MT — 361 — AB-CHIAVE S26 — -X? 360 — -X? 349 — -PAP-52 — -X? 348

-MT3-ASM3/S3 FG16OH2M16 7G1.5 mm²

=QP +QP — -PX-A 29 — 20 — 24 — 26
XPREC: R4 T4 — M4
ARM. A — -PX-A 30 — 21 — 25

-QP3-ASM3/S2 FG16OH2M16 12G1.5 mm²

A206EXC+ 110VCC / — -XG03 A B12 — A B13

92.8 / A206EX+ 24VCC — -XG206 A B13 — A B14 — A B15 — A B16 — A206L1+ 24VCC / 91.2

=MT347 +MT347 — -XD1 66 — -MT347_3-ASM3/A FG16OH2M16 7G1.5 mm²

-XGCI52 A B14 — 94 - 17 1 WH — B4 — -XCH52 2 B1 — 110VDC 10A OKSFCE50-C110 — NO: /94.7 /221.4 /221.4 /315.7 — NC: /94.7 /221.4 /221.4 /315.7 — 90 - 18 1 RD — XCH52 110VCC 221.2

52G-CH	DI073.0	INTERRUTTORE DI GRUPPO CHIUSO	
AB-CHIAVE	DI073.1	INSERIMENTO CHIAVE SINCRONOSCOPIO DA QL	
XAP-52MAN	DI073.2	RICHIESTA APERTURA INTERR. DI GRUPPO DA QL	
PAG-INS	DI073.3	DISPOSITIVO PA GRUPPO INSERITO	
PAG-ANOM	DI073.4	PRECEDENZA PARALLELO SU PROTEZIONE A	
PAG-AUMF	DI073.5	AUMENTA FREQUENZA DA DISPOSITIVO PA DI GRUPPO	
PAG-DIMF	DI073.6	DIMINUISCI FREQUENZA DA DISPOSITIVO PA DI GRUPPO	
XCH-52G	DI073.7	COMANDO CHIUSURA INTERRUTTORE DI GRUPPO INVIATO	

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 — - — Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29


F Release note

dolomiti energia — VOITH

Armadio Sala Macchine
Titolo: INGRESSI DIGITALI: BUS-2 POS-6_4

Sales Order 32950 — Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 — Foglio 94
Cliente N° 26002-DD-EE-04-06-002 — Segue - 95

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia


VOITH

Armadio Sala Macchine

Titolo
INGRESSI DIGITALI: BUS-2 POS-7_1

Sales Order	32950
Turbina N.	21506-21507
Disegno N.	2ACS01-0000-10710795
Foglio	95
Cliente N°	26002-DD-EE-04-06-002
Segue -	96

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



ECC-MIN DI075.0 ECC - RIFERIMENTO AL MINIMO

ECC-MAX DI075.1 ECC - RIFERIMENTO AL MASSIMO

ECC-VN DI075.2 ECC - EGUAGLIAMENTO TENSIONE RAGGIUNTO

ECC-ANOM DI075.3 ECC - ANOMALIA LIEVE

ECC-INS DI075.4 ECC - ECCITATRICE INSERITA

ECC-POMP DI075.5 ECC - ECCITATRICE INSERITA IN POMPAGGIO

DI075.6 DISP

DI075.7 CELLA ARR. LINEA T347 - INTERR. TV PER PROT. B CHIUSO

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INGRESSI DIGITALI: BUS-2 POS-7_2

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 96

Cliente N° 26002-DD-EE-04-06-002

Segue - 97

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



DI076.0 ABILITAZIONE CHIUSURA LINK LINEA ARRIVO DI GRUPPO

DI076.1 MT3 CELLA LINEA ARRIVO DI GRUPPO OK

DI076.2 CELLA ARR. LINEA T347 - INTERR. TV PER PROT. A CHIUSO

DI076.3 MT3 CELLA LINEA ARRIVO DI GRUPPO MCB TV STELLA MISURE EL. CHIUSO

DI076.4 MT3 CELLA LINEA ARRIVO DI GRUPPO MCB TV STELLA PROTEZIONE 1 CHIUSO

DI076.5 MT3 CELLA LINEA ARRIVO DI GRUPPO MCB TV STELLA PROTEZIONE 2 CHIUSO

DI076.6 MT3 RILEVAMENTO ARCO ????

DI076.7 MT3 CENTRALINA RILEVAMENTO ARCO OK

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INGRESSI DIGITALI: BUS-2 POS-7_3

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 97

Cliente N° 26002-DD-EE-04-06-002

Segue - 98

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: INGRESSI DIGITALI: BUS-2 POS-7_4

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 98

Cliente N° 26002-DD-EE-04-06-002 | Segue - 111

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A208 | 6ES7531-7NF10-0AB0 | SM 531 AI 8xU/I HS | BUS: 2 | POS: 7 | SIEMENS

AI400				AI402				AI404				AI406			
1 UV0	2 I0+	3 U0+	4 U0-_I0-	5 UV1	6 I1+	7 U1+	8 I1-_U1-	9 UV2	10 I2+	11 U2+	12 I2-_U2-	13 UV3	14 I3+	15 U3+	16 I3-_U3-

111 - 1 1 BU | 111 - 2 1 BU | 111 - 3 1 BU | 111 - 4 1 BU | 111 - 5 1 BU | 111 - 6 1 BU | 111 - 7 1 BU | 111 - 8 1 BU

-XG208 B 11 12 13 14 15 16 17 18 A

-QP3-ASM3/S4 1 2 3 4 5 6 7 8
FG16OH2M16 24G1.5 mm²

=QP
+QP

-PX-B 5 6 7 8 9 10 11 12

\+ 15 - 16 | + 17 - 18 | + 19 - 20 | + 21 - 22

CONVERTITORE DI MISURA PQIV CAMILLE BAUER DM5S

ARM. B

62.8 / A208EX+ 24VCC → -XG208 A B3 ; A B4 → A208EX+ 24VCC / 112.1

54.6 / A208EX- 0 VCC 54 - 27 1 WH → -XG208 A B7 ; A B8 → A208EX- 0 VCC / 112.1

MIS-P AI400 POTENZA ATTIVA

MIS-Q AI402 POTENZA REATTIVA

MIS-I AI404 CORRENTE DI GRUPPO

MIS-VG AI406 TENSIONE DI GRUPPO

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia | VOITH

Armadio Sala Macchine
Titolo: INGRESSI ANALOGICI: BUS-2 POS-8_1

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 111
Cliente N° 26002-DD-EE-04-06-002 | Segue - 112

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A208 | 6ES7531-7NF10-0AB0 | SM 531 AI 8xU/I HS | BUS: 2 | POS: 7 | SIEMENS

AI408				AI410				AI412				AI414			
21 UV4	22 I4+	23 U4+	24 I4-_U4-	25 UV5	26 I5+	27 U5+	28 I5-_U5-	29 UV6	30 I6+	31 U6+	32 I6-_U6-	33 UV7	34 I7+	35 U7+	36 I7-_U7-

112 - 1 1 BU B → -XG208 19 A
112 - 2 1 BU B → 20 A
112 - 3 1 BU B → 21 A
112 - 4 1 BU B → 22 A
112 - 5 1 BU B → 23 A
112 - 6 1 BU B → 24 A
112 - 7 1 BU B → 25 A
112 - 8 1 BU B → 26 A

-ECC3-ASM3/S2
FG16OH2M16 7G1.5 mm²
1 2 3 4

=ECC
+ECC
-X950 3 4 1 2

111.8 / A208EX+ 24VCC → -XG208 A B5 ; A B6
111.8 / A208EX- 0 VCC → -XG208 A B9 ; A B10

MIS-F AI408 DISP
MIS-VMONT AI410 DISP
ECC-I AI412 ECC - CORRENTE ECCITAZIONE
ECC-V AI414 ECC - TENSIONE ECCITAZIONE

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine
Titolo INGRESSI ANALOGICI: BUS-2 POS-8_2

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 112
Cliente N° 26002-DD-EE-04-06-002
Segue - 113

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo INGRESSI ANALOGICI: BUS-2 POS-9_1

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 113

Cliente N° 26002-DD-EE-04-06-002

Segue - 114

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

-A209 | 6ES7531-7NF10-0AB0 | SM 531 AI 8xU/I HS | BUS: 2 | POS: 8 | SIEMENS

AI424				AI426				AI428				AI430			
21 UV4	22 I4+	23 U4+	24 I4-_U4-	25 UV5	26 I5+	27 U5+	28 I5-_U5-	29 UV6	30 I6+	31 U6+	32 I6-_U6-	33 UV7	34 I7+	35 U7+	36 I7-_U7-

114 - 1 1 BU → B -XG209 19 A
114 - 2 1 BU → B 20 A
114 - 3 1 BU → B 21 A
114 - 4 1 BU → B 22 A
114 - 5 1 BU → B 23 A
114 - 6 1 BU → B 24 A
114 - 7 1 BU → B 25 A
114 - 8 1 BU → B 26 A

113.8 / A209EX+ 24VCC → A -XG209 B5 ; A B6
113.8 / A209EX- 0 VCC → A -XG209 B9 ; A B10

AI424 DISP | AI426 DISP | AI428 DISP | AI430 DISP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 | - | Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29


F Release note

dolomiti energia | VOITH

Armadio Sala Macchine
Titolo: INGRESSI ANALOGICI: BUS-2 POS-9_2

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 114
Cliente N° 26002-DD-EE-04-06-002 | Segue - 161

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



1 = Relè PHOENIX 2966171
2 = Relè AMRA OKFC-C
3 = Relè AMRA POK-C
4 = Relè AMRA OKBA-C
5 = Relè AMRA BIPOK-C

XFER-S	DO050.0	GRUPPO FERMO PER QL
XROT-S	DO050.1	GRUPPO IN ROTAZIONE PER QL
XGEN-S	DO050.2	GRUPPO IN GENERAZIONE PER QL
XPOM-S	DO050.3	GRUPPO IN POMPAGGIO PER QL
XLT-S	DO050.4	DISP
XTRANS-S	DO050.5	GRUPPO IN TRANSIZIONE PER QL
XGLOC-S	DO050.6	GRUPPO IN COMANDO LOCALE PER QL
XCP-S	DO050.7	GRUPPO IN CAMBIO PROGRAMMA PER QL
XINIBGEN	DO051.0	DISP
XINIBPOMP	DO051.1	INIBIZIONE POMPAGGIO PER QL
XALL-S	DO051.2	GRUPPO IN ALLARME PER QL
XSC-S	DO051.3	GRUPPO IN SCATTO PER QL
XBL-S	DO051.4	GRUPPO IN BLOCCO PER QL
XVMIN-S	DO051.5	TENSIONE AL MINIMO PER QL
XVMAX-S	DO051.6	TENSIONE AL MASSIMO PER QL
XPMIN-S	DO051.7	CARICO AL MINIMO PER QL

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -
Codeword/Unit


Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo USCITE DIGITALI: BUS-2 POS-10_1

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 161
Cliente N° 26002-DD-EE-04-06-002
Segue - 162

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



1 = Relè PHOENIX 2966171
2 = Relè AMRA OKFC-C
3 = Relè AMRA POK-C
4 = Relè AMRA OKBA-C
5 = Relè AMRA BIPOK-C

XPMAX-S	DO052.0	CARICO AL MASSIMO PER QL
X89GA-S	DO052.1	SEZIONATORE MONTANTE GRUPPO APERTO PER QL
X89GC-S	DO052.2	SEZIONATORE MONTANTE GRUPPO CHIUSO PER QL
X52GA-S	DO052.3	INTERRUTTORE DI GRUPPO APERTO PER QL
X52GC-S	DO052.4	INTERRUTTORE DI GRUPPO CHIUSO PER QL
	DO052.5	RICHIESTA ERRATA PER QL
	DO052.6	DISP
	DO052.7	DISP
XALL-ASM	DO053.0	GRUPPO IN ALLARME PER QUADRI
XBL-AQT	DO053.1	GRUPPO IN BLOCCO PER QUADRI
XCONTGEN	DO053.2	ATTIVAZIONE CONTAORE IN GENERAZIONE
XCONTPOMP	DO053.3	ATTIVAZIONE CONTAORE IN POMPAGGIO
XMAN	DO053.4	GRUPPO IN MANUALE
	DO053.5	DISP
	DO053.6	DISP
	DO053.7	DISP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29


F Release note

dolomiti energia VOITH

Armadio Sala Macchine
Titolo USCITE DIGITALI: BUS-2 POS-10_2

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 162
Cliente N° 26002-DD-EE-04-06-002
Segue - 163

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



1 = Relè PHOENIX 2966171
2 = Relè AMRA OKFC-C
3 = Relè AMRA POK-C
4 = Relè AMRA OKBA-C
5 = Relè AMRA BIPOK-C

GR-IS-A	DO054.0 GRUPPO 4 IN ISOLA SU SBARRA A
GR-IS-B	DO054.1 GRUPPO 4 IN ISOLA SU SBARRA B
XSGCMA	DO054.2 RICHIESTA SGANCIO CONDOTTA MOLVENO RELE A
XSGCMB	DO054.3 RICHIESTA SGANCIO CONDOTTA MOLVENO RELE B
XWD PLC	DO054.4 WATCHDOG PLC AUTOMAZIONE DI GRUPPO
	DO054.5 DISP
	DO054.6 DISP
	DO054.7 DISP
	DO055.0 GR IN ENER. GRADUALE TRAFO O CON 52 CHIUSO PER T347
	DO055.1 GR NON IN ENER. GRADUALE TRAFO O CON 52 CHIUSO PER T347
XI-PAT347	DO055.2 INSERZIONE DISPOSITIVO PA T347 PER T347
XE-PAT347	DO055.3 ABILITAZIONE SERVIZI TRAFO T347
	DO055.4 PERMESSO CHIUSURA 89T DI GRUPPO
	DO055.5 PERMESSO CHIUSURA 89T E INSERZIONE LINK ARRIVO LINEA DI GRUPPO
	DO055.6 PERMESSO CHIUSURA 89T E INSERZIONE LINK PARTENZA TE4
	DO055.7 DISP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29


F Release note

dolomiti energia | VOITH

Armadio Sala Macchine
Titolo USCITE DIGITALI: BUS-2 POS-11_1

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 163
Cliente N° 26002-DD-EE-04-06-002
Segue - 164

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



1 = Relè PHOENIX 2966171
2 = Relè AMRA OKFC-C
3 = Relè AMRA POK-C
4 = Relè AMRA OKBA-C
5 = Relè AMRA BIPOK-C

XBE DO056.0 ASSENZA BLOCCO ELETTRICO (XBE)
XBM DO056.1 ASSENZA BLOCCO MECCANICO (XBM)
XSC DO056.2 ASSENZA SCATTO (XSC)
XBP DO056.3 ASSENZA BLOCCO POMPA (XBP)
XRB DO056.4 RIPRISTINO BLOCCO GRUPPO (XRB)
XRSC DO056.5 RIPRISTINO SCATTO (XRSC)
XRBP DO056.6 RIPRISTINO BLOCCO POMPA (XRBP)
DO056.7 DISP
ED1.1 65S.1 DO057.0 SOD A3 - ECCITAZIONE 65S 1
ED1.2 65S.2 DO057.1 SOD A3 - ECCITAZIONE 65S 2
X20W41 DO057.2 APERTURA ROTATIVA V41
X20W42 DO057.3 APERTURA ROTATIVA V42
DO057.4 DISP
X20W40 DO057.5 APERTURA ROTATIVA V40
XS20VR DO057.6 APERTURA VALVOLA DI RITEGNO
DO057.7 DISP

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29


F Release note

dolomiti energia | VOITH

Armadio Sala Macchine
Titolo USCITE DIGITALI: BUS-2 POS-11_2

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 164
Cliente N° 26002-DD-EE-04-06-002
Segue - 165

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



1 = Relè PHOENIX 2966171
2 = Relè AMRA OKFC-C
3 = Relè AMRA POK-C
4 = Relè AMRA OKBA-C
5 = Relè AMRA BIPOK-C

DO058.0	DISP		
DO058.1	DISP		
DO058.2	DISP		
XCH-52PN	DO058.3	CHIUSURA INTERRUTTORE POMPA NUTRICE	
XAP-52PN	DO058.4	APERTURA INTERRUTTORE POMPA NUTRICE	
XMT52PN	DO058.5	BOBINA MINIMA 52 PN	
DO058.6	DISP		
XA52G	DO058.7	APERTURA INTERRUTTORE DI GRUPPO	
XMT52G	DO059.0	ECCITAZIONE BOBINA DI MINIMA INTERR. DI GRUPPO	
XAB52G-A	DO059.1	ABILITAZIONE CHIUSURA INTERRUTTORE DI GRUPPO DA PA	
XAB52G-M	DO059.2	ABILITAZIONE CHIUSURA MANUALE INTERRUTTORE DI GRUPPO	
XPOMP	DO059.3	INIBIZIONE PASSAGGIO AUTOMATICO A BE CON BP O BM IN POMPA	
XIGEN-PA	DO059.4	INSERZIONE DISPOSITIVO PA GR PER CHIUSURA 0-0	
XIEN-PA	DO059.5	INSERZIONE DISPOSITIVO PA GR PER SINCRONIZZAZIONE	
XE-PA	DO059.6	STOP PA DI GRUPPO	
DO059.7	DISP		

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -
Codeword/Unit


Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo USCITE DIGITALI: BUS-2 POS-12_1

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 165
Cliente N° 26002-DD-EE-04-06-002
Segue - 166

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



1 = Relè PHOENIX 2966171
2 = Relè AMRA OKFC-C
3 = Relè AMRA POK-C
4 = Relè AMRA OKBA-C
5 = Relè AMRA BIPOK-C

XON-ECC	DO060.0 ECC - RICHIESTA START ECCITAZIONE
XA-ECC	DO060.1 ECC - AUMENTA TENSIONE/REATTIVA
XD-ECC	DO060.2 ECC - DIMINUISCI TENSIONE/REATTIVA
XQ=0-ECC	DO060.3 ECC - RICHIESTA AZZERAMENTO REATTIVA
X52GC-ECC	DO060.4 ECC - INTERRUTTORE DI GRUPPO CHIUSO
X=-ECC	DO060.5 ECC - COMANDO EGUAGLIAMENTO TENSIONE
XPOMP-ECC	DO060.6 ECC - INSERZIONE IN POMPAGGIO
	DO060.7 ECC - ENERGIZZAZIONE IN CORSO
	DO061.0 DISP
	DO061.1 DISP
	DO061.2 DISP
LED-BL	DO061.3 GRUPPO IN BLOCCO PER SEGNALATORE LED
LED-ALL	DO061.4 GRUPPO IN ALLARME PER SEGNALATORE LED
LED-GEN	DO061.5 GRUPPO IN GENERAZIONE PER SEGNALATORE LED
LED-FERMO/IN FERM	DO061.6 GRUPPO FERMO PER SEGNALATORE LED
LED-POMP	DO061.7 GRUPPO IN POMPAGGIO PER SEGNALATORE LED

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29


F Release note

dolomiti energia | VOITH

Armadio Sala Macchine
Titolo USCITE DIGITALI: BUS-2 POS-12_2

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 166
Cliente N° 26002-DD-EE-04-06-002 | Segue - 181

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia


VOITH

Armadio Sala Macchine

Titolo
USCITE ANALOGICHE: BUS-2 POS-13_1

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 181
Cliente N° 26002-DD-EE-04-06-002
Segue - 182

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo USCITE ANALOGICHE: BUS-2 POS-13_2

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 182

Cliente N° 26002-DD-EE-04-06-002

Segue - 201

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

CONSENSO DA PROTEZIONI

44.4 / BL+ 110VCC — 44 - 10 1 RD — 201 - 1 1 RD — BL+ 110VCC / 202.1

-XGBL B 1 A

-QP3-ASM3/BH FG16OH2M16 12G1.5 mm²

=QP +QP

-PX-A 16

-P1

-P2

-P3

-PX-A 19

-QP3-ASM3/BH FG16OH2M16 12G1.5 mm²

-XGBL A 2 B

201 - 2 1 RD

-XRB /164.3 RIPRISTINO BLOCCO — T3 T4 R4

201 - 3 1 RD

-X-PROT1 /201.5 CONSENSO DA PROTEZIONI — M1 T1 R1

201 - 8 1 RD

-X-PROT2 /201.4 CONSENSO DA PROTEZIONI — M1 T1 R1

201 - 5 1 RD

201 - 4 1 RD

201 - 6 1 RD

-X-PROT2 B1 110VDC 10A CONSENSO DA PROTEZIONI 1 B4 — OKSFCE50-C110 48BIP20-I DIN RC48

NO	NC
/201.5	/201.5
/202.2	/202.2
/223.5	/223.5
/222.6	/222.6

-X-PROT1 B1 110VDC 10A CONSENSO DA PROTEZIONI 1 B4 — OKSFCE50-C110 48BIP20-I DIN RC48

NO	NC
/201.5	/201.5
/80.4	/80.4
/222.3	/222.3
/221.2	/221.2

44.5 / BL- -110VCC — 44 - 25 1 WH — 201 - 7 1 WH — 201 - 9 1 WH — BL- -110VCC / 202.1

1 = Relè AMRA OKSFC-C 110Vdc
2 = Relè AMRA OKSFC-C 24Vdc
3 = Relè AMRA TM4E

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 — - — Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: LOGICA DI BLOCCO HARDWARE

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 201

Cliente N° 26002-DD-EE-04-06-002 | Segue - 202

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

CIRCUTI DI BLOCCO ELETTRICO 86E

201.8 / BL+ 110VCC — 201 - 1 1 RD

202 - 1 1 RD

202 - 6 1 RD

-R1 56 Ω - 50 W (2 / 1)

202 - 2 1 RD

-X-PROT2 /201.4 CONSENSO DA PROTEZIONI (M2 / T2 R2)

202 - 3 1 RD

-XBE /164.2 ASSENZA BLOCCO ELETTRICO (3 / 4 5)

202 - 4 1 RD

-XWD PLC /163.3 WATCHDOG PLC (M1 / T1 R1)

202 - 5 1 RD

-K-BE1 24VDC 10A BLOCCO ELETTRICO (B1 / 2 / B4) — OKSFCE50-C024 48BIP20-I DIN RC48

NO	NC
/202.3	/202.3
/80.5	/80.5
/221.4	/221.4
/222.3	/222.3

-K-BE2 24VDC 10A BLOCCO ELETTRICO (B1 / 2 / B4) — OKSFCE50-C024 48BIP20-I DIN RC48

NO	NC
/202.3	/202.3
/222.6	/222.6
/267.2	/267.2
/267.4	/267.4

202 - 7 1 RD

202 - 17 1 RD

-K-BE3 24VDC 10A BLOCCO ELETTRICO (B1 / 2 / B4) — OKSFCE50-C024 48BIP20-I DIN RC48

NO	NC
/223.4	/223.4
/257.2	/257.2
/258.2	/258.2
/267.5	/267.5

-K-BE4 24VDC 10A BLOCCO ELETTRICO (B1 / 2 / B4) — OKSFCE50-C024 48BIP20-I DIN RC48

NO	NC
/259.2	/259.2
/258.5	/258.5
/312.2	/312.2
/312.3	/312.3

202 - 9 1 RD

202 - 8 1 RD

-S301 PULSANTE DI BLOCCO SU QUADRO BLOCCO (41 / 42) — 3SU1051-1HB20-0AA0 3SU1550-1AA10-1LA0 3SU1900-0DY30-0AA0

NO	NC
/204.3	

202 - 10 1 RD

202 - 11 1 RD

-K-BE2 /202.4 BLOCCO ELETTRICO (M1 / R1 T1)

202 - 12 1 RD

-XRB /164.3 RIPRISTINO BLOCCO (T1 / R2 T2)

-K-BE1 /202.3 BLOCCO ELETTRICO (M1 / R1 T1)

202 - 14 1 RD

202 - 13 1 RD

-R2 220 Ω - 100 W (1 / 2)

201.8 / BL- -110VCC — 201 - 9 1 WH

202 - 15 1 WH

202 - 16 1 RD

-2BM /202.7 TEMPORIZZATORE (M4 / B3 B4)

202 - 18 1 RD

202 - 19 1 RD

-XGI_DIS /91.4 (M3 / T3 R3)

202 - 20 1 RD

-XGI_INS /91.2 (M3 / T3 R3)

202 - 21 1 RD

-K-BP1 /203.5 (M3 / T3 R3)

202 - 22 1 RD

202 - 23 1 RD

202 - 24 1 RD

-XPOMP /165.6 (M1 / T1 R1)

202 - 25 1 RD

-K-BM1 /203.3 (M4 / T4 R4)

202 - 27 1 RD

202 - 26 1 RD

202 - 28 1 RD

-K-BM1 /203.3 BLOCCO MECCANICO (M2 / T2 R2)

202 - 30 1 RD

2BM 110VDC 5A 60" TEMPORIZZATORE (M1 / 3 / M3) — TM4EE50-C110 48BIP20-I DIN RT48

NO	NC
/313.6	/313.6
/202.5	/202.5
/313.5	/313.5
/313.4	/313.4

202 - 29 1 RD

BL+ 110VCC / 203.1

202 - 31 1 WH

BL- -110VCC / 203.1

BE 110VCC / 204.1

1 = Relè AMRA OKSFC-C 110Vdc
2 = Relè AMRA OKSFC-C 24Vdc
3 = Relè AMRA TM4E

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 — Codeword/Unit: -

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

Release note: F

Armadio Sala Macchine

Titolo: LOGICA DI BLOCCO HARDWARE

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 202

Cliente N° 26002-DD-EE-04-06-002 | Segue - 203

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

CIRCUTI DI BLOCCO MECCANICO 86M

CIRCUTI DI BLOCCO POMPA

CIRCUTI DI BLOCCO SCATTO 86S

202.8 / BL+ 110VCC — 202 - 29 1 RD

203 - 1 1 RD

203 - 12 1 RD

203 - 3 1 RD

203 - 14 1 RD

203 - 25 1 RD

-R3 150 Ω - 50 W

-R5 150 Ω - 50 W

-R7 150 Ω - 50 W

-K-BM1 24VDC 10A BLOCCO MECCANICO — OKSFCE50-C024 48BIP20-I DIN RC48

NO	NC
/203.3	/203.3
/202.7	/202.7
/80.6	/80.6
/202.6	/202.6

-K-BM2 24VDC 10A BLOCCO MECCANICO — OKSFCE50-C024 48BIP20-I DIN RC48

NO	NC
/203.3	/203.3
/222.6	/222.6
/257.2	/257.2
/258.2	/258.2

-K-BP1 24VDC 10A BLOCCO POMPA — OKSFCE50-C024 48BIP20-I DIN RC48

NO	NC
/203.5	/203.5
/80.7	/80.7
/202.5	/202.5
/312.3	/312.3

-K-BP2 24VDC 10A BLOCCO POMPA — OKSFCE50-C024 48BIP20-I DIN RC48

NO	NC
/203.5	/203.5
/312.4	/312.4
/312.5	/312.5
/313.2	/313.2

-K-SC1 24VDC 10A SCATTO — OKSFCE50-C024 48BIP20-I DIN RC48

NO	NC
/203.7	/203.7
/80.7	/80.7
/221.3	/221.3
/223.3	/223.3

-K-SC2 24VDC 10A SCATTO — OKSFCE50-C024 48BIP20-I DIN RC48

NO	NC
/203.7	/203.7
/259.2	/259.2
/313.3	/313.3
/313.3	/313.3

-XBM /164.2 ASSENZA BLOCCO

-XBP /164.3 ASSENZA BLOCCO

-XGBL

-QP3-ASM3/BH FG16OH2M16 12G1.5 mm²

=QP +QP

-PX-A 17

-SCATTO

-PX-A 18

-QP3-ASM3/BH FG16OH2M16 12G1.5 mm²

1 = Relè AMRA OKSFC-C 110Vdc
2 = Relè AMRA OKSFC-C 24Vdc
3 = Relè AMRA TM4E

203 - 2 1 RD
203 - 4 1 RD
203 - 5 1 RD
203 - 6 1 RD
203 - 11 1 RD
203 - 13 1 RD
203 - 15 1 RD
203 - 16 1 RD
203 - 17 1 RD
203 - 22 1 RD
203 - 23 1 RD
203 - 24 1 RD
203 - 26 1 RD
203 - 27 1 RD
203 - 28 1 RD
203 - 32 1 RD

BM 110VCC / 205.1
BP 110VCC / 213.1
SC 110VCC / 205.1

-K-BM2 /203.3 BLOCCO MECCANICO
-K-BM1 /203.3 BLOCCO MECCANICO
-XRB /164.3 RIPRISTINO BLOCCO
-K-BP2 /203.5 BLOCCO POMPA
-K-BP1 /203.5 BLOCCO POMPA
-XRBP /164.4 RIPRISTINO BLOCCO
-XSC /164.2 ASSENZA SCATTO
-K-SC2 /203.7 SCATTO
-K-SC1 /203.7 SCATTO
-XRSC /164.4 RIPRISTINO SCATTO

203 - 7 1 RD
203 - 8 1 RD
203 - 9 1 RD
203 - 18 1 RD
203 - 19 1 RD
203 - 20 1 RD
203 - 29 1 RD
203 - 30 1 RD
203 - 31 1 RD

-R4 390 Ω - 50 W
-R6 390 Ω - 50 W
-R8 390 Ω - 50 W

202.8 / BL- -110VCC — 202 - 31 1 WH

203 - 10 1 WH

203 - 21 1 WH

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo LOGICA DI BLOCCO HARDWARE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 203

Cliente N° 26002-DD-EE-04-06-002

Segue - 204

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

PULSANTE DI BLOCCO DA ASQ INTERVENUTO

PULSANTE DI BLOCCO DA ASM INTERVENUTO

PULSANTE DI BLOCCO DA QT INTERVENUTO

PULSANTE DI BLOCCO DA BANCO INTERVENUTO

PULSANTE DI BLOCCO DISPONIBILE INTERVENUTO

=ASQ
+ASQ

=QT
+QT

=QCI
+QCI

-S301 -F4 41 42

-S301 53 54

-S301 -F4 41 42

-S301 -F4 13 14

-XGASM B22 A B23 A

-XGASM B6 A B7 A

-X 267 -X? 265

-ASQ3-ASM3/BL
FG16OH2M16 5G1.5 mm²

-QT3-ASM3/BL
FG16OH2M16 5G1.5 mm²

-QCI3-ASM3/BL
FG16OH2M16 5G1.5 mm²

-XGBLP A B1 A B2 A B3 A B4 A B5 A B6

44.4 / BLP+ 110VCC 44 - 15 1 RD

204 - 1 1 RD

-XGBLP A B7 A B8 A B9 A B10 A B11 A B12

75.2 TB3_1 75 - 3 1 RD 204 - 2 1 RD

75.3 TB3_2 75 - 5 1 RD 204 - 4 1 RD

75.4 TB3_3 75 - 7 1 RD 204 - 5 1 RD

75.4 TB3_4 75 - 9 1 RD 204 - 6 1 RD

75.5 TB3_5 75 - 11 1 RD 204 - 7 1 RD

-TB3 1 2 3 4 5 6 7 P

EMG 22-DIO 7P PHOENIX CONTACT

202.8 / BE 110VCC 202 - 28 1 RD

204 - 3 1 RD BE 110VCC / 205.1

				S.Massenza gr.3	Dis.	S.Jurak	2026/09/29	F	dolomiti energia	VOITH	Armadio Sala Macchine	Sales Order 32950	Turbina N. 21506-21507
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB	-	Con.	T.Trogrlić	2026/09/29				Titolo PULSANTE DI BLOCCO	Disegno N. 2ACS01-0000-10710795	Foglio 204
00	PRIMA EMISSIONE	2026/07/17	SJ		Appr.	P.Kovač	2026/09/29	Release note				Cliente N° 26002-DD-EE-04-06-002	Segue - 205
Rev.	Descrizione Modifiche	Data	Nome	Codeword/Unit									

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

DISP

BLOCCO DA T347

SCATTO DA T347

BLOCCO GENERALE DI CONDOTTA 2 (MOLVENO)

81.2 D1_PLC

81.3 D2_PLC

81.4 D3_PLC

81.4 D4_PLC

81.3 - 1 RD

81.3 - 3 RD

81.3 - 5 RD

81.3 - 7 RD

81.3 - 9 RD

-X52AP

R4 T4

M4

/93.7

-K2

PLC 1 2 3 4

D1 D2 D3 D4

x1 x2

44.4 / BH1+ 110VCC 44 - 11 1 RD

205 - 1 1 RD

205 - 2 1 RD

X1 1 2 3 4 5 6

LINEA K (+110)

LINEA J (52CH)

LINEA H

BE

BM

SG

K 110VCC / 206.1

J 52CH / 206.1

H / 206.1

BE / 206.1

BM / 206.1

SG / 206.1

204.3 / BE 204 - 3 1 RD

203.8 / BM 203 - 11 1 RD

203.8 / SC 203 - 32 1 RD

K 1

SIG 1

205 - 3 1 RD

205 - 4 1 RD

205 - 5 1 RD

205 - 6 1 RD

205 - 7 1 RD

205 - 8 1 RD

205 - 9 1 RD

205 - 10 1 RD

-XGBH 1 2

B A

2 3 4 5 6 7 8

-T347-ASM3/BH

FG16OH2M16 5G1.5 mm²

-SG3-ASM3/BH

FG16OH2M16 12G1.5 mm²

=T347
+T347

-X? ??

-1K201 14 13

=SG
+SG

-X 236 237

86G1 M4 T4

*NOTE: Connettersi al "SG" esistente

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 205

Cliente N° 26002-DD-EE-04-06-002

Segue - 206

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

DISP
DISP
DISP
ECC - BLOCCO DA ECCITATRICE
INTERVENTO CENTRIFUGO VELOCITA GRUPPO

81.5 D5_PLC
81.6 D6_PLC
81.7 D7_PLC
81.7 D8_PLC
82.2 D9_PLC

81 - 11 1 RD
81 - 13 1 RD
81 - 15 1 RD
81 - 17 1 RD
82 - 2 1 RD

-K2

PLC 5 6 7 8 9

D5 D6 D7 D8 D9 x1 x2

205.8 / K 110VCC — LINEA K (+110) — / 207.1
205.8 / J 52CH — LINEA J (52CH) — / 207.1
205.8 / H — LINEA H — / 207.1
205.8 / BE — BE — / 207.1
205.8 / BM — BM — / 207.1
205.8 / SG — SG — / 207.1

K 5 6 7 8 9
SIG 5 6 7 8 9

206-1 1 RD B A -XGBH 9
206-2 1 RD B A 10
206-3 1 RD B A 11
206-4 1 RD B A 12
206-5 1 RD B A 13
206-6 1 RD B A 14
206-7 1 RD B A 15
206-8 1 RD B A 16
206-9 1 RD B A 17
206-10 1 RD B A 18

-ECC3-ASM3/BH
FG16OH2M16 5G1.5 mm²

-CP3-ASM3/BH
FG16OH2M16 5G1.5 mm²

=ECC
+ECC
-X800 8 9
-K210 22 24 21
-K200 32 34 31

=CASSETTE DI GIUNZIONE
+JB02
-X1 19 20
ZS.DCM 14 13
CENTRIFUGO POMPA

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 206
Cliente N° 26002-DD-EE-04-06-002
Segue - 207

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

RV - WATCHDOG CPU

RV - RICHIESTA DI BLOCCO

MINIMA PRESSIONE AZOTO ACCUMULATORE GRUPPO

MINIMO LIVELLO OLIO ACCUMULATORE GRUPPO

DISP

82.3 D10_PLC — 82 - 4 1 RD

82.4 D11_PLC — 82 - 6 1 RD

82.4 D12_PLC — 82 - 8 1 RD

82.5 D13_PLC — 82 - 10 1 RD

82.6 D14_PLC — 82 - 12 1 RD

-K2

PLC 10 11 12 13 14

D10 D11 D12 D13 D14 x1 x2

206.8 / K 110VCC — LINEA K (+110) — / 208.1

206.8 / J 52CH — LINEA J (52CH) — / 208.1

206.8 / H — LINEA H — / 208.1

206.8 / BE — BE — / 208.1

206.8 / BM — BM — / 208.1

206.8 / SG — SG — / 208.1

K 10 11 12 13 14

SIG 10 11 12 13 14

207-1 1 RD B 19 A — 207-2 1 RD B 20 A — 207-3 1 RD B 21 A — 207-4 1 RD B 22 A — 207-5 1 RD — 207-6 1 RD — 207-7 1 RD B 23 A — 207-8 1 RD B 24 A — 207-9 1 RD B 25 A — 207-10 1 RD B 26 A

-XGBH

-RV3-ASM3/BH
FG16OH2M16 7G1.5 mm²

-ACCG3-ASM3/BH
FG16OH2M16 7G1.5 mm²

=RV
+RV

-XD0 158 159

-K1.3 12 14 11

-X-BLO 1 5

-XBLK R2 T2 M2

-XBLK R3 T3 M3

-PNP1 /225.3 R1 T1 M1

=CASSETTE DI GIUNZIONE
+JB01

-X1 19 20

ZS.AOP.A4.bl 14 13

ACCUMULATORE A4

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine


Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO

Sales Order 32950 — Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 — Foglio 207

Cliente N° 26002-DD-EE-04-06-002 — Segue - 208

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 208

Cliente N° 26002-DD-EE-04-06-002

Segue - 209

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

LUBRIFICAZIONE - MINIMO LIVELLO OLIO CENTRALINA

LUBRIFICAZIONE - MASSIMO LIVELLO OLIO CENTRALINA

MIN LIVELLO OLIO SUPPORTO TRONCHETTO

MAX LIVELLO OLIO SUPPORTO TRONCHETTO

83.2 D17_PLC

83.3 D18_PLC

83.4 D19_PLC

83.4 D20_PLC

83 - 3 1 RD

83 - 5 1 RD

83 - 7 1 RD

83 - 9 1 RD

-K3

PLC 1 2 3 4

D1 D2 D3 D4 x1 x2

208.4 / K 110VCC — 208 - 5 1 RD — X1 1

208.4 / J 52CH — 208 - 6 1 RD — X1 2

208.4 / H — 208 - 7 1 RD — X1 3

208.4 / BE — 208 - 8 1 RD — X1 4

208.4 / BM — 208 - 9 1 RD — X1 5

208.4 / SC — 208 - 10 1 RD — X1 6

LINEA K (+110) — K 110VCC / 210.1

LINEA J (52CH) — J 52CH / 210.1

LINEA H — H / 210.1

BE — BE / 210.1

BM — BM / 210.1

SG — SG / 210.1

K 1 2 3 4

SIG 1 2 3 4

209-1 1 RD B -XGBH 31 A

209-2 1 RD B -XGBH 32 A

209-3 1 RD B -XGBH 33 A

209-4 1 RD B -XGBH 34 A

-LUB3-ASM3/BH
FG16OH2M16 5G1.5 mm²

209-5 1 RD B -XGBH 35 A

209-6 1 RD B -XGBH 36 A

209-7 1 RD B -XGBH 37 A

209-8 1 RD B -XGBH 38 A

-ST3-ASM3/BH
FG16OH2M16 5G1.5 mm²

=CASSETTE DI GIUNZIONE +JB09

-X1 8 7 11 10

LS401.LL 3 2 1

LS401.HH 3 2 1

LUBRIFICAZIONE SUPPORTI ALTERNATORE

=CASSETTE DI GIUNZIONE +JB13

-X1 22 23 24 25

LS300 14 13

LS301 14 13

SUPPORTO TRONCHETTO

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO

Sales Order 32950 — Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 — Foglio 209

Cliente N° 26002-DD-EE-04-06-002 — Segue - 210

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

MASSIMA TEMPERATURA SUPPORTO 1 ALTERNATORE - SONDA DX
83.5
D21_PLC

MASSIMA TEMPERATURA SUPPORTO 2 ALTERNATORE - SONDA DX
83.6
D22_PLC

MASSIMA TEMPERATURA MB SUPPORTO TRONCHETTO
83.7
D23_PLC

RICEZIONE INTERVENTO MAI DA ESTERNO
83.7
D24_PLC

INTERVENTO MAIG PROPRIA
84.2
D25_PLC

83 - 11 1 RD
83 - 13 1 RD
83 - 15 1 RD
83 - 17 1 RD
84 - 2 1 RD

-K3

PLC 5 6 7 8 9

D5 D6 D7 D8 D9 x1 x2

209.8 / K 110VCC — LINEA K (+110) — / 211.1
209.8 / J 52CH — LINEA J (52CH) — / 211.1
209.8 / H — LINEA H — / 211.1
209.8 / BE — BE — / 211.1
209.8 / BM — BM — / 211.1
209.8 / SG — SG — / 211.1

K 5 6 7 8 9
SIG 5 6 7 8 9

210-1 1 RD B
210-2 1 RD B
210-3 1 RD B
210-4 1 RD B
210-5 1 RD B
210-6 1 RD B
210-7 1 RD B
210-8 1 RD B
210-9 1 RD B
210-10 1 RD B

-XGBH 39 40 41 42 43 44 45 46 47 48 A

-AQT3-ASM3/BH 1 2 3 4
FG16OH2M16 12G1.5 mm²

-QP3-ASM3/BH 1 2 3 4
FG16OH2M16 12G1.5 mm²

=AQT
+AQT

-XGASM 9 10 11 A B

-U404_1 =AQT+AQT/301.2 C3 C2 C1
-U404_3 =AQT+AQT/301.3 C3 C2 C1
-U405_2 =AQT+AQT/301.4 C3 C2 C1

-XGASM A B 1 2 3

=QP
+QP

-PX-A 56 55 58 57

MAI/Y R3 T3 M3
YMAIG R3 T3 M3

ARM. A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia


VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO


Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 210
Cliente N° 26002-DD-EE-04-06-002
Segue - 211

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



				S.Massenza gr.3	Dis.	S.Jurak	2026/09/29	F	dolomiti energia	VOITH	Armadio Sala Macchine	Sales Order 32950	Turbina N. 21506-21507
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB	-	Con.	T.Trogrlić	2026/09/29				Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO	Disegno N. 2ACS01-0000-10710795	Foglio 211
00	PRIMA EMISSIONE	2026/07/17	SJ		Appr.	P.Kovač	2026/09/29	Release note				Cliente N° 26002-DD-EE-04-06-002	Segue - 212
Rev.	Descrizione Modifiche	Data	Nome	Codeword/Unit									

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE GRUPPO

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 212

Cliente N° 26002-DD-EE-04-06-002

Segue - 213

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

ALLAGAMENTO POMPA NUTRICE

INTERVENTO CENTRIFUGO SOTTOVELOCITA POMPA

MINIMA PRESSIONE AZOTO ACCUMULATORE POMPA

MINIMO LIVELLO OLIO ACCUMULATORE POMPA

85.2 D33_PLC

85.3 D34_PLC

85.4 D35_PLC

85.4 D36_PLC

85 - 2 1 RD

85 - 4 1 RD

85 - 6 1 RD

85 - 8 1 RD

-XPOMP R2 T2 M2 /165.6

-XGI_INS R2 T2 M2 /91.2

-XGI_DIS R2 T2 M2 /91.4

-X52AP R2 T2 M2 /93.7

213 - 1 1 RD

213 - 4 1 RD

213 - 3 1 RD

213 - 5 1 RD

213 - 6 1 RD

213 - 2 1 RD

213 - 8 1 RD

213 - 7 1 RD

44-12 1 RD

44.4 / BH3+ 110VCC

212.4 / BE 212-5 1 RD

203.8 / BP 203 - 22 1 RD

212.4 / SC 212 - 6 1 RD

-K4

PLC 1 2 3 4

D1 D2 D3 D4 x1 x2

X1 1 2 3 4 5 6

LINEA K (+110)

LINEA J (+P)

LINEA H (+P52)

BE

BP

SG

K 110VCC / 214.1

J +P / 214.1

H +P52 / 214.1

BE / 214.1

BP / 214.1

SG / 214.8

K 1 2 3

H 2

SIG 1 2

213 - 9 1 RD

213 - 10 1 RD

213 - 11 1 RD

213 - 12 1 RD

213 - 13 1 RD

213 - 14 1 RD

213 - 15 1 RD

213 - 16 1 RD

-XGBH B A 63 64

-SG3-ASM3/BH
FG16OH2M16 12G1.5 mm²

=SG
+SG

-X? ?? ??

?? R2 T2 M2

-PNP4 /225.7 R1 T1 M1

-PNP2 /225.5 R1 T1 M1

4 B A 65 66

-ACCP3-ASM3/BH
FG16OH2M16 7G1.5 mm²

=CASSETTE DI GIUNZIONE
+JB08

-X1 13 14

ZS.AOP.P4.bl 14 13

ACCUMULATORE P4

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 213

Cliente N° 26002-DD-EE-04-06-002

Segue - 214

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

DISP

MIN O MAX LIVELLO OLIO SUPPORTO COMB. P4

MIN O MAX LIVELLO OLIO SUPPORTO FINALE P4

MASSIMA TEMPERATURA MB GUIDA LATO GRUPPO SUPP. COMB. P4 (SONDA 1)

MASSIMA TEMPERATURA MB PATTINI SPINTA SUPP. COMB. P4 (SONDA 1)

85.5 D37_PLC — 85 - 10 1 RD
85.6 D38_PLC — 85 - 12 1 RD
85.7 D39_PLC — 85 - 14 1 RD
85.7 D40_PLC — 85 - 16 1 RD
86.2 D41_PLC — 86 - 2 1 RD

-K4

5 D5 x1 x2 — 6 D6 x1 x2 — 7 D7 x1 x2 — PLC 8 D8 x1 x2 — 9 D9 x1 x2

213.8 / K 110VCC — LINEA K (+110) — / 215.1
213.8 / J 52CH — LINEA J (52CH) — / 215.1
213.8 / H — LINEA H — / 215.1
213.8 / BE — BE — / 215.1
213.8 / BP — BP — / 215.1
218.1 / SG — SG — / 213.8

5 — 5 — 6 — 6 — 7 — 7 — K 8 — SIG 8 — 9 — 9

214 - 1 1 RD B — 214 - 2 1 RD B — 214 - 3 1 RD B — 214 - 4 1 RD B — 214 - 5 1 RD B — 214 - 6 1 RD B — 214 - 7 1 RD B — 214 - 8 1 RD B — 214 - 9 1 RD B — 214 - 10 1 RD B

-XGBH 67 A — 68 A — 69 A — 70 A — 71 A — 72 A — 73 A — 74 A — 75 A — 76 A

-SC3-ASM3/BH FG16OH2M16 7G1.5 mm²
-SF3-ASM3/BH FG16OH2M16 7G1.5 mm²
-AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²

=CASSETTE DI GIUNZIONE +JB14
-X2 8 — -X2 10
LS200 3 1 — LS201 3 1
SUPPORTO COMB.P4

=CASSETTE DI GIUNZIONE +JB15
-X2 13 — -X2 15
LS100 3 1 — LS101 3 1
SUPPORTO FINALE

=AQT +AQT
-XGASM A 12 B — A 13 B
-U406_2 =AQT+AQT/301.5 C3 C2 C1
-U406_3 =AQT+AQT/301.5 C3 C2 C1
-XGASM A 4 B — B 5 A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA

Sales Order 32950 — Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 — Foglio 214
Cliente N° 26002-DD-EE-04-06-002 — Segue - 215

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

MASSIMA TEMPERATURA MB PATTINI CONTROSPINTA SUPP. COMB. P4 (SONDA 1)
86.3
D42_PLC
86 - 4
1 RD

MASSIMA TEMPERATURA MB GUIDA LATO POMPA SUPP. COMB. P4 (SONDA 1)
86.4
D43_PLC
86 - 6
1 RD

MASSIMA TEMPERATURA SUPPORTO FINALE P4 - SONDA DX
86.4
D44_PLC
86 - 8
1 RD

DISINNESTO GIUNTO
86.5
D45_PLC
86 - 10
1 RD

DISP
86.6
D46_PLC
86 - 12
1 RD

-K4

PLC 10 11 12 13 14

D10 D11 D12 D13 D14 x1 x2

214.8 / K 110VCC — LINEA K (+110) — K 110VCC / 216.1
214.8 / J +P — LINEA J (+P) — J +P / 216.1
214.8 / H +P52 — LINEA H (+P52) — H +P52 / 216.1
214.8 / BE — BE — BE / 216.1
214.8 / BP — BP — BP / 216.1
215.8 / SG — SG — SG / 215.1

K 10 11 12 13 14
SIG 10 11 12 13 14

215-1 1 RD B -XGBH 77 A
215-2 1 RD B 78 A
215-3 1 RD B 79 A
215-4 1 RD B 80 A
215-5 1 RD B 81 A
215-6 1 RD B 82 A
215-7 1 RD
215-8 1 RD B 83 A
215-9 1 RD B 84 A
215-10 1 RD

-AQT3-ASM3/BH 8 9 10
FG16OH2M16 12G1.5 mm²

=AQT
+AQT

-XGASM A 14 B
-U407_1 =AQT+AQT/301.6 C3 C2 C1 B
-XGASM A6

A 15 B
-U407_2 =AQT+AQT/301.7 C3 C2 C1 B
A7

A 16 B
-U408_1 =AQT+AQT/301.8 C3 C2 C1 B
A8

-XGI_DIS R4 T4 M4

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia


VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Cliente N° 26002-DD-EE-04-06-002
Foglio 215
Segue - 216

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Cliente N° 26002-DD-EE-04-06-002

Foglio 216

Segue - 217

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

MOLE SCARICHE 52PN

MIN MAX LIVELLO OLIO MITCHELL PN

MIN MAX LIVELLO OLIO SUPPORTO INFERIORE PN

MIN LIVELLO GRASSO PN

87.2 D49_PLC

87.3 D50_PLC

87.4 D51_PLC

87.4 D52_PLC

217 - 1 1 RD

217 - 3 1 RD

217 - 2 1 RD

217 - 4 1 RD

-X? R2 T2 M2

44-12 1 RD

217 - 6 1 RD

217 - 5 1 RD

217 - 8 1 RD

217 - 7 1 RD

/ BH?+ 110VCC

-K5

PLC 1 2 3 4

D1 D2 D3 D4 x1 x2

X1 1 2 3 4 5 6

LINEA K (+110)

LINEA J (+P)

LINEA H (+P52)

BE

BP

SG

K 110VCC / 218.1

J +P / 218.1

H +P52 / 218.1

BE / 218.1

BP / 218.1

SG / 216.1

216.4 / BE 216 - 5 1 RD

216.4 / BP 216 - 6 1 RD

216.4 / SC 216 - 7 1 RD

K 1 2 3 4

SIG 1 2 3 4

217 - 9 1 RD

217 - 10 1 RD

217 - 11 1 RD

217 - 12 1 RD

217 - 13 1 RD

217 - 14 1 RD

217 - 15 1 RD

217 - 16 1 RD

B A

-XGBH 87 88 89 90 91 92 93 94

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 217

Cliente N° 26002-DD-EE-04-06-002 | Segue - 218

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

MIN LIVELLO ACQUA ASPIRAZIONE PN

ANOMALIA GRAVE TRAFO PF

ANOMALIA LIEVE TRAFO PN

MAX TEMPERATURA SUPPORTO INFERIORE PN

MAX TEMPERATURA MITCHELL PN

87.5 D53_PLC — 218 - 1 1 RD

87.6 D54_PLC — 218 - 1 1 RD

87.7 D55_PLC — 218 - 1 1 RD

87.7 D56_PLC — 218 - 1 1 RD

88.2 D57_PLC — 218 - 1 1 RD

-K5

5 D5 x1 x2

6 D6 x1 x2

7 D7 x1 x2

PLC 8 D8 x1 x2

9 D9 x1 x2

217.8 / K 110VCC — LINEA K (+110) — K 110VCC / 219.1

217.8 / J 52CH — LINEA J (52CH) — J +P / 219.1

217.8 / H — LINEA H — H +P52 / 219.1

217.8 / BE — BE — BE / 219.1

217.8 / BP — BP — BP / 219.1

214.1 / SG — SG — SG / 219.1

5 — 218 - 1 1 RD B — -XGBH 95 A

5 — 218 - 2 1 RD B — 96 A

6 — 218 - 3 1 RD B — 97 A

6 — 218 - 4 1 RD B — 98 A

7 — 218 - 5 1 RD B — 99 A

7 — 218 - 6 1 RD B — 100 A

K 8 — 218 - 7 1 RD B — 101 A

SIG 8 — 218 - 8 1 RD B — 102 A

9 — 218 - 9 1 RD B — 103 A

9 — 218 - 10 1 RD B — 104 A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Cliente N° 26002-DD-EE-04-06-002

Foglio 218

Segue - 219

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

MAX TEMPERATURA SUPPORTO SUPERIORE PN

ANOMALIE CIRCOLAZIONE ACQUA RAFF PN

PROTEZIONI MOTORE E TRAFO PN

MAX TEMPERATURA ARIA MOTORE PN

MINIMA PRESSIONE VALLE PN

88.3 D58_PLC — 88.4 D59_PLC — 88.4 D60_PLC — 88.5 D61_PLC — 88.6 D62_PLC

219 - 1 1 RD

-K5

PLC 10 — 11 — 12 — 13 — 14

D10 x1 x2 — D11 x1 x2 — D12 x1 x2 — D13 x1 x2 — D14 x1 x2

218.8 / K 110VCC — LINEA K (+110) — / 220.1

218.8 / J +P — LINEA J (+P) — / 220.1

218.8 / H +P52 — LINEA H (+P52) — / 220.1

218.8 / BE — BE — / 220.1

218.8 / BP — BP — / 220.1

218.8 / SG — SG — / 220.1

K 10 — 11 — 12 — 13 — 14

SIG 10 — 11 — 12 — 13 — 14

219 - 1 1 RD B — 219 - 2 1 RD B — 219 - 3 1 RD B — 219 - 4 1 RD B — 219 - 5 1 RD B — 219 - 6 1 RD B — 219 - 7 1 RD B — 219 - 8 1 RD B — 219 - 9 1 RD B — 219 - 10 1 RD B

-XGBH 105 A — 106 A — 107 A — 108 A — 109 A — 110 A — 111 A — 112 A — 113 A — 114 A

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia — VOITH

Armadio Sala Macchine


Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA

Sales Order 32950 — Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 — Foglio 219

Cliente N° 26002-DD-EE-04-06-002 — Segue - 220

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COLLEGAMENTI MORSETTIERA PROGRAMMABILE POMPA

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 220

Cliente N° 26002-DD-EE-04-06-002

Segue - 221

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

COMANDO INTERRUTTORE CHIUSURA

COMANDO INTERRUTTORE MINIMA TENSIONE

COMANDO INTERRUTTORE 1^ APERTURA

COMANDO INTERRUTTORE 2^ APERTURA

221 - 1 1 RD
-XGCI52 B A13
MT347_3-ASM3/A FG16OH2M16 7G1.5 mm²
=MT347 +MT347
-XD1 27

-X-PROT1 /201.5 M4 T4 R4
-K-SC1 /203.7 M3 T3 R3
-K-BE1 /202.3 M3 T3 R3
221 - 2 1 RD
221 - 7 1 RD
221 - 6 1 RD
221 - 8 1 RD
221 - 13 1 RD

221 - 9 1 RD
-XA52 /165.5 M1 T1 R1
221 - 20 1 RD
-XA52 /165.5 M2 T2 R2
221 - 21 1 RD

221 - 19 1 RD
-XMAN /162.7 M1 T1 R1
221 - 23 1 RD
-XAP52MAN /94.4 M2 T2 R2
221 - 24 1 RD
221 - 25 1 RD

221 - 22 1 RD
-XGCI52 B A11
-ASM3-QP3/C FG16OH2M16 24G1.5 mm²
=QP +QP
-PX-A 53
XMAIG
MAI/Y
ARM. A
-PX-A 54
-ASM3-QP3/C FG16OH2M16 24G1.5 mm²
-XGCI52 A B12

B A4 — B A5

221 - 4 1 RD
221 - 3 1 RD
-XAB52_A /165.5 M2 T2 R2
221 - 5 1 RD
-XGCI52 B 1
-ASM3-QP3/C FG16OH2M16 24G1.5 mm²
=QP +QP
-PX-A 22
-B06.4
-B06.5
-B06.4
-B06.5
ARM. A
-PX-A 23
-ASM3-QP3/C FG16OH2M16 24G1.5 mm²
-XGCI52 A B6

221 - 10 1 RD
-AB_CHIAVE /94.3 M2 T2 R2
221 - 11 1 RD
-XAB52_M /165.6 M2 T2 R2
221 - 12 1 RD
-XGCI52 B 2
-ASM3-QCI3/C3 FG16OH2M16 5G1.5 mm²
=QCI +QCI
-X? 344
-P_CH/52 S25
-X? 345
-ASM3-QCI3/C3 FG16OH2M16 5G1.5 mm²
A B7

221 - 14 1 RD
-XCH52 /94.8 M2 T2 R2
221 - 15 1 RD
-XCH52 /94.8 M3 T3 R3
221 - 16 1 RD

-XMT52 /165.5 M1 T1 R1
221 - 17 1 RD
-XMT52 /165.5 M2 T2 R2
221 - 18 1 RD
-XGCI52 B 3
-ASM3-QP3/C FG16OH2M16 24G1.5 mm²
=QP +QP
-PX-A 52
XMAIG
MAI/Y
ARM. A
-PX-A 51
-ASM3-QP3/C FG16OH2M16 24G1.5 mm²
B A8
A B B9 A10

90 - 18 1 RD
XCH52 94.8

MT347_3-ASM3/A FG16OH2M16 7G1.5 mm²
=MT347 +MT347
-XD1 29 45 33

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH


Armadio Sala Macchine

Titolo CIRCUITI AP e CH 52


Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 221
Cliente N° 26002-DD-EE-04-06-002
Segue - 222

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

BLOCCO PER ECCITATRICE



BLOCCO PER REGOLATORE
DI VELOCITA'



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH


Armadio Sala Macchine

Titolo: ABILITAZ ECC e REG VELOCITA

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 222
Cliente N° 26002-DD-EE-04-06-002 | Segue - 223

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

INGRESSO CUMULATIVO
CAUSE DI AP. INT. PER
CONTROLLO MAI APG



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit


Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

Armadio Sala Macchine
Titolo CIRCUITI MAIG

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 223
Cliente N° 26002-DD-EE-04-06-002
Segue - 224

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo CIRCUITI MAIG

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 224

Cliente N° 26002-DD-EE-04-06-002

Segue - 225

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

MINIMA PRESSIONE AZOTO ACCUMULATORE GRUPPO

INGRESSO CUMULATIVO CAUSE DI AP. INT. PER CONTROLLO MAI APG

TRANSMETTITORE DI PRESSIONE ACQUA PRIMO STADIO POMPA P3

TRANSDUTORE DI PRESSIONE OLIO VALLE CENTRIFUGO SOTTOVELOCITA

57.4 /- PNP+ 24VCC — 54 - 10 1.5 BU

57.4 /- PNP- 0 VCC — 54 - 39 1.5 WH

-XGPNP B A1 B A2 B A3 B A4 B A5 B A6

-XGPNP B A7 B A8 B A9 B A10 B A11 B A12

-ACCG3-ASM3/BH FG16OH2M16 7G1.5 mm²

-ACCP3-ASM3/BH FG16OH2M16 7G1.5 mm²

-ACCP3-ASM3/BH2 FG16OH2M16 7G1.5 mm²

-ACCP3-ASM3/BH3 FG16OH2M16 7G1.5 mm²

=CASSETTE DI GIUNZIONE +JB01

-X1 30 31

-ZTP9.A3 P AI DI

ACCUMULATORE A PISTONE ALTA PRESSIONE

-X1 32

=CASSETTE DI GIUNZIONE +JB08

-X1 30 31

-ZTP9.P3 P AI DI

ACCUMULATORE A PISTONE BASSA PRESSIONE

-X1 32

=CASSETTE DI GIUNZIONE +JB08

-ZTP.S1.P3 P AI DI

=CASSETTE DI GIUNZIONE +JB10

-ZTP63.412iQ P AI DI

CENTRIFUGO POMPA

-ACCG3-ASM3/BH FG16OH2M16 7G1.5 mm²

-ACCP3-ASM3/BH FG16OH2M16 7G1.5 mm²

-ACCP3-ASM3/BH2 FG16OH2M16 7G1.5 mm²

-ACCP3-ASM3/BH3 FG16OH2M16 7G1.5 mm²

-XGPNP A13 B — 225 - 1 1 BU

-XGPNP A14 B — 225 - 5 1 BU

-XGPNP A15 B — 225 - 6 1 BU

-XGPNP A16 B A17 B A18 B — 225 - 7 1 BU

-PNP1 B1 24VDC 10A 2 B4 — OKSFCE50-C024 48BIP20-I DIN RC48 NO /207.5 NC /207.5

-PNP2 B1 24VDC 10A 2 B4 — OKSFCE50-C024 48BIP20-I DIN RC48 NO /213.6 NC /213.6

-PNP3 B1 24VDC 10A 2 B4 — OKSFCE50-C024 48BIP20-I DIN RC48 NO /216.3 NC /216.3

-PNP4 B1 24VDC 10A 2 B4 — OKSFCE50-C024 48BIP20-I DIN RC48 NO /213.5 NC /213.5

221 - 1 1 WH

225 - 2 1 WH

225 - 3 1 WH

225 - 4 1 WH

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo PNP SENSORI

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 225


Cliente N° 26002-DD-EE-04-06-002

Segue - 226

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

RICHIESTA SGANCIO CONDOTTA MOLVENO RELE A

RICHIESTA SGANCIO CONDOTTA MOLVENO RELE B



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo SGANCIO TESTA CONDOTTA

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 226

Cliente N° 26002-DD-EE-04-06-002

Segue - 251

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

GRUPPO FERMO PER BANCO

GRUPPO IN ROTAZIONE PER BANCO

GRUPPO IN GENERAZIONE PER BANCO


GRUPPO IN POMPAGGIO PER BANCO

MESSA IN TENSIONE GRADUALE T347 IN CORSO PER BANCO

GRUPPO IN TRANSIZIONE PER BANCO

GRUPPO IN COMANDO LOCALE PER BANCO

GRUPPO IN CAMBIO PROGRAMMA PER BANCO



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COMANDO BANCO

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 251

Cliente N° 26002-DD-EE-04-06-002

Segue - 252

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo COMANDO BANCO

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 252
Cliente N° 26002-DD-EE-04-06-002
Segue - 253

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

CARICO AL MASSIMO PER BANCO

SEZIONATORE MONTANTE GRUPPO APERTO PER BANCO

SEZIONATORE MONTANTE GRUPPO CHIUSO PER BANCO

INTERRUTTORE DI GRUPPO APERTO PER BANCO

INTERRUTTORE DI GRUPPO CHIUSO PER BANCO

DISP

DISP

DISP

-162K01 /162.2 11 14 12
-162K02 /162.2 11 14 12
-162K03 /162.2 11 14 12
-162K04 /162.3 11 14 12
-162K05 /162.3 11 14 12
-162K06 /162.4 11 14 12
-162K07 /162.4 11 14 12
-162K08 /162.5 11 14 12

253 - 1 1 BU
253 - 2 1 BU
253 - 3 1 BU
253 - 4 1 BU
253 - 5 1 BU
253 - 6 1 BU
253 - 7 1 BU
253 - 8 1 BU
253 - 9 1 BU
253 - 10 1 BU
253 - 11 1 BU
253 - 12 1 BU
253 - 13 1 BU
253 - 14 1 BU
253 - 15 1 BU
253 - 16 1 BU

252.8 / BANCO+ 24VCC

-XGCI B A17 B A18 B A19 B A20 B A21 B A22 B A23 B A24

-XGCI B 41 A 42 A 43 A 44 A 45 A 46 A 47 A 48 A

-ASM3-QCI3/C2 12 13 14 15 16 17
FG16OH2M16 24G1.5 mm²

=QCI
+QCI

-X 324 341 343 359
-X 357 356 354 353
-X 323 342 358
355 352

252.8 / COM- F2

F0 F1

				S.Massenza gr.3	Dis.	S.Jurak	2026/09/29	F	dolomiti energia	VOITH	Armadio Sala Macchine	Sales Order 32950	Turbina N. 21506-21507
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB	-	Con.	T.Trogrlić	2026/09/29				Titolo COMANDO BANCO	Disegno N. 2ACS01-0000-10710795	Foglio 253
00	PRIMA EMISSIONE	2026/07/17	SJ		Appr.	P.Kovač	2026/09/29					Cliente N° 26002-DD-EE-04-06-002	Segue - 254
Rev.	Descrizione Modifiche	Data	Nome	Codeword/Unit				Release note					

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.


GRUPPO IN MANUALE

GRUPPO 4 IN ISOLA SU SBARRA A

GRUPPO 4 IN ISOLA SU SBARRA B

DISP

DISP



*NOTA: Sara cablato in futuro

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COMANDO SG

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 254

Cliente N° 26002-DD-EE-04-06-002

Segue - 255

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

DISP
DISP
DISP
DISP
WATCHDOG PLC AUTOMAZIONE DI GRUPPO
WATCHDOG PLC AUTOMAZIONE DI GRUPPO

-163K08 /163.5 11 14 12
-162K14 /162.7 11 14 12
-162K15 /162.7 11 14 12
-162K16 /162.8 11 14 12
-XWD PLC /163.3 M3 T3 R3
-XWD PLC /163.3 M4 T4 R4

255 - 1 1 RD
255 - 2 1 RD
255 - 3 1 RD
255 - 4 1 RD
255 - 5 1 RD
255 - 6 1 RD
255 - 7 1 RD
255 - 8 1 RD
255 - 5 1 RD
255 - 6 1 RD
255 - 7 1 RD
255 - 8 1 RD

-XGSG B A 22
-XGSG B A 23
B A 24
B A 25
B A 26
B A 27
B A 28
B A 29
B A 30
B A 31
B A 32
B A 33

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit


Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo COMANDO SG

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 255
Cliente N° 26002-DD-EE-04-06-002
Segue - 256

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016



*NOTA: Sara cablato in futuro

*NOTA: Sara cablato in futuro

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COMANDO T347

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 256

Cliente N° 26002-DD-EE-04-06-002

Segue - 257

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

SOD A4 - ECCITAZIONE
65S 1

SOD A4 - ECCITAZIONE
65S 2

44.4 /-
VALVOLA+
110VCC
44 - 14
2.5 RD

44.5 /-
VALVOLA-
-110VCC
44 - 26
2.5 WH

-X26
-X27

257 - 1
1 RD

M2
-K-BE3
/202.3
T2 R2

257 - 2
1 RD

M3
-K-BM2
/203.3
T3 R3

257 - 3
1 RD

257 - 4
1 RD

M1
-164K09
/164.5
T1 R1

M1
-164K10
/164.5
T1 R1

257 - 5
1 RD

257 - 6
1 WH

257 - 7
1 RD

-XGSODA4
-XGSODA4

-ASM3-SODA3/C
FG16OH2M16 7G1.5 mm²

=CASSETTE DI
GIUNZIONE
+JB00
-X1

ED1.1 65S.1
ED1.1 65S.2

SOD A4

				S.Massenza gr.3	Dis.	S.Jurak	2026/09/29	F	dolomiti energia	VOITH	Armadio Sala Macchine	Sales Order 32950	Turbina N. 21506-21507	
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB	-	Con.	T.Trogrlić	2026/09/29	Release note			Titolo COMANDO SOD A4	Disegno N. 2ACS01-0000-10710795	Foglio 257	
00	PRIMA EMISSIONE	2026/07/17	SJ		Appr.	P.Kovač	2026/09/29					Cliente N° 26002-DD-EE-04-06-002	Segue - 258	
Rev.	Descrizione Modifiche	Data	Nome	Codeword/Unit										

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

APERTURA ROTATIVA V41

APERTURA ROTATIVA V42

DISP

APERTURA ROTATIVA V40

-X26

-X27

4 4 5 5 6 7

258 - 1 1 RD

M3 -K-BE3 /202.3 T3 R3

258 - 2 1 RD

M4 -K-BM2 /203.3 T4 R4

258 - 3 1 RD

258 - 4 1 RD

M1 -164K11 /164.6 T1 R1

M1 -164K12 /164.6 T1 R1

258 - 5 1 RD

258 - 6 1 WH

258 - 7 1 RD

258 - 8 1 WH

-XGROT1 B A1

-XGROT1 B 2 A

-ASM3-V31/C2 FG16OH2M16 5G1.5 mm²

=CASSETTE DI GIUNZIONE +JB06

-X1 31 32

-ED2/1

ROTATIVA 1

-XGROT2 B A1

-XGROT2 B 2 A

-ASM3-V32/C FG16OH2M16 5G1.5 mm²

=CASSETTE DI GIUNZIONE +JB06

-X3 31 32

-ED2./2

ROTATIVA 2

258 - 9 1 RD

M2 -K-BE4 /202.4 T2 R2

258 - 10 1 RD

258 - 11 1 RD

M1 -164K13 /164.7 T1 R1

M1 -164K14 /164.7 T1 R1

258 - 12 1 RD

258 - 13 1 WH

258 - 14 1 RD

258 - 15 1 WH

-XGROTASP B A1

-XGROTASP B 2 A

-XGROTMAND B A1

-XGROTMAND B 2 A

-ASM3-V30/C FG16OH2M16 5G1.5 mm²

=CASSETTE DI GIUNZIONE +JB07

-X1 67 68

-SV40

ROTATIVA MAND P4

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3

-

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COMANDO ROTATIVA

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 258

Cliente N° 26002-DD-EE-04-06-002

Segue - 259

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

APERTURA VALVOLA DI RITEGNO

DISP

-X26 6 7 8 9 10 11

-X27 8 9 10 11

259 - 1 1 RD

-K-BE4 /202.4 M1 T1 R1

259 - 2 1 RD

-K-SC2 /203.7 M2 T2 R2

259 - 3 1 RD

-164K15 /164.7 M1 T1 R1

259 - 4 1 RD

259 - 5 1 WH

-164K16 /164.8 M1 T1 R1

259 - 6 1 RD

259 - 7 1 RD

-XGVALRIT B A1

-XGVALRIT B 3 A

B A2

B 4 A

-ASM3-VR3/C 1 2

FG16OH2M16 5G1.5 mm²

=CASSETTE DI GIUNZIONE +JB07

-X1 63 64

-SV20VR

VALVOLA RITEGNO

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine


Titolo COMANDO VALVOLA RITEGNO

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 259

Cliente N° 26002-DD-EE-04-06-002 | Segue - 260

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit


Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo COMANDO QP


Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 260
Cliente N° 26002-DD-EE-04-06-002
Segue - 261

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



				S.Massenza gr.3	Dis.	S.Jurak	2026/09/29	F	dolomiti energia	VOITH	Armadio Sala Macchine	Sales Order 32950	Turbina N. 21506-21507
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB	-	Con.	T.Trogrlić	2026/09/29				Titolo COMANDO 52GR	Disegno N. 2ACS01-0000-10710795	Foglio 261
00	PRIMA EMISSIONE	2026/07/17	SJ		Appr.	P.Kovač	2026/09/29					Cliente N° 26002-DD-EE-04-06-002	Segue - 262
Rev.	Descrizione Modifiche	Data	Nome	Codeword/Unit				Release note					

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

Armadio Sala Macchine
Titolo COMANDO ECC

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 262
Cliente N° 26002-DD-EE-04-06-002
Segue - 263

Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Vertraulich, alle Rechte vorbehalten ISO 16016

GRUPPO IN BLOCCO PER SEGNALATORE LED

GRUPPO IN ALLARME PER SEGNALATORE LED

57.4 /- SEGLEDL+ 24VCC — 57 - 7 1 BU — 263 - 1 1 BU — 263 - 3 1 BU — SEGLEDL+ 24VCC / 264.1

57.4 /- SEGLEDL- 0 VCC — 57 - 10 1 WH

-166K12 /166.6 (3 / 4 / 5) — 263 - 2 1 BU

-166K13 /166.7 (3 / 4 / 5) — 263 - 4 1 BU

-XGSEGLED COM: B A1 A2 A3 A4 A5
- COM_1 263.4
- COM_2 263.6
- COM_3 264.2
- COM_4 264.4
- COM_5 264.6

-XGSEGLED BLU: B A6 A7 A8 A9 A10
- L4_1 263.5
- L4_2 263.7
- L4_3 264.3
- L4_4 264.5
- L4_5 264.7

-XGSEGLED GIALLO: B A11 A12 A13 A14 A15
- L3_1 263.4
- L3_2 263.6
- L3_3 264.3
- L3_4 264.4
- L3_5 264.6

263.2 COM_1 — 264.4 L1_1 — 264.2 L2_1 — 263.6 L3_1 — 263.4 L4_1 — 264.6 L5_1

-ASM3-SM3/C
FG16OH2M16 7G1.5 mm²
1 2 3 4 5 6
COM L1 L2 L3 L4 L5

=SALLA MACHINE
+SALLA MACHINE

263.2 COM_2 — 264.4 L1_2 — 264.2 L2_2 — 263.6 L3_2 — 263.4 L4_2 — 264.6 L5_2

-ASM3-SS3/C
FG16OH2M16 7G1.5 mm²
1 2 3 4 5 6
COM L1 L2 L3 L4 L5

=SALLA SBARRE
+SALLA SBARRE

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: COMANDO SEGNALATORE LED

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 263


Cliente N° 26002-DD-EE-04-06-002 | Segue - 264


Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

GRUPPO IN GENERAZIONE PER SEGNALATORE LED

GRUPPO FERMO PER SEGNALATORE LED

GRUPPO IN POMPAGGIO PER SEGNALATORE LED





Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COMANDO SEGNALATORE LED

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 264

Cliente N° 26002-DD-EE-04-06-002

Segue - 265


Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

PERMESSO CHIUSURA
89T DI GRUPPO

PERMESSO CHIUSURA
89T E INSERZIONE LINK
ARRIVO LINEA DI
GRUPPO

PERMESSO CHIUSURA
89T E INSERZIONE LINK
PARTENZA TE4

DISP



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COMANDO SEGNALATORE LED

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Cliente N° 26002-DD-EE-04-06-002

Foglio 265

Segue - 266

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

CHIUSURA INTERRUTTORE POMPA NUTRICE

APERTURA INTERRUTTORE POMPA NUTRICE


BOBINA MINIMA 52 PN

DISP

DISP

DISP

DISP



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COMANDO SEGNALATORE LED

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 266

Cliente N° 26002-DD-EE-04-06-002


Segue - 267

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

BLOCCO ELETTRICO

BLOCCO ELETTRICO

BLOCCO ELETTRICO



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo COMANDO MT

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 267

Cliente N° 26002-DD-EE-04-06-002

Segue - 301

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

GRUPPO IN ALLARME PER QUADRI

GRUPPO IN BLOCCO PER QUADRI

ATTIVAZIONE CONTAORE IN GENERAZIONE

ATTIVAZIONE CONTAORE IN POMPAGGIO

57.4 /- SIG+ 24VCC — 57 - 6 1 BU — 301 - 1 1 BU — 301 - 5 1 BU — 301 - 10 1 BU — 301 - 12 1 BU — SIG+ 24VCC / 302.4

-162K09 M1 /162.5 T1 R1

-162K10 M1 /162.5 T1 R1

-162K11 11 /162.6 14 12

-162K12 11 /162.6 14 12

301 - 2 1 BU — 301 - 3 1 BU — 301 - 6 1 BU — 301 - 7 1 BU — 301 - 11 1 BU — 301 - 13 1 BU

-XGAUTO B A1 B A2 B A3 — B A4 B A5 B A6 B A7 B A8

-ASM3-QT3/C FG16OH2M16 5G1.5 mm²

-ASM3-ASQ3/C FG16OH2M16 12G1.5 mm²

=QT +QT
-XGASM A2 B — -H2 IN ALLARME GIALLO X1 X2 — / 301.5

=ASQ +ASQ
-XGASM A4 B — -H2 IN ALLARME GIALLO X1 X2 — / 301.6

-H1 IN BLOCCO BLU X1 X2

=QT +QT
-XGASM A1 B — 301.2 / — -XGASM B3 A

=ASQ +ASQ
-XGASM A3 B — 301.3 / — -XGASM B7 A

-P1 12-48VDC CONTAORE IN GENERAZIONE h 1 2

-P2 12-48VDC CONTAORE IN POMPAGGIO h 1 2

-ASM3-QT3/C FG16OH2M16 5G1.5 mm²

-XGAUTO A B9 A B10 A B11 A B12 A B13

57.4 /- SIG- 0 VCC — 57 - 9 1 WH — 301 - 4 1 WH — 301 - 8 1 WH — 301 - 9 1 WH — SIG- 0 VCC / 302.4

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia — VOITH

Armadio Sala Macchine

Titolo SEGNALAZIONE


Sales Order 32950 — Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 — Foglio 301

Cliente N° 26002-DD-EE-04-06-002 — Segue - 302

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

INTERRUTTORE DI
GRUPPO 52G CHIUSA



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo SEGNALAZIONE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 302

Cliente N° 26002-DD-EE-04-06-002

Segue - 303

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

FUSIBILE ELETTRONICO FC53 OK

FUSIBILE ELETTRONICO FC53 OK

PRESENZA 110VCC

INTERRUTTORE DI LINEA 110 VCC

=AQT
+AQT

-XG401 B 4 A

-AQT3-ASM3/S
FG16OH2M16 12G1.5 mm²

-XGAQT A B 1

A B 2

303 - 1 1 BU

303 - 2 1 BU

-FC53 13 /55.1 14

-FC54 13 /56.1 14

303 - 3 1 BU

303 - 4 1 BU

-XGAQT B 3 A

B 4 A

B 5 A

B 6 A

-AQT3-ASM3/S
FG16OH2M16 12G1.5 mm²

=AQT
+AQT

-XG401 A 19 B

A 20 B

=SG
+SG

C+/SG B A

-ASM3-SG3/S
FG16OH2M16 7G1.5 mm²

-XGSG A B 35

A B 36

A B 37

A B 38

303 - 6 1 BU

303 - 9 1 BU

-XWD PLC
/163.3
M2 R2 T2

303 - 11 1 BU

-K1 11 /41.6 12 14

-QB2 11 /41.5 12 14

303 - 5 1 BU

303 - 7 1 BU

303 - 8 1 BU

303 - 10 1 BU

-XGSG B 34 A

B 39 A

B 40 A

B 41 A

B 42 A

B 43 A

-ASM3-SG3/S
FG16OH2M16 7G1.5 mm²

=SG
+SG

-X R 85

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo SEGNALAZIONE

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795


Foglio 303

Cliente N° 26002-DD-EE-04-06-002

Segue - 311

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.





Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo TERMINALE DI DISTRIBUZIONE DI DISPONIBILE

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 311

Cliente N° 26002-DD-EE-04-06-002

Segue - 312

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo TERMINALE DI DISTRIBUZIONE DI DISPONIBLE

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 312

Cliente N° 26002-DD-EE-04-06-002

Segue - 313

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo TERMINALE DI DISTRIBUZIONE DI DISPONIBLE

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 313

Cliente N° 26002-DD-EE-04-06-002

Segue - 314

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo TERMINALE DI DISTRIBUZIONE DI DISPONIBLE

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 314

Cliente N° 26002-DD-EE-04-06-002

Segue - 315

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo TERMINALE DI DISTRIBUZIONE DI DISPONIBLE

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 315

Cliente N° 26002-DD-EE-04-06-002

Segue - 316

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo TERMINALE DI DISTRIBUZIONE DI DISPONIBLE

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 316

Cliente N° 26002-DD-EE-04-06-002

Segue - 317

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo TERMINALE DI DISTRIBUZIONE DI DISPONIBLE

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 317

Cliente N° 26002-DD-EE-04-06-002

Segue - 318

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo TERMINALE DI DISTRIBUZIONE DI DISPONIBLE

Sales Order 32950

Turbina N. 21506-21507


Disegno N. 2ACS01-0000-10710795

Foglio 318

Cliente N° 26002-DD-EE-04-06-002

Segue - 319

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo TERMINALE DI DISTRIBUZIONE DI DISPONIBLE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 319

Cliente N° 26002-DD-EE-04-06-002

Segue - 351

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

1.	SIE.6ES7515-2AN03-0AB0	1	Siemens	SIMATIC S7-1500 CPU 1515-2 PN	SIMATIC S7-1500, CPU 1515-2 PN, unità centrale con memoria di lavoro 1 MB per il programma e 4,5 MB per i dati, 1ª interfaccia: PROFINET IRT con switch a 2 porte, 2ª interfaccia: PROFINET RT, performance a bit di 6 ns, necessaria SIMATIC Memory Card	-A100
2.	SIE.6ES7954-8LF04-0AA0	1	Siemens	SIMATIC S7 scheda di memoria 24MB per S7-1x00 CPU	SIMATIC S7, scheda di memoria per S7-1x 00 CPU/SINAMICS, 3, 3V Flash, 24 Mbyte	-A100
3.	SIE.6GK7542-1AX10-0XE0	1	Siemens	S7-1500, CM 1542-1	Modulo di comunicazione CM 1542-1 per il collegamento di S7-1500 su PROFINET come IO Controller oppure IO Device: TCP/IP, ISO on TCP, UDP, comunicazione S7, IP-Broadcast Multicast, SNMPV1, sincronizzazione dell'ora tramite NTP, 2xRJ45 (100 Mbit)	-A101
4.	SIE.6ES7155-5AA01-0AB0	2	Siemens	ET 200MP, IM 155-5 PN ST	SIMATIC ET 200MP. PROFINET IO Device Modulo di interfaccia IM 155-5 PN ST per moduli di elettronica ET 200MP; fino a 12 moduli IO senza PS; fino a 30 moduli IO con PS aggiuntivo; switch a 2 porte integrato; RJ45 Shared Device; MRP; IRT >=0,25ms; sincronismo di clock Update FW; I&M0...3; FSU con 500ms	-A200;-A300
5.	SIE.6ES7521-1BL00-0AB0	7	Siemens	S7-1500, DI 32X24VDC HF	SIMATIC S7-1500, modulo di ingressi digitali DI 32xDC 24V HF, 32 canali in gruppi di 16; di cui 2 ingressi utilizzabili per conteggio ; ritardo di ingresso 0,05..20ms tipo di ingresso 3 (IEC 61131); diagnostica; interrupt di processo	-A201...-A207
6.	SIE.6ES7592-1AM00-0XB0	13	Siemens	CONNETTORE FRONTALE MORSETTI A VITE (UNITÀ 35MM)	SIMATIC S7-1500, connettore frontale morsetti a vite, a 40 poli delle unità con larghezza 35 mm incl. 4 ponticelli di potenziale, e fascette serracavo	-A201...-A207;-A207-A208;-A209;-A301...-A304
7.	SIE.6ES7531-7NF10-0AB0	2	Siemens	S7-1500, AI 8XU/I HS	SIMATIC S7-1500, modulo di ingressi analogici AI 8xU/I HS, risoluzione 16 bit, precisione 0,3 % 8 canali in gruppi da 8, tensione di modo comune 10V; diagnostica; interrupt di processo 8 canali in 0,0625 ms oversampling; fornitura compresa di un elemento di alimentazione, staffa per schermo e morsetto dello schermo	-A207-A208;-A209
8.	SIE.6ES7522-1BL01-0AB0	3	Siemens	S7-1500, DQ 32X24VDC/0.5A HF	SIMATIC S7-1500, modulo di uscite digitali DQ 32xDC 24V/0,5A HF; 32 canali in gruppi di 8; 4A per ogni gruppo; diagnostica di canale singolo; valore sostitutivo, contatore dei cicli di manovra per gli attuatori collegati	-A301...-A303
9.	SIE.6ES7532-5HF00-0AB0	1	Siemens	S7-1500, AQ 8XU/I HS	SIMATIC S7-1500, modulo di uscite analogiche AQ8xU/I HS, risoluzione 16 bit, precisione 0,3%, 8 canali in gruppi di 8, diagnostica; valore sostitutivo 8 canali in 0,125 ms oversampling; fornitura compresa di un elemento di alimentazione, staffa per schermo e morsetto di collegamento schermo	-A304
10.	AMR.OKSFCE50-C110	18	AMRA	Relè estraibile di tipo monostabile istantaneo	Relè estraibile di tipo monostabile istantaneo Funzionamento continuo Un: 110VDC 4 SPDT, 10A Soffiatore magnetico Il potere di interruzione in DC raddoppiato Configurazione diodo + Led Dimensioni:45x45x97 mm	-52PN-AP;-52PN-CH;-52PN-EST;-52PN-INS;-AB_CHIAVE;-X52AP;-X52CH;-X52EST;-X52INS;-X89GAP;-X89GCH;-X-PROT1;-X-PROT2;-XAP52MAN;-XCH52;-XGI_DIS;-XGI_INIZ;-XGI_INS
11.	AMR.48BIP20-I DIN	57	AMRA	Zoccoli	Cablaggio: Frontale Terminale: A vite Fissaggio: Pannello / barra DIN Utilizzabile con cavo fino a 2,5mm² 2 connessioni per ogni terminale del relè, per evitare morsettiere esterne	-2BM;-52PN-AP;-52PN-CH;-52PN-EST;-52PN-INS;-162K09;-162K10;-163K09;-163K10;-164K09...-164K16;-165K01...-165K04;-AB_CHIAVE;-K-BE1...-K-BE4;-K-BM1;-K-BM2;-K-BP1;-K-BP2;-K-SC1;-K-SC2;-PNP1...-PNP4;-X52AP;-X52CH;-X52EST;-X52INS;-X89GAP;-X89GCH;-X-PROT1;-X-PROT2;-XA52;-XAB52_A;-XAB52_M;-XAP52MAN;-XCH52;-XGI_DIS;-XGI_INIZ;-XGI_INS;-XMAN;-XMT52;-XPOMP;-XRB;-XWD PLC

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - (Codeword/Unit)

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: ELENCO APPARECCHIATURE

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 351

Cliente N° 26002-DD-EE-04-06-002 | Segue - 352

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

12.	AMR.RC48	55	AMRA	Molle di ritenuta	Molle di ritenuta per relè con coperchio, altezza 97 mm (serie OK) su presa DIN 50IP20-I, 48BIP20-I	-52PN-AP;-52PN-CH;-52PN-EST;-52PN-INS;-162K09;-162K10;-163K09;-163K10;-164K09...-164K16;-165K01...-165K04;-AB_CHIAVE;-K-BE1...-K-BE4;-K-BM1;-K-BM2;-K-BP1;-K-BP2;-K-SC1;-K-SC2;-PNP1...-PNP4;-X52AP;-X52CH;-X52EST;-X52INS;-X89GAP;-X89GCH;-X-PROT1;-X-PROT2;-XA52;-XAB52_A;-XAB52_M;-XAP52MAN;-XCH52;-XGI_DIS;-XGI_INIZ;-XGI_INS;-XMAN;-XMT52;-XPOMP;-XWD PLC
13.	FAN.IGR35F	1	Fanndis	Igrostato elettromeccanico	120-240 VAC, 10-5 A, 10-90 %RH 1 CO	-BM1
14.	AMR.TM4EE50-C110	1	AMRA	Rele' monostabile temporizzato	Relè temporizzato all'eccitazione 4 contatti temporizzati Regolazione da 0,1s a 9 ore Un: 110VDC 4 SPDT, 5A Configurazione diodo + Led Dimensioni:40x97x50 mm	-2BM
15.	AMR.RT48	1	AMRA	Molle di ritenuta	Molle di ritenuta per relè temporizzato con coperchio, altezza 97mm su presa DIN 50IP20-I, 48BIP20-I	-2BM
16.	AEL.THV02	1	Alfa Electric	Termostato	Termostato compatto basato su elemento bimetallico NO contatto 10A 0...+60°C per montaggio su guida DIN 35 mm	-BT1
17.	AE.LL49W-100-230V	4	Alfa Electric	Lampada a LED	Lampada sottile a LED per quadro. 9W 100-230V, 50Hz 1000 Lm, 538×23×36 mm	-EA1...-EA4
18.	AE.HT100	2	Alfa Electric	Riscaldatore	Riscaldatore PTC compatti Potenza: 100W Alimentazione: 120-240 V Dimensioni: 140x59x64mm Connessione a morsetto 2.5 mm²	-EB1;-EB2
19.	SIE.5SU1354-1KK13	1	Siemens	IMTD	Interruttore magnetotermico/differenziale, 10 kA, 1P+N, tipo AC, 30 mA, car. C, In: 13 , Un AC: 230 V	-FC1
20.	SIE.5SY5216-6	3	Siemens	SENTRON INTERRUTTORE CU 10 kA 2P B16A	Interruttore magnetotermico corrente universale DC 440 V AC 400 V 10 kA, a 2 poli, B, 16A	-FC10;-FC28;-FC29
21.	SIE.5SY5202-6	1	Siemens	SENTRON INTERRUTTORE CU 10 kA 2P B02A	Interruttore magnetotermico DC 440 V AC 400 V 10 kA, a 2 poli, B, 2A P=70 mm	-FC11
22.	SIE.5SY5210-6	14	Siemens	SENTRON INTERRUTTORE CU 10 kA 2P B10A	Interruttore magnetotermico corrente universale DC 440 V AC 400 V 10 kA, a 2 poli, B, 10A	-FC12...-FC15;-FC18...-FC23;-FC25;-FC27;-FC34;-FC35
23.	SIE.5SY5206-6	11	Siemens	SENTRON INTERRUTTORE CU 10 kA 2P B06A	Interruttore magnetotermico corrente universale DC 440 V AC 400 V 10 kA, a 2 poli, B, 06 A	-FC16;-FC17;-FC24;-FC26;-FC30...-FC33;-FC36;-FC37;-FC51
24.	SIE.5ST3016	23	Siemens			-FC16...-FC19;-FC31...-FC37;-FC42...-FC44;-FC47;-FC48;-FC51;-FC55...-FC60
25.	SIE.5SY4206-6	10	Siemens	INTERRUTTORE 400 V 10 kA, 2P, B06A	Interruttore magnetotermico 400V 10 kA, a 2 poli, B, 6A, P=70mm	-FC41;-FC45...-FC48;-FC52;-FC55;-FC56;-FC59;-FC60
26.	SIE.5SY4202-6	5	Siemens	INTERRUTTORE 400V 10kA, 2P, B02A	Interruttore magnetotermico AC 400 V 10 kA, a 2 poli, B, 2A, P=70 mm	-FC42...-FC44;-FC57;-FC58
27.	PXC.2905744	2	Phoenix Contact	Interruttore di protezione elettronico	Interruttore di protezione elettronico a più canali con limitazione attiva di corrente per la protezione di otto utenze da 24 V DC in caso di sovraccarico e corto circuito. Con procedura guidata e blocco elettronico delle correnti nominali impostate. Per installazione su guide DIN.	-FC53;-FC54

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - (Codeword/Unit)

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo ELENCO APPARECCHIATURE

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 352

Cliente N° 26002-DD-EE-04-06-002 | Segue - 353

28.	SIE.3SU1152-6AA50-1AA0	1	Siemens	INDICATORE LUMINOSO, BLU	Indicatore luminoso, 22 mm, rotondi, in metallo, lucido, blu, lente, liscio, con supporto, modulo LED con LED integrato AC/DC 24V, morsetti a vite	-H1
29.	SIE.3SU1900-0AH10-0AA0	2	Siemens	PORTATARGHETTA	portatarghetta, piatto, bordo arrotondato in basso, nero, per targhetta identificativa 17,5 mm x 27 mm adesiva	-H1;-H2
30.	SIE.3SU1152-6AA30-1AA0	1	Siemens	INDICATORE LUMINOSO, GIALLO	Indicatore luminoso, 22 mm, rotondi, in metallo, lucido, giallo, lente, liscio, con supporto, modulo LED con LED integrato AC/DC 24V, morsetti a vite	-H2
31.	SPA.PK22-WP/24	1	S.I. "SPAMEL"	Indicatore di posizione	Indicatore di posizione per identificare la posizione di un elemento 24 AC/DC luminescente in due colori: rosso (X1) o verde (X2) diametro di 22 mm	-H3
32.	AMR.OKSFCE50-C024	14	AMRA	Relè estraibile di tipo monostabile istantaneo	Relè estraibile di tipo monostabile istantaneo Funzionamento continuo Un: 24VDC 4 SPDT, 10A Soffiatore magnetico Il potere di interruzione in DC raddoppiato Configurazione diodo + Led Dimensioni:45x45x97 mm	-K-BE1...-K-BE4;-K-BM1;-K-BM2;-K-BP1;-K-BP2;-K-SC1;-K-SC2;-PNP1...-PNP4
33.	PXC.2967086	1	Phoenix Contact	Modulo portarelè	PLC-INTERFACE, composto da morsetto base PLC-BSC.../21 con connessione a vite e relè in miniatura a innesto con contatto di potenza, per montaggio su guida di supporto NS 35/7,5, 2 contatto di scambio, tensione di ingresso 120 V AC/110 V DC	-K1
34.	PXC.2966197	78	Phoenix Contact	Modulo portarelè	PLC-INTERFACE, composto da morsetto base PLC-BSC.../21 con connessione a vite e relè in miniatura a innesto con contatto di potenza, per montaggio su guida di supporto NS 35/7,5, 1 contatto di scambio, tensione di ingresso 120 V AC/110 V DC	-73K01...-73K03;-75K01...-75K05;-81K01...-81K08;-82K01...-82K08;-83K01...-83K08;-84K01...-84K08;-85K01...-85K08;-86K01...-86K08;-87K01...-87K08;-88K01...-88K08;-91K02;-91K04;-91K06;-93K03...-93K05
35.	PXC.2966171	40	Phoenix Contact	Modulo portarelè	PLC-INTERFACE, composto da morsetto base PLC-BSC.../21 con connessione a vite e relè in miniatura a innesto con contatto di potenza, per montaggio su guida di supporto NS 35/7,5, 1 contatto di scambio, tensione di ingresso 24 V DC	-73K04;-161K01...-161K16;-162K01...-162K08;-162K11;-162K12;-162K14...-162K16;-163K01;-163K02;-163K06...-163K08;-163K15;-163K16;-165K05...-165K07
36.	PXC.2966786	1	Phoenix Contact	Ponticelli continui	Ponticelli continui, lunghezza: 500 mm, colore: rosso	-81K01
37.	PXC.2966692	2	Phoenix Contact	Ponticelli continui	Ponticelli continui, lunghezza: 500 mm, colore: blu	-81K01;-161K01
38.	AMR.OKFCE50-C024	23	AMRA	Relè estraibile di tipo monostabile istantaneo	Relè estraibile di tipo monostabile istantaneo Funzionamento continuo Un: 24VDC 4 SPDT, 10A Configurazione diodo + Led Soffiatore magnetico Dimensioni:45x45x97 mm	-162K09;-162K10;-163K09;-163K10;-164K09...-164K16;-165K01...-165K04;-XA52;-XAB52_A;-XAB52_M;-XMAN;-XMT52;-XPOMP;-XWD PLC
39.	AMR.POKE40-C024	33	AMRA	Relè estraibili compatti di tipo monostabile istantaneo	Relè estraibili compatti di tipo monostabile istantaneo Un: 24VDC 2 SPDT, 5A Configurazione Led Dimensioni:20x50x45 mm	-163K03;-163K04;-163K11...-163K14;-164K08;-165K13...-165K16;-166K01...-166K16;-XBE;-XBM;-XBP;-XRBP;-XRSC;-XSC
40.	AMR.50IP20-I DIN	33	AMRA	Zoccoli	Cablaggio: Frontale Terminale: A vite Fissaggio: Pannello / barra DIN Numero di terminali: 8 Utilizzabile con cavo fino a 2,5mm² 2 connessioni per ogni terminale del relè, per evitare morsettiere esterne	-163K03;-163K04;-163K11...-163K14;-164K08;-165K13...-165K16;-166K01...-166K16;-XBE;-XBM;-XBP;-XRBP;-XRSC;-XSC

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - (Codeword/Unit)

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: ELENCO APPARECCHIATURE

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 353

Cliente N° 26002-DD-EE-04-06-002 | Segue - 354

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

41.	AMR.RPB48	34	AMRA	Molle di ritenuta	Molle di ritenuta per relè con coperchio, altezza 50mm (POKs, UTM series) su presa DIN 50IP20-I, 48BIP20-I	-163K03;-163K04;-163K11...-163K14;-164K08;-165K13...-165K16;-166K01...-166K16;-XBE;-XBM;-XBP;-XRB;-XRBP;-XRSC;-XSC
42.	WE.SDI-862-SM-SC30	3	Westermo Network Technologies	Switch unmanaged 8 porte Ethernet e fibra	6 porte Ethernet 10/100 Base T 2 porte in fibra 100Base-FX monomodali Tensione di esercizio: 10-60 VDC Corrente nominale: 250 mA (24V)	-KE1...-KE3
43.	IEI.PPC2-CW19-ADL-i7/8G-R10	1	IEI Integration Corp.	Touch Panel	PC pannello da 18,5" 400 cd/m² 1920x1080 con processore Intel® Core™ i7-12700 di dodicesima generazione (25M Cache, fino a 4,90 GHz), TDP 65W, 4GB DDR4, uscita HDMI, 1 slot PCIe Gen4 x 16, 1 M.2 2280, alimentatore ATX/AT, touchscreen capacitivo proiettato con AG, R10	-KE4
44.	POL.2080724	32	Pollmann Elektrotechnik GmbH	Blocco di distribuzione di fase	Morsetti a vite 2 ingressi, sezione nominale 2,5-35 mm² 9 uscite, sezione nominale 1,5-16 mm² corrente nominale: 125 A	-L;-N;-X2...-X31
45.	RIT.SK3240.700	1	Rittal	Ventilatore-filtro	SK Ventilatore-filtro Blue e+, 218 m³/h, 230 V, 1~, 50 Hz, LxAxP: 255 x 255 x 129 mm, RAL 7035 Plastica Corrente nominal: 0,2 A Potenza nominale: 33.1 W	-M1
46.	RIT.SK3240.300	1	Rittal	Filtro di uscita	SK Filtro di uscita Blue e+, per ventilatori-filtro 3240.7xx/3240.9xx/3241.7xx/3241.9xx, LxA 255 x 255 mm, RAL 7035	-M1
47.	FIB.BOE12F	2	Fibernet	Box ottico a 12 f.o.	Box ottico di giunzione e connessione a 12 f.o. su barra DIN, da interno SC, ST, FC simplex, LC duplex Numero di Ingressi cavi: 2 Dimensioni: 240x190x90 mm	-PATCHPANEL1;-PATCHPANEL2
48.	SIE.5TE8112	1	Siemens	INTERRUTTORE ON/OFF 20 A 2NO	Sezionatore sottocarico, interruttore ON/OFF 20 A 2NO morsetto 6 mm²	-QB1
49.	SIE.3KD3032-2NE10-0	1	Siemens	SEZIONATORE SOTTOCARICO 690V 100A 3P	Sezionatore sottocarico 100A, grand. costr. 2, a 3 poli comando frontale a sinistra apparecchio completo con comando diretto grigio morsetto serracavo	-QB2
50.	SIE.3KD9103-5	1	Siemens	Modulo interruttore ausiliario	Accessori per 3KD grand. costr. 1/2, 3KF grandezza costruttiva 1, 3KC0 grandezza costruttiva 1/2, modulo blocchetto di contatti ausiliari per max. 2 blocchetti di contatti ausiliari	-QB2
51.	SIE.3KD9103-2	1	Siemens	INTERRUTTORE AUX. 1 CONTATTO CO SENZA CAVO	Accessori per 3KD grand. costr. 1/2, 3KF grandezza costruttiva 1, 3KC0 grandezza costruttiva 1/2, blocchetto di contatti ausiliari 1 CO senza cavo di collegamento	-QB2
52.	ARC.HS50 56R J	1	Ohmite Arcol	Resistori filo avvolto	Resistenza: 56 Ω Potenza: 50 W Contenitore di alluminio	-R1
53.	ARC.HS100 220R J	1	Ohmite Arcol	Resistori filo avvolto	Resistenza: 220 Ω Potenza: 100 W Contenitore di alluminio	-R2
54.	ARC.HS50 150R J	3	Ohmite Arcol	Resistori filo avvolto	Resistenza: 150Ω Potenza: 50W Contenitore di alluminio	-R3;-R5;-R7
55.	ARC.HS50 390R J	3	Ohmite Arcol	Resistori filo avvolto	Resistenza: 390Ω Potenza: 50W Contenitore di alluminio	-R4;-R6;-R8
56.	SIE.3SU1051-1HB20-0AA0	1	Siemens	PULS. FUNGO ARR. EMER. LUM., 40MM, ROSSO	Pulsante a fungo di ARRESTO DI EMERGENZA, illuminabile, 22 mm, rotondo, in metallo, lucido, rosso, 40 mm, permanente con blocco positivo, secondo DIN EN ISO 13850, sblocco a rotazione	-S301

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo ELENCO APPARECCHIATURE

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 354

Cliente N° 26002-DD-EE-04-06-002

Segue - 355

57.	SIE.3SU1550-1AA10-1LA0	1	Siemens	SUPPOR., MOD. CONTATTI 1NO+1NC, 1NO+1NC	Supporto, universale, per 3 moduli, in plastica/metallo, 1 NO+1 NC, 1 NO+1 NC, attacco a vite	-S301
58.	SIE.3SU1900-0DY30-0AA0	1	Siemens	COLLARE DI PROTEZIONE	Collare di protezione per pulsante a fungo di ARRESTO DI EMERGENZA, senza o con serratura RONIS, design 22 mm, giallo, plastica	-S301
59.	PXC.2907874	1	Phoenix Contact	Scaricatori di sovratensioni tipo 2	Scaricatore di sovratensioni a innesto, secondo tipo 2 / classe II, per sorgenti di corrente per sorgenti DC con caratteristica di funzionamento lineare, con contatto FM per la segnalazione degli errori.	-SC1
60.	TEC.XCKN2110G11	4	Telemecanique Sensors	Contatto apertura porta	Interruttore di finecorsa, Interruttori di finecorsa XC Standard, XCKN, pistone terminale in metallo, 1NC+1 NO, a scatto	-SW1...-SW4
61.	PXC.2866776	4	Phoenix Contact	Alimentatore	Alimentatore QUINT POWER switching per montaggio su guida con tecnologia SFB (Selective Fuse Breaking), ingresso: monofase, uscita: 24 V DC / 20 A	-TA1...-TA4
62.	PXC.2320157	2	Phoenix Contact	Modulo di ridondanza	Modulo a diodi per guide di supporto 12- 24 V DC/2x20 A o 1x40 A	-TB1;-TB2
63.	PXC.2950064	1	Phoenix Contact	Modulo a diodi	Modulo con diodi, per espansione con 7 diodi 1N 4007, catodo in comune	-TB3
64.	PR.4104	8	PR electronics	Trasmettitore dei segnali uni-/bipolari universale	Ingresso e uscita uni-/bipolare, ingresso/uscita/alimen. isolati	-U212_1...-U212_8
65.	EFX.563810	1	nVent ERIFLEX	Ripartitore Bipolare BD 100/125 AL 14 Uscite	Blocco di distribuzione bipolare BD, 690 V CA, 100/125 A, 1 connessione lato linea, 14 connessioni lato carico, 5,81 W/polo	-X1
66.	PXC.3044131	2	Phoenix Contact	UT 6 - Morsetto passante	Morsetto passante, tensione nominale: 1000 V, corrente nominale: 41 A, numero di connessioni: 2, tipo di connessione: Connessione a vite, Sezione di dimensionamento: 6 mm², sezione: 0,2 mm² - 10 mm², tipo di montaggio: NS 35/7,5, NS 35/15, colore: grigio	-XD01
67.	PXC.3044225	4	Phoenix Contact	UT 35 - Morsetto passante	Morsetto passante, Collegamento: Connessione a vite, Sezione:1,5 mm² - 50 mm², AWG: 16 - 1/0, Larghezza: 16 mm, Altezza: 65,1 mm, Colore: grigio, Tipo di montaggio: NS 35/7,5, NS 35/15	-XD10
68.	PXC.3044076	505	Phoenix Contact	UT 2.5 - Morsetto passante	Morsetto passante, Collegamento: Connessione a vite, Sezione:0,14 mm² - 4 mm², AWG: 26 - 12, Larghezza: 5,2 mm, Colore: grigio, Tipo di montaggio: NS 35/7,5, NS 35/15	-XD11...-XD28;-XD50...-XD53;-XG;-XG52G;-XG304;-XGAQT;-XGAUTO;-XGCI;-XGCI52;-XGDISP;-XGECC;-XGMAIG;-XGPAT347;-XGPNP;-XGQP;-XGROT1;-XGROT2;-XGROTASP;-XGROTMAND;-XGRV;-XGSEGLED;-XGSG;-XGSODA4;-XGT347;-XGVALRIT
69.	PXC.3046362	464	Phoenix Contact	UT 2,5-MT - Morsetto con sezionatore a coltello	Morsetto con sezionatore a coltello, tensione nominale: 400 V, corrente nominale: 20 A, Corrente continua termica Ith: 20 A, tipo di connessione: Connessione a vite, Sezione di dimensionamento: 2,5 mm², sezione: 0,14 mm² - 4 mm², montaggio: NS 35/7,5, NS 35/15, colore: grigio	-XG01...-XG03;-XG201...-XG209;-XGBH;-XGBL;-XGBLP;-XGDISP
70.	AMR.BIPOKE40-C024	1	AMRA	Relè estraibili compatti di tipo monostabile istantaneo	Relè estraibili compatti di tipo monostabile istantaneo Un: 24VDC, 4 SPDT, 5A Configurazione LED Dimensioni:40x50x45 mm	-XRB
71.	SE.A9A15310	2	Schneider Electric	DIN Presa iPC 2P+T	Presa DIN iPC - 2P+E - standard tedesco Tensione nominale: 250 VAC Corrente nominale: 16A	-XS1;-XS2

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo ELENCO APPARECCHIATURE

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 355

Cliente N° 26002-DD-EE-04-06-002 | Segue - 401

Schema morsetti

Striscia di prese

=ASM+ASM-K4-H

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/213.5	-PNP4:M1		RD 1 mm²	'	2		-K4-X1	
/216.2	-XGBH:85:B		RD 1 mm²	'	15		-K4	
/216.3	-PNP3:M1		RD 1 mm²	'	16		-K4	

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-K4-H

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 401

Cliente N° 26002-DD-EE-04-06-002

Segue - 402

Schema morsetti

Striscia di prese

=ASM+ASM-K5-H

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
/217.5	-XGBH:89:B		RD 1 mm²	'	2	-K5-X1	
/220.2	-XGBH:115:B		RD 1 mm²	'	15	-K5	
/220.3	-XGBH:117:B		RD 1 mm²	'	16	-K5	

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-K5-H

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 402

Cliente N° 26002-DD-EE-04-06-002

Segue - 403

Schema morsetti

Striscia di prese

=ASM+ASM-K5-K

Posizionamento	LATO A: Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		LATO B: Cablaggio	LATO B: Designazione destinazione	LATO B: Tipo di morsetto
/217.3	-XGBH:87:B		RD 1 mm²	'	1		-K5-X1	
/218.6	-XGBH:101:B		RD 1 mm²	'	8		-K5	
/218.7	-XGBH:103:B		RD 1 mm²	'	9		-K5	
/219.2	-XGBH:105:B		RD 1 mm²	'	10		-K5	
/217.6	-XGBH:91:B		RD 1 mm²	'	3		-K5-X1	
/219.3	-XGBH:107:B		RD 1 mm²	'	11		-K5	
/217.7	-XGBH:93:B		RD 1 mm²	'	4		-K5-X1	
/219.5	-XGBH:109:B		RD 1 mm²	'	12		-K5	
/219.6	-XGBH:111:B		RD 1 mm²	'	13		-K5	
/219.7	-XGBH:113:B		RD 1 mm²	'	14		-K5	

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 – Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-K5-K

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 403

Cliente N° 26002-DD-EE-04-06-002 | Segue - 404

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-K5-PLC

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
/217.3	-K5-D1:x1			1	RD 1 mm²	-87K01:A1	
/218.6	-K5-D8:x1			8	RD 1 mm²	-87K08:A1	
/218.7	-K5-D9:x1			9	RD 1 mm²	-88K01:A1	
/217.5	-K5-D2:x1			2	RD 1 mm²	-87K02:A1	
/219.2	-K5-D10:x1			10	RD 1 mm²	-88K02:A1	
/217.6	-K5-D3:x1			3	RD 1 mm²	-87K03:A1	
/219.3	-K5-D11:x1			11	RD 1 mm²	-88K03:A1	
/217.7	-K5-D4:x1			4	RD 1 mm²	-87K04:A1	
/219.5	-K5-D12:x1			12	RD 1 mm²	-88K04:A1	
/219.6	-K5-D13:x1			13	RD 1 mm²	-88K05:A1	
/219.7	-K5-D14:x1			14	RD 1 mm²	-88K06:A1	
/220.2	-K5-D15:x1			15	RD 1 mm²	-88K07:A1	
/220.3	-K5-D16:x1			16	RD 1 mm²	-88K08:A1	

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-K5-PLC

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 404
Cliente N° 26002-DD-EE-04-06-002 | Segue - 405

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

LATO A

Striscia di prese
=ASM+ASM-K5-SIG

LATO B

Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/217.3	-XGBH:88:B		RD 1 mm²		1		-K5-D1:x1	
/218.6	-XGBH:102:B		RD 1 mm²		8		-K5-D8:x1	
/218.8	-XGBH:104:B		RD 1 mm²		9		-K5-D9:x1	
/217.5	-XGBH:90:B		RD 1 mm²		2		-K5-D2:x1	
/219.2	-XGBH:106:B		RD 1 mm²		10		-K5-D10:x1	
/217.6	-XGBH:92:B		RD 1 mm²		3		-K5-D3:x1	
/219.3	-XGBH:108:B		RD 1 mm²		11		-K5-D11:x1	
/217.8	-XGBH:94:B		RD 1 mm²		4		-K5-D4:x1	
/219.5	-XGBH:110:B		RD 1 mm²		12		-K5-D12:x1	
/219.6	-XGBH:112:B		RD 1 mm²		13		-K5-D13:x1	
/219.8	-XGBH:114:B		RD 1 mm²		14		-K5-D14:x1	
/220.2	-XGBH:116:B		RD 1 mm²		15		-K5-D15:x1	
/220.3	-XGBH:118:B		RD 1 mm²		16		-K5-D16:x1	

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-K5-SIG

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 405
Cliente N° 26002-DD-EE-04-06-002
Segue - 406

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XD01

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				- 1	OG 2.5 mm²	-QB1:1	UT 6
				- 2	OG 2.5 mm²	-QB1:3	UT 6

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XD01

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 406
Cliente N° 26002-DD-EE-04-06-002
Segue - 407

Schema morsetti

Striscia di prese

=ASM+ASM-XD10

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/41.2	=QSA CC+QSA CC-XT1	QSACC3-ASM3/110V FG16OM16 3G35 mm²	MA 35 mm²		1	RD 10 mm²	-FC10:1	UT 35
					2	RD 25 mm²	-QB2:1	UT 35
/41.2	=QSA CC+QSA CC-XT1	QSACC3-ASM3/110V FG16OM16 3G35 mm²	BL 35 mm²		3	WH 10 mm²	-FC10:3	UT 35
					4	WH 25 mm²	-QB2:3	UT 35

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD10

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 407

Cliente N° 26002-DD-EE-04-06-002

Segue - 408

Schema morsetti

Striscia di prese

=ASM+ASM-XD11

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	RD 2.5 mm²	-FC16:2	UT 2,5
				2			UT 2,5
				3	WH 2.5 mm²	-FC16:4	UT 2,5
				4			UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD11

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 408

Cliente N° 26002-DD-EE-04-06-002

Segue - 409

Schema morsetti

Striscia di prese

=ASM+ASM-XD12

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/44.6	=ECC+ECC-X80:3	ASM3-ECC3/110V FG16OM16 3G2.5 mm²	MA 2.5 mm²	'	1	RD 2.5 mm²	-FC18:2	UT 2,5
/44.6	=ECC+ECC-X80:4	ASM3-ECC3/110V FG16OM16 3G2.5 mm²	BL 2.5 mm²	'	2	WH 2.5 mm²	-FC18:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD12

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 409

Cliente N° 26002-DD-EE-04-06-002

Segue - 410

Schema morsetti

Striscia di prese

=ASM+ASM-XD13

Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	LATO A	LATO B	Cablaggio	Designazione destinazione	Tipo di morsetto
/44.7	=QP+QP-CC-A:1	ASM3-QP3/110V FG16OM16 3G2.5 mm²	MA 2.5 mm²	'	1		RD 2.5 mm²	-FC19:2	UT 2,5
/44.7	=QP+QP-CC-A:3	ASM3-QP3/110V FG16OM16 3G2.5 mm²	BL 2.5 mm²	'	2		WH 2.5 mm²	-FC19:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XD13

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 410

Cliente N° 26002-DD-EE-04-06-002

Segue - 411

Schema morsetti

Striscia di prese

=ASM+ASM-XD14

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
=AQT+AQT/41.3	=AQT+AQT-XD10:1:A	ASM3-AQT3/110V FG16OM16 3G2.5 mm²	MA 2.5 mm²	' 1	RD 2.5 mm²	-FC20:2	UT 2,5
=AQT+AQT/41.3	=AQT+AQT-XD10:2:A	ASM3-AQT3/110V FG16OM16 3G2.5 mm²	BL 2.5 mm²	' 2	WH 2.5 mm²	-FC20:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD14

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 411

Cliente N° 26002-DD-EE-04-06-002

Segue - 412

Schema morsetti

Striscia di prese

=ASM+ASM-XD15

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
=AQT+AQT/41.5	=AQT+AQT-XD10:3:A	ASM3-AQT3/110V2 FG16OM16 3G2.5 mm²	MA 2.5 mm²	'	1	RD 2.5 mm²	-FC21:2	UT 2,5
=AQT+AQT/41.6	=AQT+AQT-XD10:4:A	ASM3-AQT3/110V2 FG16OM16 3G2.5 mm²	BL 2.5 mm²	'	2	WH 2.5 mm²	-FC21:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD15

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 412

Cliente N° 26002-DD-EE-04-06-002

Segue - 413

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XD16

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
=AQT+AQT/42.3	=AQT+AQT-XD10:5:A	ASM3-AQT3/110V3 FG16OM16 3G2.5 mm²	MA 2.5 mm²	1	RD 2.5 mm²	-FC22:2	UT 2,5
=AQT+AQT/42.3	=AQT+AQT-XD10:6:A	ASM3-AQT3/110V3 FG16OM16 3G2.5 mm²	BL 2.5 mm²	2	WH 2.5 mm²	-FC22:4	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XD16

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 413
Cliente N° 26002-DD-EE-04-06-002
Segue - 414

Schema morsetti

Striscia di prese

=ASM+ASM-XD17

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
=AQT+AQT/42.5	=AQT+AQT-XD10:7:A	ASM3-AQT3/110V4 FG16OM16 3G2.5 mm²	MA 2.5 mm²	'	1	RD 2.5 mm²	-FC23:2	UT 2,5
=AQT+AQT/42.6	=AQT+AQT-XD10:8:A	ASM3-AQT3/110V4 FG16OM16 3G2.5 mm²	BL 2.5 mm²	'	2	WH 2.5 mm²	-FC23:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD17

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 414

Cliente N° 26002-DD-EE-04-06-002

Segue - 415

Schema morsetti

Striscia di prese

=ASM+ASM-XD18

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
=AQT+AQT/43.2	=AQT+AQT-XD10:9:A	ASM3-AQT3/110V5 FG16OM16 3G2.5 mm²	MA 2.5 mm²	'	1	RD 2.5 mm²	-FC24:2	UT 2,5
=AQT+AQT/43.3	=AQT+AQT-XD10:10:A	ASM3-AQT3/110V5 FG16OM16 3G2.5 mm²	BL 2.5 mm²	'	2	WH 2.5 mm²	-FC24:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD18

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 415

Cliente N° 26002-DD-EE-04-06-002

Segue - 416

Schema morsetti

Striscia di prese

=ASM+ASM-XD19

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
=AQT+AQT/43.6	=AQT+AQT-XD10:11:A	ASM3-AQT3/110V6 FG16OM16 3G2.5 mm²	MA 2.5 mm²	'	1	RD 2.5 mm²	-FC25:2	UT 2,5
=AQT+AQT/43.6	=AQT+AQT-XD10:12:A	ASM3-AQT3/110V6 FG16OM16 3G2.5 mm²	BL 2.5 mm²	'	2	WH 2.5 mm²	-FC25:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD19

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 416

Cliente N° 26002-DD-EE-04-06-002

Segue - 417

Schema morsetti

Striscia di prese

=ASM+ASM-XD20

	LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
=AQT+AQT/43.7	=AQT+AQT-XD10:13:A	ASM3-AQT3/110V7 FG16OM16 3G2.5 mm²	MA 2.5 mm²	'	1	RD 2.5 mm²	-FC26:2	UT 2,5
=AQT+AQT/43.7	=AQT+AQT-XD10:14:A	ASM3-AQT3/110V7 FG16OM16 3G2.5 mm²	BL 2.5 mm²	'	2	WH 2.5 mm²	-FC26:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD20

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 417

Cliente N° 26002-DD-EE-04-06-002

Segue - 418

Schema morsetti

Striscia di prese

=ASM+ASM-XD21

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				- 1	RD 2.5 mm²	-FC27:2	UT 2,5
				- 2	WH 2.5 mm²	-FC27:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD21

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 418

Cliente N° 26002-DD-EE-04-06-002

Segue - 419

Schema morsetti

Striscia di prese

=ASM+ASM-XD22

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/47.4	=RV+RV-XAL110:1	ASM3-RV3/110V FG16OM16 3G2.5 mm²	MA 2.5 mm²	'	1	RD 2.5 mm²	-FC28:2	UT 2,5
/47.4	=RV+RV-XAL110:2	ASM3-RV3/110V FG16OM16 3G2.5 mm²	BL 2.5 mm²	'	2	WH 2.5 mm²	-FC28:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD22

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 419

Cliente N° 26002-DD-EE-04-06-002

Segue - 420

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XD23

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				- 1	RD 2.5 mm²	-FC29:2	UT 2,5
				- 2	WH 2.5 mm²	-FC29:4	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XD23

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 420
Cliente N° 26002-DD-EE-04-06-002
Segue - 421

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XD24

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				- 1	RD 2.5 mm²	-FC30:2	UT 2,5
				- 2	WH 2.5 mm²	-FC30:4	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo
Schema morsetti =ASM+ASM-XD24

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 421
Cliente N° 26002-DD-EE-04-06-002
Segue - 422

Schema morsetti

Striscia di prese

=ASM+ASM-XD25

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
=ASQ+ASQ/41.4	=ASQ+ASQ-XD10:1:A	ASM3-ASQ3/110V FG16OM16 3G2.5 mm²	MA 2.5 mm²	'	1	RD 2.5 mm²	-FC32:2	UT 2,5
=ASQ+ASQ/41.5	=ASQ+ASQ-XD10:2:A	ASM3-ASQ3/110V FG16OM16 3G2.5 mm²	BL 2.5 mm²	'	2	WH 2.5 mm²	-FC32:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F

Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD25

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 422

Cliente N° 26002-DD-EE-04-06-002

Segue - 423

Schema morsetti

Striscia di prese

=ASM+ASM-XD26

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
=QT+QT/41.4	=QT+QT-XD10:1:A	ASM3-QT3/110V FG16OM16 3G2.5 mm²	MA 2.5 mm²	'	1	RD 2.5 mm²	-FC33:2	UT 2,5
=QT+QT/41.5	=QT+QT-XD10:2:A	ASM3-QT3/110V FG16OM16 3G2.5 mm²	BL 2.5 mm²	'	2	WH 2.5 mm²	-FC33:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD26

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 423

Cliente N° 26002-DD-EE-04-06-002

Segue - 424

Schema morsetti

Striscia di prese

=ASM+ASM-XD27

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	RD 2.5 mm²	-FC34:2	UT 2,5
				2			UT 2,5
				3	WH 2.5 mm²	-FC34:4	UT 2,5
				4			UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XD27

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 424

Cliente N° 26002-DD-EE-04-06-002 | Segue - 425

Schema morsetti

Striscia di prese

=ASM+ASM-XD28

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	RD 2.5 mm²	-FC36:2	UT 2,5
				2			UT 2,5
				3	WH 2.5 mm²	-FC36:4	UT 2,5
				4			UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD28

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 425

Cliente N° 26002-DD-EE-04-06-002

Segue - 426

Schema morsetti

Striscia di prese

=ASM+ASM-XD50

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	BU 2.5 mm²	-FC48:2	UT 2,5
				2			UT 2,5
				3	WH 2.5 mm²	-FC48:4	UT 2,5
				4			UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD50

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 426

Cliente N° 26002-DD-EE-04-06-002

Segue - 427

Schema morsetti

Striscia di prese

=ASM+ASM-XD51

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
=ASQ+ASQ/42.3	=ASQ+ASQ-XD50:1:A	ASM3-ASQ3/24V FG16OH2M16 3G2.5 mm²	MA 2.5 mm²	'	1	BU 2.5 mm²	-FC57:2	UT 2,5
=ASQ+ASQ/42.4	=ASQ+ASQ-XD50:2:A	ASM3-ASQ3/24V FG16OH2M16 3G2.5 mm²	BL 2.5 mm²	'	2	WH 2.5 mm²	-FC57:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD51

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 427

Cliente N° 26002-DD-EE-04-06-002

Segue - 428

Schema morsetti

Striscia di prese

=ASM+ASM-XD52

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	BU 2.5 mm²	-FC58:2	UT 2,5
				2			UT 2,5
				3	WH 2.5 mm²	-FC58:4	UT 2,5
				4			UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD52

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 428

Cliente N° 26002-DD-EE-04-06-002

Segue - 429

Schema morsetti

Striscia di prese

=ASM+ASM-XD53

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	BU 2.5 mm²	-FC60:2	UT 2,5
				2			UT 2,5
				3	WH 2.5 mm²	-FC60:4	UT 2,5
				4			UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XD53

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 429

Cliente N° 26002-DD-EE-04-06-002

Segue - 430

Schema morsetti

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

LATO A

Striscia di prese
=ASM+ASM-XG

LATO B

Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/267.2	=MT347+MT347-XD1:47	MT347_3-ASM3/B FG16OH2M16 7G1.5 mm²	1 1.5 mm²	'	1	RD 1 mm²	-K-BE2:M3	UT 2,5
/265.2	-XGSEGLED:31:A			'	2	RD 1 mm²	-K-BE2:R3	UT 2,5
/267.3	=MT4+MT4-XD1:1	MT3-ASM3/S4 FG16OH2M16 7G1.5 mm²	1 1.5 mm²	'	3	RD 1 mm²	-K-BE2:M4	UT 2,5
/265.3	-XGSEGLED:32:A			'	4	RD 1 mm²	-K-BE2:R4	UT 2,5
/267.5	=MT4+MT4-XD1:1	MT3-ASM3/S4 FG16OH2M16 7G1.5 mm²	3 1.5 mm²	'	5	RD 1 mm²	-K-BE3:M4	UT 2,5
/265.5	-XGSEGLED:33:A			'	6	RD 1 mm²	-K-BE3:R4	UT 2,5
				'	7	RD 1 mm²	-K-BE4:M3	UT 2,5
				'	8	RD 1 mm²	-K-BE4:R3	UT 2,5
				'	9	RD 1 mm²	-K-BE4:M4	UT 2,5
				'	10	RD 1 mm²	-K-BE4:T4	UT 2,5
				'	11	RD 1 mm²	-K-BP1:M4	UT 2,5
				'	12	RD 1 mm²	-K-BP1:T4	UT 2,5
				'	13	RD 1 mm²	-K-BP2:M2	UT 2,5
				'	14	RD 1 mm²	-K-BP2:T2	UT 2,5
				'	15	RD 1 mm²	-K-BP2:M3	UT 2,5
				'	16	RD 1 mm²	-K-BP2:T3	UT 2,5
				'	17	RD 1 mm²	-K-BP2:M4	UT 2,5
				'	18	RD 1 mm²	-K-BP2:T4	UT 2,5
				'	19	RD 1 mm²	-K-SC2:M3	UT 2,5
				'	20	RD 1 mm²	-K-SC2:T3	UT 2,5
				'	21	RD 1 mm²	-K-SC2:M4	UT 2,5
				'	22	RD 1 mm²	-K-SC2:T4	UT 2,5
				'	23	RD 1 mm²	-2BM:R4	UT 2,5
				'	24	RD 1 mm²	-2BM:T4	UT 2,5
				'	25	RD 1 mm²	-2BM:T1	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 430

Cliente N° 26002-DD-EE-04-06-002 | Segue - 431

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				26	RD 1 mm²	-2BM:T2	UT 2,5
				27	RD 1 mm²	-2BM:M2	UT 2,5
				28	RD 1 mm²	-2BM:B2	UT 2,5
				29	RD 1 mm²	-XGI_INS:M4	UT 2,5
				30	RD 1 mm²	-XGI_INS:T4	UT 2,5
				31			UT 2,5
				32			UT 2,5
				33	RD 1 mm²	-XGI_INIZ:M2	UT 2,5
				34	RD 1 mm²	-XGI_INIZ:T2	UT 2,5
				35	RD 1 mm²	-XGI_INIZ:M3	UT 2,5
				36	RD 1 mm²	-XGI_INIZ:T3	UT 2,5
				37	RD 1 mm²	-XGI_INIZ:M4	UT 2,5
				38	RD 1 mm²	-XGI_INIZ:T4	UT 2,5
				39	RD 1 mm²	-X52CH:M4	UT 2,5
				40	RD 1 mm²	-X52CH:T4	UT 2,5
				41	RD 1 mm²	-X52INS:M2	UT 2,5
				42	RD 1 mm²	-X52INS:T2	UT 2,5
				43	RD 1 mm²	-X52INS:M3	UT 2,5
				44	RD 1 mm²	-X52INS:T3	UT 2,5
				45	RD 1 mm²	-X52INS:M4	UT 2,5
				46	RD 1 mm²	-X52INS:T4	UT 2,5
				47	RD 1 mm²	-X89GCH:M2	UT 2,5
				48	RD 1 mm²	-X89GCH:T2	UT 2,5
				49	RD 1 mm²	-X89GCH:M3	UT 2,5
				50	RD 1 mm²	-X89GCH:T3	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 431
Cliente N° 26002-DD-EE-04-06-002 | Segue - 432

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				51	RD 1 mm²	-X89GCH:M4	UT 2,5
				52	RD 1 mm²	-X89GCH:T4	UT 2,5
				53	RD 1 mm²	-AB_CHIAVE:M3	UT 2,5
				54	RD 1 mm²	-AB_CHIAVE:T3	UT 2,5
				55	RD 1 mm²	-AB_CHIAVE:M4	UT 2,5
				56	RD 1 mm²	-AB_CHIAVE:T4	UT 2,5
				57	RD 1 mm²	-XAP52MAN:M3	UT 2,5
				58	RD 1 mm²	-XAP52MAN:T3	UT 2,5
				59	RD 1 mm²	-XAP52MAN:M4	UT 2,5
				60	RD 1 mm²	-XAP52MAN:T4	UT 2,5
				61	RD 1 mm²	-XCH52:M4	UT 2,5
				62	RD 1 mm²	-XCH52:T4	UT 2,5
				63	RD 1 mm²	-XBE:8	UT 2,5
				64	RD 1 mm²	-XBE:7	UT 2,5
				65	RD 1 mm²	-XBM:8	UT 2,5
				66	RD 1 mm²	-XBM:7	UT 2,5
				67	RD 1 mm²	-XSC:8	UT 2,5
				68	RD 1 mm²	-XSC:7	UT 2,5
				69	RD 1 mm²	-XBP:8	UT 2,5
				70	RD 1 mm²	-XBP:7	UT 2,5
				71	RD 1 mm²	-XRB:M2	UT 2,5
				72	RD 1 mm²	-XRB:B2	UT 2,5
				73	RD 1 mm²	-XRSC:8	UT 2,5
				74	RD 1 mm²	-XRSC:7	UT 2,5
				75	RD 1 mm²	-XRBP:8	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 432
Cliente N° 26002-DD-EE-04-06-002 | Segue - 433

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				76	RD 1 mm²	-XRBP:7	UT 2,5
				77	RD 1 mm²	-162K09:M2	UT 2,5
				78	RD 1 mm²	-162K09:T2	UT 2,5
				79	RD 1 mm²	-162K09:M3	UT 2,5
				80	RD 1 mm²	-162K09:T3	UT 2,5
				81	RD 1 mm²	-162K09:M4	UT 2,5
				82	RD 1 mm²	-162K09:T4	UT 2,5
				83	RD 1 mm²	-162K10:M2	UT 2,5
				84	RD 1 mm²	-162K10:T2	UT 2,5
				85	RD 1 mm²	-162K10:M3	UT 2,5
				86	RD 1 mm²	-162K10:T3	UT 2,5
				87	RD 1 mm²	-162K10:M4	UT 2,5
				88	RD 1 mm²	-162K10:T4	UT 2,5
				89	RD 1 mm²	-XMAN:M3	UT 2,5
				90	RD 1 mm²	-XMAN:T3	UT 2,5
				91	RD 1 mm²	-XMAN:M4	UT 2,5
				92	RD 1 mm²	-XMAN:T4	UT 2,5
				93	RD 1 mm²	-163K09:M2	UT 2,5
				94	RD 1 mm²	-163K09:T2	UT 2,5
				95	RD 1 mm²	-163K09:M3	UT 2,5
				96	RD 1 mm²	-163K09:T3	UT 2,5
				97	RD 1 mm²	-163K09:M4	UT 2,5
				98	RD 1 mm²	-163K09:T4	UT 2,5
				99	RD 1 mm²	-163K10:M2	UT 2,5
				100	RD 1 mm²	-163K10:T2	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 433
Cliente N° 26002-DD-EE-04-06-002 | Segue - 434

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

LATO A

Striscia di prese
=ASM+ASM-XG

LATO B

Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
				-	101	RD 1 mm²	-163K10:M3	UT 2,5
				-	102	RD 1 mm²	-163K10:T3	UT 2,5
				-	103	RD 1 mm²	-163K10:M4	UT 2,5
				-	104	RD 1 mm²	-163K10:T4	UT 2,5
				-	105	RD 1 mm²	-XAB52_A:M3	UT 2,5
				-	106	RD 1 mm²	-XAB52_A:T3	UT 2,5
				-	107	RD 1 mm²	-XAB52_A:M4	UT 2,5
				-	108	RD 1 mm²	-XAB52_A:T4	UT 2,5
				-	109	RD 1 mm²	-XAB52_M:M3	UT 2,5
				-	110	RD 1 mm²	-XAB52_M:T3	UT 2,5
				-	111	RD 1 mm²	-XAB52_M:M4	UT 2,5
				-	112	RD 1 mm²	-XAB52_M:T4	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo
Schema morsetti =ASM+ASM-XG

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 434
Cliente N° 26002-DD-EE-04-06-002
Segue - 435

Schema morsetti

Striscia di prese

=ASM+ASM-XG01

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
/73.2	=ASC+ASC-X:53	ASC3-ASM3/S FG16OH2M16 12G1.5 mm²	1 1.5 mm²	1	RD 1.5 mm²	-X2:3	UT 2,5-MT
/73.3	=ASC+ASC-X?:??	ASC3-ASM3/S FG16OH2M16 12G1.5 mm²	3 1.5 mm²	2			UT 2,5-MT
/73.4	=ASC+ASC-X?:??	ASC3-ASM3/S FG16OH2M16 12G1.5 mm²	5 1.5 mm²	3			UT 2,5-MT
/73.4	-73K04:A1		WH 1 mm²	4	7 1.5 mm²	=ASC+ASC-F1	UT 2,5-MT

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - (Codeword/Unit)

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG01

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 435

Cliente N° 26002-DD-EE-04-06-002 | Segue - 436

Schema morsetti

Striscia di prese

=ASM+ASM-XG03

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
=CASSETTE DI GIUNZIONE+JB14/110.3	=CASSETTE DI GIUNZIONE+JB14-X3:1:A	JB14-ASM3/S FG16OH2M16 12G1.5 mm²	1 1.5 mm²	1			UT 2,5-MT
				2			UT 2,5-MT
				3			UT 2,5-MT
				4			UT 2,5-MT
				5			UT 2,5-MT
				6			UT 2,5-MT
/93.2	=MT+SEZIONATORE MONTANTE GR-XD1:58	MT3-ASM3/S FG16OH2M16 7G1.5 mm²	1 1.5 mm²	7			UT 2,5-MT
/93.4	=MT+SEZIONATORE MONTANTE GR-XD1:30			8			UT 2,5-MT
/93.4	=MT+52G-XD1:54	MT3-ASM3/S2 FG16OH2M16 12G1.5 mm²	1 1.5 mm²	9			UT 2,5-MT
/93.5	=MT+52G-XD1:53	MT3-ASM3/S2 FG16OH2M16 12G1.5 mm²	3 1.5 mm²	10			UT 2,5-MT
/93.6	=MT+52G-XD1:14	MT3-ASM3/S2 FG16OH2M16 12G1.5 mm²	5 1.5 mm²	11			UT 2,5-MT
/94.3	=MT+MT-X?:360	MT3-ASM3/S3 FG16OH2M16 7G1.5 mm²	1 1.5 mm²	12			UT 2,5-MT
/94.4	=MT+MT-X?:348	MT3-ASM3/S3 FG16OH2M16 7G1.5 mm²	2 1.5 mm²	13			UT 2,5-MT

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - (Codeword/Unit)

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG03

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 436

Cliente N° 26002-DD-EE-04-06-002 | Segue - 437

Schema morsetti

Striscia di prese

=ASM+ASM-XG52G

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	RD 1 mm²	-XA52:M3	UT 2,5
				2	RD 1 mm²	-XMT52:M1	UT 2,5
				3	RD 1 mm²	-XAB52_A:M1	UT 2,5
				4	RD 1 mm²	-XAB52_M:M1	UT 2,5
				5	RD 1 mm²	-XPOMP:M3	UT 2,5
				6	RD 1 mm²	-XA52:T3	UT 2,5
				7	RD 1 mm²	-XMT52:T1	UT 2,5
				8	RD 1 mm²	-XAB52_A:T1	UT 2,5
				9	RD 1 mm²	-XAB52_M:T1	UT 2,5
				10	RD 1 mm²	-XPOMP:T3	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 – Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XG52G

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 437

Cliente N° 26002-DD-EE-04-06-002

Segue - 438

Schema morsetti

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

LATO A				Striscia di prese =ASM+ASM-XG201		LATO B	
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
					1	BU 1 mm²	-FC53:OUT+:1	UT 2,5-MT
					2	BU 1 mm²	-A201:X10:19	UT 2,5-MT
/71.2	=QCI+QCI-X:305	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	1 1.5 mm²		3			UT 2,5-MT
					4			UT 2,5-MT
					5			UT 2,5-MT
					6			UT 2,5-MT
					7			UT 2,5-MT
					8			UT 2,5-MT
/72.7	=QCI+QCI-X:160	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	12 1.5 mm²		9			UT 2,5-MT
					10			UT 2,5-MT
					11			UT 2,5-MT
					12			UT 2,5-MT
/73.7	=T347+T347-X:135	T347-ASM3/S FG16OH2M16 12G1.5 mm²	1 1.5 mm²		13			UT 2,5-MT
					14			UT 2,5-MT
					15			UT 2,5-MT
/74.4	=AUT T3+AUT T3-X?:??	PA T347-ASM3/S FG16OH2M16 24G1.5 mm²	2 1.5 mm²		16			UT 2,5-MT
					17			UT 2,5-MT
					18			UT 2,5-MT
					19			UT 2,5-MT
					20			UT 2,5-MT
					21			UT 2,5-MT
					22	BU 1 mm²	-73K01:11	UT 2,5-MT
/71.2	=QCI+QCI-X:303	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	2 1.5 mm²		23	BU 1 mm²	-A201:X10:1	UT 2,5-MT
/71.3	=QCI+QCI-X:279	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	3 1.5 mm²		24	BU 1 mm²	-A201:X10:2	UT 2,5-MT
/71.4	=QCI+QCI-X:287	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	4 1.5 mm²		25	BU 1 mm²	-A201:X10:3	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG201

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 438

Cliente N° 26002-DD-EE-04-06-002 | Segue - 439

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG201

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
/71.4	=QCI+QCI-X:271	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	5 1.5 mm²	26	BU 1 mm²	-A201:X10:4	UT 2,5-MT
/71.5	=QCI+QCI-X:295	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	6 1.5 mm²	27	BU 1 mm²	-A201:X10:5	UT 2,5-MT
/71.6	=QCI+QCI-X:384	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	7 1.5 mm²	28	BU 1 mm²	-A201:X10:6	UT 2,5-MT
/71.7	=QCI+QCI-X:317	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	8 1.5 mm²	29	BU 1 mm²	-A201:X10:7	UT 2,5-MT
/71.7	=QCI+QCI-X:309	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	9 1.5 mm²	30	BU 1 mm²	-A201:X10:8	UT 2,5-MT
/72.2	=QCI+QCI-X:333	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	10 1.5 mm²	31	BU 1 mm²	-A201:X10:11	UT 2,5-MT
/72.3	=QCI+QCI-X:325	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	11 1.5 mm²	32	BU 1 mm²	-A201:X10:12	UT 2,5-MT
				33	BU 1 mm²	-A201:X10:13	UT 2,5-MT
				34	BU 1 mm²	-A201:X10:14	UT 2,5-MT
				35	BU 1 mm²	-A201:X10:15	UT 2,5-MT
				36	BU 1 mm²	-A201:X10:16	UT 2,5-MT
				37	BU 1 mm²	-A201:X10:17	UT 2,5-MT
/72.7	=QCI+QCI-X:158	QCI3-ASM3/S FG16OH2M16 24G1.5 mm²	13 1.5 mm²	38	BU 1 mm²	-A201:X10:18	UT 2,5-MT
/73.2	=ASC+ASC-X:55	ASC3-ASM3/S FG16OH2M16 12G1.5 mm²	2 1.5 mm²	39	RD 1 mm²	-73K01:A1	UT 2,5-MT
/73.3	=ASC+ASC-X?:??	ASC3-ASM3/S FG16OH2M16 12G1.5 mm²	4 1.5 mm²	40	RD 1 mm²	-73K02:A1	UT 2,5-MT
/73.4	=ASC+ASC-X?:??	ASC3-ASM3/S FG16OH2M16 12G1.5 mm²	6 1.5 mm²	41	RD 1 mm²	-73K03:A1	UT 2,5-MT
/73.4	=ASC+ASC-F2	ASC3-ASM3/S FG16OH2M16 12G1.5 mm²	8 1.5 mm²	42	RD 1 mm²	-73K04:A2	UT 2,5-MT
				43	BU 1 mm²	-A201:X10:25	UT 2,5-MT
				44	BU 1 mm²	-A201:X10:26	UT 2,5-MT
				45	BU 1 mm²	-A201:X10:27	UT 2,5-MT
/73.7	=T347+T347-X:133	T347-ASM3/S FG16OH2M16 12G1.5 mm²	2 1.5 mm²	46	BU 1 mm²	-A201:X10:28	UT 2,5-MT
/74.2	=T347+T347-X:132	T347-ASM3/S FG16OH2M16 12G1.5 mm²	3 1.5 mm²	47	BU 1 mm²	-A201:X10:31	UT 2,5-MT
				48	BU 1 mm²	-A201:X10:32	UT 2,5-MT
/74.4	=AUT T3+AUT T3-X?:??	PA T347-ASM3/S FG16OH2M16 24G1.5 mm²	9 1.5 mm²	49	BU 1 mm²	-A201:X10:33	UT 2,5-MT
				50	BU 1 mm²	-A201:X10:34	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XG201

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 439
Cliente N° 26002-DD-EE-04-06-002
Segue - 440

Schema morsetti

Striscia di prese

=ASM+ASM-XG201

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				- 51	BU 1 mm²	-A201:X10:35	UT 2,5-MT
				- 52	BU 1 mm²	-A201:X10:36	UT 2,5-MT
				- 53	BU 1 mm²	-A201:X10:37	UT 2,5-MT
				- 54	BU 1 mm²	-A201:X10:38	UT 2,5-MT

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XG201

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 440

Cliente N° 26002-DD-EE-04-06-002

Segue - 441

Schema morsetti

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

LATO A

Striscia di prese
=ASM+ASM-XG202

LATO B

Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
					1	BU 1 mm²	-FC53:OUT+:2	UT 2,5-MT
					2	BU 1 mm²	-A202:X10:19	UT 2,5-MT
=ASQ+ASQ/302.2	=ASQ+ASQ-XGASM:10:A	ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²	1 1.5 mm²		3			UT 2,5-MT
=ASQ+ASQ/302.5	=ASQ+ASQ-XGASM:14:A	ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²	6 1.5 mm²		4			UT 2,5-MT
					5	BU 1 mm²	-TA1:14	UT 2,5-MT
=AQT+AQT/302.2	=AQT+AQT-XGASM:17:A	AQT3-ASM3/S FG16OH2M16 12G1.5 mm²	1 1.5 mm²		6			UT 2,5-MT
=QT+QT/301.7	=QT+QT-XGASM:9:A	QT3-ASM3/S FG16OH2M16 5G1.5 mm²	1 1.5 mm²		7			UT 2,5-MT
					8	BU 1 mm²	-75K01:11	UT 2,5-MT
=ASQ+ASQ/302.6	=ASQ+ASQ-XGASM:21:A	ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²	10 1.5 mm²		9	BU 1 mm²	-A202:X10:6	UT 2,5-MT
=ASQ+ASQ/302.2	=ASQ+ASQ-XGASM:16:A	ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²	2 1.5 mm²		10	BU 1 mm²	-A202:X10:7	UT 2,5-MT
=ASQ+ASQ/302.3	=ASQ+ASQ-XGASM:17:A	ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²	3 1.5 mm²		11	BU 1 mm²	-A202:X10:8	UT 2,5-MT
=ASQ+ASQ/302.4	=ASQ+ASQ-XGASM:18:A	ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²	4 1.5 mm²		12	BU 1 mm²	-A202:X10:11	UT 2,5-MT
=ASQ+ASQ/302.4	=ASQ+ASQ-XGASM:19:A	ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²	5 1.5 mm²		13	BU 1 mm²	-A202:X10:12	UT 2,5-MT
=ASQ+ASQ/302.5	=ASQ+ASQ-XGASM:20:A	ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²	7 1.5 mm²		14	BU 1 mm²	-A202:X10:13	UT 2,5-MT
=AQT+AQT/302.2	=AQT+AQT-XGASM:19:A	AQT3-ASM3/S FG16OH2M16 12G1.5 mm²	2 1.5 mm²		15	BU 1 mm²	-A202:X10:31	UT 2,5-MT
=AQT+AQT/302.3	=AQT+AQT-XGASM:20:A	AQT3-ASM3/S FG16OH2M16 12G1.5 mm²	3 1.5 mm²		16	BU 1 mm²	-A202:X10:32	UT 2,5-MT
=AQT+AQT/302.4	=AQT+AQT-XGASM:21:A	AQT3-ASM3/S FG16OH2M16 12G1.5 mm²	4 1.5 mm²		17	BU 1 mm²	-A202:X10:33	UT 2,5-MT
=AQT+AQT/302.5	=AQT+AQT-XGASM:22:A	AQT3-ASM3/S FG16OH2M16 12G1.5 mm²	5 1.5 mm²		18	BU 1 mm²	-A202:X10:34	UT 2,5-MT
=AQT+AQT/302.6	=AQT+AQT-XGASM:23:A	AQT3-ASM3/S FG16OH2M16 12G1.5 mm²	6 1.5 mm²		19	BU 1 mm²	-A202:X10:35	UT 2,5-MT
=AQT+AQT/302.7	=AQT+AQT-XGASM:24:A	AQT3-ASM3/S FG16OH2M16 12G1.5 mm²	7 1.5 mm²		20	BU 1 mm²	-A202:X10:36	UT 2,5-MT
=ASQ+ASQ/302.6	=ASQ+ASQ-XGASM:22:A	ASQ3-ASM3/S FG16OH2M16 12G1.5 mm²	8 1.5 mm²		21	BU 1 mm²	-A202:X10:37	UT 2,5-MT
=QT+QT/301.7	=QT+QT-XGASM:8:A	QT3-ASM3/S FG16OH2M16 5G1.5 mm²	2 1.5 mm²		22	BU 1 mm²	-A202:X10:38	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG202

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 441
Cliente N° 26002-DD-EE-04-06-002 | Segue - 442

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG203

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
					1	BU 1 mm²	-FC53:OUT+:3	UT 2,5-MT
					2	BU 1 mm²	-A203:X10:19	UT 2,5-MT
/79.2	=QP+QP-PX-A:40	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	1 1.5 mm²		3			UT 2,5-MT
					4			UT 2,5-MT
/80.2	=MCCA+MCCA-XT1:2	QSA1-ASM3/S FG16OH2M16 5G1.5 mm²	2 1.5 mm²		5			UT 2,5-MT
/80.3	=MCCB+MCCB-XT1:2	QSA2-ASM3/S FG16OH2M16 5G1.5 mm²	2 1.5 mm²		6			UT 2,5-MT
					7			UT 2,5-MT
/80.4	-X-PROT1:M2		BU 1 mm²		8			UT 2,5-MT
					9	BU 1 mm²	-81K01:11	UT 2,5-MT
/79.2	=QP+QP-PX-A:31	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	2 1.5 mm²	-	10	BU 1 mm²	-A203:X10:1	UT 2,5-MT
/79.3	=QP+QP-PX-A:32	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	3 1.5 mm²	-	11	BU 1 mm²	-A203:X10:2	UT 2,5-MT
/79.4	=QP+QP-PX-A:33	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	4 1.5 mm²	-	12	BU 1 mm²	-A203:X10:3	UT 2,5-MT
/79.4	=QP+QP-PX-A:34	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	5 1.5 mm²	-	13	BU 1 mm²	-A203:X10:4	UT 2,5-MT
/79.5	=QP+QP-PX-A:35	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	6 1.5 mm²	-	14	BU 1 mm²	-A203:X10:5	UT 2,5-MT
/79.6	=QP+QP-PX-A:36	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	7 1.5 mm²	-	15	BU 1 mm²	-A203:X10:6	UT 2,5-MT
/79.7	=QP+QP-PX-A:37	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	8 1.5 mm²	-	16	BU 1 mm²	-A203:X10:7	UT 2,5-MT
/79.7	=QP+QP-PX-A:38	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	9 1.5 mm²	-	17	BU 1 mm²	-A203:X10:8	UT 2,5-MT
/80.2	=MCCA+MCCA-XT1:1	QSA1-ASM3/S FG16OH2M16 5G1.5 mm²	1 1.5 mm²	-	18	BU 1 mm²	-A203:X10:11	UT 2,5-MT
/80.3	=MCCB+MCCB-XT1:1	QSA2-ASM3/S FG16OH2M16 5G1.5 mm²	1 1.5 mm²	-	19	BU 1 mm²	-A203:X10:12	UT 2,5-MT
				-	20	BU 1 mm²	-A203:X10:13	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG203

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 442
Cliente N° 26002-DD-EE-04-06-002 | Segue - 443

Schema morsetti

Striscia di prese

=ASM+ASM-XG204

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	BU 1 mm²	-FC53:OUT+:4	UT 2,5-MT
				2	BU 1 mm²	-A204:X10:19	UT 2,5-MT
				3	BU 1 mm²	-83K01:11	UT 2,5-MT

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XG204

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 443

Cliente N° 26002-DD-EE-04-06-002

Segue - 444

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG205

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	BU 1 mm²	-FC53:OUT+:5	UT 2,5-MT
				2	BU 1 mm²	-A205:X10:19	UT 2,5-MT
				3	BU 1 mm²	-87K01:11	UT 2,5-MT
/89.2	-52PN-INS:M1		BU 1 mm²	4			UT 2,5-MT
				5			UT 2,5-MT
				6			UT 2,5-MT
/89.2	=MT+MT PN3-X:?:A	PN3-ASM3/S FG16OH2M16 12G1.5 mm²	1 1.5 mm²	7	RD 1 mm²	-52PN-INS:B1	UT 2,5-MT
/89.3	=MT+MT PN3-X:?:B	PN3-ASM3/S FG16OH2M16 12G1.5 mm²	3 1.5 mm²	8	RD 1 mm²	-52PN-EST:B1	UT 2,5-MT
/89.4	=MT+MT PN3-X:?:B	PN3-ASM3/S FG16OH2M16 12G1.5 mm²	5 1.5 mm²	9	RD 1 mm²	-52PN-AP:B1	UT 2,5-MT
/89.4	=MT+MT PN3-X:?:B	PN3-ASM3/S FG16OH2M16 12G1.5 mm²	7 1.5 mm²	10	RD 1 mm²	-52PN-CH:B1	UT 2,5-MT
				11	BU 1 mm²	-A205:X10:25	UT 2,5-MT
				12	BU 1 mm²	-A205:X10:26	UT 2,5-MT
				13	BU 1 mm²	-A205:X10:27	UT 2,5-MT
				14	BU 1 mm²	-A205:X10:28	UT 2,5-MT
				15	BU 1 mm²	-A205:X10:31	UT 2,5-MT
				16	BU 1 mm²	-A205:X10:32	UT 2,5-MT
				17	BU 1 mm²	-A205:X10:33	UT 2,5-MT
				18	BU 1 mm²	-A205:X10:34	UT 2,5-MT
				19	BU 1 mm²	-A205:X10:35	UT 2,5-MT
				20	BU 1 mm²	-A205:X10:36	UT 2,5-MT
				21	BU 1 mm²	-A205:X10:37	UT 2,5-MT
				22	BU 1 mm²	-A205:X10:38	UT 2,5-MT
				23			
				24			
				25			

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XG205

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 444
Cliente N° 26002-DD-EE-04-06-002
Segue - 445

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reseved in event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG206

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
					1	BU 1 mm²	-FC53:OUT+:6	UT 2,5-MT
					2	BU 1 mm²	-A206:X10:19	UT 2,5-MT
					3			UT 2,5-MT
					4			UT 2,5-MT
/92.2	=QP+QP-PX-A:56	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	11 1.5 mm²		5			UT 2,5-MT
					6			UT 2,5-MT
					7			UT 2,5-MT
/92.5	=QP+QP-CA-B:14	QP3-ASM3/S3 FG16OH2M16 12G1.5 mm²	3 1.5 mm²		8			UT 2,5-MT
/92.5	=QP+QP-PX-B:4	QP3-ASM3/S3 FG16OH2M16 12G1.5 mm²	4 1.5 mm²		9			UT 2,5-MT
					10			UT 2,5-MT
					11			UT 2,5-MT
					12			UT 2,5-MT
/94.4	=QP+QP-PX-A:30	QP3-ASM3/S2 FG16OH2M16 12G1.5 mm²	1 1.5 mm²		13			UT 2,5-MT
/94.5	=QP+QP-PX-A:21	QP3-ASM3/S2 FG16OH2M16 12G1.5 mm²	3 1.5 mm²		14			UT 2,5-MT
/94.6	=QP+QP-PX-A:25	QP3-ASM3/S2 FG16OH2M16 12G1.5 mm²	5 1.5 mm²		15			UT 2,5-MT
					16			UT 2,5-MT
					17	BU 1 mm²	-XGI_INS:M1	UT 2,5-MT
=CASSETTE DI GIUNZIONE+JB14/110.3	=CASSETTE DI GIUNZIONE+JB14-X3:7:A	JB14-ASM3/S FG16OH2M16 12G1.5 mm²	2 1.5 mm²		18	RD 1 mm²	-XGI_INS:B1	UT 2,5-MT
=CASSETTE DI GIUNZIONE+JB14/110.4	=CASSETTE DI GIUNZIONE+JB14-X3:8:B	JB14-ASM3/S FG16OH2M16 12G1.5 mm²	3 1.5 mm²		19	RD 1 mm²	-91K02:A1	UT 2,5-MT
=CASSETTE DI GIUNZIONE+JB14/110.5	=CASSETTE DI GIUNZIONE+JB14-X3:9:B	JB14-ASM3/S FG16OH2M16 12G1.5 mm²	4 1.5 mm²		20	RD 1 mm²	-XGI_DIS:B1	UT 2,5-MT
=CASSETTE DI GIUNZIONE+JB14/110.6	=CASSETTE DI GIUNZIONE+JB14-X3:10:B	JB14-ASM3/S FG16OH2M16 12G1.5 mm²	5 1.5 mm²		21	RD 1 mm²	-91K04:A1	UT 2,5-MT
=CASSETTE DI GIUNZIONE+JB14/110.7	=CASSETTE DI GIUNZIONE+JB14-X3:11:B	JB14-ASM3/S FG16OH2M16 12G1.5 mm²	6 1.5 mm²		22	RD 1 mm²	-XGI_INIZ:B1	UT 2,5-MT
=CASSETTE DI GIUNZIONE+JB14/110.8	=CASSETTE DI GIUNZIONE+JB14-X3:12:B	JB14-ASM3/S FG16OH2M16 12G1.5 mm²	7 1.5 mm²		23	RD 1 mm²	-91K06:A1	UT 2,5-MT
					24	BU 1 mm²	-A206:X10:7	UT 2,5-MT
					25	BU 1 mm²	-A206:X10:8	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XG206

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 445
Cliente N° 26002-DD-EE-04-06-002
Segue - 446

Schema morsetti

Striscia di prese

=ASM+ASM-XG206

LATO A					LATO A	LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/92.2	=QP+QP-PX-A:55	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	12 1.5 mm²	'	26	BU 1 mm²	-A206:X10:11	UT 2,5-MT
/92.3	=QP+QP-PX-A:57	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	13 1.5 mm²	'	27	BU 1 mm²	-A206:X10:12	UT 2,5-MT
/92.4	=QP+QP-PX-A:59	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	14 1.5 mm²	'	28	BU 1 mm²	-A206:X10:13	UT 2,5-MT
/92.4	=QP+QP-CA-A:15	QP3-ASM3/S FG16OH2M16 24G1.5 mm²	15 1.5 mm²	'	29	BU 1 mm²	-A206:X10:14	UT 2,5-MT
/92.5	=QP+QP-PX-B:1	QP3-ASM3/S3 FG16OH2M16 12G1.5 mm²	1 1.5 mm²	'	30	BU 1 mm²	-A206:X10:15	UT 2,5-MT
/92.6	=QP+QP-PX-B:2	QP3-ASM3/S3 FG16OH2M16 12G1.5 mm²	2 1.5 mm²	'	31	BU 1 mm²	-A206:X10:16	UT 2,5-MT
				'	32	BU 1 mm²	-A206:X10:17	UT 2,5-MT
				'	33	BU 1 mm²	-A206:X10:18	UT 2,5-MT
/93.2	=MT+SEZIONATORE MONTANTE GR-XD1:57	MT3-ASM3/S FG16OH2M16 7G1.5 mm²	2 1.5 mm²	'	34	RD 1 mm²	-X89GAP:B1	UT 2,5-MT
/93.3	=MT+SEZIONATORE MONTANTE GR-XD1:61	MT3-ASM3/S FG16OH2M16 7G1.5 mm²	3 1.5 mm²	'	35	RD 1 mm²	-X89GCH:B1	UT 2,5-MT
/93.4	=MT+SEZIONATORE MONTANTE GR-XD1:28	MT3-ASM3/S FG16OH2M16 7G1.5 mm²	4 1.5 mm²	'	36	RD 1 mm²	-93K03:A1	UT 2,5-MT
/93.4	=MT+52G-XD1:52	MT3-ASM3/S2 FG16OH2M16 12G1.5 mm²	2 1.5 mm²	'	37	RD 1 mm²	-93K04:A1	UT 2,5-MT
/93.5	=MT+52G-XD1:51	MT3-ASM3/S2 FG16OH2M16 12G1.5 mm²	4 1.5 mm²	'	38	RD 1 mm²	-93K05:A1	UT 2,5-MT
/93.6	=MT+52G-XD1:13	MT3-ASM3/S2 FG16OH2M16 12G1.5 mm²	6 1.5 mm²	'	39	RD 1 mm²	-X52INS:B1	UT 2,5-MT
/93.7	=MT+52G-XD1:19	MT3-ASM3/S2 FG16OH2M16 12G1.5 mm²	7 1.5 mm²	'	40	RD 1 mm²	-X52EST:B1	UT 2,5-MT
/93.7	=MT+52G-XD1:1	MT3-ASM3/S2 FG16OH2M16 12G1.5 mm²	8 1.5 mm²	'	41	RD 1 mm²	-X52AP:B1	UT 2,5-MT
/94.2	=MT+52G-XD1:7	MT3-ASM3/S2 FG16OH2M16 12G1.5 mm²	9 1.5 mm²	'	42	RD 1 mm²	-X52CH:B1	UT 2,5-MT
/94.3	361	MT3-ASM3/S3 FG16OH2M16 7G1.5 mm²	3 1.5 mm²	'	43	RD 1 mm²	-AB_CHIAVE:B1	UT 2,5-MT
/94.4	=MT+MT-X?:349	MT3-ASM3/S3 FG16OH2M16 7G1.5 mm²	4 1.5 mm²	'	44	RD 1 mm²	-XAP52MAN:B1	UT 2,5-MT
/94.4	=QP+QP-PX-A:29	QP3-ASM3/S2 FG16OH2M16 12G1.5 mm²	2 1.5 mm²	'	45	BU 1 mm²	-A206:X10:34	UT 2,5-MT
/94.5	=QP+QP-PX-A:20	QP3-ASM3/S2 FG16OH2M16 12G1.5 mm²	4 1.5 mm²	'	46	BU 1 mm²	-A206:X10:35	UT 2,5-MT
/94.6	=QP+QP-PX-A:24	QP3-ASM3/S2 FG16OH2M16 12G1.5 mm²	6 1.5 mm²	'	47	BU 1 mm²	-A206:X10:36	UT 2,5-MT
/94.7	=QP+QP-PX-A:26	QP3-ASM3/S2 FG16OH2M16 12G1.5 mm²	7 1.5 mm²	'	48	BU 1 mm²	-A206:X10:37	UT 2,5-MT

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG206

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 446

Cliente N° 26002-DD-EE-04-06-002 | Segue - 447

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG207

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	BU 1 mm²	-FC53:OUT+:7	UT 2,5-MT
				2	BU 1 mm²	-A207:X10:19	UT 2,5-MT
/95.2	=MT+MT-XD2:62	MT3-ASM3/S5 FG16OH2M16 7G1.5 mm²	1 1.5 mm²	3			UT 2,5-MT
/95.3	=MT+MT-XD2:60	MT3-ASM3/S5 FG16OH2M16 7G1.5 mm²	3 1.5 mm²	4			UT 2,5-MT
/95.4	=MT+MT-XD2:59	MT3-ASM3/S5 FG16OH2M16 7G1.5 mm²	6 1.5 mm²	5			UT 2,5-MT
/95.4	=ECC+ECC-X210:8	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	1 1.5 mm²	6			UT 2,5-MT
				7			UT 2,5-MT
				8			UT 2,5-MT
				9			UT 2,5-MT
				10			UT 2,5-MT
/96.2	=ECC+ECC-X210:14	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	15 1.5 mm²	11			UT 2,5-MT
/96.3	=ECC+ECC-X210:20	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	16 1.5 mm²	12			UT 2,5-MT
/96.4	=ECC+ECC-X210:50	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	17 1.5 mm²	13			UT 2,5-MT
/96.4	=ECC+ECC-X310:62	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	13 1.5 mm²	14			UT 2,5-MT
/96.5	=ECC+ECC-X310:38	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	14 1.5 mm²	15			UT 2,5-MT
/96.6	=ECC+ECC-X310:32	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	18 1.5 mm²	16			UT 2,5-MT
				17			UT 2,5-MT
/96.7	=MT+MT-XD1:56	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	16 1.5 mm²	18			UT 2,5-MT
/97.2	=MT+MT-XD1:6	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	1 1.5 mm²	19			UT 2,5-MT
/97.3	=MT+MT-XD1:42	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	3 1.5 mm²	20			UT 2,5-MT
/97.4	=MT+MT-XD1:62	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	5 1.5 mm²	21			UT 2,5-MT
/97.4	=MT+MT-XD1:58	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	7 1.5 mm²	22			UT 2,5-MT
/97.5	=MT+MT-XD1:60			23			UT 2,5-MT
/97.6	=MT+MT-XD1:62	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	9 1.5 mm²	24			UT 2,5-MT
/97.7	=MT+MT-XD1:72	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	11 1.5 mm²	25			UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG207

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 447
Cliente N° 26002-DD-EE-04-06-002 | Segue - 448

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Schema morsetti

Striscia di prese
=ASM+ASM-XG207

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/97.7	=MT+MT-XD1:64	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	13 1.5 mm²		26			UT 2,5-MT
/98.2	=MT+MT-XD1:6	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	1 1.5 mm²		27			UT 2,5-MT
/98.3	=MT+MT-XD1:42	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	3 1.5 mm²		28			UT 2,5-MT
/98.4	=MT+MT-XD1:60	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	5 1.5 mm²		29			UT 2,5-MT
/98.4	=MT+MT-XD1:54	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	7 1.5 mm²		30			UT 2,5-MT
/98.5	=MT+MT-XD1:56	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	9 1.5 mm²		31			UT 2,5-MT
/98.6	=MT+MT-XD1:58	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	11 1.5 mm²		32			UT 2,5-MT
/98.7	=MT+MT-XD1:50	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	13 1.5 mm²		33			UT 2,5-MT
/98.7	=MT+MT-XD1:52	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	15 1.5 mm²		34			UT 2,5-MT
/95.2	=MT+MT-XD2:61	MT3-ASM3/S5 FG16OH2M16 7G1.5 mm²	2 1.5 mm²	-	35	BU 1 mm²	-A207:X10:1	UT 2,5-MT
/95.3	=MT+MT-XD2:50	MT3-ASM3/S5 FG16OH2M16 7G1.5 mm²	4 1.5 mm²	-	36	BU 1 mm²	-A207:X10:2	UT 2,5-MT
/95.4	=MT+MT-XD2:58	MT3-ASM3/S5 FG16OH2M16 7G1.5 mm²	5 1.5 mm²	-	37	BU 1 mm²	-A207:X10:3	UT 2,5-MT
/95.4	=ECC+ECC-X210:9	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	2 1.5 mm²	-	38	BU 1 mm²	-A207:X10:4	UT 2,5-MT
/95.5	=ECC+ECC-X210:57	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	3 1.5 mm²	-	39	BU 1 mm²	-A207:X10:5	UT 2,5-MT
/95.6	=ECC+ECC-X210:63	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	4 1.5 mm²	-	40	BU 1 mm²	-A207:X10:6	UT 2,5-MT
/95.7	=ECC+ECC-X210:27	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	5 1.5 mm²	-	41	BU 1 mm²	-A207:X10:7	UT 2,5-MT
/95.7	=ECC+ECC-X210:45	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	6 1.5 mm²	-	42	BU 1 mm²	-A207:X10:8	UT 2,5-MT
/96.2	=ECC+ECC-X210:15	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	7 1.5 mm²	-	43	BU 1 mm²	-A207:X10:11	UT 2,5-MT
/96.3	=ECC+ECC-X210:21	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	8 1.5 mm²	-	44	BU 1 mm²	-A207:X10:12	UT 2,5-MT
/96.4	=ECC+ECC-X210:51	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	9 1.5 mm²	-	45	BU 1 mm²	-A207:X10:13	UT 2,5-MT
/96.4	=ECC+ECC-X310:63	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	10 1.5 mm²	-	46	BU 1 mm²	-A207:X10:14	UT 2,5-MT
/96.5	=ECC+ECC-X310:39	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	11 1.5 mm²	-	47	BU 1 mm²	-A207:X10:15	UT 2,5-MT
/96.6	=ECC+ECC-X310:33	ECC3-ASM3/S FG16OH2M16 24G1.5 mm²	12 1.5 mm²	-	48	BU 1 mm²	-A207:X10:16	UT 2,5-MT
				-	49	BU 1 mm²	-A207:X10:17	UT 2,5-MT
/96.7	=MT+MT-XD1:55	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	15 1.5 mm²	-	50	BU 1 mm²	-A207:X10:18	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG207


Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 448
Cliente N° 26002-DD-EE-04-06-002 | Segue - 449

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG207

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
/97.3	=MT+MT-XD1:29	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	2 1.5 mm²		BU 1 mm²	-A207:X10:21	UT 2,5-MT
/97.3	=MT+MT-XD1:41	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	4 1.5 mm²		BU 1 mm²	-A207:X10:22	UT 2,5-MT
/97.4	=MT+MT-XD1:61	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	6 1.5 mm²		BU 1 mm²	-A207:X10:23	UT 2,5-MT
/97.4	=MT+MT-XD1:57	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	8 1.5 mm²		BU 1 mm²	-A207:X10:24	UT 2,5-MT
/97.5	=MT+MT-XD1:59				BU 1 mm²	-A207:X10:25	UT 2,5-MT
/97.6	=MT+MT-XD1:61	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	10 1.5 mm²		BU 1 mm²	-A207:X10:26	UT 2,5-MT
/97.7	=MT+MT-XD1:71	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	12 1.5 mm²		BU 1 mm²	-A207:X10:27	UT 2,5-MT
/97.7	=MT+MT-XD1:63	MT3-ASM3/S6 FG16OH2M16 24G1.5 mm²	14 1.5 mm²		BU 1 mm²	-A207:X10:28	UT 2,5-MT
/98.3	=MT+MT-XD1:29	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	2 1.5 mm²		BU 1 mm²	-A207:X10:31	UT 2,5-MT
/98.3	=MT+MT-XD1:41	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	4 1.5 mm²		BU 1 mm²	-A207:X10:32	UT 2,5-MT
/98.4	=MT+MT-XD1:59	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	6 1.5 mm²		BU 1 mm²	-A207:X10:33	UT 2,5-MT
/98.4	=MT+MT-XD1:53	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	8 1.5 mm²		BU 1 mm²	-A207:X10:34	UT 2,5-MT
/98.5	=MT+MT-XD1:55	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	10 1.5 mm²		BU 1 mm²	-A207:X10:35	UT 2,5-MT
/98.6	=MT+MT-XD1:57	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	12 1.5 mm²		BU 1 mm²	-A207:X10:36	UT 2,5-MT
/98.7	=MT+MT-XD1:49	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	14 1.5 mm²		BU 1 mm²	-A207:X10:37	UT 2,5-MT
/98.7	=MT+MT-XD1:51	MT3-ASM3/S7 FG16OH2M16 24G1.5 mm²	16 1.5 mm²		BU 1 mm²	-A207:X10:38	UT 2,5-MT



Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG207

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 449
Cliente N° 26002-DD-EE-04-06-002 | Segue - 450

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG208

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	BU 1 mm²	-FC53:OUT+:8	UT 2,5-MT
				2	BU 1 mm²	-A207-A208:X10:41	UT 2,5-MT
				3			UT 2,5-MT
				4			UT 2,5-MT
				5			UT 2,5-MT
				6			UT 2,5-MT
				7	WH 1 mm²	-X18:3	UT 2,5-MT
				8			UT 2,5-MT
				9			UT 2,5-MT
				10			UT 2,5-MT
/111.2	=QP+QP-PX-B:5	QP3-ASM3/S4 FG16OH2M16 24G1.5 mm²	1 1.5 mm²	11	BU 1 mm²	-A208:X10:2	UT 2,5-MT
/111.3	=QP+QP-PX-B:6	QP3-ASM3/S4 FG16OH2M16 24G1.5 mm²	2 1.5 mm²	12	BU 1 mm²	-A208:X10:4	UT 2,5-MT
/111.4	=QP+QP-PX-B:7	QP3-ASM3/S4 FG16OH2M16 24G1.5 mm²	3 1.5 mm²	13	BU 1 mm²	-A208:X10:6	UT 2,5-MT
/111.4	=QP+QP-PX-B:8	QP3-ASM3/S4 FG16OH2M16 24G1.5 mm²	4 1.5 mm²	14	BU 1 mm²	-A208:X10:8	UT 2,5-MT
/111.5	=QP+QP-PX-B:9	QP3-ASM3/S4 FG16OH2M16 24G1.5 mm²	5 1.5 mm²	15	BU 1 mm²	-A208:X10:10	UT 2,5-MT
/111.6	=QP+QP-PX-B:10	QP3-ASM3/S4 FG16OH2M16 24G1.5 mm²	6 1.5 mm²	16	BU 1 mm²	-A208:X10:12	UT 2,5-MT
/111.7	=QP+QP-PX-B:11	QP3-ASM3/S4 FG16OH2M16 24G1.5 mm²	7 1.5 mm²	17	BU 1 mm²	-A208:X10:14	UT 2,5-MT
/111.8	=QP+QP-PX-B:12	QP3-ASM3/S4 FG16OH2M16 24G1.5 mm²	8 1.5 mm²	18	BU 1 mm²	-A208:X10:16	UT 2,5-MT
				19	BU 1 mm²	-A208:X10:22	UT 2,5-MT
				20	BU 1 mm²	-A208:X10:24	UT 2,5-MT
				21	BU 1 mm²	-A208:X10:26	UT 2,5-MT
				22	BU 1 mm²	-A208:X10:28	UT 2,5-MT
/112.5	=ECC+ECC-X950:3	ECC3-ASM3/S2 FG16OH2M16 7G1.5 mm²	1 1.5 mm²	23	BU 1 mm²	-A208:X10:30	UT 2,5-MT
/112.6	=ECC+ECC-X950:4	ECC3-ASM3/S2 FG16OH2M16 7G1.5 mm²	2 1.5 mm²	24	BU 1 mm²	-A208:X10:32	UT 2,5-MT
/112.7	=ECC+ECC-X950:1	ECC3-ASM3/S2 FG16OH2M16 7G1.5 mm²	3 1.5 mm²	25	BU 1 mm²	-A208:X10:34	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XG208

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 450
Cliente N° 26002-DD-EE-04-06-002 | Segue - 451

Schema morsetti

Striscia di prese

=ASM+ASM-XG208

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/112.8	=ECC+ECC-X950:2	ECC3-ASM3/S2 FG16OH2M16 7G1.5 mm²	4 1.5 mm²	'	26	BU 1 mm²	-A208:X10:36	UT 2,5-MT

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo
Schema morsetti =ASM+ASM-XG208

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 451

Cliente N° 26002-DD-EE-04-06-002

Segue - 452

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG209

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	BU 1 mm²	-FC54:OUT+:1	UT 2,5-MT
				2	BU 1 mm²	-A209:X10:41	UT 2,5-MT
				3			UT 2,5-MT
				4			UT 2,5-MT
				5			UT 2,5-MT
				6			UT 2,5-MT
				7	WH 1 mm²	-X18:8	UT 2,5-MT
				8			UT 2,5-MT
				9			UT 2,5-MT
				10			UT 2,5-MT
				11	BU 1 mm²	-A209:X10:2	UT 2,5-MT
				12	BU 1 mm²	-A209:X10:4	UT 2,5-MT
				13	BU 1 mm²	-A209:X10:6	UT 2,5-MT
				14	BU 1 mm²	-A209:X10:8	UT 2,5-MT
				15	BU 1 mm²	-A209:X10:10	UT 2,5-MT
				16	BU 1 mm²	-A209:X10:12	UT 2,5-MT
				17	BU 1 mm²	-A209:X10:14	UT 2,5-MT
				18	BU 1 mm²	-A209:X10:16	UT 2,5-MT
				19	BU 1 mm²	-A209:X10:22	UT 2,5-MT
				20	BU 1 mm²	-A209:X10:24	UT 2,5-MT
				21	BU 1 mm²	-A209:X10:26	UT 2,5-MT
				22	BU 1 mm²	-A209:X10:28	UT 2,5-MT
				23	BU 1 mm²	-A209:X10:30	UT 2,5-MT
				24	BU 1 mm²	-A209:X10:32	UT 2,5-MT
				25	BU 1 mm²	-A209:X10:34	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XG209

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 452
Cliente N° 26002-DD-EE-04-06-002
Segue - 453

Schema morsetti

Striscia di prese

=ASM+ASM-XG209

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				' 26	BU 1 mm²	-A209:X10:36	UT 2,5-MT

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XG209

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 453

Cliente N° 26002-DD-EE-04-06-002

Segue - 454

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG304

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	BU 1 mm²	-U212_1:11	UT 2,5
				2	BU 1 mm²	-U212_1:12	UT 2,5
				3	BU 1 mm²	-U212_1:13	UT 2,5
				4	BU 1 mm²	-U212_1:14	UT 2,5
				5	BU 1 mm²	-U212_2:11	UT 2,5
				6	BU 1 mm²	-U212_2:12	UT 2,5
				7	BU 1 mm²	-U212_2:13	UT 2,5
				8	BU 1 mm²	-U212_2:14	UT 2,5
				9	BU 1 mm²	-U212_3:11	UT 2,5
				10	BU 1 mm²	-U212_3:12	UT 2,5
				11	BU 1 mm²	-U212_3:13	UT 2,5
				12	BU 1 mm²	-U212_3:14	UT 2,5
				13	BU 1 mm²	-U212_4:11	UT 2,5
				14	BU 1 mm²	-U212_4:12	UT 2,5
				15	BU 1 mm²	-U212_4:13	UT 2,5
				16	BU 1 mm²	-U212_4:14	UT 2,5
				17	BU 1 mm²	-U212_5:11	UT 2,5
				18	BU 1 mm²	-U212_5:12	UT 2,5
				19	BU 1 mm²	-U212_5:13	UT 2,5
				20	BU 1 mm²	-U212_5:14	UT 2,5
				21	BU 1 mm²	-U212_6:11	UT 2,5
				22	BU 1 mm²	-U212_6:12	UT 2,5
				23	BU 1 mm²	-U212_6:13	UT 2,5
				24	BU 1 mm²	-U212_6:14	UT 2,5
				25	BU 1 mm²	-U212_7:11	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XG304

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 454
Cliente N° 26002-DD-EE-04-06-002
Segue - 455

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG304

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				26	BU 1 mm²	-U212_7:12	UT 2,5
				27	BU 1 mm²	-U212_7:13	UT 2,5
				28	BU 1 mm²	-U212_7:14	UT 2,5
				29	BU 1 mm²	-U212_8:11	UT 2,5
				30	BU 1 mm²	-U212_8:12	UT 2,5
				31	BU 1 mm²	-U212_8:13	UT 2,5
				32	BU 1 mm²	-U212_8:14	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XG304

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 455
Cliente N° 26002-DD-EE-04-06-002
Segue - 456

Schema morsetti

Striscia di prese

=ASM+ASM-XGAQT

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
=AQT+AQT/71.7	=AQT+AQT-XG401:4:A	AQT3-ASM3/S FG16OH2M16 12G1.5 mm²	8 1.5 mm²		BU 1 mm²	-FC53:13	UT 2,5
					BU 1 mm²	-FC54:13	UT 2,5
=AQT+AQT/71.7	=AQT+AQT-XG401:19:A	AQT3-ASM3/S FG16OH2M16 12G1.5 mm²	9 1.5 mm²		BU 1 mm²	-FC53:14	UT 2,5
=AQT+AQT/71.7	=AQT+AQT-XG401:20:A	AQT3-ASM3/S FG16OH2M16 12G1.5 mm²	10 1.5 mm²		BU 1 mm²	-FC54:14	UT 2,5
							UT 2,5
							UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XGAQT

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 456

Cliente N° 26002-DD-EE-04-06-002

Segue - 457

Schema morsetti

Striscia di prese

=ASM+ASM-XGAUTO

LATO A					LATO A	LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
=QT+QT/301.3	=QT+QT-XGASM:2:A	ASM3-QT3/C FG16OH2M16 5G1.5 mm²	1 1.5 mm²		1	BU 1 mm²	-162K09:T1	UT 2,5
=ASQ+ASQ/301.5	=ASQ+ASQ-XGASM:4:A	ASM3-ASQ3/C FG16OH2M16 12G1.5 mm²	4 1.5 mm²		2			UT 2,5
					3			UT 2,5
=QT+QT/301.3	=QT+QT-XGASM:1:A	ASM3-QT3/C FG16OH2M16 5G1.5 mm²	2 1.5 mm²		4	BU 1 mm²	-162K10:T1	UT 2,5
=ASQ+ASQ/301.4	=ASQ+ASQ-XGASM:3:A	ASM3-ASQ3/C FG16OH2M16 12G1.5 mm²	1 1.5 mm²		5			UT 2,5
					6			UT 2,5
=ASQ+ASQ/301.2	=ASQ+ASQ-XGASM:1:A	ASM3-ASQ3/C FG16OH2M16 12G1.5 mm²	2 1.5 mm²		7	BU 1 mm²	-162K11:14	UT 2,5
=ASQ+ASQ/301.3	=ASQ+ASQ-XGASM:2:A	ASM3-ASQ3/C FG16OH2M16 12G1.5 mm²	3 1.5 mm²		8	BU 1 mm²	-162K12:14	UT 2,5
=QT+QT/301.3	=QT+QT-XGASM:3:A	ASM3-QT3/C FG16OH2M16 5G1.5 mm²	3 1.5 mm²		9	WH 1 mm²	-H1:X2	UT 2,5
						WH 1 mm²	-H3:X0	
=ASQ+ASQ/301.4	=ASQ+ASQ-XGASM:7:A	ASM3-ASQ3/C FG16OH2M16 12G1.5 mm²	5 1.5 mm²		10			UT 2,5
=ASQ+ASQ/301.2	=ASQ+ASQ-XGASM:5:A	ASM3-ASQ3/C FG16OH2M16 12G1.5 mm²	6 1.5 mm²		11			UT 2,5
=ASQ+ASQ/301.3	=ASQ+ASQ-XGASM:6:A	ASM3-ASQ3/C FG16OH2M16 12G1.5 mm²	7 1.5 mm²		12			UT 2,5
					13			UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - | Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGAUTO

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 457

Cliente N° 26002-DD-EE-04-06-002 | Segue - 458

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Schema morsetti

Striscia di prese
=ASM+ASM-XGBH

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	RD 1 mm²	-K2-K:1	UT 2,5-MT
				2	RD 1 mm²	-K2-SIG:1	UT 2,5-MT
/205.5	=T347+T347-X?:??	T347-ASM3/BH FG16OH2M16 5G1.5 mm²	1 1.5 mm²	3	RD 1 mm²	-K2-K:2	UT 2,5-MT
/205.5	=T347+T347-X?:??	T347-ASM3/BH FG16OH2M16 5G1.5 mm²	2 1.5 mm²	4	RD 1 mm²	-K2-SIG:2	UT 2,5-MT
/205.6	=T347+T347-X?:??	T347-ASM3/BH FG16OH2M16 5G1.5 mm²	3 1.5 mm²	5	RD 1 mm²	-K2-K:3	UT 2,5-MT
/205.6	=T347+T347-X?:??	T347-ASM3/BH FG16OH2M16 5G1.5 mm²	4 1.5 mm²	6	RD 1 mm²	-K2-SIG:3	UT 2,5-MT
/205.7	=SG+SG-X:236	SG3-ASM3/BH	3 1.5 mm²	7	RD 1 mm²	-K2-K:4	UT 2,5-MT
/205.8	=SG+SG-X:237	SG3-ASM3/BH	4 1.5 mm²	8	RD 1 mm²	-K2-SIG:4	UT 2,5-MT
				9	RD 1 mm²	-K2-K:5	UT 2,5-MT
				10	RD 1 mm²	-K2-SIG:5	UT 2,5-MT
				11	RD 1 mm²	-K2-K:6	UT 2,5-MT
				12	RD 1 mm²	-K2-SIG:6	UT 2,5-MT
				13	RD 1 mm²	-K2-K:7	UT 2,5-MT
				14	RD 1 mm²	-K2-SIG:7	UT 2,5-MT
/206.6	=ECC+ECC-X800:8	ECC3-ASM3/BH FG16OH2M16 5G1.5 mm²	1 1.5 mm²	15	RD 1 mm²	-K2-K:8	UT 2,5-MT
/206.6	=ECC+ECC-X800:9	ECC3-ASM3/BH FG16OH2M16 5G1.5 mm²	2 1.5 mm²	16	RD 1 mm²	-K2-SIG:8	UT 2,5-MT
/206.7	=CASSETTE DI GIUNZIONE+JB02-X1:19	CP3-ASM3/BH FG16OH2M16 5G1.5 mm²	1 1.5 mm²	17	RD 1 mm²	-K2-K:9	UT 2,5-MT
/206.8	=CASSETTE DI GIUNZIONE+JB02-X1:20	CP3-ASM3/BH FG16OH2M16 5G1.5 mm²	2 1.5 mm²	18	RD 1 mm²	-K2-SIG:9	UT 2,5-MT
/207.2	=RV+RV-XD0:158	RV3-ASM3/BH FG16OH2M16 7G1.5 mm²	1 1.5 mm²	19	RD 1 mm²	-K2-K:10	UT 2,5-MT
/207.2	=RV+RV-XD0:159	RV3-ASM3/BH FG16OH2M16 7G1.5 mm²	2 1.5 mm²	20	RD 1 mm²	-K2-SIG:10	UT 2,5-MT
/207.3	=RV+RV-X-BLO:1	RV3-ASM3/BH FG16OH2M16 7G1.5 mm²	3 1.5 mm²	21	RD 1 mm²	-K2-K:11	UT 2,5-MT
/207.3	=RV+RV-X-BLO:5	RV3-ASM3/BH FG16OH2M16 7G1.5 mm²	4 1.5 mm²	22	RD 1 mm²	-K2-SIG:11	UT 2,5-MT
/207.6	=CASSETTE DI GIUNZIONE+JB01-X1:19	ACCG3-ASM3/BH FG16OH2M16 7G1.5 mm²	4 1.5 mm²	23	RD 1 mm²	-K2-K:13	UT 2,5-MT
/207.6	=CASSETTE DI GIUNZIONE+JB01-X1:20	ACCG3-ASM3/BH FG16OH2M16 7G1.5 mm²	5 1.5 mm²	24	RD 1 mm²	-K2-SIG:13	UT 2,5-MT
				25	RD 1 mm²	-K2-K:14	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGBH

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 458
Cliente N° 26002-DD-EE-04-06-002 | Segue - 459

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGBH

LATO A					LATO A	LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
				'	26	RD 1 mm²	-K2-SIG:14	UT 2,5-MT
				'	27	RD 1 mm²	-K2-K:15	UT 2,5-MT
				'	28	RD 1 mm²	-K2-SIG:15	UT 2,5-MT
				'	29	RD 1 mm²	-K2-K:16	UT 2,5-MT
				'	30	RD 1 mm²	-K2-SIG:16	UT 2,5-MT
/209.3	=CASSETTE DI GIUNZIONE+JB09-X1:8	LUB3-ASM3/BH FG16OH2M16 5G1.5 mm²	1 1.5 mm²	'	31	RD 1 mm²	-K3-K:1	UT 2,5-MT
/209.3	=CASSETTE DI GIUNZIONE+JB09-X1:7	LUB3-ASM3/BH FG16OH2M16 5G1.5 mm²	2 1.5 mm²	'	32	RD 1 mm²	-K3-SIG:1	UT 2,5-MT
/209.5	=CASSETTE DI GIUNZIONE+JB09-X1:11	LUB3-ASM3/BH FG16OH2M16 5G1.5 mm²	3 1.5 mm²	'	33	RD 1 mm²	-K3-K:2	UT 2,5-MT
/209.5	=CASSETTE DI GIUNZIONE+JB09-X1:10	LUB3-ASM3/BH FG16OH2M16 5G1.5 mm²	4 1.5 mm²	'	34	RD 1 mm²	-K3-SIG:2	UT 2,5-MT
/209.6	=CASSETTE DI GIUNZIONE+JB13-X1:22	ST3-ASM3/BH FG16OH2M16 5G1.5 mm²	1 1.5 mm²	'	35	RD 1 mm²	-K3-K:3	UT 2,5-MT
/209.6	=CASSETTE DI GIUNZIONE+JB13-X1:23	ST3-ASM3/BH FG16OH2M16 5G1.5 mm²	2 1.5 mm²	'	36	RD 1 mm²	-K3-SIG:3	UT 2,5-MT
/209.7	=CASSETTE DI GIUNZIONE+JB13-X1:24	ST3-ASM3/BH FG16OH2M16 5G1.5 mm²	3 1.5 mm²	'	37	RD 1 mm²	-K3-K:4	UT 2,5-MT
/209.8	=CASSETTE DI GIUNZIONE+JB13-X1:25	ST3-ASM3/BH FG16OH2M16 5G1.5 mm²	4 1.5 mm²	'	38	RD 1 mm²	-K3-SIG:4	UT 2,5-MT
=AQT+AQT/301.2	=AQT+AQT-XGASM:1:A	AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²	1 1.5 mm²	'	39	RD 1 mm²	-K3-K:5	UT 2,5-MT
=AQT+AQT/301.2	=AQT+AQT-XGASM:9:A	AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²	2 1.5 mm²	'	40	RD 1 mm²	-K3-SIG:5	UT 2,5-MT
				'	41	RD 1 mm²	-K3-K:6	UT 2,5-MT
=AQT+AQT/301.3	=AQT+AQT-XGASM:10:A	AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²	3 1.5 mm²	'	42	RD 1 mm²	-K3-SIG:6	UT 2,5-MT
				'	43	RD 1 mm²	-K3-K:7	UT 2,5-MT
=AQT+AQT/301.4	=AQT+AQT-XGASM:11:A	AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²	4 1.5 mm²	'	44	RD 1 mm²	-K3-SIG:7	UT 2,5-MT
/210.6	=QP+QP-PX-A:56	QP3-ASM3/BH FG16OH2M16 12G1.5 mm²	1 1.5 mm²	'	45	RD 1 mm²	-K3-K:8	UT 2,5-MT
/210.6	=QP+QP-PX-A:55	QP3-ASM3/BH FG16OH2M16 12G1.5 mm²	2 1.5 mm²	'	46	RD 1 mm²	-K3-SIG:8	UT 2,5-MT
/210.7	=QP+QP-PX-A:58	QP3-ASM3/BH FG16OH2M16 12G1.5 mm²	3 1.5 mm²	'	47	RD 1 mm²	-K3-K:9	UT 2,5-MT
/210.8	=QP+QP-PX-A:57	QP3-ASM3/BH FG16OH2M16 12G1.5 mm²	4 1.5 mm²	'	48	RD 1 mm²	-K3-SIG:9	UT 2,5-MT
				'	49	RD 1 mm²	-K3-K:10	UT 2,5-MT
				'	50	RD 1 mm²	-K3-SIG:10	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGBH

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 459
Cliente N° 26002-DD-EE-04-06-002 | Segue - 460

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGBH

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				51	RD 1 mm²	-K3-K:11	UT 2,5-MT
				52	RD 1 mm²	-K3-SIG:11	UT 2,5-MT
				53	RD 1 mm²	-K3-K:12	UT 2,5-MT
				54	RD 1 mm²	-K3-SIG:12	UT 2,5-MT
				55	RD 1 mm²	-K3-K:13	UT 2,5-MT
				56	RD 1 mm²	-K3-SIG:13	UT 2,5-MT
				57	RD 1 mm²	-K3-K:14	UT 2,5-MT
				58	RD 1 mm²	-K3-SIG:14	UT 2,5-MT
				59	RD 1 mm²	-K3-K:15	UT 2,5-MT
				60	RD 1 mm²	-K3-SIG:15	UT 2,5-MT
				61	RD 1 mm²	-K3-K:16	UT 2,5-MT
				62	RD 1 mm²	-K3-SIG:16	UT 2,5-MT
/213.3	=SG+SG-X?:??	SG3-ASM3/BH	5 1.5 mm²		RD 1 mm²	-K4-K:1	UT 2,5-MT
/213.3	=SG+SG-X?:??	SG3-ASM3/BH	6 1.5 mm²		RD 1 mm²	-K4-SIG:1	UT 2,5-MT
/213.7	=CASSETTE DI GIUNZIONE+JB08-X1:13	ACCP3-ASM3/BH FG16OH2M16 7G1.5 mm²	4 1.5 mm²		RD 1 mm²	-K4-K:4	UT 2,5-MT
/213.8	=CASSETTE DI GIUNZIONE+JB08-X1:14	ACCP3-ASM3/BH FG16OH2M16 7G1.5 mm²	5 1.5 mm²		RD 1 mm²	-K4-SIG:4	UT 2,5-MT
				67	RD 1 mm²	-K4:5	UT 2,5-MT
				68	RD 1 mm²	-K4:5	UT 2,5-MT
/214.3	=CASSETTE DI GIUNZIONE+JB14-X2:8	SC3-ASM3/BH FG16OH2M16 7G1.5 mm²	1 1.5 mm²	69	RD 1 mm²	-K4:6	UT 2,5-MT
/214.3	=CASSETTE DI GIUNZIONE+JB14-X2:10	SC3-ASM3/BH FG16OH2M16 7G1.5 mm²	2 1.5 mm²	70	RD 1 mm²	-K4:6	UT 2,5-MT
/214.5	=CASSETTE DI GIUNZIONE+JB15-X2:13	SF3-ASM3/BH FG16OH2M16 7G1.5 mm²	1 1.5 mm²	71	RD 1 mm²	-K4:7	UT 2,5-MT
/214.5	=CASSETTE DI GIUNZIONE+JB15-X2:15	SF3-ASM3/BH FG16OH2M16 7G1.5 mm²	2 1.5 mm²	72	RD 1 mm²	-K4:7	UT 2,5-MT
=AQT+AQT/301.5	=AQT+AQT-XGASM:4:A	AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²	5 1.5 mm²	73	RD 1 mm²	-K4-K:8	UT 2,5-MT
=AQT+AQT/301.5	=AQT+AQT-XGASM:12:A	AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²	6 1.5 mm²	74	RD 1 mm²	-K4-SIG:8	UT 2,5-MT
				75	RD 1 mm²	-K4-K:9	UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGBH

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 460
Cliente N° 26002-DD-EE-04-06-002 | Segue - 461

Schema morsetti

Striscia di prese

=ASM+ASM-XGBH

LATO A					LATO A	LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
=AQT+AQT/301.5	=AQT+AQT-XGASM:13:A	AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²	7 1.5 mm²	'	76	RD 1 mm²	-K4-SIG:9	UT 2,5-MT
				'	77	RD 1 mm²	-K4-K:10	UT 2,5-MT
=AQT+AQT/301.6	=AQT+AQT-XGASM:14:A	AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²	8 1.5 mm²	'	78	RD 1 mm²	-K4-SIG:10	UT 2,5-MT
				'	79	RD 1 mm²	-K4-K:11	UT 2,5-MT
=AQT+AQT/301.7	=AQT+AQT-XGASM:15:A	AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²	9 1.5 mm²	'	80	RD 1 mm²	-K4-SIG:11	UT 2,5-MT
				'	81	RD 1 mm²	-K4-K:12	UT 2,5-MT
=AQT+AQT/301.8	=AQT+AQT-XGASM:16:A	AQT3-ASM3/BH FG16OH2M16 12G1.5 mm²	10 1.5 mm²	'	82	RD 1 mm²	-K4-SIG:12	UT 2,5-MT
				'	83	RD 1 mm²	-K4-K:14	UT 2,5-MT
				'	84	RD 1 mm²	-K4-SIG:14	UT 2,5-MT
/216.2	=CASSETTE DI GIUNZIONE+JB16-X:13	VR3-ASM3/BH FG16OH2M16 5G1.5 mm²	1 1.5 mm²	'	85	RD 1 mm²	-K4-H:15	UT 2,5-MT
/216.2	=CASSETTE DI GIUNZIONE+JB16-X:14	VR3-ASM3/BH FG16OH2M16 5G1.5 mm²	2 1.5 mm²	'	86	RD 1 mm²	-K4-SIG:15	UT 2,5-MT
				'	87	RD 1 mm²	-K5-K:1	UT 2,5-MT
				'	88	RD 1 mm²	-K5-SIG:1	UT 2,5-MT
				'	89	RD 1 mm²	-K5-H:2	UT 2,5-MT
				'	90	RD 1 mm²	-K5-SIG:2	UT 2,5-MT
				'	91	RD 1 mm²	-K5-K:3	UT 2,5-MT
				'	92	RD 1 mm²	-K5-SIG:3	UT 2,5-MT
				'	93	RD 1 mm²	-K5-K:4	UT 2,5-MT
				'	94	RD 1 mm²	-K5-SIG:4	UT 2,5-MT
				'	95	RD 1 mm²	-K5:5	UT 2,5-MT
				'	96	RD 1 mm²	-K5:5	UT 2,5-MT
				'	97	RD 1 mm²	-K5:6	UT 2,5-MT
				'	98	RD 1 mm²	-K5:6	UT 2,5-MT
				'	99	RD 1 mm²	-K5:7	UT 2,5-MT
				'	100	RD 1 mm²	-K5:7	UT 2,5-MT

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - (Codeword/Unit)

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGBH

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 461

Cliente N° 26002-DD-EE-04-06-002 | Segue - 462

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGBH

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
					101	RD 1 mm²	-K5-K:8	UT 2,5-MT
					102	RD 1 mm²	-K5-SIG:8	UT 2,5-MT
					103	RD 1 mm²	-K5-K:9	UT 2,5-MT
					104	RD 1 mm²	-K5-SIG:9	UT 2,5-MT
					105	RD 1 mm²	-K5-K:10	UT 2,5-MT
					106	RD 1 mm²	-K5-SIG:10	UT 2,5-MT
					107	RD 1 mm²	-K5-K:11	UT 2,5-MT
					108	RD 1 mm²	-K5-SIG:11	UT 2,5-MT
					109	RD 1 mm²	-K5-K:12	UT 2,5-MT
					110	RD 1 mm²	-K5-SIG:12	UT 2,5-MT
					111	RD 1 mm²	-K5-K:13	UT 2,5-MT
					112	RD 1 mm²	-K5-SIG:13	UT 2,5-MT
					113	RD 1 mm²	-K5-K:14	UT 2,5-MT
					114	RD 1 mm²	-K5-SIG:14	UT 2,5-MT
					115	RD 1 mm²	-K5-H:15	UT 2,5-MT
					116	RD 1 mm²	-K5-SIG:15	UT 2,5-MT
					117	RD 1 mm²	-K5-H:16	UT 2,5-MT
					118	RD 1 mm²	-K5-SIG:16	UT 2,5-MT
					119			

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGBH

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 462
Cliente N° 26002-DD-EE-04-06-002 | Segue - 464

Schema morsetti

Striscia di prese

=ASM+ASM-XGBL

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/201.2	=QP+QP-PX-A:16	QP3-ASM3/BH FG16OH2M16 12G1.5 mm²	5 1.5 mm²	'	1	RD 1 mm²	-X2:6	UT 2,5-MT
						RD 1 mm²	-R1:2	
/201.2	=QP+QP-PX-A:19	QP3-ASM3/BH FG16OH2M16 12G1.5 mm²	6 1.5 mm²	'	2	RD 1 mm²	-XRB:T3	UT 2,5-MT
/203.6	=QP+QP-PX-A:17	QP3-ASM3/BH FG16OH2M16 12G1.5 mm²	7 1.5 mm²	'	3	RD 1 mm²	-R7:2	UT 2,5-MT
/203.6	=QP+QP-PX-A:18	QP3-ASM3/BH FG16OH2M16 12G1.5 mm²	8 1.5 mm²	'	4	RD 1 mm²	-XSC:3	UT 2,5-MT

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XGBL

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 464

Cliente N° 26002-DD-EE-04-06-002

Segue - 465

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGBLP

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/204.2	=ASQ+ASQ-XGASM:22:A	ASQ3-ASM3/BL FG16OH2M16 5G1.5 mm²	1 1.5 mm²		1	RD 1 mm²	-S301:53	UT 2,5-MT
						RD 2.5 mm²	-X2:10	
=QT+QT/301.5	=QT+QT-XGASM:6:A	QT3-ASM3/BL FG16OH2M16 5G1.5 mm²	1 1.5 mm²		2			UT 2,5-MT
/204.5	=QCI+QCI-X:267	QCI3-ASM3/BL FG16OH2M16 5G1.5 mm²	1 1.5 mm²		3			UT 2,5-MT
					4			UT 2,5-MT
					5			UT 2,5-MT
					6			UT 2,5-MT
=ASQ+ASQ/302.7	=ASQ+ASQ-XGASM:23:A	ASQ3-ASM3/BL FG16OH2M16 5G1.5 mm²	2 1.5 mm²	-	7	RD 1 mm²	-TB3:1	UT 2,5-MT
=QT+QT/301.6	=QT+QT-XGASM:7:A	QT3-ASM3/BL FG16OH2M16 5G1.5 mm²	2 1.5 mm²	-	8	RD 1 mm²	-TB3:3	UT 2,5-MT
/204.5	=QCI+QCI-X?:265	QCI3-ASM3/BL FG16OH2M16 5G1.5 mm²	2 1.5 mm²	-	9	RD 1 mm²	-TB3:4	UT 2,5-MT
				-	10	RD 1 mm²	-TB3:5	UT 2,5-MT
				-	11			UT 2,5-MT
				-	12			UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo: Schema morsetti =ASM+ASM-XGBLP

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 465
Cliente N° 26002-DD-EE-04-06-002
Segue - 466

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGCI

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
/251.2	=QCI+QCI-X:COM+	ASM3-QCI3/C FG16OH2M16 7G1.5 mm²	1 1.5 mm²	1	BU 1 mm²	-161K01:11	UT 2,5
				2	BU 1 mm²	-161K02:11	UT 2,5
				3	BU 1 mm²	-161K03:11	UT 2,5
				4	BU 1 mm²	-161K04:11	UT 2,5
				5	BU 1 mm²	-161K05:11	UT 2,5
				6	BU 1 mm²	-161K06:11	UT 2,5
				7	BU 1 mm²	-161K07:11	UT 2,5
				8	BU 1 mm²	-161K08:11	UT 2,5
				9	BU 1 mm²	-161K09:11	UT 2,5
				10	BU 1 mm²	-161K10:11	UT 2,5
				11	BU 1 mm²	-161K11:11	UT 2,5
				12	BU 1 mm²	-161K12:11	UT 2,5
				13	BU 1 mm²	-161K13:11	UT 2,5
				14	BU 1 mm²	-161K14:11	UT 2,5
				15	BU 1 mm²	-161K15:11	UT 2,5
				16	BU 1 mm²	-161K16:11	UT 2,5
				17	BU 1 mm²	-162K01:11	UT 2,5
				18	BU 1 mm²	-162K02:11	UT 2,5
				19	BU 1 mm²	-162K03:11	UT 2,5
/253.4	=QCI+QCI-X:359	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	15 1.5 mm²	20	BU 1 mm²	-162K04:11	UT 2,5
				21	BU 1 mm²	-162K05:11	UT 2,5
				22	BU 1 mm²	-162K06:11	UT 2,5
				23	BU 1 mm²	-162K07:11	UT 2,5
				24	BU 1 mm²	-162K08:11	UT 2,5
/251.2	=QCI+QCI-X:278	ASM3-QCI3/C FG16OH2M16 7G1.5 mm²	2 1.5 mm²	25	BU 1 mm²	-161K01:14	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGCI

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 466
Cliente N° 26002-DD-EE-04-06-002 | Segue - 467

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGCI

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/251.3	=QCI+QCI-X:286	ASM3-QCI3/C FG16OH2M16 7G1.5 mm²	3 1.5 mm²	'	26	BU 1 mm²	-161K02:14	UT 2,5
/251.4	=QCI+QCI-X:294	ASM3-QCI3/C FG16OH2M16 7G1.5 mm²	4 1.5 mm²	'	27	BU 1 mm²	-161K03:14	UT 2,5
/251.5	=QCI+QCI-X:302	ASM3-QCI3/C FG16OH2M16 7G1.5 mm²	5 1.5 mm²	'	28	BU 1 mm²	-161K04:14	UT 2,5
/251.5	=QCI+QCI-X:390	ASM3-QCI3/C FG16OH2M16 7G1.5 mm²	6 1.5 mm²	'	29	BU 1 mm²	-161K05:14	UT 2,5
/251.6	=QCI+QCI-X:262	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	1 1.5 mm²	'	30	BU 1 mm²	-161K06:14	UT 2,5
/251.7	=QCI+QCI-X:244	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	2 1.5 mm²	'	31	BU 1 mm²	-161K07:14	UT 2,5
/251.8	=QCI+QCI-X:252	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	3 1.5 mm²	'	32	BU 1 mm²	-161K08:14	UT 2,5
/252.2	=QCI+QCI-X:258	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	4 1.5 mm²	'	33	BU 1 mm²	-161K09:14	UT 2,5
/252.3	=QCI+QCI-X:260	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	5 1.5 mm²	'	34	BU 1 mm²	-161K10:14	UT 2,5
/252.4	=QCI+QCI-X:250	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	6 1.5 mm²	'	35	BU 1 mm²	-161K11:14	UT 2,5
/252.5	=QCI+QCI-X:248	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	7 1.5 mm²	'	36	BU 1 mm²	-161K12:14	UT 2,5
/252.5	=QCI+QCI-X:246	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	8 1.5 mm²	'	37	BU 1 mm²	-161K13:14	UT 2,5
/252.6	=QCI+QCI-X:332	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	9 1.5 mm²	'	38	BU 1 mm²	-161K14:14	UT 2,5
/252.7	=QCI+QCI-X:340	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	10 1.5 mm²	'	39	BU 1 mm²	-161K15:14	UT 2,5
/252.8	=QCI+QCI-X:316	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	11 1.5 mm²	'	40	BU 1 mm²	-161K16:14	UT 2,5
/253.2	=QCI+QCI-X:324	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	12 1.5 mm²	'	41	BU 1 mm²	-162K01:14	UT 2,5
/253.3	=QCI+QCI-X:341	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	13 1.5 mm²	'	42	BU 1 mm²	-162K02:14	UT 2,5
/253.4	=QCI+QCI-X:343	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	14 1.5 mm²	'	43	BU 1 mm²	-162K03:14	UT 2,5
/253.5	=QCI+QCI-X:356	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	16 1.5 mm²	'	44	BU 1 mm²	-162K04:14	UT 2,5
/253.5	=QCI+QCI-X:353	ASM3-QCI3/C2 FG16OH2M16 24G1.5 mm²	17 1.5 mm²	'	45	BU 1 mm²	-162K05:14	UT 2,5
				'	46	BU 1 mm²	-162K06:14	UT 2,5
				'	47	BU 1 mm²	-162K07:14	UT 2,5
				'	48	BU 1 mm²	-162K08:14	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGCI

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 467
Cliente N° 26002-DD-EE-04-06-002 | Segue - 468

Schema morsetti

Striscia di prese

=ASM+ASM-XGCI52

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/221.2	=QP+QP-PX-A:22	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	1 1.5 mm²		1	RD 1 mm²	-XAB52_A:T2	UT 2,5
/221.4	=QCI+QCI-X?:344	ASM3-QCI3/C3 FG16OH2M16 5G1.5 mm²	1 1.5 mm²		2	RD 1 mm²	-XAB52_M:T2	UT 2,5
/221.5	=QP+QP-PX-A:52	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	3 1.5 mm²		3	RD 1 mm²	-XMT52:T2	UT 2,5
/221.6	=MT347+MT347-XD1:33	MT347_3-ASM3/A FG16OH2M16 7G1.5 mm²	2 1.5 mm²		4	RD 1 mm²	-XA52:T2	UT 2,5
					5	RD 1 mm²	-XAP52MAN:T2	UT 2,5
						RD 1 mm²	-XGCI52:12:B	
/221.2	=QP+QP-PX-A:23	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	2 1.5 mm²		6	RD 1 mm²	-XCH52:B1	UT 2,5
/221.4	=QCI+QCI-X?:345	ASM3-QCI3/C3 FG16OH2M16 5G1.5 mm²	2 1.5 mm²		7			UT 2,5
/221.4	=MT347+MT347-XD1:29	MT347_3-ASM3/A FG16OH2M16 7G1.5 mm²	3 1.5 mm²		8	RD 1 mm²	-XCH52:T3	UT 2,5
/221.5	=QP+QP-PX-A:51	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	4 1.5 mm²		9			UT 2,5
/221.5	45	MT347_3-ASM3/A FG16OH2M16 7G1.5 mm²	4 1.5 mm²		10			UT 2,5
/221.7	=QP+QP-PX-A:53	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	5 1.5 mm²		11	RD 1 mm²	-XMAN:M1	UT 2,5
/221.7	=QP+QP-PX-A:54	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	6 1.5 mm²		12	RD 1 mm²	-XGCI52:5:B	UT 2,5
/221.2	=MT347+MT347-XD1:27	MT347_3-ASM3/A FG16OH2M16 7G1.5 mm²	1 1.5 mm²		13	RD 1 mm²	-K-BE1:M3	UT 2,5
/94.8	=MT347+MT347-XD1:66	MT347_3-ASM3/A FG16OH2M16 7G1.5 mm²	5 1.5 mm²		14	WH 1 mm²	-XCH52:B4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - (Codeword/Unit)

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGCI52

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 468

Cliente N° 26002-DD-EE-04-06-002 | Segue - 469

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGDISP

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1			UT 2,5
				2			UT 2,5
				3			UT 2,5
				4			UT 2,5
				5			UT 2,5
				6			UT 2,5
				7			UT 2,5
				8			UT 2,5
				9			UT 2,5
				10			UT 2,5
				11			UT 2,5
				12			UT 2,5
				13			UT 2,5
				14			UT 2,5
				15			UT 2,5
				16			UT 2,5
				17			UT 2,5
				18			UT 2,5
				19			UT 2,5
				20			UT 2,5
				21			UT 2,5-MT
				22			UT 2,5-MT
				23			UT 2,5-MT
				24			UT 2,5-MT
				25			UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo
Schema morsetti =ASM+ASM-XGDISP

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 469
Cliente N° 26002-DD-EE-04-06-002
Segue - 470

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGDISP

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
					26			UT 2,5-MT
					27			UT 2,5-MT
					28			UT 2,5-MT
					29			UT 2,5-MT
					30			UT 2,5-MT
					31			UT 2,5-MT
					32			UT 2,5-MT
					33			UT 2,5-MT
					34			UT 2,5-MT
					35			UT 2,5-MT
					36			UT 2,5-MT
					37			UT 2,5-MT
					38			UT 2,5-MT
					39			UT 2,5-MT
					40			UT 2,5-MT

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XGDISP

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 470
Cliente N° 26002-DD-EE-04-06-002
Segue - 471

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGECC

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/222.3	=ECC+ECC-X800:1	ECC3-ASM3/BL FG16OH2M16 5G1.5 mm²	1 1.5 mm²		1	BU 1 mm²	-K-BE1:M4	UT 2,5
/222.3	=ECC+ECC-X800:2	ECC3-ASM3/BL FG16OH2M16 5G1.5 mm²	2 1.5 mm²		2	BU 1 mm²	-X-PROT1:T3	UT 2,5
					3	BU 1 mm²	-K-BE1:R4	UT 2,5
/262.2	=ECC+ECC-X110:1	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	1 1.5 mm²		4	RD 1 mm²	-166K01:3	UT 2,5
					5	RD 1 mm²	-166K02:3	UT 2,5
					6	RD 1 mm²	-166K03:3	UT 2,5
					7	RD 1 mm²	-166K05:3	UT 2,5
/262.5	=ECC+ECC-X200:9	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	6 1.5 mm²		8	RD 1 mm²	-166K04:3	UT 2,5
					9	RD 1 mm²	-166K06:3	UT 2,5
/262.7	=ECC+ECC-X200:3	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	9 1.5 mm²		10	RD 1 mm²	-166K08:3	UT 2,5
/262.7	=ECC+ECC-X300:7	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	11 1.5 mm²		11	RD 1 mm²	-166K07:3	UT 2,5
/262.2	=ECC+ECC-X110:2	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	2 1.5 mm²		12	RD 1 mm²	-166K01:4	UT 2,5
/262.3	=ECC+ECC-X110:4	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	3 1.5 mm²		13	RD 1 mm²	-166K02:4	UT 2,5
/262.4	=ECC+ECC-X110:6	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	4 1.5 mm²		14	RD 1 mm²	-166K03:4	UT 2,5
/262.5	=ECC+ECC-X110:8	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	5 1.5 mm²		15	RD 1 mm²	-166K05:4	UT 2,5
/262.5	=ECC+ECC-X200:10	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	7 1.5 mm²		16	RD 1 mm²	-166K04:4	UT 2,5
/262.6	=ECC+ECC-X200:8	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	8 1.5 mm²		17	RD 1 mm²	-166K06:4	UT 2,5
/262.7	=ECC+ECC-X200:4	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	10 1.5 mm²		18	RD 1 mm²	-166K08:4	UT 2,5
/262.8	=ECC+ECC-X300:8	ASM3-ECC3/C FG16OH2M16 24G1.5 mm²	12 1.5 mm²		19	RD 1 mm²	-166K07:4	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGECC

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 471
Cliente N° 26002-DD-EE-04-06-002 | Segue - 472

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGMAIG

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
/223.3	=QP+QP-PX-A:1	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	7 1.5 mm²		RD 1 mm²	-K-SC1:R4	UT 2,5
/223.3	=QP+QP-PX-A:4	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	8 1.5 mm²		RD 1 mm²	-K-SC1:M4	UT 2,5
							UT 2,5
/223.5	=QP+QP-PX-A:2	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	9 1.5 mm²		RD 1 mm²	-X52AP:M3	UT 2,5
/223.6	=QP+QP-PX-A:3	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	10 1.5 mm²		RD 1 mm²	-X52CH:M3	UT 2,5
					RD 1 mm²	-X89GAP:M2	UT 2,5
/223.7	=QP+QP-PX-A:5	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	11 1.5 mm²		RD 1 mm²	-X52EST:M2	UT 2,5
/224.2	=QP+QP-PX-A:41	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	12 1.5 mm²		RD 1 mm²	-X52EST:M3	UT 2,5
/224.3	=QP+QP-PX-A:42	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	13 1.5 mm²		RD 1 mm²	-X52EST:R3	UT 2,5
/224.4	=QP+QP-PX-A:47	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	14 1.5 mm²		RD 1 mm²	-X52EST:M4	UT 2,5
/224.4	=QP+QP-PX-A:48	ASM3-QP3/C FG16OH2M16 24G1.5 mm²	15 1.5 mm²		RD 1 mm²	-X52EST:R4	UT 2,5
					RD 1 mm²	-X89GAP:M3	UT 2,5
					RD 1 mm²	-X89GAP:R3	UT 2,5
					RD 1 mm²	-X89GAP:M4	UT 2,5
					RD 1 mm²	-X89GAP:R4	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo: Schema morsetti =ASM+ASM-XGMAIG

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 472
Cliente N° 26002-DD-EE-04-06-002 | Segue - 473

Schema morsetti

Striscia di prese

=ASM+ASM-XGPAT347

LATO A				LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				- 1	RD 1 mm²	-163K11:3	UT 2,5
				- 2	RD 1 mm²	-163K12:3	UT 2,5
				- 3	RD 1 mm²	-163K11:4	UT 2,5
				- 4	RD 1 mm²	-163K12:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XGPAT347

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 473

Cliente N° 26002-DD-EE-04-06-002

Segue - 474

Schema morsetti

Striscia di prese

=ASM+ASM-XGPNP

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/225.3	=CASSETTE DI GIUNZIONE+JB01-X1:30	ACCG3-ASM3/BH FG16OH2M16 7G1.5 mm²	1 1.5 mm²		1	BU 1.5 mm²	-X22:6	UT 2,5
/225.5	=CASSETTE DI GIUNZIONE+JB08-X1:30	ACCP3-ASM3/BH FG16OH2M16 7G1.5 mm²	1 1.5 mm²		2			UT 2,5
/225.6	=CASSETTE DI GIUNZIONE+JB08-ZTP.S1.P3:1	ACCP3-ASM3/BH2 FG16OH2M16 7G1.5 mm²	1 1.5 mm²		3			UT 2,5
/225.7	=CASSETTE DI GIUNZIONE+JB10-ZTP63.412iQ:1	ACCP3-ASM3/BH3 FG16OH2M16 7G1.5 mm²	1 1.5 mm²		4			UT 2,5
					5			UT 2,5
					6			UT 2,5
/225.3	=CASSETTE DI GIUNZIONE+JB01-X1:31	ACCG3-ASM3/BH FG16OH2M16 7G1.5 mm²	2 1.5 mm²		7	WH 1.5 mm²	-X23:8	UT 2,5
/225.5	=CASSETTE DI GIUNZIONE+JB08-X1:31	ACCP3-ASM3/BH FG16OH2M16 7G1.5 mm²	2 1.5 mm²		8			UT 2,5
/225.6	=CASSETTE DI GIUNZIONE+JB08-ZTP.S1.P3:3	ACCP3-ASM3/BH2 FG16OH2M16 7G1.5 mm²	2 1.5 mm²		9			UT 2,5
/225.7	=CASSETTE DI GIUNZIONE+JB10-ZTP63.412iQ:3	ACCP3-ASM3/BH3 FG16OH2M16 7G1.5 mm²	2 1.5 mm²		10			UT 2,5
					11			UT 2,5
					12			UT 2,5
/225.3	=CASSETTE DI GIUNZIONE+JB01-X1:32	ACCG3-ASM3/BH FG16OH2M16 7G1.5 mm²	3 1.5 mm²		13	BU 1 mm²	-PNP1:B1	UT 2,5
/225.5	=CASSETTE DI GIUNZIONE+JB08-X1:32	ACCP3-ASM3/BH FG16OH2M16 7G1.5 mm²	3 1.5 mm²		14	BU 1 mm²	-PNP2:B1	UT 2,5
/225.6	=CASSETTE DI GIUNZIONE+JB08-ZTP.S1.P3:4	ACCP3-ASM3/BH2 FG16OH2M16 7G1.5 mm²	3 1.5 mm²		15	BU 1 mm²	-PNP3:B1	UT 2,5
/225.7	=CASSETTE DI GIUNZIONE+JB10-ZTP63.412iQ:4	ACCP3-ASM3/BH3 FG16OH2M16 7G1.5 mm²	3 1.5 mm²		16	BU 1 mm²	-PNP4:B1	UT 2,5
					17			UT 2,5
					18			UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - (Codeword/Unit)

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGPNP

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 474

Cliente N° 26002-DD-EE-04-06-002 | Segue - 475

Schema morsetti

LATO A

Striscia di prese
=ASM+ASM-XGQP

LATO B

Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
				'	1	RD 1 mm²	-165K03:M1	UT 2,5
/260.3	=QP+QP-PX-A:6	ASM3-QP3/C2 FG16OH2M16 12G1.5 mm²	1 1.5 mm²	'	2	RD 1 mm²	-165K13:3	UT 2,5
/260.4	=QP+QP-PX-A:7	ASM3-QP3/C2 FG16OH2M16 12G1.5 mm²	4 1.5 mm²	'	3	RD 1 mm²	-165K15:3	UT 2,5
				'	4	RD 1 mm²	-165K16:3	UT 2,5
/260.6	=QP+QP-PX-A:8	ASM3-QP3/C2 FG16OH2M16 12G1.5 mm²	6 1.5 mm²	'	5	RD 1 mm²	-165K13:8	UT 2,5
/260.7	=QP+QP-PX-A:9	ASM3-QP3/C2 FG16OH2M16 12G1.5 mm²	9 1.5 mm²	'	6	RD 1 mm²	-165K15:8	UT 2,5
				'	7	RD 1 mm²	-165K03:T1	UT 2,5
/260.3	=QP+QP-PX-A:10	ASM3-QP3/C2 FG16OH2M16 12G1.5 mm²	2 1.5 mm²	'	8	RD 1 mm²	-165K13:4	UT 2,5
/260.4	=QP+QP-PX-A:11	ASM3-QP3/C2 FG16OH2M16 12G1.5 mm²	3 1.5 mm²	'	9	RD 1 mm²	-165K14:4	UT 2,5
/260.5	=QP+QP-PX-A:12	ASM3-QP3/C2 FG16OH2M16 12G1.5 mm²	5 1.5 mm²	'	10	RD 1 mm²	-165K15:4	UT 2,5
				'	11	RD 1 mm²	-165K16:4	UT 2,5
/260.6	=QP+QP-PX-A:13	ASM3-QP3/C2 FG16OH2M16 12G1.5 mm²	7 1.5 mm²	'	12	RD 1 mm²	-165K13:7	UT 2,5
/260.7	=QP+QP-PX-A:14	ASM3-QP3/C2 FG16OH2M16 12G1.5 mm²	8 1.5 mm²	'	13	RD 1 mm²	-165K14:7	UT 2,5
/260.8	=QP+QP-PX-A:15	ASM3-QP3/C2 FG16OH2M16 12G1.5 mm²	10 1.5 mm²	'	14	RD 1 mm²	-165K15:7	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGQP

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 475
Cliente N° 26002-DD-EE-04-06-002 | Segue - 476

Schema morsetti

Striscia di prese

=ASM+ASM-XGROT1

	LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/258.2	=CASSETTE DI GIUNZIONE+JB06-X1:31	ASM3-V31/C2 FG16OH2M16 5G1.5 mm²	1 1.5 mm²	'	1	RD 1 mm²	-164K11:T1	UT 2,5
/258.3	=CASSETTE DI GIUNZIONE+JB06-X1:32	ASM3-V31/C2 FG16OH2M16 5G1.5 mm²	2 1.5 mm²	'	2	WH 1 mm²	-X27:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XGROT1

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 476

Cliente N° 26002-DD-EE-04-06-002

Segue - 477

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGROT2

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/258.4	=CASSETTE DI GIUNZIONE+JB06-X3:31	ASM3-V32/C FG16OH2M16 5G1.5 mm²	1 1.5 mm²	'	1	RD 1 mm²	-164K12:T1	UT 2,5
/258.4	=CASSETTE DI GIUNZIONE+JB06-X3:32	ASM3-V32/C FG16OH2M16 5G1.5 mm²	2 1.5 mm²	'	2	WH 1 mm²	-X27:5	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XGROT2

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 477
Cliente N° 26002-DD-EE-04-06-002
Segue - 478

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGROTASP

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				- 1	RD 1 mm²	-164K13:T1	UT 2,5
				- 2	WH 1 mm²	-X27:6	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti
=ASM+ASM-XGROTASP

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 478
Cliente N° 26002-DD-EE-04-06-002
Segue - 479

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGROTMAND

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/258.7	=CASSETTE DI GIUNZIONE+JB07-X1:67	ASM3-V30/C FG16OH2M16 5G1.5 mm²	1 1.5 mm²	'	1	RD 1 mm²	-164K14:T1	UT 2,5
/258.7	=CASSETTE DI GIUNZIONE+JB07-X1:68	ASM3-V30/C FG16OH2M16 5G1.5 mm²	2 1.5 mm²	'	2	WH 1 mm²	-X27:7	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F
Release note

dolomiti energia

VOITH

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XGROTMAND

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 479
Cliente N° 26002-DD-EE-04-06-002
Segue - 480

Schema morsetti

Striscia di prese

=ASM+ASM-XGRV

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/222.6	=RV+RV-X-BLO:9	RV3-ASM3/BL FG16OH2M16 5G1.5 mm²	1 1.5 mm²	'	1	RD 1 mm²	-K-BE2:M2	UT 2,5
/222.6	=RV+RV-X-BLO:10	RV3-ASM3/BL FG16OH2M16 5G1.5 mm²	2 1.5 mm²	'	2	RD 1 mm²	-K-BM2:T2	UT 2,5
				'	3	RD 1 mm²	-K-BM2:R2	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XGRV

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 480

Cliente N° 26002-DD-EE-04-06-002

Segue - 481

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGSEGLED

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
/263.4	COM	ASM3-SM3/C FG16OH2M16 7G1.5 mm²	1 1.5 mm²	1	WH 1 mm²	-X23:4	UT 2,5
/263.6	COM	ASM3-SS3/C FG16OH2M16 7G1.5 mm²	1 1.5 mm²	2			UT 2,5
/264.2	COM	ASM3-GV3/C FG16OH2M16 7G1.5 mm²	1 1.5 mm²	3			UT 2,5
/264.4	COM	ASM3-CM3/C FG16OH2M16 7G1.5 mm²	1 1.5 mm²	4			UT 2,5
/264.6	COM	ASM3-V3/C FG16OH2M16 7G1.5 mm²	1 1.5 mm²	5			UT 2,5
/263.5	L4	ASM3-SM3/C FG16OH2M16 7G1.5 mm²	5 1.5 mm²	6	BU 1 mm²	-166K12:4	UT 2,5
/263.7	L4	ASM3-SS3/C FG16OH2M16 7G1.5 mm²	5 1.5 mm²	7			UT 2,5
/264.3	L4	ASM3-GV3/C FG16OH2M16 7G1.5 mm²	5 1.5 mm²	8			UT 2,5
/264.5	L4	ASM3-CM3/C FG16OH2M16 7G1.5 mm²	5 1.5 mm²	9			UT 2,5
/264.7	L4	ASM3-V3/C FG16OH2M16 7G1.5 mm²	5 1.5 mm²	10			UT 2,5
/263.4	L3	ASM3-SM3/C FG16OH2M16 7G1.5 mm²	4 1.5 mm²	11	BU 1 mm²	-166K13:4	UT 2,5
/263.6	L3	ASM3-SS3/C FG16OH2M16 7G1.5 mm²	4 1.5 mm²	12			UT 2,5
/264.3	L3	ASM3-GV3/C FG16OH2M16 7G1.5 mm²	4 1.5 mm²	13			UT 2,5
/264.4	L3	ASM3-CM3/C FG16OH2M16 7G1.5 mm²	4 1.5 mm²	14			UT 2,5
/264.6	L3	ASM3-V3/C FG16OH2M16 7G1.5 mm²	4 1.5 mm²	15			UT 2,5
/263.4	L2	ASM3-SM3/C FG16OH2M16 7G1.5 mm²	3 1.5 mm²	16	BU 1 mm²	-166K14:4	UT 2,5
/263.6	L2	ASM3-SS3/C FG16OH2M16 7G1.5 mm²	3 1.5 mm²	17			UT 2,5
/264.2	L2	ASM3-GV3/C FG16OH2M16 7G1.5 mm²	3 1.5 mm²	18			UT 2,5
/264.4	L2	ASM3-CM3/C FG16OH2M16 7G1.5 mm²	3 1.5 mm²	19			UT 2,5
/264.6	L2	ASM3-V3/C FG16OH2M16 7G1.5 mm²	3 1.5 mm²	20			UT 2,5
/263.4	L1	ASM3-SM3/C FG16OH2M16 7G1.5 mm²	2 1.5 mm²	21	BU 1 mm²	-166K15:4	UT 2,5
/263.6	L1	ASM3-SS3/C FG16OH2M16 7G1.5 mm²	2 1.5 mm²	22			UT 2,5
/264.2	L1	ASM3-GV3/C FG16OH2M16 7G1.5 mm²	2 1.5 mm²	23			UT 2,5
/264.4	L1	ASM3-CM3/C FG16OH2M16 7G1.5 mm²	2 1.5 mm²	24			UT 2,5
/264.6	L1	ASM3-V3/C FG16OH2M16 7G1.5 mm²	2 1.5 mm²	25			UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGSEGLED

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 481
Cliente N° 26002-DD-EE-04-06-002 | Segue - 482

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGSEGLED

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
/263.5	L5	ASM3-SM3/C FG16OH2M16 7G1.5 mm²	6 1.5 mm²	26	BU 1 mm²	-166K16:4	UT 2,5
/263.7	L5	ASM3-SS3/C FG16OH2M16 7G1.5 mm²	6 1.5 mm²	27			UT 2,5
/264.3	L5	ASM3-GV3/C FG16OH2M16 7G1.5 mm²	6 1.5 mm²	28			UT 2,5
/264.5	L5	ASM3-CM3/C FG16OH2M16 7G1.5 mm²	6 1.5 mm²	29			UT 2,5
/264.7	L5	ASM3-V3/C FG16OH2M16 7G1.5 mm²	6 1.5 mm²	30			UT 2,5
/267.2	-XG:2:A			31	BU 1 mm²	-163K13:3	UT 2,5
/267.4	-XG:4:A			32	BU 1 mm²	-163K14:3	UT 2,5
/267.5	-XG:6:A			33	BU 1 mm²	-163K15:11	UT 2,5
				34	BU 1 mm²	-163K16:11	UT 2,5
/266.2	=52PN+52PN-XD?:??	M52PN_3-ASM3/A FG16OH2M16 7G1.5 mm²	1 1.5 mm²	35	BU 1 mm²	-165K04:M1	UT 2,5
/266.3	=52PN+52PN-XD?:??	M52PN_3-ASM3/A FG16OH2M16 7G1.5 mm²	3 1.5 mm²	36	BU 1 mm²	-165K05:11	UT 2,5
/266.4	=52PN+52PN-XD?:??	M52PN_3-ASM3/A FG16OH2M16 7G1.5 mm²	5 1.5 mm²	37	BU 1 mm²	-165K06:11	UT 2,5
				38	BU 1 mm²	-165K07:11	UT 2,5
				39	BU 1 mm²	-166K09:3	UT 2,5
				40	BU 1 mm²	-166K10:3	UT 2,5
				41	BU 1 mm²	-166K11:3	UT 2,5
/265.2	=MT347+MT347-XD1:49	MT347_3-ASM3/B FG16OH2M16 7G1.5 mm²	2 1.5 mm²	42	BU 1 mm²	-163K13:4	UT 2,5
/265.4	=MT3+MT3-XD1:2	MT3-ASM3/S4 FG16OH2M16 7G1.5 mm²	2 1.5 mm²	43	BU 1 mm²	-163K14:4	UT 2,5
/265.5	=MT3+MT3-XD1:2	MT3-ASM3/S4 FG16OH2M16 7G1.5 mm²	4 1.5 mm²	44	BU 1 mm²	-163K15:14	UT 2,5
				45	BU 1 mm²	-163K16:14	UT 2,5
/266.2	=52PN+52PN-XD?:??	M52PN_3-ASM3/A FG16OH2M16 7G1.5 mm²	2 1.5 mm²	46	BU 1 mm²	-165K04:T1	UT 2,5
/266.3	=52PN+52PN-XD?:??	M52PN_3-ASM3/A FG16OH2M16 7G1.5 mm²	4 1.5 mm²	47	BU 1 mm²	-165K05:14	UT 2,5
/266.5	=52PN+52PN-XD?:??	M52PN_3-ASM3/A FG16OH2M16 7G1.5 mm²	6 1.5 mm²	48	BU 1 mm²	-165K06:14	UT 2,5
				49	BU 1 mm²	-165K07:14	UT 2,5
				50	BU 1 mm²	-166K09:4	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGSEGLED

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 482
Cliente N° 26002-DD-EE-04-06-002 | Segue - 483

Schema morsetti

Striscia di prese

=ASM+ASM-XGSEGLED

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				' 51	BU 1 mm²	-166K10:4	UT 2,5
				' 52	BU 1 mm²	-166K11:4	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XGSEGLED

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 483

Cliente N° 26002-DD-EE-04-06-002

Segue - 484

Schema morsetti

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Striscia di prese
=ASM+ASM-XGSG

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/226.4	=SG+/SG-C:2	ASM3-SG3/S2 FG16OH2M16 7G1.5 mm²	1 1.5 mm²		1	RD 1 mm²	-163K03:3	UT 2,5
					2	RD 1 mm²	-163K04:3	UT 2,5
/226.4	=SG+SG-X:152	ASM3-SG3/S2 FG16OH2M16 7G1.5 mm²	2 1.5 mm²		3	RD 1 mm²	-163K03:4	UT 2,5
/226.5	=SG+SG-X:153	ASM3-SG3/S2 FG16OH2M16 7G1.5 mm²	3 1.5 mm²		4	RD 1 mm²	-163K04:4	UT 2,5
					5			UT 2,5
					6			UT 2,5
					7			UT 2,5
					8			UT 2,5
					9			UT 2,5
					10	RD 1 mm²	-XMAN:M2	UT 2,5
					11	RD 1 mm²	-XMAN:T2	UT 2,5
					12	RD 1 mm²	-163K01:11	UT 2,5
					13	RD 1 mm²	-163K01:14	UT 2,5
					14	RD 1 mm²	-163K02:11	UT 2,5
					15	RD 1 mm²	-163K02:14	UT 2,5
					16	RD 1 mm²	-163K06:11	UT 2,5
					17	RD 1 mm²	-163K06:14	UT 2,5
					18	RD 1 mm²	-163K07:11	UT 2,5
					19	RD 1 mm²	-163K07:14	UT 2,5
					20			UT 2,5
					21			UT 2,5
					22	RD 1 mm²	-163K08:11	UT 2,5
					23	RD 1 mm²	-163K08:14	UT 2,5
					24	RD 1 mm²	-162K14:11	UT 2,5
					25	RD 1 mm²	-162K14:14	UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo: Schema morsetti =ASM+ASM-XGSG

Sales Order 32950 | Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795 | Foglio 484
Cliente N° 26002-DD-EE-04-06-002 | Segue - 485

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XGSG

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
					26	RD 1 mm²	-162K15:11	UT 2,5
					27	RD 1 mm²	-162K15:14	UT 2,5
					28	RD 1 mm²	-162K16:11	UT 2,5
					29	RD 1 mm²	-162K16:14	UT 2,5
					30	RD 1 mm²	-XWD PLC:M3	UT 2,5
					31	RD 1 mm²	-XWD PLC:T3	UT 2,5
					32	RD 1 mm²	-XWD PLC:M4	UT 2,5
					33	RD 1 mm²	-XWD PLC:T4	UT 2,5
/303.5	=SG+SG-X:85:R	ASM3-SG3/S FG16OH2M16 7G1.5 mm²	2 1.5 mm²		34	BU 1 mm²	-K1:12	UT 2,5
/303.6	=SG+/SG-C:A	ASM3-SG3/S FG16OH2M16 7G1.5 mm²	1 1.5 mm²		35	BU 1 mm²	-XWD PLC:M2	UT 2,5
					36	BU 1 mm²	-QB2:11	UT 2,5
					37			UT 2,5
					38			UT 2,5
					39	BU 1 mm²	-K1:14	UT 2,5
					40	BU 1 mm²	-QB2:12	UT 2,5
					41	BU 1 mm²	-QB2:14	UT 2,5
					42			UT 2,5
					43			UT 2,5

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3
-
Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XGSG

Sales Order 32950
Turbina N. 21506-21507
Disegno N. 2ACS01-0000-10710795
Foglio 485
Cliente N° 26002-DD-EE-04-06-002
Segue - 486

Schema morsetti

Striscia di prese

=ASM+ASM-XGSODA4

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/257.2	=CASSETTE DI GIUNZIONE+JB00-X1:67	ASM3-SODA3/C FG16OH2M16 7G1.5 mm²	1 1.5 mm²		1	RD 1 mm²	-164K09:T1	UT 2,5
/257.4	=CASSETTE DI GIUNZIONE+JB00-X1:69	ASM3-SODA3/C FG16OH2M16 7G1.5 mm²	3 1.5 mm²		2	RD 1 mm²	-164K10:T1	UT 2,5
/257.3	=CASSETTE DI GIUNZIONE+JB00-X1:68	ASM3-SODA3/C FG16OH2M16 7G1.5 mm²	2 1.5 mm²		3	WH 1 mm²	-X27:3	UT 2,5
/257.4	=CASSETTE DI GIUNZIONE+JB00-X1:70	ASM3-SODA3/C FG16OH2M16 7G1.5 mm²	4 1.5 mm²		4			UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 -

Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XGSODA4

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 486

Cliente N° 26002-DD-EE-04-06-002

Segue - 487

Schema morsetti

Striscia di prese

=ASM+ASM-XGT347

LATO A					LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello	Cablaggio	Designazione destinazione	Tipo di morsetto
				1	BU 1 mm²	-163K09:M1	UT 2,5
				2	BU 1 mm²	-163K10:M1	UT 2,5
				3	RD 1 mm²	-164K08:3	UT 2,5
				4	RD 1 mm²	-165K01:M1	UT 2,5
				5	RD 1 mm²	-165K02:M1	UT 2,5
				6	BU 1 mm²	-163K09:T1	UT 2,5
				7	BU 1 mm²	-163K10:T1	UT 2,5
				8	RD 1 mm²	-164K08:4	UT 2,5
				9	RD 1 mm²	-165K01:T1	UT 2,5
				10	RD 1 mm²	-165K02:T1	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 – Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XGT347

Sales Order 32950 | Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795 | Foglio 487

Cliente N° 26002-DD-EE-04-06-002 | Segue - 488

Schema morsetti

Striscia di prese

=ASM+ASM-XGVALRIT

LATO A						LATO B		
Posizionamento	Designazione destinazione	Nome e tipo di cavo	Conduttore	Ponticello		Cablaggio	Designazione destinazione	Tipo di morsetto
/259.2	=CASSETTE DI GIUNZIONE+JB07-X1:63	ASM3-VR3/C FG16OH2M16 5G1.5 mm²	1 1.5 mm²	-	1	RD 1 mm²	-164K15:T1	UT 2,5
				-	2	RD 1 mm²	-164K16:M1	UT 2,5
/259.3	=CASSETTE DI GIUNZIONE+JB07-X1:64	ASM3-VR3/C FG16OH2M16 5G1.5 mm²	2 1.5 mm²	-	3	WH 1 mm²	-X27:8	UT 2,5
				-	4	RD 1 mm²	-164K16:T1	UT 2,5

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Rev.	Descrizione Modifiche	Data	Nome
01	EMISSIONE PER CONSTRUZIONE	2026/09/29	LB
00	PRIMA EMISSIONE	2026/07/17	SJ

S.Massenza gr.3 - Codeword/Unit

Dis.	S.Jurak	2026/09/29
Con.	T.Trogrlić	2026/09/29
Appr.	P.Kovač	2026/09/29

F Release note

dolomiti energia

VOITH

Armadio Sala Macchine

Titolo Schema morsetti =ASM+ASM-XGVALRIT

Sales Order 32950

Turbina N. 21506-21507

Disegno N. 2ACS01-0000-10710795

Foglio 488


Cliente N° 26002-DD-EE-04-06-002

Segue - 489

Vertraulich, alle Rechte vorbehalten ISO 16016
Confidential, all rights reserved ISO 16016
No part of this document may be reproduced, stored in a retrieval system, or transmitted , in any form or by any means, without prior permission. All rights reserved in the event of the granting of a patent or the registration of a utility model or design. Offenders will be held liable for the payment of damages.

Schema morsetti

Striscia di prese
=ASM+ASM-XG205



Rev.	Descrizione Modifiche	Data	Nome	Codeword/Unit
				S.Massenza gr.3 -

Dis.	S.Jurak	
Con.	T.Trogrlić	
Appr.	P.Kovač	

F Release note

Armadio Sala Macchine
Titolo Schema morsetti =ASM+ASM-XG205
Sales Order
Turbina N.
Disegno N.
Foglio 489
Cliente N°
Segue+MCC B/428