

DuCharme Triage Assistant Analysis Report

1) EXECUTIVE SUMMARY

Verdict: Likely Malicious (Critical)

Confidence: High (4/4)

Why:

- Code Injected into Process
- Credential Theft Log Created
- Password Stealing Attempt
- AD Directory Service Object Access with Replication Rights
- Security Logs Cleared
- Service Binary Points to Non-Standard Path
- Registry Key Deleted
- Security Control Disabled
- UAC Disabled
- UAC Registry Key Created
- Remote Shell Execution
- Named Pipe Connection
- Network Share Object Access
- DLL Loaded

Recommended Next Action: Isolate the affected host from the network immediately.

Generated On: 2026-04-17 15:31:18

2) FILE INFORMATION

Property	Value
File Name	real_logs
File Path	C:/Users/colli/Downloads/Skewel/PortableGit/logparser/real_logs
File Size	612.00 KB (9 log file(s))
Analysis Date	2026-04-17 15:31:18

3) ASSET & SCOPE

Property	Value
Affected System	DC1.insecurebank.local, IEWIN7, MSEDGEWIN10, WIN-77LTAPHIQ1R.example.corp
Operating System	Not detected in logs
User Accounts	2 Regular User(s): Administrator, IEUser
Network Connections	No suspicious external network connections detected (1 total unique external IP(s) observed)
Domain:	insecurebank
How System Was Accessed	No login activity detected
Evidence Sources	Sysmon, Security
Analysis Timeframe	2019-01-20 07:00:50 to 2020-09-11 12:10:22 <i>Total Events Analyzed: 51</i>

4) INCIDENT CONTEXT (INPUT)

Field	Information
How was this incident reported?	John Smith via email
What was observed?	Unusual network traffic
Suspected cause (if known)	Credential compromise
Impact on business/operations	Data breach risk

5) TIMELINE (2019-01-20 to 2020-09-11)

Total Events with Timestamps: 51

Time Windows (5 min intervals): 10

Time Span: 2019-01-20 07:00 to 2020-09-11 12:10

First 15 Events (Chronological)

#	Timestamp	Event ID
1	2019-01-20 07:00:50	1102
2	2019-01-20 07:00:56	5145
3	2019-01-20 07:01:20	5145
4	2019-01-20 07:01:41	5145
5	2019-01-20 07:02:45	5145
6	2019-01-20 07:02:45	5145
7	2019-01-20 07:02:45	5145
8	2019-01-20 07:02:45	5145
9	2019-01-20 07:02:45	5145
10	2019-01-20 07:02:45	5145
11	2019-04-29 20:59:14	18 (Sysmon)
12	2019-04-29 20:59:15	3 (Sysmon)
13	2019-04-29 20:59:21	10 (Sysmon)
14	2019-04-29 20:59:21	1 (Sysmon)
15	2019-04-29 20:59:22	10 (Sysmon)

Top 5 Busiest Time Windows

Rank	Time Window	Count	Top Event IDs
1	2019-05-26 04:00	11	1 (Sysmon) x3, 13 (Sysmon) x3, 7 (Sysmon) x2
2	2019-01-20 07:00	10	5145 x9, 1102 x1
3	2019-04-29 20:55	7	1 (Sysmon) x3, 10 (Sysmon) x2, 18 (Sysmon) x1
4	2019-04-30 22:45	7	1 (Sysmon) x3, 2 (Sysmon) x2, 13 (Sysmon) x1
5	2020-02-10 10:05	6	7 (Sysmon) x3, 1 (Sysmon) x1, 10 (Sysmon) x1

6) INDICATORS & SCORING (SUMMARY)

1. [CRITICAL] Process Injection Attack

Event ID 8 (Sysmon): A program injected code into another program

Category: Defense Evasion

Indicator: Code Injected into Process

Impact: 4/4

Confidence: 4/4

Evidence: Event ID 8 (Sysmon) occurred 1 time(s)

2. [CRITICAL] Mimikatz Credential Harvester

Event ID 11 (Sysmon): A file was created

Category: Credential Access

Indicator: Credential Theft Log Created

Impact: 4/4

Confidence: 4/4

Evidence: Event ID 11 (Sysmon) occurred 1 time(s)

3. [CRITICAL] Process Injection / Memory Access

Event ID 10 (Sysmon): A program accessed another program

Category: Credential Access

Indicator: Password Stealing Attempt

Impact: 4/4

Confidence: 4/4

Evidence: Event ID 10 (Sysmon) occurred 1 time(s)

4. [CRITICAL] DCSync Attack - Domain Credential Dump

Event ID 4662: An event was recorded

Category: Credential Access

Indicator: AD Directory Service Object Access with Replication Rights

Impact: 4/4

Confidence: 2/4

Evidence: Event ID 4662 occurred 3 time(s)

5. [CRITICAL] Anti-Forensics - Cover Tracks

Event ID 1102: The Security audit log was cleared

Category: Defense Evasion

Indicator: Security Logs Cleared

Impact: 4/4

Confidence: 3/4

Evidence: Event ID 1102 occurred 1 time(s)

6. [CRITICAL] Malicious Service Persistence via Registry

Event ID 13 (Sysmon): A registry value was set

Category: Persistence

Indicator: Service Binary Points to Non-Standard Path

Impact: 3/4

Confidence: 3/4

Evidence: Event ID 13 (Sysmon) occurred 1 time(s)

7. [CRITICAL] Defense Evasion - Registry Tampering

Event ID 12 (Sysmon): A registry entry was created or deleted

Category: Defense Evasion

Indicator: Registry Key Deleted

Impact: 3/4

Confidence: 3/4

Evidence: Event ID 12 (Sysmon) occurred 1 time(s)

8. [CRITICAL] Defense Evasion - Logging Disabled

Event ID 13 (Sysmon): A registry value was set

Category: Defense Evasion

Indicator: Security Control Disabled

Impact: 3/4

Confidence: 3/4

Evidence: Event ID 13 (Sysmon) occurred 1 time(s)

9. [CRITICAL] Defense Evasion - UAC Bypass

Event ID 13 (Sysmon): A registry value was set

Category: Defense Evasion

Indicator: UAC Disabled

Impact: 3/4

Confidence: 3/4

Evidence: Event ID 13 (Sysmon) occurred 1 time(s)

10. [CRITICAL] Defense Evasion - UAC Bypass

Event ID 12 (Sysmon): A registry entry was created or deleted

Category: Defense Evasion

Indicator: UAC Registry Key Created

Impact: 3/4

Confidence: 3/4

Evidence: Event ID 12 (Sysmon) occurred 1 time(s)

11. [CRITICAL] Remote Process Access via Named Pipe

Event ID 10 (Sysmon): A program accessed another program

Category: Lateral Movement

Indicator: Remote Shell Execution

Impact: 3/4

Confidence: 3/4 -> 4/4 (correlation: EID 8 (thread injection) + EID 10 (process access) = in-memory attack chain)

Evidence: Event ID 10 (Sysmon) occurred 1 time(s)

12. [CRITICAL] Lateral Movement via Named Pipe

Event ID 18 (Sysmon): A communication pipe was connected

Category: Lateral Movement

Indicator: Named Pipe Connection

Impact: 3/4

Confidence: 3/4

Evidence: Event ID 18 (Sysmon) occurred 1 time(s)

13. [CRITICAL] AD Enumeration / Lateral Movement Reconnaissance

Event ID 5145: A network folder access was checked

Category: Discovery

Indicator: Network Share Object Access

Impact: 3/4

Confidence: 2/4 -> 3/4 (high event frequency)

Evidence: Event ID 5145 occurred 9 time(s)

14. [MEDIUM] Malicious DLL Loading

Event ID 7 (Sysmon): A library file was loaded

Category: Defense Evasion

Indicator: DLL Loaded

Impact: 2/4

Confidence: 2/4

Evidence: Event ID 7 (Sysmon) occurred 2 time(s)

Highest Impact: 4/4 | Highest Confidence: 4/4 -> Overall Risk Level: Critical

7) DEEP DIVES (EVIDENCE)

7.1 Suspicious Activity

Field	Value
Timestamp	2019-05-26 04:01:43.567204
Computer	IEWIN7
Source Image	C:\Users\IEUser\Desktop\info.rar\jjs.exe
Target Image	C:\Windows\System32\svchost.exe

Code Injected into Process

Field	Value
Timestamp	2019-05-26 04:01:42.966340
Computer	IEWIN7
Process	C:\Users\IEUser\Desktop\info.rar\jjs.exe
DLL Loaded	C:\Users\IEUser\Desktop\info.rar\jli.dll

DLL Loaded

Field	Value
Timestamp	2019-05-19 18:05:33.454295
Computer	IEWIN7
Process	C:\Windows\system32\reg.exe
Registry Key	HKLM\SOFTWARE\Wow6432Node\Policies\Microsoft\Windows\PowerShell\ScriptBlockLogging\EnableScriptBlockLogging

Registry Key Deleted

Field	Value
Timestamp	2019-05-19 18:05:07.719920
Computer	IEWIN7
Process	C:\Windows\system32\reg.exe
Registry Key	HKLM\SOFTWARE\Wow6432Node\Policies\Microsoft\Windows\PowerShell\ScriptBlockLogging\EnableScriptBlockLogging

Security Control Disabled

Field	Value
Timestamp	2019-05-16 14:17:15.763712
Computer	DC1.insecurebank.local
Process	C:\Windows\system32\reg.exe
Registry Key	HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\policies\system\EnableLUA

UAC Disabled

Field	Value
Timestamp	2019-05-16 14:17:15.763712
Computer	DC1.insecurebank.local
Process	C:\Windows\system32\reg.exe
Registry Key	HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\policies\system

UAC Registry Key Created

7.2 Persistence Changes — Service Installations

Field	Value
Timestamp	2019-05-26 04:01:42.645880
Computer	IEWIN7
Process	C:\Windows\system32\services.exe
Registry Key	HKLM\System\CurrentControlSet\services\HxUpdateServiceInfo\ImagePath

Service Binary Points to Non-Standard Path

7.3 Credential Theft & Memory Access

Field	Value
Timestamp	2020-09-11 12:10:22.398726
Computer	MSEDGEWIN10
Process	C:\Windows\system32\lsass.exe
File Path	C:\Windows\System32\mimilsa.log

Credential Theft Log Created

Field	Value
Timestamp	2020-02-10 10:08:24.666489
Computer	MSEDGEWIN10
Source Image	c:\Users\Public\BYOV\ZAM64\ppldump.exe
Target Image	C:\Windows\system32\lsass.exe

Password Stealing Attempt

7.4 Network Observations

Field	Value
Timestamp	2019-04-29 20:59:22.144046
Computer	IEWIN7
Source Image	io\Windows\System32\WindowsPowerShell\v1.0\powershell.exe
Target Image	C:\Windows\system32\whoami.exe

Remote Shell Execution

Field	Value
Timestamp	2019-04-29 20:59:14.447313
Computer	IEWIN7
Process	System
Pipe Name	\46a676ab7f179e511e30dd2dc41bd388

Named Pipe Connection

7.5 Enumeration & Discovery

Field	Value
Timestamp	2019-01-20 07:02:45.550112
Computer	WIN-77LTAPHIQ1R.example.corp
User	user01
Source IP	10.0.2.17
Share	*\IPC\$
Pipe / Path	srvsvc

Network Share Object Access

Field	Value
Timestamp	2019-01-20 07:02:45.503202
Computer	WIN-77LTAPHIQ1R.example.corp
User	user01
Source IP	10.0.2.17
Share	*\IPC\$
Pipe / Path	samr

Network Share Object Access

Field	Value
Timestamp	2019-01-20 07:02:45.440693
Computer	WIN-77LTAPHIQ1R.example.corp
User	user01
Source IP	10.0.2.17
Share	*\IPC\$
Pipe / Path	NETLOGON

Network Share Object Access

Field	Value
Timestamp	2019-01-20 07:02:45.424918
Computer	WIN-77LTAPHIQ1R.example.corp
User	user01
Source IP	10.0.2.17
Share	*\IPC\$
Pipe / Path	lsarpc

Network Share Object Access

Field	Value
Timestamp	2019-01-20 07:01:20.972601
Computer	WIN-77LTAPHIQ1R.example.corp
User	WIN-77LTAPHIQ1R\$
Source IP	fe80::79bf:8ee2:433c:2567
Share	*\SYSVOL
Pipe / Path	\

Network Share Object Access

Field	Value
Timestamp	2019-01-20 07:00:56.784849
Computer	WIN-77LTAPHIQ1R.example.corp
User	admin01
Source IP	10.0.2.18
Share	*\IPC\$
Pipe / Path	samr

Network Share Object Access

8) ASSESSMENT & ACTIONS

Overall Risk Level: Critical

8.1 Assessment

Analysis identified 14 threat type(s) across 25 event occurrence(s) at Critical risk. Immediate containment is required. Active threat categories: Defense Evasion, Credential Access, Persistence, Lateral Movement, Discovery.

Code injection into a running process was detected, indicating an active in-memory attack.

A file associated with Mimikatz credential harvesting was created by lsass.exe or another process. mimilsa.log is written by the memssp module and contains plaintext credentials intercepted from Windows authentication.

A process accessed the memory of another process with full access rights (0x001fffff), consistent with process injection or remote shell execution over a named pipe.

Active Directory object access events were detected containing replication extended rights GUIDs. This pattern is consistent with a DCSync attack, where an attacker abuses the DRSUAPI replication protocol to extract NTLM password hashes and Kerberos keys for domain accounts without requiring physical access to a Domain Controller.

The security audit log was cleared, indicating deliberate destruction of forensic evidence.

A service ImagePath registry value was set to a binary in a user-writable or non-standard location (e.g. Desktop, AppData, Public). Legitimate services are installed to Program Files or System32 — writing a service path to a user directory is consistent with malware establishing persistence by registering itself as a Windows service.

A registry key was deleted, consistent with disabling security controls such as PowerShell Script Block Logging, AMSI, or ETW-based detection.

A registry value controlling a security or logging feature was set to disabled. Attackers disable Script Block Logging and AMSI to prevent their PowerShell commands from being recorded or scanned.

A registry value controlling User Account Control (UAC) was modified. Disabling EnableLUA removes the primary privilege escalation barrier on Windows, allowing any process to run with full administrator rights silently.

A registry key associated with UAC configuration was created or modified, consistent with an attacker disabling User Account Control to enable silent privilege escalation.

A process accessed the memory of another process with elevated rights, consistent with remote shell execution over a named pipe or process injection from a lateral movement framework.

A named pipe connection was detected from a remote host. Random or tool-specific pipe names are consistent with lateral movement frameworks such as Metasploit, PsExec, or Cobalt Strike using SMB-based command execution.

Repeated access to administrative network shares and named pipes was detected, consistent with Active Directory enumeration tools such as BloodHound, PowerView, or net.exe. Access to samr and lsarpc pipes over IPC\$ is a strong indicator of domain reconnaissance.

A suspicious DLL was loaded from a non-standard or user-writable path, consistent with DLL side-loading or injection.

8.2 Immediate Actions

- Isolate the affected host from the network immediately.

- Acquire a memory image before rebooting. Volatile artifacts will be lost on restart.
- A process injection or exploit was detected. Audit all running processes for signs of compromise and terminate suspicious ones.
- Treat all credentials on this host as fully compromised. Assume all passwords and hashes logged by this host are known to the attacker.
- Reset passwords for every account that has authenticated to this host.
- Review all scheduled tasks, installed services, and startup entries for unauthorized changes and remove them.
- Identify and terminate the suspicious service immediately.
- Isolate the source and destination hosts.
- Review all processes spawned around the time of the pipe connection for signs of remote command execution.
- Identify the source host and account performing the enumeration and isolate if unauthorized.
- Review all accounts authenticated from the source IP for signs of compromise.

8.3 Follow-Ups

- Evaluate application whitelisting (e.g., AppLocker or WDAC) to restrict unauthorized execution.
- Deploy Credential Guard to prevent plaintext credential exposure.
- Audit LSA protection settings (RunAsPPL) and enforce them across all hosts.
- Extend scheduled task and service audits to all hosts in the environment.
- Audit all services whose ImagePath points outside Program Files and System32.
- Audit all named pipe activity across the environment.
- Review SMB access logs for additional lateral movement paths.
- Restrict anonymous and authenticated enumeration of AD objects via Group Policy (Network access: Restrict clients allowed to make remote calls to SAM).
- Review and tighten SMB share permissions — SYSVOL and NETLOGON should be read-only for standard users.
- Deploy honeypot shares to detect future enumeration attempts.
- Document findings and timeline for incident recordkeeping.
- Escalate to senior IT security staff.

Generated by DuCharme Triage Assistant on 2026-04-17 15:31:18