



832 Price/Sales Catalog

EDI Guideline X12 Version 7050

Version: 3.2

Author: fcB2B
Publication: September 20, 2022

Change Log

Version	Change Date	Change Description
3.1	9/2020	• Segment LIN, position 0100 - added LIN12 / 13 to allow qualifier CH – Country of Origin with usage fcB2B Used. • Segment PID, position 0700 - Element PID02 - added qualifier 78 – Pattern Description, PID05 will have value of “Y”. • Segment MEA, position 0800 - Element MEA02 – added note for qualifiers PAL and PAW. Both are required if PID02 is 78. • Segment SLN, position 3500 - added SLN19/20 to allow qualifier CH – Country of Origin with usage fcB2B Used.
3.2	9/2021	• Segment BCT, position 0200 – Added BCT03 for including the catalog version. • Segment LIN, position 0100 – Added fcB2B Note 2 to address style level drops and change to send all SLN colors. • Segment MEA, position 0800 – Corrected fcB2B Note 1 in MEA02, qualifier for Pallet incorrectly listed as PT instead of PL. • SLN Loop Detail, Updated fcB2B Note 1 to reflect when the SLN can be excluded. • Segment SLN, position 3500 – Added fcB2B Note 3 and updated fcB2B Note 1 to include SLN19-SLN22. ○ Added SLN21/22 with qualifier “SR” to allow substitute SKU to be associated with discontinued SKU. • Segment MEA, position 4400 – added to allow exception measurements to be sent for a color. • Changed wording on note about Element C001 in MEA and CTP segments from “Figures Appendix” to “fcB2B segment note”. • Examples of different scenarios added to the end of the document.
3.2 Update	12/2021	• Segment SAC, position 1500 – added to provide CARE amount as it relates to the percentage of post-consumer content. • Segment SAC, position 4500 – added to provide CARE amount as it relates to the percentage of post-consumer content.
3.2 Update	3/2022	• Moved 832 Best Practices from Core Rules to this document. • Moved UOM’s from element 355 out of this document with a note to see Core Rules and added the codes to the Core Rules document.

832 Best Practices

1. Product names shall exactly match those shown on all sample boards and online marketing materials.
2. A Universal Product Number sent at the LIN should group all colors that contain the same attributes. A new LIN should be sent anytime the attributes found in the LIN/PID change or when the LIN/MEA qualifiers COV, FAW, or VOL change. For ceramic products where a collection contains Wall Tile, Floor Tile, and other type of tiles, a new LIN should be sent for each type of tile with all associated colors.
3. The Universal Product Number (LIN04/05) should only appear once per 832. If sent more than once the information in the receiver's system may not be correct.
4. The SKU (SLN09/10) should only appear once per 832. If sent more than once the information in the receiver's system may not be correct.
5. All label names are 36 characters or less. (Used in PID segment at Detail 0700, data element PID02, code LA - Label Name).
6. Item name, trim type and size code are in the product name. Ex: Waveland Cove Base 6x12
7. New product SKUs and prices are added to a product catalog prior to or concurrent with samples being delivered to a retailer.
8. All products contain a valid Material Classification Code from these [Core Rules and Procedures](#), Appendix A.
9. All Associated Products are sent along with the base product.
10. Every 832 is checked for completeness prior to posting to the SFTP folder to ensure that all mandatory information is included.
11. Only product changes should be transmitted in an 832 update. Transmission of full catalog data shall be done only when adding or replacing a catalog.
12. To avoid possible confusion and additional work effort, only products that a retailer is selling shall be included in the 832 file transmission.
13. Mosaic Tiles should be sent with the width and length of the full sheet and not the individual tiles. The description of tiles on a sheet should be sent in the description (e.g., "My Mosaic Tile 2x2 mounted on 12x12" or "My Mosaic Tile random mounted on 12x12"). Providing how the product is ordered should be provided as well (e.g., Priced as SF but sold as a full case or by the individual sheet; See [Core Rules and Procedures](#), Appendix B), this is accomplished by using the MEA*B1 and MEA*SLU.

Table of Contents

832	Price/Sales Catalog - fcB2B	1
ISA	Interchange Control Header	3
GS	Functional Group Header	7
SE	Transaction Set Header	9
BCT	Beginning Segment for Price/Sales Catalog	10
REF	Reference Information	11
CUR	Currency	12
1000	Loop Party Identification	13
N1	Party Identification	14
2000	Loop Item Identification	15
LIN	Item Identification	16
DTM	Date/Time Reference	18
REF	Reference Information	19
PID	Product/Item Description	20
MEA	Measurements	22
SAC	Service, Promotion, Allowance, or Charge Information	26
2200	Loop Pricing Information	28
CTP	Pricing Information	29
DTM	Date/Time Reference	31
G43	Promotion/Price List Area	32
2400	Loop Item Characteristics - Vendor's Selling Unit	33
G39	Item Characteristics - Vendor's Selling Unit	34
2800	Loop Subline Item Detail	35
SLN	Subline Item Detail	36
PID	Product/Item Description	39
DTM	Date/Time Reference	40
2802	Loop Pricing Information	41
CTP	Pricing Information	42
DTM	Date/Time Reference	44
G43	Promotion/Price List Area	45
MEA	Measurements	46
SAC	Service, Promotion, Allowance, or Charge Information	49
MTX	Text	51
REF	Reference Information	52
CTT	Transaction Totals	53
SE	Transaction Set Trailer	54
GE	Functional Group Trailer	55
IEA	Interchange Control Trailer	56
	Examples of different scenarios	57
	Add	57
	Drop / Remove	57
	Update	58

832

Price/Sales Catalog - fcB2B

Functional Group=SC

Purpose: This X12 Transaction Set contains the format and establishes the data contents of the Price/Sales Catalog Transaction Set (832) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to furnishing or requesting the price of goods or services in the form of a catalog.

fcB2B Note 1:

fcB2B implementation guideline. Issued under X12 version 7050.

fcB2B Note 2:

Refer to the fcB2B Core Rules and Procedures document for additional information on implementing this transaction set.

Heading:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
	ISA	Interchange Control Header	M	1			fcB2B Must use
	GS	Functional Group Header	M	1			fcB2B Must use
0100	ST	Transaction Set Header	M	1			fcB2B Must use
0200	BCT	Beginning Segment for Price/Sales Catalog	M	1			fcB2B Must use
0500	REF	Reference Information	O	>1			fcB2B Must use
0900	CUR	Currency	O	5			fcB2B Used
LOOP ID - 1000					>1		
1500	N1	Party Identification	O	1			fcB2B Used

Detail:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
LOOP ID - 2000					>1		
0100	LIN	Item Identification	O	1			fcB2B Must use
0300	DTM	Date/Time Reference	O	10			fcB2B Used
0400	REF	Reference Information	O	>1			fcB2B Used
0700	PID	Product/Item Description	O	200			fcB2B Must use
0800	MEA	Measurements	O	200			fcB2B Must use
1500	SAC	Service, Promotion, Allowance, or Charge Information	O	1			fcB2B Used
LOOP ID - 2200					>1		
1700	CTP	Pricing Information	O	1			fcB2B Used
1800	DTM	Date/Time Reference	O	10			fcB2B Must use
2270	G43	Promotion/Price List Area	O	9999			fcB2B Must use
LOOP ID - 2400					>1		
2830	G39	Item Characteristics - Vendor's Selling Unit	O	1			fcB2B Used
LOOP ID - 2800					>1		
3500	SLN	Subline Item Detail	O	1			fcB2B Used
3700	PID	Product/Item Description	O	>1			fcB2B Must use
3800	DTM	Date/Time Reference	O	>1			fcB2B Used
LOOP ID - 2802					>1		
3900	CTP	Pricing Information	O	1			fcB2B Used
3902	DTM	Date/Time Reference	O	>1			fcB2B Must use
3906	G43	Promotion/Price List Area	O	>1			fcB2B Must use

4400	MEA	Measurements	O	>1	fcB2B Used
4500	SAC	Service, Promotion, Allowance, or Charge Information	O	1	fcB2B Used
4600	MTX	Text	O	>1	fcB2B Used
4610	REF	Reference Information	O	>1	fcB2B Used

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	CTT	Transaction Totals	O	1		N3/0100	fcB2B Must use
0200	SE	Transaction Set Trailer	M	1			fcB2B Must use
	GE	Functional Group Trailer	M	1			fcB2B Must use
	IEA	Interchange Control Trailer	M	1			fcB2B Must use

ISA Interchange Control Header

Pos:	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 16

User Option (Usage): fcB2B Must use

Purpose: To start and identify an interchange of zero or more functional groups and interchange-related control segments

fcB2B Note 1:

The ISA segment declares the following EDI delimiters for the transmission:

Data Element Separator - first occurrence of the data element separator in the ISA segment; Asterisk (HEX 0x2a) is recommended.*

Segment Terminator - segment terminator of the ISA segment; New Line (HEX 0x0a) or Carriage Return (HEX 0x0d) is recommended

Component Element Separator located in ISA16; Colon (: HEX 0x3a) is recommended

Repetition Separator located in ISA11; Tilde (~ HEX 0x7e) is recommended

fcB2B Note 2:

An ISA/IEA Interchange envelope may contain one or more GS/GE Functional Groups. A GS/GE Functional Group may contain one or more ST/SE Transaction sets. The trading parties shall agree to the number of transactions and functional groups that may comprise a single interchange envelope.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ISA01	I01	Authorization Information Qualifier	M	ID	2/2	fcB2B Must use
Description: Code identifying the type of information in the Authorization Information						
Code List Summary (Total Codes: 9, Included: 1)						
		<u>Code</u> <u>Name</u>				
		00 No Authorization Information Present (No Meaningful Information in I02)				
ISA02	I02	Authorization Information	M	AN	10/10	fcB2B Must use
Description: Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)						
fcB2B Note 1: ISA02 is space-filled.						
ISA03	I03	Security Information Qualifier	M	ID	2/2	fcB2B Must use
Description: Code identifying the type of information in the Security Information						
Code List Summary (Total Codes: 2, Included: 1)						
		<u>Code</u> <u>Name</u>				
		00 No Security Information Present (No Meaningful Information in I04)				
ISA04	I04	Security Information	M	AN	10/10	fcB2B Must use
Description: This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)						
fcB2B Note 1: ISA04 is space filled.						

ISA05	I05	Interchange ID Qualifier Description: Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified fcB2B Note 1: <i>Sender ID Qualifier</i> Code List Summary (Total Codes: 41, Included: 6) <table><thead><tr><th><u>Code</u></th><th><u>Name</u></th></tr></thead><tbody><tr><td>01</td><td>Duns (Dun & Bradstreet)</td></tr><tr><td>02</td><td>SCAC (Standard Carrier Alpha Code)</td></tr><tr><td>07</td><td>Global Location Number (GLN) Description: <i>A globally unique 13 digit code for the identification of a legal, functional or physical location within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system</i></td></tr><tr><td>12</td><td>Phone (Telephone Companies)</td></tr><tr><td>14</td><td>Duns Plus Suffix</td></tr><tr><td>ZZ</td><td>Mutually Defined</td></tr></tbody></table>	<u>Code</u>	<u>Name</u>	01	Duns (Dun & Bradstreet)	02	SCAC (Standard Carrier Alpha Code)	07	Global Location Number (GLN) Description: <i>A globally unique 13 digit code for the identification of a legal, functional or physical location within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system</i>	12	Phone (Telephone Companies)	14	Duns Plus Suffix	ZZ	Mutually Defined	M	ID	2/2	fcB2B Must use
<u>Code</u>	<u>Name</u>																			
01	Duns (Dun & Bradstreet)																			
02	SCAC (Standard Carrier Alpha Code)																			
07	Global Location Number (GLN) Description: <i>A globally unique 13 digit code for the identification of a legal, functional or physical location within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system</i>																			
12	Phone (Telephone Companies)																			
14	Duns Plus Suffix																			
ZZ	Mutually Defined																			
ISA06	I06	Interchange Sender ID Description: Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element fcB2B Note 1: <i>Left justify and space fill if less than 15 characters.</i>	M	AN	15/15	fcB2B Must use														
ISA07	I05	Interchange ID Qualifier Description: Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified fcB2B Note 1: <i>Receiver ID Qualifier</i> Code List Summary (Total Codes: 41, Included: 6) <table><thead><tr><th><u>Code</u></th><th><u>Name</u></th></tr></thead><tbody><tr><td>01</td><td>Duns (Dun & Bradstreet)</td></tr><tr><td>02</td><td>SCAC (Standard Carrier Alpha Code)</td></tr><tr><td>07</td><td>Global Location Number (GLN) Description: <i>A globally unique 13 digit code for the identification of a legal, functional or physical location within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system</i></td></tr><tr><td>12</td><td>Phone (Telephone Companies)</td></tr><tr><td>14</td><td>Duns Plus Suffix</td></tr><tr><td>ZZ</td><td>Mutually Defined</td></tr></tbody></table>	<u>Code</u>	<u>Name</u>	01	Duns (Dun & Bradstreet)	02	SCAC (Standard Carrier Alpha Code)	07	Global Location Number (GLN) Description: <i>A globally unique 13 digit code for the identification of a legal, functional or physical location within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system</i>	12	Phone (Telephone Companies)	14	Duns Plus Suffix	ZZ	Mutually Defined	M	ID	2/2	fcB2B Must use
<u>Code</u>	<u>Name</u>																			
01	Duns (Dun & Bradstreet)																			
02	SCAC (Standard Carrier Alpha Code)																			
07	Global Location Number (GLN) Description: <i>A globally unique 13 digit code for the identification of a legal, functional or physical location within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system</i>																			
12	Phone (Telephone Companies)																			
14	Duns Plus Suffix																			
ZZ	Mutually Defined																			
ISA08	I07	Interchange Receiver ID Description: Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them fcB2B Note 1: <i>Left justify and space fill if less than 15 characters.</i>	M	AN	15/15	fcB2B Must use														
ISA09	I08	Interchange Date Description: Date of the interchange fcB2B Note 1: <i>Date format YYMMDD.</i>	M	DT	6/6	fcB2B Must use														

ISA10	I09	Interchange Time Description: Time of the interchange fcB2B Note 1: <i>Time format HHMM.</i>	M	TM	4/4	fcB2B Must use						
ISA11	I65	Repetition Separator Description: Type is not applicable; the repetition separator is a delimiter and not a data element; this field provides the delimiter used to separate repeated occurrences of a simple data element or a composite data structure; this value must be different than the data element separator, component element separator, and the segment terminator fcB2B Note 1: <i>Unique delimiter value. Delimiter value must not conflict with data in the transmission or data communication protocol.</i>	M		1/1	fcB2B Must use						
ISA12	I11	Interchange Control Version Number Code Description: Code specifying the version number of the interchange control segments Code List Summary (Total Codes: 35, Included: 1) <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>00705</td><td>Standards Approved for Publication by ASC X12 Procedures Review Board through December 2017</td></tr></table>	<u>Code</u>	<u>Name</u>	00705	Standards Approved for Publication by ASC X12 Procedures Review Board through December 2017	M	ID	5/5	fcB2B Must use		
<u>Code</u>	<u>Name</u>											
00705	Standards Approved for Publication by ASC X12 Procedures Review Board through December 2017											
ISA13	I12	Interchange Control Number Description: A control number assigned by the interchange sender fcB2B Note 1: <i>This number shall not repeat within a five year period.</i>	M	N0	9/9	fcB2B Must use						
ISA14	I13	Acknowledgment Requested Code Description: Code indicating sender's request for an interchange acknowledgment Code List Summary (Total Codes: 4, Included: 1) <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>0</td><td>No Interchange Acknowledgment Requested</td></tr></table>	<u>Code</u>	<u>Name</u>	0	No Interchange Acknowledgment Requested	M	ID	1/1	fcB2B Must use		
<u>Code</u>	<u>Name</u>											
0	No Interchange Acknowledgment Requested											
ISA15	I14	Interchange Usage Indicator Code Description: Code indicating whether data enclosed by this interchange envelope is test, production or information Code List Summary (Total Codes: 3, Included: 2) <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>P</td><td>Production Data</td></tr><tr><td>T</td><td>Test Data</td></tr></table>	<u>Code</u>	<u>Name</u>	P	Production Data	T	Test Data	M	ID	1/1	fcB2B Must use
<u>Code</u>	<u>Name</u>											
P	Production Data											
T	Test Data											
ISA16	I15	Component Element Separator Description: Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than	M		1/1	fcB2B Must use						

the data element separator and the segment terminator

fcB2B Note 1: *Unique delimiter value. Delimiter value must not conflict with data in the transmission or data communication protocol.*

GS

Functional Group Header

Pos:	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 8

User Option (Usage): fcB2B Must use

Purpose: To indicate the beginning of a functional group and to provide control information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
GS01	479	Functional Identifier Code Description: Code identifying a group of application related transaction sets fcB2B Note 1: Code represents the transaction set(s) within the Functional Group. Code List Summary (Total Codes: 262, Included: 1) <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>SC</td><td>Price/Sales Catalog (832)</td></tr></table>	<u>Code</u>	<u>Name</u>	SC	Price/Sales Catalog (832)	M	ID	2/2	fcB2B Must use
<u>Code</u>	<u>Name</u>									
SC	Price/Sales Catalog (832)									
GS02	142	Application Sender's Code Description: Code identifying party sending transmission; codes agreed to by trading partners fcB2B Note 1: Sender's identification code to the Receiver.	M	AN	2/15	fcB2B Must use				
GS03	124	Application Receiver's Code Description: Code identifying party receiving transmission; codes agreed to by trading partners fcB2B Note 1: Code representing the Receiver for this functional group of transactions.	M	AN	2/15	fcB2B Must use				
GS04	373	Date Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year fcB2B Note 1: Creation date for the Functional Group. CCYYMMDD (century/year/month/date) format.	M	DT	8/8	fcB2B Must use				
GS05	337	Time Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) fcB2B Note 1: Time the Functional Group was created. HHMMSS format.	M	TM	4/8	fcB2B Must use				
GS06	28	Group Control Number Description: Assigned number originated and maintained by the sender fcB2B Note 1: Unique functional group	M	N0	1/9	fcB2B Must use				

control number. The group control number must not repeat within 5 year period.

GS07 455 **Responsible Agency Code** M ID 1/2 fcB2B Must use

Description: Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480

Code List Summary (Total Codes: 2, Included: 1)

<u>Code</u>	<u>Name</u>
X	Accredited Standards Committee X12

GS08 480 **Version / Release / Industry Identifier Code** M AN 1/12 fcB2B Must use

Description: Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed

fcB2B Note 1: X12 version of the transaction set(s).

Code List Summary (Total Codes: 93, Included: 1)

<u>Code</u>	<u>Name</u>
007050	Standards Approved for Publication by ASC X12 Procedures Review Board through December 2017

ST**Transaction Set Header**

Pos: 0100	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): fcB2B Must use**Purpose:** To indicate the start of a transaction set and to assign a control number**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	fcB2B Must use
Description: Code identifying a Transaction Set						
Code List Summary (Total Codes: 321, Included: 1)						
		<u>Code</u>		<u>Name</u>		
		832		Price/Sales Catalog		
ST02	329	Transaction Set Control Number	M	AN	4/9	fcB2B Must use
Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						
fcB2B Note 1: <i>The number is sequentially assigned by the sender, starting with one within each functional group. For each functional group, the first transaction set control number will be 0001 and incremented by one for each additional transaction set within the group.</i>						

BCT Beginning Segment for Price/Sales Catalog

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 1

User Option (Usage): fcB2B Must use

Purpose: To indicate the beginning of the Price/Sales Catalog Transaction Set and specify catalog purpose and number information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BCT01	683	Catalog Purpose Code	M	ID	2/2	fcB2B Must use
Description: Code indicating purpose of catalog						
Code List Summary (Total Codes: 5, Included: 1)						
		<u>Code</u> <u>Name</u>				
		PS Price Sheet				
BCT03	685	Catalog Version Number	O	AN	1/15	fcB2B Must use
Description: Identifying version number of catalog or superseded catalog						
fcB2B Note 1: Beginning in version 3.2 this value must match the actual version number being sent. Not supported prior to version 3.2. (Example: 3.2). Version number can be found on the first page of this document as well as in the footer on each page.						

REF Reference Information

Pos: 0500	Max: >1
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): fcB2B Must use

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
REF01	128	Reference Identification Qualifier Description: Code identifying the Reference Identification Code List Summary (Total Codes: 1879, Included: 1) <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>11</td><td>Account Number</td></tr></table> fcB2B Note 1: <i>Buyer's account number with the Supplier.</i>	<u>Code</u>	<u>Name</u>	11	Account Number	M	ID	2/3	fcB2B Must use
<u>Code</u>	<u>Name</u>									
11	Account Number									
REF02	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	AN	1/80	fcB2B Must use				

CUR Currency

Pos: 0900	Max: 5
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): fcB2B Used

Purpose: To specify the currency (dollars, pounds, francs, etc.) used in a transaction

fcB2B Note 1:

This segment is only used when the trading partners are not using the same currency.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUR01	98	Entity Identifier Code	M	ID	2/3	fcB2B Must use
Description: Code identifying an organizational entity, a physical location, property or an individual						
Code List Summary (Total Codes: 1536, Included: 1)						
		<u>Code</u>		<u>Name</u>		
		SE		Selling Party		
CUR02	100	Currency Code	M	ID	3/3	fcB2B Must use
Description: Code specifying the Standard ISO code for country in whose currency the charges are specified						
fcB2B Note 1: USD - US Dollar CAN - Canadian Dollar AUD - Australian Dollar EUR - Euro (Europe) GBP - British Pound						

Loop Party Identification

Pos: 1500	Repeat: >1
Optional	
Loop: 1000	Elements: N/A

User Option (Usage): fcB2B Used

Purpose: To identify a party by type of organization, name, and code

fcB2B Note 1:

Buyer name associated with account number in REF at position 0500.

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
1500	N1	Party Identification	O	1		fcB2B Used

N1**Party Identification**

Pos: 1500	Max: 1
Heading - Optional	
Loop: 1000	Elements: 2

User Option (Usage): fcB2B Used**Purpose:** To identify a party by type of organization, name, and code**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	fcB2B Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code List Summary (Total Codes: 1536, Included: 1)

<u>Code</u>	<u>Name</u>
LW	Customer

fcB2B Note 1:

Buyer Name. Example: CLARK & ADDISON FLOORING

N102	93	Name	X	AN	1/60	fcB2B Must use
------	----	-------------	---	----	------	----------------

Description: Free-form name

Loop Item Identification

Pos: 0100	Repeat: >1
Optional	
Loop: 2000	Elements: N/A

User Option (Usage): fcB2B Must use

Purpose: To specify basic item identification data

fcB2B Note 1:

*The LIN loop represents product/style-level information.
Product SKU information is transmitted in the SLN loop.*

fcB2B Note 2:

*Loop 2200 - CTP
Loop 2400 - G39
Loop 2800 - SLN*

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0100	LIN	Item Identification	O	1		fcB2B Must use
0300	DTM	Date/Time Reference	O	10		fcB2B Used
0400	REF	Reference Information	O	>1		fcB2B Used
0700	PID	Product/Item Description	O	200		fcB2B Must use
0800	MEA	Measurements	O	200		fcB2B Must use
1500	SAC	Service, Promotion, Allowance, or Charge Information	O	1		fcB2B Used
1700		Loop 2200	O		>1	fcB2B Used
2830		Loop 2400	O		>1	fcB2B Used
3500		Loop 2800	O		>1	fcB2B Used

LIN Item Identification

Pos: 0100	Max: 1
Detail - Optional	
Loop: 2000	Elements: 10

User Option (Usage): fcB2B Must use

Purpose: To specify basic item identification data

fcB2B Note 1:

If either LIN06 or LIN07 is present, then the other is required.
 If either LIN08 or LIN09 is present, then the other is required.
 If either LIN10 or LIN11 is present, then the other is required.
 If either LIN12 or LIN13 is present, then the other is required.

fcB2B Note 2:

When sending the LIN loop the SLN loop must be sent and include all colors for a style.

One exception to the above rule.

If the entire style (all colors) is being dropped, send the LIN, DTM (qualifier 197), PID (qualifiers MAC and TRN), MEA (qualifier SLU) and no SLN. All colors for this style in the receiving system will be dropped.

A Color is defined as an orderable product sent in the SLN with a SKU number sent in the SLN10 with the SK qualifier sent in the SLN09.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
LIN02	235	Product/Service ID Qualifier	M	ID	2/2	fcB2B Must use
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
Code List Summary (Total Codes: 530, Included: 1)						
		Code	Name			
		ST	Style Number			
		fcB2B Note 1:				
		Supplier/Seller style number assigned to the product.				
LIN03	234	Product/Service ID	M	AN	1/80	fcB2B Must use
Description: Identifying number for a product or service						
LIN04	235	Product/Service ID Qualifier	X	ID	2/2	fcB2B Must use
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
fcB2B Note 1: If the product has not been assigned a Universal Product Number, use either the Style Number or SKU with code UX.						
Code List Summary (Total Codes: 530, Included: 1)						
		Code	Name			
		UX	Universal Product Number			
		fcB2B Note 1:				
		A unique identifier assigned by a supplier to a grouping of products.				
LIN05	234	Product/Service ID	X	AN	1/80	fcB2B Must use
Description: Identifying number for a product or service						
LIN06	235	Product/Service ID Qualifier	X	ID	2/2	fcB2B Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 530, Included: 1)

Code **Name**

BL Brand/Label

fcB2B Note 1:

Brand Name

LIN07	234	Product/Service ID	X	AN	1/80	fcB2B Used
-------	-----	---------------------------	---	----	------	------------

Description: Identifying number for a product or service

LIN08	235	Product/Service ID Qualifier	X	ID	2/2	fcB2B Used
-------	-----	-------------------------------------	---	----	-----	------------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 530, Included: 1)

Code **Name**

BK Backing

LIN09	234	Product/Service ID	X	AN	1/80	fcB2B Used
-------	-----	---------------------------	---	----	------	------------

Description: Identifying number for a product or service

LIN10	235	Product/Service ID Qualifier	X	ID	2/2	fcB2B Used
-------	-----	-------------------------------------	---	----	-----	------------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 530, Included: 1)

Code **Name**

SZ Vendor Alphanumeric Size Code

LIN11	234	Product/Service ID	X	AN	1/80	fcB2B Used
-------	-----	---------------------------	---	----	------	------------

Description: Identifying number for a product or service

LIN12	235	Product/Service ID Qualifier	X	ID	2/2	fcB2B Used
-------	-----	-------------------------------------	---	----	-----	------------

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 530, Included: 1)

Code **Name**

CH Country of Origin

LIN13	234	Product/Service ID	X	AN	1/80	fcB2B Used
-------	-----	---------------------------	---	----	------	------------

Description: Identifying number for a product or service

DTM Date/Time Reference

Pos: 0300	Max: 10
Detail - Optional	
Loop: 2000	Elements: 2

User Option (Usage): fcB2B Used

Purpose: To specify pertinent dates and times

fcB2B Note 1:

This DTM used to provide product/style drop or discontinued date changes. A DTM is not transmitted for a new product/style or changes to an existing product/style (LIN segment), as the information is applied when received.

The CTP loop provides the pricing for the product/style, with relevant dates.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	fcB2B Must use
Description: Code specifying type of date or time, or both date and time						
Code List Summary (Total Codes: 1318, Included: 2)						
		<u>Code</u>		<u>Name</u>		
		197		End		
		fcB2B Note 1:				
		Product/style drop date. The date the product/style is no longer available.				
		PDA		Product Discontinued but Still Available		
		Description: Production on the product has been discontinued as of the specified date, but existing stock is still available.				
		fcB2B Note 1:				
		Pertains to product/style.				
DTM02	373	Date	X	DT	8/8	fcB2B Must use
Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year						

REF Reference Information

Pos: 0400	Max: >1
Detail - Optional	
Loop: 2000	Elements: 2

User Option (Usage): fcB2B Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	fcB2B Must use
Description: Code identifying the Reference Identification						
Code List Summary (Total Codes: 1880, Included: 3)						
		<u>Code</u>	<u>Name</u>			
		19	Division Identifier			
			fcB2B Note 1:			
			<i>Seller name or identifier.</i>			
		6P	Group Number			
			fcB2B Note 1:			
			<i>Buying Group. Example: CPT 1</i>			
		DM	Associated Product Number			
			fcB2B Note 1:			
			<i>A product ID that is associated with the product identified in the LIN segment. It is possible to transmit more than one REF*DM with a different value in REF02.</i>			
REF02	127	Reference Identification	X	AN	1/80	fcB2B Must use
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier						

PID Product/Item Description

Pos: 0700	Max: 200
Detail - Optional	
Loop: 2000	Elements: 4

User Option (Usage): fcB2B Must use

Purpose: To describe a product or process in coded or free-form format

fcB2B Note 1:

PID02 codes MAC Material Classification and TRN Trade Name are required.

PID02 code 78 Pattern Description is required if the product has a requirement for pattern matching.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>																								
PID01	349	Item Description Type Code	M	ID	1/1	fcB2B Must use																								
Description: Code indicating the format of a description																														
Code List Summary (Total Codes: 4, Included: 1)																														
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>F</td><td>Free-form</td></tr></table>							<u>Code</u>	<u>Name</u>	F	Free-form																				
<u>Code</u>	<u>Name</u>																													
F	Free-form																													
PID02	750	Product/Process Characteristic Code	O	ID	2/3	fcB2B Must use																								
Description: Code identifying the general class of a product or process characteristic																														
fcB2B Note 1: <i>The following PID02 codes are required:</i>																														
MAC Material Classification																														
TRN Trade Name																														
Code List Summary (Total Codes: 278, Included: 7)																														
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>12</td><td>Type and/or Process</td></tr><tr><td colspan="2">fcB2B Note 1: <i>Expanded product description. Maximum of 80 characters.</i></td></tr><tr><td>78</td><td>Pattern Description</td></tr><tr><td colspan="2">fcB2B Note 1: <i>Used to identify if a Pattern Match is required for the product. Providing this value makes MEA02 values PAL and PAW required below. PID05 would contain a value of Y.</i></td></tr><tr><td>CN</td><td>Collection Name</td></tr><tr><td colspan="2">fcB2B Note 1: <i>Name of product collection to which the product belongs.</i></td></tr><tr><td>LA</td><td>Label Name</td></tr><tr><td colspan="2">fcB2B Note 1: <i>A seller-assigned product style name that may be applied/printed to the product sample/board. This abbreviated style name may be used to assist in product identification by matching the sample to the EDI transmitted data in this field.</i> <i>[Note: Code 12 Type and/or Process accommodates an 80 character product description.]</i> <i>Maximum of 36 characters.</i> <i>Example: DEFENDER 20</i></td></tr><tr><td>WD</td><td>Warranty Description</td></tr><tr><td colspan="2">Description: <i>The warranty description for the final consumer, which the retailer needs to keep on file, in case the consumer has a claim against the warranty</i></td></tr><tr><td>MAC</td><td>Material Classification</td></tr></table>							<u>Code</u>	<u>Name</u>	12	Type and/or Process	fcB2B Note 1: <i>Expanded product description. Maximum of 80 characters.</i>		78	Pattern Description	fcB2B Note 1: <i>Used to identify if a Pattern Match is required for the product. Providing this value makes MEA02 values PAL and PAW required below. PID05 would contain a value of Y.</i>		CN	Collection Name	fcB2B Note 1: <i>Name of product collection to which the product belongs.</i>		LA	Label Name	fcB2B Note 1: <i>A seller-assigned product style name that may be applied/printed to the product sample/board. This abbreviated style name may be used to assist in product identification by matching the sample to the EDI transmitted data in this field.</i> <i>[Note: Code 12 Type and/or Process accommodates an 80 character product description.]</i> <i>Maximum of 36 characters.</i> <i>Example: DEFENDER 20</i>		WD	Warranty Description	Description: <i>The warranty description for the final consumer, which the retailer needs to keep on file, in case the consumer has a claim against the warranty</i>		MAC	Material Classification
<u>Code</u>	<u>Name</u>																													
12	Type and/or Process																													
fcB2B Note 1: <i>Expanded product description. Maximum of 80 characters.</i>																														
78	Pattern Description																													
fcB2B Note 1: <i>Used to identify if a Pattern Match is required for the product. Providing this value makes MEA02 values PAL and PAW required below. PID05 would contain a value of Y.</i>																														
CN	Collection Name																													
fcB2B Note 1: <i>Name of product collection to which the product belongs.</i>																														
LA	Label Name																													
fcB2B Note 1: <i>A seller-assigned product style name that may be applied/printed to the product sample/board. This abbreviated style name may be used to assist in product identification by matching the sample to the EDI transmitted data in this field.</i> <i>[Note: Code 12 Type and/or Process accommodates an 80 character product description.]</i> <i>Maximum of 36 characters.</i> <i>Example: DEFENDER 20</i>																														
WD	Warranty Description																													
Description: <i>The warranty description for the final consumer, which the retailer needs to keep on file, in case the consumer has a claim against the warranty</i>																														
MAC	Material Classification																													

[illegible]

MEA Measurements

Pos: 0800	Max: 200
Detail - Optional	
Loop: 2000	Elements: 3

User Option (Usage): fcB2B Must use

Purpose: To specify physical measurements or counts, including dimensions, tolerances, variances, and weights
(See fcB2B segment note below for example of use of C001)

fcB2B Note 1:

MEA02 code SLU Selling Unit is required.

fcB2B Note 2:

MEA example using the MEA04 Composite Data Element C001.

A base unit sold as 8 square feet per carton.

The Component Element Separator is a colon (:).

Position	Value
MEA02	B1
MEA03	8
MEA04-01	SF
MEA04:02	: (data element is not used)
MEA04:03	: (data element is not used)
MEA04:04	: CT

EDI: MEA**B1*8*Sf:::CT

fcB2B Note 3:

MEA02 codes PAL and PAW are required when PID02 includes qualifier 78.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
MEA02	738	Measurement Qualifier	O	ID	1/3	fcB2B Must use

Description: Code identifying a specific product or process characteristic to which a measurement applies

Code List Summary (Total Codes: 1322, Included: 15)

Code	Name
B1	Base Number

Description: Number of Base Units of the product contained in a shipping container.

fcB2B Note 1:

Up to three Base Unit quantities are allowed (carton, pallet or truckload):

MEA02 - B1

MEA03 - value

MEA04-01 - select from unit of measure

MEA04 -04 - select one of CT (Carton), PL (Pallet) or TL (Truckload).

fcB2B Note 2:

Example: 8 square feet per carton

MEA02 - B1

MEA03 - 8

MEA04-01 - SF

MEA04-04 - CT

HT Height

LM Length, Maximum

fcB2B Note 1:

Actual Length. Not applicable for roll goods.

LN Length

	fcB2B Note 1: <i>Nominal length.</i>
TH	Thickness
	fcB2B Note 1: <i>Example: Stair nose thickness.</i>
WD	Width
	fcB2B Note 1: <i>Nominal width.</i>
WM	Width, Maximum
	fcB2B Note 1: <i>Actual Width. Not applicable for roll goods.</i>
WT	Weight
	fcB2B Note 1: <i>Denotes weight per base unit.</i>
COV	Coverage
	Description: <i>The statement from a manufacturer or supplier specifying the area that a product will cover.</i> <i>Example: A statement that a gallon of adhesive will cover up to 75 square feet.</i>
FAW	Face Weight
	Description: <i>For top of carpet, the ounce weight per square yard.</i>
PAL	Pattern Length
	fcB2B Note 1: <i>Required if PID02 is 78.</i>
PAW	Pattern Width
	fcB2B Note 1: <i>Required if PID02 is 78.</i>
SHW	Shipping Weight per Pricing Unit
	fcB2B Note 1: <i>Data Element 355 codes that pertain to code SHW are:</i> - 37 Ounces per Square Foot - 3G Pounds per Piece of Product - 3I Kilograms per Piece of Product - FP Pounds per Square Foot - GE Pounds per Gallon - ON Ounces per Square Yard
SLU	Selling Unit
	Description: <i>The selling quantity in which the product is offered for sale by the supplier.</i>
	fcB2B Note 1: <i>For roll goods:</i> MEA02 - SLU MEA03 - 1 MEA04-01- SY (Square Yard) <i>For tile goods:</i> MEA02 - SLU MEA03 - 1 MEA04-01- CT Carton
VOL	Volume
	fcB2B Note 1: <i>Data Element 355 codes that pertain to code VOL are:</i> - FO Fluid Ounce - GA Gallon - LT Liter - ML Milliliter

		- PT Pint - QT Quart																																
MEA03	739	Measurement Value Description: The value of the measurement fcB2B Note 1: Up to 4 decimal positions may be transmitted.	X	R	1/20	fcB2B Must use																												
MEA04	C001	Composite Unit of Measure Description: To identify a composite unit of measure (See fcB2B segment note above for examples of use)	X	Comp		fcB2B Must use																												
MEA04-01	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken fcB2B Note 1: Master list of available unit of measures can be found in the Core Rules and Procedures document. Exceptions to the master list shown below. Code List Summary (Total Codes: 915, Included: 42) <table><thead><tr><th>Code</th><th>Name</th></tr></thead><tbody><tr><td>37</td><td>Ounces per Square Foot</td></tr><tr><td>3G</td><td>Pounds Per Piece of Product</td></tr><tr><td>3I</td><td>Kilograms Per Piece of Product</td></tr><tr><td>FP</td><td>Pounds per Sq. Ft.</td></tr><tr><td>GE</td><td>Pounds per Gallon</td></tr><tr><td>ON</td><td>Ounces per Square Yard</td></tr></tbody></table>	Code	Name	37	Ounces per Square Foot	3G	Pounds Per Piece of Product	3I	Kilograms Per Piece of Product	FP	Pounds per Sq. Ft.	GE	Pounds per Gallon	ON	Ounces per Square Yard	M	ID	2/2	fcB2B Must use														
Code	Name																																	
37	Ounces per Square Foot																																	
3G	Pounds Per Piece of Product																																	
3I	Kilograms Per Piece of Product																																	
FP	Pounds per Sq. Ft.																																	
GE	Pounds per Gallon																																	
ON	Ounces per Square Yard																																	
MEA04-04	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken fcB2B Note 1: This data element denotes the type of container pertaining to the value in MEA04-01; eg: per carton, per truckload, per pallet. Code List Summary (Total Codes: 915, Included: 16) <table><thead><tr><th>Code</th><th>Name</th></tr></thead><tbody><tr><td>1V</td><td>Slab</td></tr><tr><td>BD</td><td>Bundle</td></tr><tr><td>BG</td><td>Bag</td></tr><tr><td>BX</td><td>Box</td></tr><tr><td>CA</td><td>Case</td></tr><tr><td>CG</td><td>Card</td></tr><tr><td>CT</td><td>Carton</td></tr><tr><td>EA</td><td>Each</td></tr><tr><td>PA</td><td>Pail</td></tr><tr><td>PC</td><td>Piece</td></tr><tr><td>PK</td><td>Package</td></tr><tr><td>PL</td><td>Pallet/Unit Load</td></tr><tr><td>RL</td><td>Roll</td></tr></tbody></table>	Code	Name	1V	Slab	BD	Bundle	BG	Bag	BX	Box	CA	Case	CG	Card	CT	Carton	EA	Each	PA	Pail	PC	Piece	PK	Package	PL	Pallet/Unit Load	RL	Roll	O	ID	2/2	fcB2B Used
Code	Name																																	
1V	Slab																																	
BD	Bundle																																	
BG	Bag																																	
BX	Box																																	
CA	Case																																	
CG	Card																																	
CT	Carton																																	
EA	Each																																	
PA	Pail																																	
PC	Piece																																	
PK	Package																																	
PL	Pallet/Unit Load																																	
RL	Roll																																	

SH	Sheet
ST	Set
TC	Truckload

SAC Service, Promotion, Allowance, or Charge Information

Pos: 1500 Max: 1
Detail – Optional
Loop: 2000 Elements:9

User Option (Usage): fcB2B Used

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

fcB2B Note 1:

This is used to identify the recycling amount required to be collected at the consumer point of sale based on a state defined matrix.

If SAC16 is used, SAC15 is required.

fcB2B Note 2:

This SAC should be used when communicating the appropriate CARE charge associated with the grouping of colors.

fcB2B Note 3:

If either SAC03 or SAC04 is present, then the other is required.

If either SAC09 or SAC10 is present, then the other is required.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage				
SAC01	248	Allowance or Charge Indicator Code	M	ID	1/1	fcB2B Must use				
Description: Code indicating an allowance or charge for the service specified										
fcB2B Note 1: If SAC01 is code A or C, then SAC05 is required.										
CodeList Summary (Total Codes: 7, Included: 2)										
<table><tr><th>Code</th><th>Name</th></tr><tr><td>C</td><td>Charge</td></tr></table>							Code	Name	C	Charge
Code	Name									
C	Charge									
SAC02	1300	Service, Promotion, Allowance, or Charge Code	X	ID	4/4	fcB2B Must use				
Description: Code identifying the service, promotion, allowance, or charge										
CodeList Summary (Total Codes: 1091, Included: 20)										
<table><tr><th>Code</th><th>Name</th></tr><tr><td>G090</td><td>Recovery Fee</td></tr></table>							Code	Name	G090	Recovery Fee
Code	Name									
G090	Recovery Fee									
fcB2B Note 1: CA CRPT Stewardship Assessment										
SAC03	559	Agency Qualifier Code	X	ID	2/2	fcB2B Must use				
Description: Used to identify the state impacted by the charge.										
<table><tr><th>Code</th><th>Name</th></tr><tr><td>14</td><td>California</td></tr></table>							Code	Name	14	California
Code	Name									
14	California									
SAC04	1301	Agency Service, Promotion, Allowance, or Charge Code	X	AN	1/10	fcB2B Must use				
Description: Used to identify the state impacted by the charge.										
<table><tr><th>Code</th><th>Name</th></tr><tr><td>CARE</td><td>CA Carpet Stewardship Assessment</td></tr></table>							Code	Name	CARE	CA Carpet Stewardship Assessment
Code	Name									
CARE	CA Carpet Stewardship Assessment									
SAC08	118	Rate	Z	R	1/9	fcB2B Must use				

SAC09	355	Description: Amount of charge to be collected. Unit or Basis for Measurement Code Description: UOM associated to the rate. fcB2B Note 1: Master list of available units of measures can be found in the Core Rules and Procedures document.	X	ID	2/2	fcB2B Must use
SAC10	380	Quantity Description: Minimum quantity associated with the quantity. fcB2B Note 1: Default value is 1.	X	R	1/15	fcB2B Must use
SAC15	352	Description Description: A free-form description to clarify the related data elements and their content fcB2B Note 1: SAC15 is a description of the allowance or charge. SAC15 may be used to clarify the code in SAC02.	X	AN	1/80	fcB2B Used
SAC16	819	Language Code Description: Code specifying the language used in text, from a standard code list maintained by the International Standards Organization (ISO 639) fcB2B Note 1: Used if necessary.	O	ID	2/3	fcB2B Used

Loop Pricing Information

Pos: 1700	Repeat: >1
Optional	
Loop: 2200	Elements: N/A

User Option (Usage): fcB2B Used

Purpose: To specify pricing information

fcB2B Note 1:

This CTP loop information applies to the Style Number identified in the LIN segment.

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
1700	CTP	Pricing Information	O	1		fcB2B Used
1800	DTM	Date/Time Reference	O	10		fcB2B Must use
2270	G43	Promotion/Price List Area	O	9999		fcB2B Must use

CTP Pricing Information

Pos: 1700	Max: 1
Detail - Optional	
Loop: 2200	Elements: 4

User Option (Usage): fcB2B Used

Purpose: To specify pricing information

fcB2B Note 1:

This CTP loop provides pricing for the product/style.

A promotional price requires two DTM segments - one each to indicate the Promotion Start (015) and Promotion End (016) dates.

fcB2B Note 2:

If either CTP04 or CTP05 is used, the other is required.

fcB2B Note 3:

CTP example using the CTP04 Composite Data Element C001.

List price is \$1.49 per square foot per pallet.

The Component Element Separator is a colon (:).

Position		Value
CTP02	LPR	List price
CTP03	1.49	Unit price
CTP04	1	Quantity
CTP05-01	SF	Unit of measure
CTP05:02	:	(not used)
CTP05:03	:	(not used)
CTP05:04	: PL	Container unit of measure

EDI: CTP**LPR*1.49*Sf:::PL

Promotional price is \$1.09 per square foot.

EDI: CTP**PRP*1.09*Sf

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
CTP02	236	Price Identifier Code	X	ID	3/3	fcB2B Must use
		Description: Code identifying pricing specification				
		Code List Summary (Total Codes: 171, Included: 2)				
		<u>Code</u>		<u>Name</u>		
		LPR		List Price		
		PRP		Promotional price		
CTP03	212	Unit Price	X	R	1/17	fcB2B Must use
		Description: Price per unit of product, service, commodity, etc.				
CTP04	380	Quantity	X	R	1/15	fcB2B Used
		Description: Numeric value of quantity				
		fcB2B Note 1: Minimum quantity defined for the price.				
CTP05	C001	Composite Unit of Measure	X	Comp		fcB2B Used
		Description: To identify a composite unit of measure(See fcB2B segment note				

above for examples of use)

CTP05-01	355	Unit or Basis for Measurement Code	M	ID	2/2	fcB2B Must use
----------	-----	---	---	----	-----	----------------

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

fcB2B Note 1: Master list of available units of measures can be found in the Core Rules and Procedures document.

CTP05-04	355	Unit or Basis for Measurement Code	O	ID	2/2	fcB2B Used
----------	-----	---	---	----	-----	------------

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

Code List Summary (Total Codes: 915, Included: 17)

<u>Code</u>	<u>Name</u>
1V	Slab
BD	Bundle
BG	Bag
BX	Box
CA	Case
CG	Card
CT	Carton
EA	Each
PA	Pail
PC	Piece
PK	Package
PL	Pallet/Unit Load
RL	Roll
SH	Sheet
ST	Set
TC	Truckload
UN	Unit

fcB2B Note 1:
Denotes cut for roll goods.

DTM Date/Time Reference

Pos: 1800	Max: 10
Detail - Optional	
Loop: 2200	Elements: 2

User Option (Usage): fcB2B Must use

Purpose: To specify pertinent dates and times

fcB2B Note 1:

For the product/style, this DTM may be used to specify the price effective date and the promotion start and end dates. It may also be used to remove a product/style or correct previously transmitted information that is in error.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	fcB2B Must use

Description: Code specifying type of date or time, or both date and time

Code List Summary (Total Codes: 1317, Included: 4)

<u>Code</u>	<u>Name</u>
007	Effective
	fcB2B Note 1: <i>Effective date pertaining to a new product, updated product, and/or product price.</i>
015	Promotion Start
016	Promotion End
433	Removed
	fcB2B Note 1: <i>The date the product is marked as inactive. Also used when previously transmitted information was erroneous and is being removed as of the DTM02 date.</i>

DTM02	373	Date	X	DT	8/8	fcB2B Must use
-------	-----	------	---	----	-----	----------------

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

G43 Promotion/Price List Area

Pos: 2270	Max: 9999
Detail - Optional	
Loop: 2200	Elements: 2

User Option (Usage): fcB2B Must use

Purpose: To specify the geographic area in which a promotion or price is in effect

fcB2B Note 1:

*The G43 segment may occur once in the CTP loop.
The G43 segment describes the FOB origination point.*

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G4301	771	Market Area Code Qualifier	M	ID	1/3	fcB2B Must use
Description: Code identifying the identifier represented in "Market Area Code Identifier (767)"						
Code List Summary (Total Codes: 15, Included: 1)						
		<u>Code</u>		<u>Name</u>		
		003		See Free-form Text		
G4303	352	Description	O	AN	1/80	fcB2B Must use
Description: A free-form description to clarify the related data elements and their content						
fcB2B Note 1: <i>FOB description.</i> <i>Examples: MILL, DALTON.</i>						

Loop Item Characteristics - Vendor's Selling Unit

Pos: 2830	Repeat: >1
Optional	
Loop: 2400	Elements: N/A

User Option (Usage): fcB2B Used

Purpose: To identify a vendor's selling unit or to provide physical characteristics relative to a vendor's selling unit

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
2830	G39	Item Characteristics - Vendor's Selling Unit	O	1		fcB2B Used

G39 Item Characteristics - Vendor's Selling Unit

Pos: 2830	Max: 1
Detail - Optional	
Loop: 2400	Elements: 3

User Option (Usage): fcB2B Used

Purpose: To identify a vendor's selling unit or to provide physical characteristics relative to a vendor's selling unit

fcB2B Note 1:

The G39 segment is not used for roll items.

The G39 segment is used to provide the packaging code for the base unit product.

Product measurements are transmitted in the MEA segment.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G3902	235	Product/Service ID Qualifier	X	ID	2/2	fcB2B Must use
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
Code List Summary (Total Codes: 530, Included: 2)						
		<u>Code</u>		<u>Name</u>		
		ST		Style Number		
		UX		Universal Product Number		
fcB2B Note 1:						
<i>An identifier assigned by a supplier to a grouping of products.</i>						
G3903	234	Product/Service ID	X	AN	1/80	fcB2B Must use
Description: Identifying number for a product or service						
G3928	103	Packaging Code	O	AN	3/5	fcB2B Must use
Description: Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required						
fcB2B Note 1: <i>The Packaging Code is comprised of two parts:</i>						
<i>Part 1 - Select from the three character Packaging Form Code list below.</i>						
<i>Part 2, the two character Packaging Material Code, is not used in this fcB2B implementation.</i>						
Code List Summary (Total Codes: 160, Included: 12)						
		<u>Code</u>		<u>Name</u>		
		BAG		Bag		
		BOT		Bottle		
		BOX		Box		
		BXT		Bucket		
		CAN		Can		
		CAS		Case		
		CNT		Container		
		CTN		Carton		
		PAL		Pail		
		PCS		Pieces		
		PKG		Package		
		SPL		Spool		

Loop Subline Item Detail

Pos: 3500	Repeat: >1
Optional	
Loop: 2800	Elements: N/A

User Option (Usage): fcB2B Used

Purpose: To specify product subline detail item data

fcB2B Note 1:

*The SLN loop provides product SKU and color level pricing, and SKU information. The SLN is required for product/SKU updates. It may be excluded **ONLY** when all colors for a style are being dropped and the LIN/DTM01 is sent as "197"*

fcB2B Note 2:

If a transaction is sent without prices at the SLN level, the price sent at the LIN level becomes the default price for all products/colors sent in the SLN loop.

A price sent at the SLN level for a product style/color overrides the price at the LIN level.

Dates sent at the SLN level override dates at the LIN level for the product/color specified.

fcB2B Note 3:

Loop 2802 - Pricing Information.

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
3500	SLN	Subline Item Detail	O	1		fcB2B Used
3700	PID	Product/Item Description	O	>1		fcB2B Must use
3800	DTM	Date/Time Reference	O	>1		fcB2B Used
3900		Loop 2802	O		>1	fcB2B Used
4400	MEA	Measurements	O	>1		fcB2B Used
4500	SAC	Service, Promotion, Allowance, or Charge Information	O	1		fcB2B Used
4600	MTX	Text	O	>1		fcB2B Used
4610	REF	Reference Information	O	>1		fcB2B Used

SLN Subline Item Detail

Pos: 3500	Max: 1
Detail - Optional	
Loop: 2800	Elements: 12

User Option (Usage): fcB2B Used

Purpose: To specify product subline detail item data

fcB2B Note 1:

If either SLN11 or SLN12 is used, the other is required.
 If either SLN13 or SLN14 is used, the other is required.
 If either SLN15 or SLN16 is used, the other is required.
 If either SLN17 or SLN18 is used, the other is required.
 If either SLN19 or SLN20 is used, the other is required.
 If either SLN21 or SLN22 is used, the other is required.

fcB2B Note 2:

SLN11 thru SLN14: The Supplier Part Number and product U.P.C. may be sent in addition to the product's SKU to facilitate the processing of the transaction.

fcB2B Note 3:

All active colors/SKU's (SLN10) should be sent for each LIN and UX value (see rules below for processing differences). The only exception is when dropping all colors in the UX grouping ([LIN05](#)) and LIN/DTM01 is "197" (see [fcB2B Note 2](#) under LIN)

- If colors in receiving system not included on the catalog, missing products would be flagged as dropped.
- If colors on the catalog are not in the receiving system, additional products would be added.
- If colors, attributes, and price match, no change made to receiving system.
- If colors sent with a UX code different from the receiving system ([LIN05](#)/SLN10) the color will be added under the UX sent in the catalog and dropped from the UX found in the receiving system.

An active color is defined as an orderable product that is not dropped in the supplier's system. It includes orderable products that have a drop date in the future from when the catalog is being sent.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
SLN01	350	Assigned Identification Description: Alphanumeric characters assigned for differentiation within a transaction set fcB2B Note 1: <i>A unique identifier assigned to each occurrence of the SLN segment. The recommendation is to start from the number 1 and increment by 1 for each SLN.</i>	M	AN	1/20	fcB2B Must use				
SLN03	662	Relationship Code Description: Code indicating the relationship between entities Code List Summary (Total Codes: 6, Included: 1) <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>O</td><td>Information Only</td></tr></table>	<u>Code</u>	<u>Name</u>	O	Information Only	M	ID	1/1	fcB2B Must use
<u>Code</u>	<u>Name</u>									
O	Information Only									
SLN09	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) Code List Summary (Total Codes: 530, Included: 1) <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>SK</td><td>Stock Keeping Unit (SKU)</td></tr></table>	<u>Code</u>	<u>Name</u>	SK	Stock Keeping Unit (SKU)	X	ID	2/2	fcB2B Must use
<u>Code</u>	<u>Name</u>									
SK	Stock Keeping Unit (SKU)									

fcB2B Note 1:

The SKU value in SLN10 must be unique (i.e: may not repeat) in an individual 832 Price/Sales Catalog transaction set.

SLN10 234 **Product/Service ID** X AN 1/80 fcB2B Must use

Description: Identifying number for a product or service

SLN11 235 **Product/Service ID Qualifier** X ID 2/2 fcB2B Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 530, Included: 1)

Code**Name**

MG

Manufacturer's Part Number

fcB2B Note 1:

Supplier Part Number.

SLN12 234 **Product/Service ID** X AN 1/80 fcB2B Used

Description: Identifying number for a product or service

SLN13 235 **Product/Service ID Qualifier** X ID 2/2 fcB2B Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 530, Included: 1)

Code**Name**

UP

GTIN-12

Description: A 12-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items

SLN14 234 **Product/Service ID** X AN 1/80 fcB2B Used

Description: Identifying number for a product or service

SLN15 235 **Product/Service ID Qualifier** X ID 2/2 fcB2B Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 529, Included: 1)

Code**Name**

UK

GTIN-14

Description: A 14-digit GS1 Identification Key composed of an Indicator Digit, GS1 Company Prefix, Item Reference and Check Digit used to identify trade items

SLN16 234 **Product/Service ID** X AN 1/80 fcB2B Used

Description: Identifying number for a product or service

SLN17 235 **Product/Service ID Qualifier** X ID 2/2 fcB2B Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code List Summary (Total Codes: 530, Included: 1)

Code**Name**

		EN	GTIN-13			
		Description: A 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference and Check Digit used to identify trade items				
SLN18	234	Product/Service ID	X	AN	1/80	fcB2B Used
		Description: Identifying number for a product or service				
SLN19	235	Product/Service ID Qualifier	X	ID	2/2	fcB2B Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		Code List Summary (Total Codes: 530, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		CH	Country of Origin			
SLN20	234	Product/Service ID	X	AN	1/80	fcB2B Used
		Description: Identifying number for a product or service				
SLN21	235	Product/Service ID Qualifier	X	ID	2/2	fcB2B Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		Code List Summary (Total Codes: 530, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		SR	Substitute Product Number			
		fcB2B Note 1:				
		<i>This value is used when the SKU sent in SLN10 is being discontinued and a substitute SKU will be available when inventory has been depleted.</i>				
SLN22	234	Product/Service ID	X	AN	1/80	fcB2B Used
		Description: Identifying number for a product or service				

PID Product/Item Description

Pos: 3700	Max: >1
Detail - Optional	
Loop: 2800	Elements: 4

User Option (Usage): fcB2B Must use

Purpose: To describe a product or process in coded or free-form format

fcB2B Note 1:

*This PID segment provides information about product color and associated color product SKU(s).
PID02 code 73 - Vendor Color Description, is required.*

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PID01	349	Item Description Type Code	M	ID	1/1	fcB2B Must use
		Description: Code indicating the format of a description				
		Code List Summary (Total Codes: 4, Included: 1)				
		<u>Code</u>		<u>Name</u>		
		F		Free-form		
PID02	750	Product/Process Characteristic Code	O	ID	2/3	fcB2B Must use
		Description: Code identifying the general class of a product or process characteristic				
		Code List Summary (Total Codes: 276, Included: 4)				
		<u>Code</u>		<u>Name</u>		
		35		Color		
				fcB2B Note 1: <i>Code 35 Color Number is the Supplier's Color Number.</i>		
		73		Vendor color description		
				fcB2B Note 1: <i>Code 73 Vendor Color Description, is the Supplier's Color Name, and is required.</i>		
		CG		Color Group		
				Description: General color groupings for products, such as white, grey, beige green, etc.		
		ACN		Abbreviated Color Name		
				Description: The color name, abbreviated.		
PID05	352	Description	X	AN	1/80	fcB2B Must use
		Description: A free-form description to clarify the related data elements and their content				
PID09	819	Language Code	O	ID	2/3	fcB2B Used
		Description: Code specifying the language used in text, from a standard code list maintained by the International Standards Organization (ISO 639)				
		fcB2B Note 1: Use if necessary.				

DTM Date/Time Reference

Pos: 3800	Max: >1
Detail - Optional	
Loop: 2800	Elements: 2

User Option (Usage): fcB2B Used

Purpose: To specify pertinent dates and times

fcB2B Note 1:

This DTM pertains to the product SKU. A DTM is not transmitted for new SKU(s) or changes to existing SKU(s) information as the data is processed when received. The following CTP loop handles price and price changes.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	fcB2B Must use
Description: Code specifying type of date or time, or both date and time						
Code List Summary (Total Codes: 1318, Included: 2)						
		<u>Code</u>	<u>Name</u>			
		197	End			
		fcB2B Note 1:				
		<i>Product drop date. The date the product is no longer available.</i>				
		PDA	Product Discontinued but Still Available			
		Description: <i>Production on the product has been discontinued as of the specified date, but existing stock is still available.</i>				
DTM02	373	Date	X	DT	8/8	fcB2B Must use
Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year						

Loop Pricing Information

Pos: 3900	Repeat: >1
Optional	
Loop: 2802	Elements: N/A

User Option (Usage): fcB2B Used

Purpose: To specify pricing information

fcB2B Note 1:

This CTP loop information applies to the SKU identified in the SLN segment.

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
3900	CTP	Pricing Information	O	1		fcB2B Used
3902	DTM	Date/Time Reference	O	>1		fcB2B Must use
3906	G43	Promotion/Price List Area	O	>1		fcB2B Must use

CTP Pricing Information

Pos: 3900	Max: 1
Detail - Optional	
Loop: 2802	Elements: 4

User Option (Usage): fcB2B Used

Purpose: To specify pricing information

fcB2B Note 1:

If a transaction is sent without pricing at the SLN level, the prices sent at the LIN level become the default prices for all products/colors sent in the SLN loop

If the CTP loop is used at both the LIN and SLN levels, the SLN information will override the LIN information for the specified product.

fcB2B Note 2:

A promotional price requires two DTM segments - one each to indicate the Promotion Start (015) and Promotion End (016) dates.

A promotional price sent at the SLN level overrides the promotional price at the LIN level for the product/color specified.

fcB2B Note 3:

If either CTP04 or CTP05 is present, then the other is required.

fcB2B Note 4:

CTP example using the CTP04 Composite Data Element C001.

List price is \$1.49 per square foot per pallet.

The Component Element Separator is a colon (:).

Position		Value
CTP02	LPR	List price
CTP03	1.49	Unit price
CTP04	1	Quantity
CTP05-01	SF	Unit of measure
CTP05:02	:	(not used)
CTP05:03	:	(not used)
CTP05:04	: PL	Container unit of measure

EDI: CTP**LPR*1.49*Sf:::PL

Promotional price is \$1.09 per square foot.

EDI: CTP**PRP*1.09*Sf

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
CTP02	236	Price Identifier Code	X	ID	3/3	fcB2B Must use
		Description: Code identifying pricing specification				
		Code List Summary (Total Codes: 171, Included: 2)				
		<u>Code</u>		<u>Name</u>		
		LPR		List Price		
		PRP		Promotional price		
CTP03	212	Unit Price	X	R	1/17	fcB2B Must use
		Description: Price per unit of product, service, commodity, etc.				
CTP04	380	Quantity	X	R	1/15	fcB2B Used
		Description: Numeric value of quantity				

fcB2B Note 1: Minimum quantity defined for the price.

CTP05	C001	Composite Unit of Measure Description: To identify a composite unit of measure(See fcB2B segment note above for examples of use)	X	Comp		fcB2B Used
CTP05-01	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken fcB2B Note 1: Master list of available units of measures can be found in the Core Rules and Procedures document.	M	ID	2/2	fcB2B Must use
CTP05-04	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O	ID	2/2	fcB2B Used

Code List Summary (Total Codes: 915, Included: 17)

<u>Code</u>	<u>Name</u>
1V	Slab
BD	Bundle
BG	Bag
BX	Box
CA	Case
CG	Card
CT	Carton
EA	Each
PA	Pail
PC	Piece
PK	Package
PL	Pallet/Unit Load
RL	Roll
SH	Sheet
ST	Set
TC	Truckload
UN	Unit

fcB2B Note 1:
Denotes cut for roll goods.

DTM Date/Time Reference

Pos: 3902	Max: >1
Detail - Optional	
Loop: 2802	Elements: 2

User Option (Usage): fcB2B Must use

Purpose: To specify pertinent dates and times

fcB2B Note 1:

For the product/SKU, this DTM may be used to specify the price effective date and the promotion start and end dates. It may also be used to remove a product/SKU or correct previously transmitted information that is in error. Promotional dates sent at the SLN level override promotional dates at the LIN level for the product/color specified.

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
DTM01	374	Date/Time Qualifier	M	ID	3/3	fcB2B Must use

Description: Code specifying type of date or time, or both date and time

Code List Summary (Total Codes: 1317, Included: 4)

Code	Name
007	Effective

fcB2B Note 1:

Effective date pertaining to a new product, updated product, and/or product price.

015	Promotion Start
016	Promotion End
433	Removed

fcB2B Note 1:

The date the product is marked as inactive. Also used when previously transmitted information was erroneous and is being removed as of the DTM02 date.

DTM02	373	Date	X	DT	8/8	fcB2B Must use
-------	-----	------	---	----	-----	----------------

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

G43 Promotion/Price List Area

Pos: 3906	Max: >1
Detail - Optional	
Loop: 2802	Elements: 2

User Option (Usage): fcB2B Must use

Purpose: To specify the geographic area in which a promotion or price is in effect

fcB2B Note 1:

*The G43 segment may occur once in the CTP loop.
The G43 segment describes the FOB origination point.*

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G4301	771	Market Area Code Qualifier	M	ID	1/3	fcB2B Must use
Description: Code identifying the identifier represented in "Market Area Code Identifier (767)"						
Code List Summary (Total Codes: 15, Included: 1)						
		<u>Code</u>		<u>Name</u>		
		003		See Free-form Text		
G4303	352	Description	O	AN	1/80	fcB2B Must use
Description: A free-form description to clarify the related data elements and their content						
fcB2B Note 1: <i>FOB description.</i> <i>Examples: MILL, DALTON.</i>						

MEA Measurements

Pos: 4400	Max: 200
Detail - Optional	
Loop: 2800	Elements: 3

User Option (Usage): fcB2B Used

Purpose: To specify physical measurements or counts, including dimensions, tolerances, variances, and weights.

fcB2B Note 1:

This MEA is to be used for color exceptions where the values for a color differ from the MEA sent at the LIN. (ex. color Blue has different case pack than all other colors)

If a transaction is sent without attributes at the SLN level, the attributes sent at the LIN level become the default for all products / colors sent in the SLN loop

If the MEA is used at both the LIN and SLN levels, the SLN information will override the LIN information for the specified product / color.

fcB2B Note 2:

MEA example using the MEA04 Composite Data Element C001.

A base unit sold as 8 square feet per carton.

The Component Element Separator is a colon (:).

Position	Value
MEA02	B1
MEA03	8
MEA04-01	SF
MEA04:02	: (data element is not used)
MEA04:03	: (data element is not used)
MEA04:04	: CT

EDI: MEA**B1*8*Sf::CT

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
MEA02	738	Measurement Qualifier	O	ID	1/3	fcB2B Must use

Description: Code identifying a specific product or process characteristic to which a measurement applies

Code List Summary (Total Codes: 1322, Included: 15)

Code	Name
B1	Base Number

Description: Number of Base Units of the product contained in a shipping container.

fcB2B Note 1:

Up to three Base Unit quantities are allowed (carton, pallet or truckload):

MEA02 - B1

MEA03 - value

MEA04-01 - select from unit of measure

MEA04 -04 - select one of CT (Carton), PL (Pallet) or TL (Truckload).

fcB2B Note 2:

Example: 8 square feet per carton

MEA02 - B1

MEA03 - 8

MEA04-01 - SF

MEA04-04 - CT

HT Height

LM Length, Maximum

fcB2B Note 1:

Actual Length. Not applicable for roll goods.

	TH	Thickness	fcB2B Note 1: <i>Example: Stair nose thickness.</i>													
	WM	Width, Maximum	fcB2B Note 1: <i>Actual Width. Not applicable for roll goods.</i>													
	WT	Weight	fcB2B Note 1: <i>Denotes weight per base unit.</i>													
	PAL	Pattern Length														
	PAW	Pattern Width														
	SHW	Shipping Weight per Pricing Unit	fcB2B Note 1: <i>Data Element 355 codes that pertain to code SHW are:</i> - 37 Ounces per Square Foot - 3G Pounds per Piece of Product - 3I Kilograms per Piece of Product - FP Pounds per Square Foot - GE Pounds per Gallon - ON Ounces per Square Yard													
	SLU	Selling Unit	Description: <i>The selling quantity in which the product is offered for sale by the supplier.</i> fcB2B Note 1: <i>For roll goods:</i> MEA02 - SLU MEA03 - 1 MEA04-01- SY (Square Yard) <i>For tile goods:</i> MEA02 - SLU MEA03 - 1 MEA04-01- CT Carton													
MEA03	739	Measurement Value Description: The value of the measurement fcB2B Note 1: <i>Up to 4 decimal positions may be transmitted.</i>	X	R	1/20	fcB2B Must use										
MEA04	C001	Composite Unit of Measure Description: To identify a composite unit of measure (See fcB2B segment note above for examples of use)	X	Comp		fcB2B Must use										
MEA04-01	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken fcB2B Note 1: Master list of available units of measures can be found in the Core Rules and Procedures document. Exceptions to the master list shown below. Code List Summary (Total Codes: 915, Included: 42) <table><thead><tr><th><u>Code</u></th><th><u>Name</u></th></tr></thead><tbody><tr><td>37</td><td>Ounces per Square Foot</td></tr><tr><td>3G</td><td>Pounds Per Piece of Product</td></tr><tr><td>3I</td><td>Kilograms Per Piece of Product</td></tr><tr><td>FP</td><td>Pounds per Sq. Ft.</td></tr></tbody></table>	<u>Code</u>	<u>Name</u>	37	Ounces per Square Foot	3G	Pounds Per Piece of Product	3I	Kilograms Per Piece of Product	FP	Pounds per Sq. Ft.	M	ID	2/2	fcB2B Must use
<u>Code</u>	<u>Name</u>															
37	Ounces per Square Foot															
3G	Pounds Per Piece of Product															
3I	Kilograms Per Piece of Product															
FP	Pounds per Sq. Ft.															

GE Pounds per Gallon
 GR Gram
 ON Ounces per Square Yard

MEA04-04 355 **Unit or Basis for Measurement Code** O ID 2/2 fcB2B Used

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

fcB2B Note 1: *This data element denotes the type of container pertaining to the value in MEA04-01; eg: per carton, per truckload, per pallet.*

Code List Summary (Total Codes: 915, Included: 16)

<u>Code</u>	<u>Name</u>
1V	Slab
BD	Bundle
BG	Bag
BX	Box
CA	Case
CG	Card
CT	Carton
EA	Each
PA	Pail
PC	Piece
PK	Package
PL	Pallet/Unit Load
RL	Roll
SH	Sheet
ST	Set
TC	Truckload

SAC Service, Promotion, Allowance, or Charge Information

Pos: 4500 Max: 1
Detail – Optional
Loop: 2800 Elements:9

User Option (Usage): fcB2B Used

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

fcB2B Note 1:

This is used to identify the recycling amount required to be collected at the consumer point of sale based on a states defined matrix.

If SAC16 is used, SAC15 is required.

fcB2B Note 2:

This SAC segment should only be used when an individual color has a different CARE charge because of different PCC percent then the entire grouping of colors.

fcB2B Note 3:

If either SAC03 or SAC04 is present, then the other is required.

If either SAC09 or SAC10 is present, then the other is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
SAC01	248	Allowance or Charge Indicator Code Description: Code indicating an allowance or charge for the service specified fcB2B Note 1: If SAC01 is code A or C, then SAC05 is required. CodeList Summary (Total Codes: 7, Included: 2) <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>C</td><td>Charge</td></tr></table>	<u>Code</u>	<u>Name</u>	C	Charge	M	ID	1/1	fcB2B Must use
<u>Code</u>	<u>Name</u>									
C	Charge									
SAC02	1300	Service, Promotion, Allowance, or Charge Code Description: Code identifying the service, promotion, allowance, or charge CodeList Summary (Total Codes: 1091, Included: 20) <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>G090</td><td>Recovery Fee</td></tr></table> fcB2B Note 1: CA CRPT Stewardship Assessment	<u>Code</u>	<u>Name</u>	G090	Recovery Fee	X	ID	4/4	fcB2B Must use
<u>Code</u>	<u>Name</u>									
G090	Recovery Fee									
SAC03	559	Agency Qualifier Code Description: Used to identify the state impacted by the charge. <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>14</td><td>California</td></tr></table>	<u>Code</u>	<u>Name</u>	14	California	X	ID	2/2	fcB2B Must use
<u>Code</u>	<u>Name</u>									
14	California									
SAC04	1301	Agency Service, Promotion, Allowance, or Charge Code Description: Used to identify the state impacted by the charge. <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>CARE</td><td>CA Carpet Stewardship Assessment</td></tr></table>	<u>Code</u>	<u>Name</u>	CARE	CA Carpet Stewardship Assessment	X	AN	1/10	fcB2B Must use
<u>Code</u>	<u>Name</u>									
CARE	CA Carpet Stewardship Assessment									
SAC08	118	Rate	Z	R	1/9	fcB2B Must use				

SAC09	355	Description: Amount of charge to be collected. Unit or Basis for Measurement Code Description: UOM associated to the rate. fcB2B Note 1: Master list of available units of measures can be found in the Core Rules and Procedures document.	X	ID	2/2	fcB2B Must use
SAC10	380	Quantity Description: Minimum quantity associated with the quantity. fcB2B Note 1: Default value is 1.	X	R	1/15	fcB2B Must use
SAC15	352	Description Description: A free-form description to clarify the related data elements and their content fcB2B Note 1: SAC15 is a description of the allowance or charge. SAC15 may be used to clarify the code in SAC02.	X	AN	1/80	fcB2B Used
SAC16	819	Language Code Description: Code specifying the language used in text, from a standard code list maintained by the International Standards Organization (ISO 639) fcB2B Note 1: Used if necessary.	O	ID	2/3	fcB2B Used

MTX Text

Pos: 4600	Max: >1
Detail - Optional	
Loop: 2800	Elements: 2

User Option (Usage): fcB2B Used

Purpose: To specify textual data

fcB2B Note 1:

The MTX segment provides the URL link for additional information about the product/color.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MTX01	363	Note Reference Code	O	ID	3/3	fcB2B Used
Description: Code identifying the functional area or purpose for which the note applies						
Code List Summary (Total Codes: 370, Included: 3)						
		<u>Code</u>		<u>Name</u>		
		PDS		Product Specification		
		POB		Primary Observation		
		SOB		Secondary Observation		
MTX02	1551	Textual Data	X	AN	1/4096	fcB2B Used
Description: To transmit large volumes of message text						
fcB2B Note 1: URL pertaining to the code specified in MTX01.						

REF Reference Information

Pos: 4610	Max: >1
Detail - Optional	
Loop: 2800	Elements: 3

User Option (Usage): fcB2B Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	fcB2B Must use

Description: Code identifying the Reference Identification

Code List Summary (Total Codes: 1880, Included: 1)

<u>Code</u>	<u>Name</u>
DM	Associated Product Number

fcB2B Note 1:

*Product SKU. A product that is associated with the product identified in the SLN segment. It is possible to transmit more than one REF*DM with a different value in REF02.*

REF02	127	Reference Identification	X	AN	1/80	fcB2B Must use
-------	-----	--------------------------	---	----	------	----------------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF03	352	Description	X	AN	1/80	fcB2B Used
-------	-----	-------------	---	----	------	------------

Description: A free-form description to clarify the related data elements and their content

fcB2B Note 1: REF03 may be used to clarify the value in REF02.

CTT

Transaction Totals

Pos: 0100

Max: 1

Summary - Optional

Loop: N/A

Elements: 1

User Option (Usage): fcB2B Must use
Purpose: To transmit a hash total for a specific element in the transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	fcB2B Must use
Description: Total number of line items in the transaction set						
fcB2B Note 1: Number of LIN segments in the transaction.						

SE**Transaction Set Trailer**

Pos: 0200	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): fcB2B Must use**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	NO	1/10	fcB2B Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	fcB2B Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

GE**Functional Group Trailer**

Pos:	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): fcB2B Must use**Purpose:** To indicate the end of a functional group and to provide control information**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GE01	97	Number of Transaction Sets Included	M	N0	1/6	fcB2B Must use
		Description: Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element				
GE02	28	Group Control Number	M	N0	1/9	fcB2B Must use
		Description: Assigned number originated and maintained by the sender				

IEA Interchange Control Trailer

Pos:	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): fcB2B Must use

Purpose: To define the end of an interchange of zero or more functional groups and interchange-related control segments

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IEA01	I16	Number of Included Functional Groups Description: A count of the number of functional groups included in an interchange	M	N0	1/5	fcB2B Must use
IEA02	I12	Interchange Control Number Description: A control number assigned by the interchange sender	M	N0	9/9	fcB2B Must use

Examples of different scenarios

Add

- To add a new color / SKU to an existing style / product. Send the LIN with the UX value that matches the existing style / product and all active colors / SKUs. New color / SKU will be added to the receiving system.

```

LIN**ST*STYLE1*UX*UNIVERSAL PRODUCT*BL*BRAND NAME*BK*BACKING*SZ*1200
REF*19*EXAMPLE COMPANY
REF*6P*CARPET1
REF*DM*ASSOC PROD 1
REF*DM*ASSOC PROD 2
PID*F*TRN***GREATEST CARPET STYLE
PID*F*MAC***CARBERC
PID*F*12***GREATEST CARPET BERBER
MEA**LN*150*FT
MEA**WD*12.00*FT
MEA**WT*43*ON
MEA**SLU*1*SF
CTP**LPR*3.25*1*SF
DTM*007*20190130
G43*003**MILL, DALTON
CTP**LPR*3.00*75*SF
DTM*007*20190130
G43*003**MILL, DALTON
SLN*1**O*****SK*STYLE1SKU1*MG*ABC1234*UP*123456789012*UK*12345678901234*EN*1234567890123
PID*F*35***05017
PID*F*73***COCOA
SLN*2**O*****SK*STYLE1SKU2*MG*ABC1235*UP*123456789013*UK*12345678901345*EN*1234567890134
PID*F*35***05075
PID*F*73***BLACK CHERRY

```

Drop / Remove

- Dropping a color / SKU from a style / product. Send the LIN and all active colors in the SLN loop. The receiving system shall update the color / SKU sent and drop any remaining in their system. In the below example STYLE1SKU1 would be updated and any other SKU associated with STYLE1 would be marked as drop.

```

LIN**ST*STYLE1*UX*UNIVERSAL PRODUCT*BL*BRAND NAME*BK*BACKING*SZ*1200
REF*19*EXAMPLE COMPANY
REF*6P*CARPET1
REF*DM*ASSOC PROD 1
REF*DM*ASSOC PROD 2
PID*F*TRN***GREATEST CARPET STYLE
PID*F*MAC***CARBERC
PID*F*12***GREATEST CARPET BERBER
MEA**LN*150*FT
MEA**WD*12.00*FT
MEA**WT*43*ON
MEA**SLU*1*SF
CTP**LPR*3.25*1*SF
DTM*007*20190130
G43*003**MILL, DALTON
CTP**LPR*3.00*75*SF
DTM*007*20190130
G43*003**MILL, DALTON
SLN*1**O*****SK*STYLE1SKU1*MG*ABC1234*UP*123456789012*UK*12345678901234*EN*1234567890123
PID*F*35***05017
PID*F*73***COCOA

```

- Dropping a style / product. Send the LIN with the LIN/DTM code 197, no SLNs are required.

```

LIN**ST*STYLE1*UX*UNIVERSAL PRODUCT*BL*BRAND NAME*BK*BACKING*SZ*1200
DTM*197*20210928
REF*19*EXAMPLE COMPANY
REF*6P*CARPET1
REF*DM*ASSOC PROD 1
REF*DM*ASSOC PROD 2

```

PID*F*TRN***GREATEST CARPET STYLE
 PID*F*MAC***CARBERC
 PID*F*12***GREATEST CARPET BERBER
 MEA**LN*150*FT
 MEA**WD*12.00*FT
 MEA**WT*43*ON
 MEA**SLU*1*SF
 CTP**LPR*3.25*1*SF
 DTM*007*20190130
 G43*003**MILL, DALTON
 CTP**LPR*3.00*75*SF
 DTM*007*20190130
 G43*003**MILL, DALTON

Update

- Update a color to have a different case pack (base qty) than all other colors in the style / product.

LIN**ST*STYLE2*UX*UNIVERSAL PRODUCT2*BL*BRAND NAME*BK*BACKING*SZ*215
 REF*19*EXAMPLE COMPANY
 PID*F*TRN***FLUSH STAIR NOSE 1/2 - WOOD MOLDINGS - 215 CM - 10 per case
 PID*F*MAC***WOOMSNR
 PID*F*12***WOOD MOLDINGS
 MEA**SLU*1*CA
 MEA**B1*10*EA:::CA
 MEA**B1*15*SF:::CA
 MEA**WD*0.03*FT
 MEA**SHW*44*ON
 CTP**LPR*43.99*1*CA
 DTM*007*20190130
 G43*003**MILL, DALTON
 G39**ST*STYLE2*****CAS
 SLN*10**O*****SK*STYLE2SKU1*MG*ABC2345*UP*234567890123*UK*23456789012345*EN*2345678901234
 PID*F*35***05027
 PID*F*73***ANTIQUE ELM CIDER
 SLN*20**O*****SK*STYLE2SKU2*MG*ABC2346*UP*234567890124*UK*23456789012456*EN*2345678901245
 PID*F*35***05039
 PID*F*73***LATTE OAK
 MEA**B1*15*EA:::CA
 MEA**B1*20*SF:::CA

- Update a color to have a different price than all other colors in the style / product.

LIN**ST*STYLE2*UX*UNIVERSAL PRODUCT2*BL*BRAND NAME*BK*BACKING*SZ*215
 REF*19*EXAMPLE COMPANY
 PID*F*TRN***FLUSH STAIR NOSE 1/2 - WOOD MOLDINGS - 215 CM - 10 per case
 PID*F*MAC***WOOMSNR
 PID*F*12***WOOD MOLDINGS
 MEA**SLU*1*CA
 MEA**B1*10*EA:::CA
 MEA**B1*15*SF:::CA
 MEA**WD*0.03*FT
 MEA**SHW*44*ON
 CTP**LPR*43.99*1*CA
 DTM*007*20190130
 G43*003**MILL, DALTON
 G39**ST*STYLE2*****CAS
 SLN*10**O*****SK*STYLE2SKU1*MG*ABC2345*UP*234567890123*UK*23456789012345*EN*2345678901234
 PID*F*35***05027
 PID*F*73***ANTIQUE ELM CIDER
 SLN*20**O*****SK*STYLE2SKU2*MG*ABC2346*UP*234567890124*UK*23456789012456*EN*2345678901245
 PID*F*35***05039
 PID*F*73***LATTE OAK
 CTP**LPR*44.99*1*CA
 DTM*007*20181015
 G43*003**MILL, DALTON

- Move a color / SKU from one style / product / UX grouping to another style / product / UX grouping.

Original Catalog

LIN**ST*STYLE1*UX*UNIVERSAL PRODUCT*BL*BRAND NAME*BK*BACKING*SZ*1200
 REF*19*EXAMPLE COMPANY
 REF*6P*CARPET1
 REF*DM*ASSOC PROD 1
 REF*DM*ASSOC PROD 2
 PID*F*TRN***GREATEST CARPET STYLE
 PID*F*MAC***CARBERC
 PID*F*12***GREATEST CARPET BERBER
 MEA**LN*150*FT
 MEA**WD*12.00*FT
 MEA**WT*43*ON
 MEA**SLU*1*SF
 CTP**LPR*3.25*1*SF
 DTM*007*20190130
 G43*003**MILL, DALTON
 CTP**LPR*3.00*75*SF
 DTM*007*20190130
 G43*003**MILL, DALTON
 SLN*1**O*****SK*STYLE1SKU1*MG*ABC1234*UP*123456789012*UK*12345678901234*EN*1234567890123
 PID*F*35***05017
 PID*F*73***COCOA
 SLN*2**O*****SK*STYLE1SKU2*MG*ABC1235*UP*123456789013*UK*12345678901345*EN*1234567890134
 PID*F*35***05075
 PID*F*73***BLACK CHERRY

Update Catalog

LIN**ST*STYLE3*UX*UNIVERSAL PRODUCT3*BL*BRAND NAME*BK*BACKING*SZ*1200
 REF*19*EXAMPLE COMPANY
 REF*6P*CARPET1
 REF*DM*ASSOC PROD 1
 REF*DM*ASSOC PROD 2
 PID*F*TRN***GREATEST CARPET STYLE
 PID*F*MAC***CARBERC
 PID*F*12***GREATEST CARPET BERBER
 MEA**LN*150*FT
 MEA**WD*12.00*FT
 MEA**WT*43*ON
 MEA**SLU*1*SF
 CTP**LPR*3.25*1*SF
 DTM*007*20190130
 G43*003**MILL, DALTON
 CTP**LPR*3.00*75*SF
 DTM*007*20190130
 G43*003**MILL, DALTON
 SLN*1**O*****SK*STYLE1SKU1*MG*ABC1234*UP*123456789012*UK*12345678901234*EN*1234567890123
 PID*F*35***05017
 PID*F*73***COCOA