

Overview

The 832 price catalog document contains information about the product specifications and prices of the products that the dealer purchases from the vendor. The dealer and a qualified representative of the vendor must agree upon these prices. The first file of price catalog documents sent by the vendor will contain all of the products that the dealer can purchase from the vendor. All subsequent files will contain only updates to the first file.

Contained within the price catalog document is an enhanced version of the information found on a printed price agreement. It contains selling company, SKU information, and the pricing associated with each ship point for that product. If a product has promotional pricing in effect at processing time, promotional start and stop dates and promotional prices will also be included within the document. It also contains collection, standard length, standard width, fiber id, product description, pattern repeat and all color numbers and names. Products that have been dropped are sent using the 832 price catalog document. Since the price catalog document is the only notification of a dropped product, the dealer is expected to remove this product from their records built from the product specification document.

A 997 Functional Acknowledgement is expected within 24 hours of origin of this document. If an error(s) causes the EDI price catalog to become "unworkable", the dealer must send the vendor a 997 Functional Acknowledgment document indicating this. The 997 document is generated as ANSI compliance errors are detected by EDI translation software (e.g., missing mandatory fields). If a 997 is received with a status flag of "R", the EDI department of the appropriate vendor will contact the dealer.

Each vendor creates 832 price catalog documents on a different schedule. At least daily is recommended.

Warnings

- For promotional pricing at the header level (LIN level), the DTM and CTP are linked and should be sent together. Example DTM*015, DTM*016, CTP~ST then DTM*015, DTM*016, CTP~CT.
- For color level pricing:
 - If BCT03 contains 0 and a new price is sent, the price will apply to all colors for that style.
 - If BCT03 contains 1 or 2 and no price is sent at the color level then the price sent at the header (LIN) level becomes the default price for all colors sent.

- If BCT03 contains 2 and a price is sent at the color level (SLN level), that price overrides the header level price for that color only.
- If BCT03 contains 2 and a promotional price is sent at the color level (SLN level) without a start and/or end date than the promotion date(s) apply to the color level price.
- If BCT03 contains 2 and a promotional price is sent at the color level (SLN level) with a start and/or end date than the promotion date(s) override the header level promotion date(s) for that color only.
- If BCT03 contains 2 and a DTM segment is sent at the color level (SLN level), that date overrides the same date being sent at the header level.
- BCT03 must contain 2 before either the DTM or the CTP can be sent at the SLN level.

Notes

- The codes 0 and 1 in the BCT03 segment will be phased out in future releases and should not be used for new development.
- BCT10 – (03 Delete)
 - Will only be used with a unique identifier.
 - If only an LIN is sent, the entire product would be deleted (all colors).
 - If LIN were sent with one or more SLNs, only the colors in the SLN would be deleted.
 - Note: if colors are sent for delete that removes all colors from the dealers system, the software should clean up all information related to the updated style.
 - Any references to the SKU, such as being an accessory for another SKU, must also be cleaned up.
 - Be able to send a parent SKU in the LIN and a REF*DM to delete an accessory from the parent.
- BCT10 – (04 Change)
 - Will only be used with a unique identifier.
 - Data sent in the LIN loop will allow the header-level data to be changed for the entire product line (example: Only sending shipping weight would only update shipping weight).
 - Data sent in the SLN loop will only change color level fields needing changed allowing the size of the 832 to be reduced. (example: Only sending an upc code for 3 colors would only update the upc code for those 3 colors). If SLN is sent, colors not listed are not affected. (example: if red sent and not blue, red is updated and blue is not.) (example: if upc sent and not manufacturer's part number, upc will be updated but manufacturer's part number will not be updated)

- To replace populated date without additional data:
 - for alphanumeric fields, the word 'blank' will indicate that the current data should be removed.
Example: N1*VN*BLANK (this would indicate that the vendor name information should be removed)
 - for numeric fields, a '-1' will indicate that the current amount should be removed.
Example: CTP**LPR*5.49*-1*SY****ST (this would indicate there is no longer a qty receives a special price)
- CTP04 when followed by CTP09 = 'ST' is the Standard roll length. CTP04 when sent for hard surface products is the quantity required to purchase to receive the price sent in CTP03.
- When sending pricing at the color level the following rules must apply. DTM codes of 007, 015, 016, 167 must be followed by the appropriate CTP02 (LPR or PRP) element. DTM code of 197 can be sent without any CTP segment.
- The MEA*NU segment will be phased out in a future release and be replaced by the MEA*DP, MEA*LP and MEA*999 for Pattern Drop, Length and Width.

Notes/Best Practices.

- Information defining the formatting of the measurement MEA . Below you will find information defining how the FT and EZ measurements should be used.

FT – 12.0925

12 - Represents Feet – valid numbers are 0,1,2,3,,,,,etc. (12 feet)

09 - Represents Inches – valid numbers are 00-11 (9 inches)

25 - Represents Fractions of Inches – Valid numbers are 00-99 (1/4 of an inch).

EZ - 10.5 (i.e. 10'6 ") or 10.75 (i.e. 10'9")

10 - Represents Feet

5 - Represents Fraction of Feet

- When handling rolls only products or products that have one price, it is recommended to use a -1 in that position to represent the absence of a price.
- Each SKU should only be referenced at the most 1 time within a single 832 file.
- Clarification on meaning of Mandatory/Optional/Conditional: *
 1. Mandatory – If an element is designated as Mandatory, at least one occurrence must appear in the Transaction Set. All mandatory elements must contain data.
 2. Optional – If an element is designated as Optional, the data is requested if available.
 3. Conditional – If an element is designated as Conditional, when the first element specified in the condition is present, then all others must be present.

Format Standard

Data Element	Segment Name	Mandatory/ Optional/ Conditional	Max Loop Usage
ISA	Interchange Start Segment	M	
GS	Functional Group Header	M	
HEADER			
ST	Transaction Set Header	M	
BCT	Beginning Segment for Price/Sales Catalog	M	
CUR	Currency	M	
N1	Name	O	>1
REF	Reference Identification	M	
DETAIL			
LOOP ID – LIN			>1
LIN	Item Identification	M	>1
DTM	Date/Time Reference	M	
REF	Reference Identification	O	>1
PID	Product/Item Description	M	200
MEA	Measurements	O	40
LOOP ID – CTP			100
CTP	Pricing Information	C	100
DTM	Date/Time Reference	C	
G43	Promotional/Price List Area	C	9999
SAC	Service, Promotion, Allowance, or Charge Information	C	>1

LOOP ID – G39			>1
G39	Item Characteristics	O	1
LOOP ID – SLN			>1
SLN	Sub line Item Detail	C	>1
PID	Product/Item Description	C	>1
DTM	Date/Time Reference	C	>1
CTP	Pricing Information	O	>1
MEA	Measurements	O	40
MTX	Text	O	>1
SUMMARY			
CTT	Transaction Totals	M	
SE	Transaction Trailer Set	M	
GE	Functional Group Trailer	M	
IEA	Interchange Start Trailer	M	

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
ISA	INTERCHANGE START SEGMENT					
1	I01	Authorization Information Qualifier	02/02	ID	M	00 = No Authorization Present
2	I02	Authorization Information	10/10	AN	M	
3	I03	Security Information Qualifier	02/02	ID	M	00 = No Security Information Present
4	I04	Security Information	10/10	AN	M	
5	I05	Interchange ID Qualifier	02/02	ID	M	Sender ID Qualifier
6	I06	Interchange Sender ID	15/15	AN	M	Sender ID
7	I05	Interchange ID Qualifier	02/02	ID	M	Receiver ID Qualifier
8	I07	Interchange Receiver ID	15/15	AN	M	Receiver ID
9	I08	Interchange Date	06/06	DT	M	YYMMDD
10	I09	Interchange Time	04/04	TM	M	HHMM
11	I10	Interchange Control Standards Identifier	01/01	ID	M	U = U.S. EDI Community of ASC X12, TDCC and UCS
12	I11	Interchange Control Version Number	05/05	ID	M	00400 = ANSI-X12
13	I12	Interchange Control Number	09/09	NO	M	
14	I13	Acknowledgement Requested	01/01	ID	M	0 = No Acknowledgement Requested
15	I14	Test Indicator	01/01	ID	M	T = Test Data P = Production Data
16	I15	Sub Element Separator	01/01	AN	M	
GS	FUNCTIONAL GROUP HEADER					
1	479	Functional Identifier Code	02/02	ID	M	SC = Price/Sales Catalog
2	142	Group Sender's Code	02/15	AN	M	
3	124	Group Receiver's Code	02/15	AN	M	
4	373	Date	08/08	DT	M	YYYYMMDD
5	337	Time	04/06	TM	M	HHMMSS

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
6	28	Group Control Number	01/09	NO	M	
7	455	Responsible Agency Code	½	ID	M	X = Accredited Standards Committee X12
8	480	Version/Release/Industry Identifier Code	01/12	AN	M	004010
ST	TRANSACTION SET HEADER					
1	143	Transaction Set Identifier Code	03/03	ID	M	832 = X12 Price/Sales Catalog
2	329	Transaction Set Control Number	04/09	AN	M	
BCT	BEGINNING SEGMENT FOR PRICE/SALES CATALOG				M	
1	683	Catalog Purpose Code	02/02	ID	M	PS = Price Sheet
3	685	Catalog Version Number	01/15	AN	M	0 = No Color Level pricing 1 = Color Level pricing (multiple LIN) 2 = Color Level pricing (CTP/DTM in the SLN) ** Codes 0 and 1 will be phased out in a future release **
10	353	Transaction Set Purpose codes	02/02	ID	O	03 = Delete 04 = Change Refer to "Notes" at the top of this document when using Delete and Change
CUR	CURRENCY				M	
1	98	Entity Identifier	02/02	ID	M	SE = Selling Entity
2	100	Currency Code	03/03	ID	M	USD = U.S. Dollars CAN = Canadian Dollars
N1	NAME				O	
1	98	Entity Identifier Code	02/03	ID	C	VN = Vendor Name
2	93	Name	01/60	AN	C	Customer Name associated with

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
						Account Number
REF	REFERENCE IDENTIFICATION				M	
1	128	Reference Identification Qualifier	02/03	ID	M	11 = Account Number
2	127	Reference Identification	01/30	AN	M	Account Number
LIN	ITEM IDENTIFICATION				M	
2	235	Product/Service ID Qualifier	02/02	ID	O	GS = General Specification Number
3	234	Product/Service ID	01/48	AN	C	Pricing Group (e.g. style number) (Mandatory if 02 is populated)
4	235	Product/Service ID Qualifier	02/02	ID	M	MF = Manufacturer
5	234	Product/Service ID	01/48	AN	M	Manufacturer (Product Brand or the Original product manufacturer)
6	235	Product/Service ID Qualifier	02/02	ID	M	ST = Style Number
7	234	Product/Service ID	01/48	AN	M	Style Number
8	235	Product/Service ID Qualifier	02/02	ID	C	BK = Backing (Mandatory if 09 is populated)
9	234	Product/Service ID	01/48	AN	C	Backing Value (Requested if information available)
10	235	Product/Service ID Qualifier	02/02	ID	C	SZ = Vendor Alphanumeric Size Code (Mandatory if 11 is populated)
11	234	Product/Service ID	01/48	AN	C	Size Code (Requested if information available)
12	235	Product/Service ID Qualifier	02/02	ID	C	MS = Manufacturers Style Number
13	234	Product/Service ID	01/48	AN	C	Manufacturers Style Number (Requested if information available)

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
14	235	Product/Service ID Qualifier	02/02	ID	C	MN = Manufacturers Style Name
15	234	Product/Service ID	01/48	AN	C	Manufacturers Style Name (Requested if information available)
16	235	Product/Service ID Qualifier	02/02	ID	M	UX = Unique Product Number
17	234	Product/Service ID	01/48	AN	M	Unique Product Number
DTM	DATE/TIME REFERENCE				M	
1	374	Date/Time Qualifier	03/03	ID	M	007 = Effective 162 = Pending 197 = Dropped 433 = Error / Remove (Sent in error)
2	373	Date	08/08	DT	M	YYYYMMDD
REF	REFERENCE IDENTIFICATION				O	
1	128	Reference Identification Qualifier	02/03	ID	C	GP = Group Number
2	127	Reference Identification	01/30	AN	C	Buying Group
REF	REFERENCE IDENTIFICATION				O	
1	128	Reference Identification Qualifier	02/03	ID	C	Q1 = Contract Pricing
2	127	Reference Identification	01/30	AN	C	Contract Pricing/Quote Number
REF	REFERENCE IDENTIFICATION				M	
1	128	Reference Identification Qualifier	02/02	ID	M	19 = Division Identifier
3	352	Description	01/80	AN	M	Selling Company (Supplier or Mill sending the price catalog)
REF	REFERENCE IDENTIFICATION				O	
1	128	Reference Identification Qualifier	02/02	ID	C	DM = Associated Product Number
2	127	Reference Identification	01/30	AN	C	Associated Item Number (SKU)

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
						(e.g. to relate ceramic trim pieces to the main floor tile SKU)
REF	REFERENCE IDENTIFICATION				O	
1	128	Reference Identification Qualifier	02/02	ID	C	GG = Gauge
2	127	Reference Identification	01/30	AN	C	Gauge Description
PID	PRODUCT/ITEM DESCRIPTION				M	
1	349	Item Description Type	01/01	ID	M	F = Free Form
2	750	Prod/Proc Character Code	02/03	ID	M	TRN = Style Name
5	352	Description	01/80	AN	M	Style Name
PID	PRODUCT/ITEM DESCRIPTION				M	
1	349	Item Description Type	01/01	ID	M	F = Free Form Message
2	750	Prod/Proc Character Code	02/03	ID	M	MAC = Material Classification
5	352	Description	03/07	AN	M	Product Type Description (see 832 – Price Catalog Appendix A for a listing of valid values)
PID	PRODUCT/ITEM DESCRIPTION				O	
1	349	Item Description Type	01/01	ID	C	F = Free Form
2	750	Prod/Proc Character Code	02/03	ID	C	PNA = Product Name Abbreviated
5	352	Description	01/80	AN	C	Abbreviated Product Name
PID	PRODUCT/ITEM DESCRIPTION				O	
1	349	Item Description Type	01/01	ID	C	F = Free Form Message
2	750	Prod/Proc Character Code	02/03	ID	C	CO = Collection
5	352	Description	01/80	AN	C	Collection
PID	PRODUCT/ITEM DESCRIPTION				O	
1	349	Item Description Type	01/01	ID	C	F = Free Form Message
2	750	Prod/Proc Character Code	02/03	ID	C	37 = Primary Component

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
5	352	Description	01/80	AN	C	Primary Component
PID	PRODUCT/ITEM DESCRIPTION				O	
1	349	Item Description Type	01/01	ID	C	F = Free Form Message
2	750	Prod/Proc Character Code	02/03	ID	C	CM = Composition
5	352	Description	01/80	AN	C	Composition
PID	PRODUCT/ITEM DESCRIPTION				O	
1	349	Item Description Type	01/01	ID	C	F = Free Form Message
2	750	Prod/Proc Character Code	02/03	ID	C	12 = Type
5	352	Description	01/80	AN	C	Type (additional free-form description of product type, e.g. cut loop, cut-pile, No Toe base, etc.)
PID	PRODUCT/ITEM DESCRIPTION				O	
1	349	Item Description Type	01/01	ID	C	F = Free Form Message
2	750	Prod/Proc Character Code	02/03	ID	C	WD = Warranty Description
4	751	Product Description Code	01/12	AN	C	Warranty Duration
5	352	Description	01/80	AN	C	Warranty Description
8	1073	Yes/No Condition or Response Code	1/1	ID	C	Y = Yes N = No
PID	PRODUCT/ITEM DESCRIPTION				O	
1	349	Item Description Type	01/01	ID	C	F = Free Form
2	750	Prod/Proc Character Code	02/03	ID	C	BLM = Builder Information Required
5	352	Description	01/80	AN	C	Builder Program Name
8	1073	Yes/No Condition or Response Code	01/01	ID	C	Y – Yes (requires builder info in
MEA	MEASUREMENTS (To be phased out in a future release after 1.11)				O	
2	738	Measurement Qualifier	01/03	ID	C	NU = Pattern Repeat

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
3	739	Measurement Value	01/20	R	C	Pattern Repeat
4	355	Unit of Measurement Code	02/02	ID	C	IN = Inches
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	DP = Pattern Drop
3	739	Measurement Value	01/20	R	C	Drop Quantity
4	355	Unit of Measurement Code	02/02	ID	C	FT = Foot (inches to right of decimal) EZ = Foot (fraction to right of decimal) MR = Meters CM = Centimeters
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	LP = Pattern Length
3	739	Measurement Value	01/20	R	C	Length Quantity
4	355	Unit of Measurement Code	02/02	ID	C	FT = Foot (inches to right of decimal) EZ = Foot (fraction to right of decimal) MR = Meters CM = Centimeters
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	999 = Pattern Width
3	739	Measurement Value	01/20	R	C	Width Quantity
4	355	Unit of Measurement Code	02/02	ID	C	FT = Foot (inches to right of decimal) EZ = Foot (fraction to right of decimal) MR = Meters CM = Centimeters
MEA	MEASUREMENTS				C	Requested if information available
2	738	Measurement Qualifier	01/03	ID	M	LN = Standard Length

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
						LM = Actual Length
3	739	Measurement Value	01/20	R	M	Length Quantity
4	355	Unit of Measurement Code	02/02	ID	M	FT = Foot (inches to right of decimal) EZ = Foot (fraction to right of decimal) MR = Meters CM = Centimeters
MEA	MEASUREMENTS				C	Requested if information available
2	738	Measurement Qualifier	02/03	ID	M	WD = Standard Width WM = Actual Width
3	739	Measurement Value	01/20	R	M	Width Quantity
4	355	Unit of Measurement Code	02/02	ID	M	FT = Foot (inches to right of decimal) EZ = Foot (fraction to right of decimal) MR = Meters CM = Centimeters
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	HT= Height
3	739	Measurement Value	01/20	R	C	Height (e.g. height cove base molding)
4	355	Unit of Measurement Code	02/02	ID	C	IN = Inches
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	SW = Shipping Weight
3	739	Measurement Value	01/20	R	C	Shipping Weight
4	355	Unit of Measurement Code	02/02	ID	C	3G = Pounds per Piece 3I = Kilograms per Piece 37 = Ounces per Square Foot ON = Ounces per Square Yard FP = Pounds per Square Foot

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
						GE = Pounds per Gallon
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	FW = Face Weight
3	739	Measurement Value	01/20	R	C	Face Weight
4	355	Unit of Measurement Code	02/02	ID	C	37 = Ounces per Square Foot ON = Ounces per Square Yard
MEA	MEASUREMENTS				M	
2.	738	Measurement Qualifier	01/03	ID	M	SU = Selling Unit
3	739	Measurement Value	01/20	R	M	Number of units in carton
4	355	Unit of Measurement Code	02/02	ID	M	See Core Document Guidelines for Standard Units of Measure
CTP	PRICING INFORMATION (Start CTP Loop)				C	Condition: Loop Mandatory if data is changed
2	236	Price Identifier Code	03/03	ID	M	LPR = List Price PRP = Promotional Price ICL = Price Through Quantity PAQ = Price Break Quantity PBQ = Price Beginning Quantity
3	212	Unit Price	01/17	R	M	Normal/Promotional Roll Price
4	380	Quantity	01/15	R	C	For ICL, PAQ, PBQ there must be a quantity defined.
5	355	Unit of Measurement Code	02/02	ID	M	See Core Document Guidelines for Standard Units of Measure
9	639	Basis of Unit Price Code	02/02	ID	O	ST = Standard Roll Length CT = Cut RC = Roll at Cut PL = Pallet
10	499	Condition Value	04/04	AN	O	Location ID used to identify specific pricing for different locations within the receiving system (Ship to Level pricing)

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
DTM	DATE/TIME REFERENCE				C	
1	374	Date/Time Qualifier	03/03	ID	M	015 = Promotional Start 016 = Promotional End 433 - Error / Remove (Sent in error) 007 - Effective 162 - Pending 197 - Dropped
2	373	Date	08/08	DT	M	YYYYMMDD
G43	PROMOTIONAL/PRICE LIST AREA				C	
1	771	Market Area Code Qualifier	1/3	ID	M	003 = See Free Form Text
3	352	Description	01/80	AN	M	FOB Description
SAC	SERVICE, PROMOTION, ALLOWANCE, OR CHARGE INFORMATION				C	
1	248	Allowance or Charge Indicator	1/1	ID	O	A = Allowance
2	1300	Allowance or Charge Code	4/4	ID	O	F790 = Rebate ZZZZ = Margin
5	610	Amount	1/15	N2	O	Dollar Amount
7	332	Percent	1/6	R	O	Percent
G39	ITEM CHARACTERISTICS (BASE UNIT)				O	
2	235	Product/Service ID Qualifier	2/2	ID	M	ZZ = Mutually Defined
3	234	Product/Service Id	1/48	AN	M	BU= ACTUAL Base Unit Measurements
5	395	Unit Weight	1/8	R	O	Per Base Unit
6	187	Weight Qualifier	1 / 2	ID	C	Constant "U" = Per Base Unit
7	188	Weight Unit Code	1/1	ID	C	L = Pound O = Ounces
8	65	Height	1/8	R	O	Vertical Dimension Value

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
9	355	Unit or Basis for Measurement Code	2/2	ID	C	HT = Feet Inches (format as FT)
10	189	Width	1/8	R	O	Smallest of 2 Horizontal Values
11	355	Unit or Basis for Measurement Code	2/2	ID	C	WD = Feet Inches (format as FT)
12	82	Length	1/8	R	O	Largest of 2 Horizontal Values
13	355	Unit or Basis for Measurement Code	2/2	ID	C	LF = Linear Feet Inches (format as FT)
14	183	Volume	1/8	R	O	Volumetric Measure
15	355	Unit or Basis for Measurement Code	2/2	ID	C	GA = Gallon OZ = Ounces PT = Pint FO = Fluid Ounces QT = Quart
18	357	Size	1/8	R	O	Coverage per Base Unit
19	355	Unit or Basis for Measurement Code	2/2	ID	C	SF = Square Feet
28	103	Packaging Code	3/5	AN	O	Base Unit is a: BAG = Bag BOT = Bottle BOX = Box BXT = Bucket CAN = Can CAS = Case CNT = Container CTN = Carton PAL = Pail PCS = Piece PKG = Package ROL = Roll SPL = Spool
MEA	MEASUREMENTS				O	

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
2	738	Measurement Qualifier	01/03	ID	M	CF = Mutually Defined
3	739	Measurement Value	01/20	R	C	Whole Number of Base Units Contained in MEA,04
4	355	Unit of Measurement Code	02/02	ID	C	CT = Carton PL = Pallet TL = Truckload
SLN	SUBLINE ITEM DETAIL				C	(Mandatory if any previous SLN loop data is changed)
1	350	Assigned Identification	01/20	AN	M	
3	662	Relationship Code	01/01	ID	M	O = information Only
9	235	Product/Service ID Qualifier	02/02	ID	M	SK = Vendor's SKU Number
10	234	Product/Service ID	01/48	AN	M	SKU (SKU used for purchasing)
11	235	Product/Service ID Qualifier	02/02	ID	C	UP = UPC CODE (Mandatory if 12 is populated)
12	234	Product/Service ID	01/48	AN	C	UPC Code
13	235	Product/Service ID Qualifier	02/02	ID	C	MG = Manufacturers Part Number (Mandatory if 14 is populated)
14	234	Product/Service ID	01/48	AN	C	Manufacturers Part Number or SKU
15	235	Product/Service ID Qualifier	02/02	ID	C	ST = Style Number (Mandatory if 16 is populated)
16	234	Product/Service ID	01/48	AN	C	Style Number
17	235	Product/Service ID Qualifier	02/02	ID	C	BK = Backing (Mandatory if 18 is populated)
18	234	Product/Service ID	01/48	AN	C	Backing (Requested if information available)
19	235	Product/Service ID Qualifier	02/02	ID	C	SZ = Vendor Alphanumeric Size Code (Mandatory if 20 is populated)
20	234	Product/Service ID	01/48	AN	C	Size Code (Requested if

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
						information available)
21	235	Product/Service ID Qualifier	02/02	ID	C	MS = Manufacturers Style Number *Mandatory if 22 is populated)
22	234	Product/Service ID	01/48	AN	C	Manufacturers Style Number (Requested if information available)
23	235	Product/Service ID Qualifier	02/02	ID	C	MN = Manufacturers Style Name (Mandatory if 22 is populated)
24	234	Product/Service ID	01/48	AN	C	Manufacturers Style Name (Requested if information available)
PID	PRODUCT/ITEM DESCRIPTION				C	Requested if information available
1	349	Item Description Type	01/01	ID	M	F = Free Form
2	750	Prod/Proc Character Code	02/03	ID	M	73 = Color Name
5	352	Description	01/80	AN	M	Color Name
PID	PRODUCT/ITEM DESCRIPTION				C	Requested if information available
1	349	Item Description Type	01/01	ID	M	F = Free Form
2	750	Prod/Proc Character Code	02/03	ID	M	35 = Color Number
5	352	Description	01/80	AN	M	Color Number
PID	PRODUCT/ITEM DESCRIPTION				O	
1	349	Item Description Type	01/01	ID	C	F = Free Form
2	750	Prod/Proc Character Code	02/03	ID	C	PNA = Product Name Abbreviated
5	352	Description	01/80	AN	C	Abbreviated Product Name
PID	PRODUCT/ITEM DESCRIPTION				O	
1	349	Item Description Type	01/01	ID	C	F = Free From
2	750	Prod/Proc Character	02/03	ID	C	08 = Product

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
		Code				
5	352	Description	01/80	AN	C	Note: Associated Sku
CTP	PRICING INFORMATION (Color level pricing – not a CTP loop)				O	
2	236	Price Identifier Code	03/03	ID	C	LPR = List Price PRP = Promotional Price ICL = Price Through Quantity PAQ = Price Break Quantity PBQ = Price Beginning Quantity
3	212	Unit Price	01/17	R	C	Normal/Promotional Roll Price
4	380	Quantity	01/15	R	C	For ICL, PAQ, PBQ there must be a quantity defined.
5	355	Unit of Measurement Code	02/02	ID	C	See Core Document Guidelines for Standard Units of Measure
9	639	Basis of Unit Price Code	02/02	ID	O	ST = Standard Roll Length CT = Cut RC = Roll at Cut PL = Pallet
10	499	Condition Value	04/04	AN	O	Location ID used to identify specific pricing for different locations within the receiving system (Ship to Level pricing)
DTM	DATE/TIME REFERENCE				C	Date applies to all data in SLN Loop
1	374	Date/Time Qualifier	03/03	ID	M	007 = Effective 015 = Promotional Start 016 = Promotional End 162 = Pending 197 = Dropped 433 – Error / Remove (Sent in error) When sending pricing at the color

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
						level the following rules must apply. DTM codes of 007, 015, 016, 167 must be followed by the appropriate CTP02 (LPR or PRP) element. DTM code of 197 can be sent without any CTP segment.
2	373	Date	08/08	DT	M	YYYYMMDD
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	NU = Pattern Repeat
3	739	Measurement Value	01/20	R	C	Pattern Repeat
4	355	Unit of Measurement Code	02/02	ID	C	IN = Inches
MEA	MEASUREMENTS				O	Combined Standard & Actual
2	738	Measurement Qualifier	01/03	ID	C	LN = Standard Length LM = Actual Length
3	739	Measurement Value	01/20	R	C	Length Quantity
4	355	Unit of Measurement Code	02/02	ID	C	FT = Foot (inches to right of decimal) EZ = Foot (fraction to right of decimal) MR = Meters CM = Centimeters
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	02/03	ID	C	WD = Standard Width WM = Actual Width
3	739	Measurement Value	01/20	R	C	Width Quantity
4	355	Unit of Measurement Code	02/02	ID	C	FT = Foot (inches to right of decimal) EZ = Foot (fraction to right of decimal) MR = Meters CM = Centimeters
MEA	MEASUREMENTS				O	

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
2	738	Measurement Qualifier	01/03	ID	C	HT= Height
3	739	Measurement Value	01/20	R	C	Height (e.g. height cove base molding)
4	355	Unit of Measurement Code	02/02	ID	C	IN = Inches
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	SW = Shipping Weight
3	739	Measurement Value	01/20	R	C	Shipping Weight
4	355	Unit of Measurement Code	02/02	ID	C	3G = Pounds per Piece 3I = Kilograms per Piece 37 = Ounces per Square Foot ON = Ounces per Square Yard FP = Pounds per Square Foot GE = Pounds per Gallon
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	FW = Face Weight
3	739	Measurement Value	01/20	R	C	Face Weight
4	355	Unit of Measurement Code	02/02	ID	C	37 = Ounces per Square Foot ON = Ounces per Square Yard
MEA	MEASUREMENTS				O	
2.	738	Measurement Qualifier	01/03	ID	C	SU = Selling Unit
3	739	Measurement Value	01/20	R	C	Number of units in carton
4	355	Unit of Measurement Code	02/02	ID	C	See Core Document Guidelines for Standard Units of Measure
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	DP = Pattern Drop
3	739	Measurement Value	01/20	R	C	Drop Quantity
4	355	Unit of Measurement Code	02/02	ID	C	FT = Foot (inches to right of decimal) EZ = Foot (fraction to right of decimal) MR = Meters

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
						CM = Centimeters
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	LP = Pattern Length
3	739	Measurement Value	01/20	R	C	Length Quantity
4	355	Unit of Measurement Code	02/02	ID	C	FT = Foot (inches to right of decimal) EZ = Foot (fraction to right of decimal) MR = Meters CM = Centimeters
MEA	MEASUREMENTS				O	
2	738	Measurement Qualifier	01/03	ID	C	999 = Pattern Width
3	739	Measurement Value	01/20	R	C	Width Quantity
4	355	Unit of Measurement Code	02/02	ID	C	FT = Foot (inches to right of decimal) EZ = Foot (fraction to right of decimal) MR = Meters CM = Centimeters
MTX	TEXT				O	
1	363	Note Reference Code	03/03	ID	C	POB = Primary Observation (URL for picture) SOB = Secondary Observation (URL for second picture) PDS = Product Specification
2	1551	Message Text	01/4096	AN	C	URL
CTT	TRANSACTION TOTALS					
1	354	Number of Line Items	01/06	NO	M	
SE	TRANSACTION TRAILER SET					
1	96	Number of Included Segments	01/10	NO	M	
2	329	Transaction Set Control	04/09	AN	M	

Data Element	Element Number	Element Name	Element Length	Element Type	Mandatory/Optional/Conditional	Comments
		Number				
GE	FUNCTIONAL GROUP TRAILER					
1	97	Number of Transaction Sets Included	01/06	NO	M	
2	28	Group Control Number	01/09	NO	M	
IEA	INTERCHANGE END TRAILER					
1	I16	Number of Included Functional Groups	01/05	NO	M	
2	I12	Interchange Control Number	09/09	NO	M	

Example

Promotional pricing

- ST*832*0001
- BCT*PS
- CUR*SE*USD
- N1*VN*ABC CARPET SHACK
- REF*11*123456
- LIN**GS*ABC123*MF*Manufacture*ST*Style #*BK*Back*SZ*Size Code*MS*Manufacture Style #*MN*Manufacture Style Name
- DTM*007*20010229
- REF*GP*Buying Group
- REF*Q1*Contract #
- REF*19*Selling Company
- REF*DM*Associated Product
- REF*GG*Gauge
- PID*F*TRN***Style Name
- PID*F*73***Color Name
- PID*F*35***Color Number
- PID*F*MAC***Product Type
- PID*F*CO***Collection
- PID*F*37***Primary Component
- PID*F*CM***Composition
- PID*F*12***Product Type
- PID*F*WD**10*SOIL & STAIN WARRANTY:DUPONT***Y
- PID*F*WD**5*QUALITY ASSURANCE,30 DAY CUST.SATISFACTION***Y
- PID*F*WD**10*TEXTURE RETENTION:DUPONT***Y
- MEA**NU*Pattern repeat
- MEA**LN*125*FT
- MEA**WD*12*FT
- MEA**LM*124.6*FT
- MEA**WM*11.6*FT
- MEA**HT*Height*IN
- MEA**SW*Shipping Weight*37
- MEA**SU*16*CA
- CTP**PRP*8.24*125*RL****ST
- CTP** PRP*9.07*0*CT****CT
- CTP**LPR*8.49*0*RC****RC
- DTM*015*20010401

- DTM*016*20010501
- G43*003**FOB Description
- SAC*A*F790***10.00**2
- SLN*1**O*****SK*SKU #*UP*123456789012*MG*Manufacture SKU*ST*Style #*BK*Back*SZ*Size Code*MS*Manufacture Style #*MN*Manufacture Style Name
- PID*F*TRN***Style Name
- PID*F*73***Color Name
- PID*F*35***Color Number
- MEA**NU*Pattern repeat
- MEA**LN*125*FT
- MEA**WD*12*FT
- MEA**LM*124.6*FT
- MEA**WM*11.6*FT
- MTX*POB*http://url.of.picture.com/picture.jpg
- MTX*SOB*http://url.of.picture.com/picture.jpg
- MTX*PDS*http://url.of.productSpec.com
- CTT*1
- SE*52*0001

Normal Pricing

- ST*832*0001
- BCT*PS
- CUR*SE*USD
- N1*VN*ABC CARPET SHACK
- REF*11*123456
- LIN**GS*ABC123*MF*Manufacture*ST*Style #*BK*Back*SZ*Size Code*MS*Manufacture Style #*MN*Manufacture Style Name
- DTM*007*20010229
- REF*GP*Buying Group
- REF*Q1*Contract #
- REF*19*Selling Company
- REF*DM*Associated Product
- REF*GG*Gauge
- PID*F*TRN***Style Name
- PID*F*73***Color Name
- PID*F*35***Color Number
- PID*F*MAC***Product Type
- PID*F*CO***Collection
- PID*F*37***Primary Component
- PID*F*CM***Composition
- PID*F*12***Product Type
- PID*F*WD**10*SOIL & STAIN WARRANTY:DUPONT***Y
- PID*F*WD**5*QUALITY ASSURANCE,30 DAY CUST.SATISFACTION***Y
- PID*F*WD**10*TEXTURE RETENTION:DUPONT***Y
- MEA**NU*Pattern repeat
- MEA**LN*125*FT
- MEA**WD*12*FT
- MEA**LM*124.6*FT
- MEA**WM*11.6*FT
- MEA**HT*Height*IN
- MEA**SW*Shipping Weight*37
- MEA**SU*16*CA
- CTP**LPR*8.24*125*RL****ST
- CTP**LPR*9.07*0*CT****CT
- CTP**LPR*8.49*0*RC****RC
- G43*003**FOB Description
- SAC*A*F790***10.00**2
- SLN*1**O*****SK*SKU #*UP*123456789012*MG*Manufacture SKU*ST*Style #*BK*Back*SZ*Size Code*MS*Manufacture Style #*MN*Manufacture Style Name

- PID*F*TRN***Style Name
- PID*F*73***Color Name
- PID*F*35***Color Number
- MEA**NU*Pattern repeat
- MEA**LN*125*FT
- MEA**WD*12*FT
- MEA**LM*124.6*FT
- MEA**WM*11.6*FT
- MTX*POB*<http://url.of.picture.com/picture.jpg>
- MTX*SOB*<http://url.of.picture.com/picture.jpg>
- MTX*PDS*<http://url.of.productSpec.com>
- CTT*1
- SE*50*0001

Price Catalog with Prices for Different Locations

- ST*832*0001
- BCT*PS
- CUR*SE*USD
- N1*VN*ABC CARPET SHACK
- REF*11*123456
- LIN**GS*ABC123*MF*Manufacture*ST*Style #*BK*Back*SZ*Size Code*MS*Manufacture Style #*MN*Manufacture Style Name
- DTM*007*20010229
- REF*GP*Buying Group
- REF*Q1*Contract #
- REF*19*Selling Company
- REF*DM*Associated Product
- REF*GG*Gauge
- PID*F*TRN***Style Name
- PID*F*73***Color Name
- PID*F*35***Color Number
- PID*F*MAC***Product Type
- PID*F*CO***Collection
- PID*F*37***Primary Component
- PID*F*CM***Composition
- PID*F*12***Product Type
- PID*F*WD**10*SOIL & STAIN WARRANTY:DUPONT***Y
- PID*F*WD**5*QUALITY ASSURANCE,30 DAY CUST.SATISFACTION***Y
- PID*F*WD**10*TEXTURE RETENTION:DUPONT***Y
- MEA**NU*Pattern repeat
- MEA**LN*125*FT
- MEA**WD*12*FT
- MEA**LM*124.6*FT
- MEA**WM*11.6*FT
- MEA**HT*Height*IN
- MEA**SW*Shipping Weight*37
- MEA**SU*16*CA
- CTP**LPR*8.24*125*RL****ST*0001
- G43*003**FOB Description
- CTP**LPR*9.07*0*CT****CT*0001
- G43*003**FOB Description
- CTP**LPR*8.49*0*RC****RC*0001
- G43*003**FOB Description
- CTP**LPR*8.24*125*RL****ST*0002

- G43*003**FOB Description
- CTP**LPR*9.07*0*CT****CT*0002
- G43*003**FOB Description
- CTP**LPR*8.49*0*RC****RC*0002
- G43*003**FOB Description
- SAC*A*F790***10.00**2
- SLN*1**O*****SK*SKU #*UP*123456789012*MG*Manufacture SKU*ST*Style #*BK*Back*SZ*Size Code*MS*Manufacture Style #*MN*Manufacture Style Name
- PID*F*TRN***Style Name
- PID*F*73***Color Name
- PID*F*35***Color Number
- MEA**NU*Pattern repeat
- MEA**LN*125*FT
- MEA**WD*12*FT
- MEA**LM*124.6*FT
- MEA**WM*11.6*FT
- MTX*POB*<http://url.of.picture.com/picture.jpg>
- MTX*SOB*<http://url.of.picture.com/picture.jpg>
- MTX*PDS*<http://url.of.productSpec.com>
- CTT*1
- SE*50*0001

Scale Pricing (CTP 02 = ICL, PAQ or PBQ)

• 1 Square Yard for \$5, if < 1 Pallet is ordered
(CTP**ICL*5.00*01*SY****PL)

• 1 Square Yard for \$4.50, if 1 Pallet is ordered
(CTP**PAQ*4.50*1*SY****PL)

• 1 Square Yard for \$4, if 2 or more Pallets are ordered
(CTP**PBQ*4.00*2*SY****PL)

832 – Price Catalog Appendix A

Product Type / Material Classification Codes

The material classification is a seven-character code, defined as follows:

1. Characters 1-3 (Mandatory) – General Classification (Carpet, Wood, etc)
2. Characters 4-6 (Optional) – Sub-Classification if relevant and available
3. Character 7 (Optional) – Flag for Commercial versus Residential (C or R)

It is understood that not all systems and participants will classify materials the same or even have the necessary classifications available for this process. Therefore, we have made these classifications as simple to comply with as possible. We have included code "UNC" for "Unclassified", for any trading partners that cannot send a proper classification. The sub-class "SAM" for samples and "MIS" for miscellaneous/other is applicable to all categories.

Product Type General Class Characters 1-3	Definition	Product Type Sub-Class Characters 4-6	Definition
ACC	Accessories	MAI	Maintenance & Cleaning
		MIS	Miscellaneous/Other
		SAM	Samples
BAS	Wall Base	RUB	Rubber
		VIN	Vinyl
		MIS	Miscellaneous/Other
		SAM	Samples
		FIL	Filler
		CAP	Cap
		MOL	Moldings
CAR	Carpet	IND	Indoor/Regular W2W
		OUT	Outdoor/Turf
		TIL	Carpet Tile
		MIS	Miscellaneous/Other
		SAM	Samples

Product Type General Class Characters 1-3	Definition	Product Type Sub-Class Characters 4-6	Definition
		TUF	Tufted
		NEE	Needle Punch
		WOV	Woven
		FLO	Flocked
		BER	Berber
		PAT	Patterned
		PBR	Patterned Berber
CER	Ceramic Tile	FLO	Floor Tile
		WAL	Wall Tile
		POO	Pool Tile
		MIS	Miscellaneous/Other
		SAM	Samples
		FBC	Floor Tile – Bicuttare
		FMC	Floor Tile – Monocuttare
		FPO	Floor Tile – Porcelane
		FQR	Floor Tile – Quarry
		FMO	Floor Tile – Mosaic
		FTC	Floor Tile – Terra-Cotta
		FBO	Floor Tile – Border (Deco)
		WFL	Wall Tile – Field
		WDE	Wall Tile – Decorative
		WLI	Wall Tile – Listello
		TBN	Trim – Bullnose or Cap
		TSU	Trim – Surface (Flat glue-on)
		TMU	Trim – Mud
		TCH	Trim – Chair Rail
CEI	Ceilings	TIL	Ceiling Tiles
		GRI	Ceiling Grid
		MIS	Miscellaneous/Other

Product Type General Class Characters 1-3	Definition	Product Type Sub-Class Characters 4-6	Definition
		SAM	Samples
DIS	Displays		
FIX	Fixtures	BAT	Bath Fixtures
		KIT	Kitchen Fixtures
		MIS	Miscellaneous/Other
		SAM	Samples
GLS	Glass	TIL	Tile
		MOS	Mosaic
INS	Installation Materials	ADH	Adhesives
		UND	Underlayments/Floor Prep
		GRO	Grouts
		SEA	Sealant
		TAC	Tack Strip
		TOO	Tools
		MIS	Miscellaneous/Other
		SAM	Samples
		RED	Reducers
		MTM	T Mold (T snap)
		MTS	Transitions
		EDG	Edge Guard
LAM	Laminates	FLO	Floors
		COU	Countertop/Plastic Lam
		MIS	Miscellaneous/Other
		SAM	Samples
		MOL	Moldings
		MAC	Molding – Acoustic

Product Type General Class Characters 1-3	Definition	Product Type Sub-Class Characters 4-6	Definition
		MBB	Molding – Baseboard
		MEC	Molding – End Cap
		MQR	Molding – Quarter Round
		MRE	Molding – Reducer
		MSC	Molding – Stair Casing
		MSD	Molding – Step Down
		MSN	Molding – Stair Nosing
		MTH	Molding – Threshold
		MTM	Molding – T-Molding
		MTS	Molding – Transition Strip
		MVE	Molding – Vent
LIN	Linoleum	SHE	Linoleum Sheet Goods
		TIL	Linoleum Tile
		MIS	Miscellaneous/Other
		SAM	Samples
MET	Metal	TIL	Metal Tile
PAD	Pad/Cushion		
RUB	Rubber Mats		
RUG	Area Rugs	RUG	Area Rugs
		MIS	Miscellaneous/Other
		SAM	Samples
STO	Natural Stone	SLA	Slabs
		TIL	Tiles
		MIS	Miscellaneous/Other
		SAM	Samples

Product Type General Class Characters 1-3	Definition	Product Type Sub-Class Characters 4-6	Definition
		SGR	Slabs – Granite
		SLI	Slabs – Limestone
		SMA	Slabs – Marble
		SEN	Slabs – Engineered
		SSL	Slabs – Slate
		MOS	Mosaics
TRA	Training & Education	LIT	Literature/Printed Materials
		VID	Video/CD-ROM
		MIS	Miscellaneous/Other
		SAM	Samples
TOO	Tools	INV	Inventory
		REN	Rentals
UNC	Unclassified		
VIN	Vinyl/Resilient	SHE	Vinyl/Resilient Sheet Goods
		TIL	Vinyl/Resilient Tile
		MIS	Miscellaneous/Other
		SAM	Samples
		TRE	Treads
		NOS	Nosing
		STR	Strip
		STG	Stringer
WAL	Wall Coverings	PAP	Wallpaper
		PAI	Paint
		MIS	Miscellaneous/Other
		SAM	Samples

Product Type General Class Characters 1-3	Definition	Product Type Sub-Class Characters 4-6	Definition
WOO	Wood		
		MOL	Moldings/Trim
		MIS	Miscellaneous/Other
		SAM	Samples
		ENU	Engineered – Unfinished
		ENP	Engineered – Prefinished
		SOU	Solid – Unfinished
		SOP	Solid – Prefinished
		MAC	Molding – Acoustic
		MBB	Molding – Baseboard
		MEC	Molding – End Cap
		MQR	Molding – Quarter Round
		MRE	Molding – Reducer
		MSC	Molding – Stair Casing
		MSD	Molding – Step Down
		MSN	Molding – Stair Nosing
		MTH	Molding – Threshold
		MTM	Molding – T-Molding
		MTS	Molding – Transition Strip
		MVE	Molding – Vent

832 – Price Catalog Appendix B

Sending Color level pricing

What follows are examples of how color level pricing can be sent prior to changes from version 1.11 and after version 1.11.

Example of color level pricing using BCT03 = 0

BCT*PS**0

~

LIN**GS*T172*MF*MOHCERTL*ST*T172*BK*QR*SZ*A107

DTM*007*20060121

REF*19**MOHAWK CARPET CORPORATION

PID*F*TRN***TUSCANIA - QUARTER

PID*F*MAC***CER

CTP**LPR*9.99**PC****ST

G43*003**PHS-MOHAWK IND. PHOENIX

SLN*1374**O*****SK*RT172 218 A107 QR***MG*4122*ST*T172*BK*QR*SZ*A107

PID*F*35***218

PID*F*73***CAMEL

SLN*1375**O*****SK*RT172 713 A107 QR***MG*4120*ST*T172*BK*QR*SZ*A107

PID*F*35***713

PID*F*73***APPLE

Example of color level pricing using BCT03 = 1

BCT*PS**1

~

LIN**GS*T172*MF*MOHCERTL*ST*T172*BK*QR*SZ*A107

DTM*007*20060121

REF*19**MOHAWK CARPET CORPORATION

PID*F*TRN***TUSCANIA - QUARTER

PID*F*MAC***CER

CTP**LPR*9.99**PC****ST

G43*003**PHS-MOHAWK IND. PHOENIX

SLN*1374**O*****SK*RT172 218 A107 QR***MG*4122*ST*T172*BK*QR*SZ*A107

PID*F*35***218

PID*F*73***CAMEL

LIN**GS*T172*MF*MOHCERTL*ST*T172*BK*QR*SZ*A107

DTM*007*20060121

REF*19**MOHAWK CARPET CORPORATION
PID*F*TRN***TUSCANIA - QUARTER
PID*F*MAC***CER
CTP**LPR*10.99**PC****ST
G43*003**PHS-MOHAWK IND. PHOENIX
SLN*1375**O*****SK*RT172 713 A107 QR***MG*4120*ST*T172*BK*QR*SZ*A107
PID*F*35***713
PID*F*73***APPLE

In the above example multiple LIN segments are sent for the same style but contain different prices. This could appear as multiple products to the dealer. This also leads to larger files being sent because of the duplicated header info.

Example of color level pricing using BCT03 = 2

BCT*PS**2

~

LIN**GS*T172*MF*MOHCERTL*ST*T172*BK*QR*SZ*A107
DTM*007*20060121
REF*19**MOHAWK CARPET CORPORATION
PID*F*TRN***TUSCANIA - QUARTER
PID*F*MAC***CER
MEA**LN*1.6*FT
MEA**WD*1.6*FT
MEA**SU*00018.0000*SF
CTP**LPR*10.99**PC****ST
G43*003**PHS-MOHAWK IND. PHOENIX
SLN*1374**O*****SK*RT172 218 A107 QR***MG*4122*ST*T172*BK*QR*SZ*A107
PID*F*35***218
PID*F*73***CAMEL
MTX*POB*<http://mohawkindproducts.com/images>
CTP**LPR*9.99**PC****ST
DTM*007*20060121
SLN*1374**O*****SK*RT172 219 A108 QR***MG*4122*ST*T172*BK*QR*SZ*A108
PID*F*35***219
PID*F*73***CHOCOLATE
MTX*POB*<http://mohawkindproducts.com/images>
CTP**LPR*9.99**PC****ST
DTM*007*20060121
SLN*1375**O*****SK*RT172 713 A107 QR***MG*4120*ST*T172*BK*QR*SZ*A107

PID*F*35***713
PID*F*73***IVORY
MTX*POB*http://mohawkindproducts.com/images
SLN*1375**O*****SK*RT172 716 A107 QR***MG*4124*ST*T172*BK*QR*SZ*A107
PID*F*35***716
PID*F*73***BEIGE
MTX*POB*http://mohawkindproducts.com/images

Example of color level pricing using BCT03 = 2 with promotional pricing and a color level drop

BCT*PS**2

~

LIN**GS*T172*MF*MOHCERTL*ST*T172*BK*QR*SZ*A107
DTM*007*20060121
REF*19**MOHAWK CARPET CORPORATION
PID*F*TRN***TUSCANIA - QUARTER
PID*F*MAC***CER
MEA**LN*1.6*FT
MEA**WD*1.6*FT
MEA**SU*00018.0000*SF
CTP**LPR*10.99**PC****ST
G43*003**PHS-MOHAWK IND. PHOENIX
SLN*1374**O*****SK*RT172 218 A107 QR***MG*4122*ST*T172*BK*QR*SZ*A107
PID*F*35***218
PID*F*73***CAMEL
MTX*POB*http://mohawkindproducts.com/images
CTP**PRP*1.11**PC****ST
CTP**PRP*9.99**CS****ST
DTM*015*20060201
DTM*016*20060228
SLN*1374**O*****SK*RT172 219 A108 QR***MG*4122*ST*T172*BK*QR*SZ*A108
PID*F*35***219
PID*F*73***CHOCOLATE
MTX*POB*http://mohawkindproducts.com/images
DTM*197*20060121
SLN*1375**O*****SK*RT172 713 A107 QR***MG*4120*ST*T172*BK*QR*SZ*A107
PID*F*35***713
PID*F*73***IVORY
MTX*POB*http://mohawkindproducts.com/images

SLN*1375**O*****SK*RT172 716 A107 QR***MG*4124*ST*T172*BK*QR*SZ*A107
PID*F*35***716
PID*F*73***BEIGE
MTX*POB*http://mohawkindproducts.com/images

In the above example color 218 – Caramel has a promotional price beginning 2/1/06 until 2/28/06. Color 219 – Chocolate was dropped 1/21/06.

Example of Updating Color Pricing using the UX identifier in the LIN segment

LIN**GS*5873*MF*DIXIE HOME RETAIL*ST*5873*BK*AB*SZ*1200*MS*5873*MN*COMMON*UX*5873AB1200
DTM*007*20141028
REF*GP*D HOME - CARPET ONE
REF*19*DIXIE GROUP*DIXIE HOME RETAIL
PID*F*TRN***COMMON
PID*F*MAC***CARIND
MEA**LN*150*FT
MEA**WD*12*FT
MEA**SW*33.4*ON
MEA**SU*1*SY
CTP**LPR*11.87*75*SY****ST
G43*003**MILL
CTP**LPR*11.87*1*SY****CT

832 – Price Catalog Appendix C

Examples on the use of G39 and MEA*CF

Ceramic Tile

G39**ZZ*BU**.17273*U*L*.00375*HT*.12875*WD*12875*LF*****1.15115*SF*****PCS

MEA**CF*10*CT <---- 10 base units per Carton x 1.15115 SF = 11.5115 SF per Carton
MEA**CF*1000*PL <---- 1000 base units per Pallet * 1.15115 SF = 1151.15 SF per Pallet
MEA**CF*6000*TL <---- 6000 base units per Truckload x 1.5115 SF = 6906.9 SF Per Truckload

Wood Trim

G39**ZZ*BU**.34567*U*L*.25*HT*.02*WD*6.06*LF*****PCS

MEA**CF*200*PL <---- 150 base units per Pallet x 6.06 Linear feet (length) = 909 Linear Feet per Pallet
MEA**CF*1800*TL <---- 1800 base units per Truckload etc.

Wood Adhesive

G39**ZZ*BU**19.8*U*L*****1*GA***1200*SF*****PAL

MEA**CF*4*CT <---- 4 base units per Carton x 1200 SF = 4800 SF Coverage per Carton
MEA**CF*96*PL <---- 96 base units per Pallet x 1200 SF = 115,200 SF Coverage per Pallet
MEA**CF*3840*TL <---- 3840 base units per Truckload etc.

Hardwood – Irregular lengths, G39 shows width & height & 9999.99 (= irregular) length

G39**ZZ*BU*****.25*HT*.03*WD*9999.99*LF*1*CA***25*SF*****CTN

MEA**CF*1*CT <---- 1 Carton = 1 base unit (rule: 9999.99 length = irregular sizes, revert to 25 SF size in G39.18)
MEA**CF*40*PL <---- 40 base units on a pallet x 25 SF = 1000 SF Coverage per Pallet
MEA**CF*600*TL <---- 160 base units per Truckload x 25 SF = 15000SF Coverage per Truckload