

1 savaccli

savaccli — Scans files and directories for malware

Synopsis

savaccli [*OPTIONS*] *FILE DIR*

DESCRIPTION

savaccli is a command-line client interfacing with Avira's SAVAPI scan engine. It instructs SAVAPI to execute specific scan operations and reports the SAVAPI output to the savaccli user. It has been optimized for the following use cases:

1. Scan the file system except for some files/directories
2. Scan all files within a given directory
3. Scan a file

OPTIONS

--config, -c

Provides the absolute path to the configuration file. The default location is `/etc/savapi/savaccli.conf`. (Command-line only)

ExcludeDirectories, --excludedirectories, -d

Provides a whitespace separated list of one or more absolute paths to directories that should be excluded from scanning.

ExcludeFiles, --excludefiles, -f

Provides a whitespace separated list of one or more absolute paths to files that should be excluded from scanning.

--help, -h

Invokes the command-line help and outputs a list of all available options. (Command-line only)

--input, -i

Provides a whitespace separated list of one or more absolute paths to files or directories that should be scanned.

Local --local, -l

Sets if savaccli and SAVAPI run on the same host:

Local = (1|0, True|False, on|off, yes|no)

LogClasses, --logclasses, -C

Sets the type of finding that should be reported by savaccli. Possible values are: `clean`, `infected`, `error` und `all`. Values must be given in a whitespace separated list. If no LogClass has been specified, savaccli will disable the report.

LogClasses = `clean`

If savaccli reports a finding, it will output path, class and possibly name of the finding: ↩

```
/tmp/eicar.com, infected , Eicar Test-Pattern
/tmp/foo, clean
```

LogFile --logfile, -L

Provides the absolute path to a file where log events should be written to. An empty parameter will disable logging. (Configuration file only)

```
LogFile = /var/log/scan.log
```

ProductId (mandatory)

Provides the Product ID required to run commands within Avira SAVAPI. (Configuration file only)

```
ProductId = 12345
```

--recursive, -r

Instructs savacli to search and scan a path recursively for files. (Command-line only)

ReportFormat, --reportformat, -F

Sets the report format. Possible values are: plain or json.

ReportHeader --reportheader, -H

Instructs savacli to output an optional application summary at the begin of its output.

```
ReportHeader = (1|0,True|False,on|off,yes|no)
```

Example of a +plain+ summary:

```
date: Tue, 01 Dec 2015 15:41:12 +0100
product version: 3.5.1.65
engine version: 8.3.34.82
VDF version: 7.12.32.12
VDF signature count: 9512345
license expire: 2016-03-31
```

ReportSummary, --reportsummary, -S

Instructs savacli to output an optional findings summary at the begin of its output.

```
ReportSummary = (1|0,True|False,on|off,yes|no)
```

Example of a +plain+ summary:

```
Summary:
-----
total: 9
clean: 0
infected: 8
not scanned: 5
```

Socket, --socket, -s

Sets the socket where savacli should interface with SAVAPI. The socket may be either a TCP socket (IPv4/IPv6) or a UNIX domain socket.

```
Socket = inet:127.0.0.1:4444
Socket = inet:[::1]:4444
Socket = unix:/var/run/savapi/savapi3
```

--version, -v

Outputs the savacli version number.

EXIT STATUS

- 0** Success
- 10** At least one irreparable finding.
- 20** At least on reparable finding.

BUGS

Please report bugs to <https://github.com/sys4/savacli/issues>.

AUTHOR

savacli was written by Christian Roessner <cr@sys4.de> and Patrick Ben Koetter <p@sys4.de>.

RESOURCES

project: <https://github.com/sys4/savacli>

git: <[git@github.com:sys4/savacli.git](https://github.com/sys4/savacli.git)>