

Lab 1

You are expected to copy and paste your code into each corresponding box in this handout and **submit it as a Word document or PDF file** before the due. Additionally, your lab instructor will tell you which three questions you must showcase during the lab session. While you may demonstrate your code running in person after the due date, your file must be submitted on time.

Task 1: To make a **program** which reads an integer from user and then print it two times

```
#include <stdio.h>

int main(){
    int number;
    printf("Enter a number: \n");
    scanf("%d", &number);
    printf("%d\n", number);
    printf("%d\n", number);
    return 0;
}
```

Task 2: To make a **program** which reads two integers from user, and then print the sum of them

```
#include <stdio.h>

int main() {
    int num1, num2;
    printf("Enter two numbers: \n");
    scanf("%d %d", &num1, &num2);
    int sum = num1 + num2;
    printf("The sum of %d + %d = %d\n", num1, num2, sum);
    return 0;
}
```

Task 3: To make a **program** which reads two chars from user, and then print them in different lines

```
#include <stdio.h>

int main() {
    char input1, input2;
    printf("Enter two characters: \n");
    scanf("%c %c", &input1, &input2);
    printf("%c\n%c\n", input1, input2);
    return 0;
}
```

Task 4: To make a **program** which reads two integers from user, and then print them with the second number first, followed by the first input with a space in between

```
#include <stdio.h>

int main() {
    int num1, num2;
    printf("Enter two numbers: \n");
    scanf("%d %d", &num1, &num2);
    printf("%d %d\n", num1, num2);
    return 0;
}
```

Task 5: To make a **program** which reads two integers from user, and then print the bigger one between the two, only using basic if statements

```
#include <stdio.h>

int main() {
    int num1, num2;
    printf("Enter two numbers: \n");
    scanf("%d %d", &num1, &num2);

    if (num1 > num2) {
        printf("%d is the bigger number.", num1);
    }

    if (num2 > num1) {
        printf("%d is the bigger number.", num2);
    }

    if (num1 == num2) {
        printf("Both numbers are equal.");
    }

    return 0;
}
```

Task 6: To make a **program** which reads an integer from user, and then print “positive”, “zero” or “negative” accordingly, only using basic if statements

```
#include <stdio.h>

int main() {
    int number;
    printf("Enter a number: \n");
    scanf("%d", &number);

    if (number > 0) {
        printf("POSITIVE\n");
    }

    if (number < 0) {
        printf("NEGATIVE\n");
    }

    if (number == 0) {
        printf("ZERO\n");
    }

    return 0;
}
```

Task 7: To make a **program** which reads two integers from user, and then print the bigger one between the two or “they are same.” accordingly, using **ONE** if statement

```
#include <stdio.h>

int main() {
    int num1, num2;
    printf("Enter two numbers: \n");
    scanf("%d %d", &num1, &num2);

    if (num1 > num2) {
        printf("%d is the bigger number.\n", num1);
    } else if (num1 < num2) {
        printf("%d is the bigger number.\n", num2);
    } else {
        printf("They are the same.\n");
    }

    return 0;
}
```

Task 8: To make a **program** which reads an integer from user, and then print “positive”, “zero” or “negative” accordingly, using **ONE** if statement

```
#include <stdio.h>

int main() {
    int number;
    printf("Enter a number: \n");
    scanf("%d", &number);

    if (number > 0) {
        printf("POSITIVE\n");
    } else if (number < 0) {
        printf("NEGATIVE\n");
    } else {
        printf("ZERO\n");
    }

    return 0;
}
```

Task 9: Write a **program** that prints the numbers 10 to 70, with 7 numbers on each line, using **ONE** while loop. [Hint: you will get zero if you use more than one loop]

```
#include <stdio.h>

int main() {
    int number = 10; // Starting number
    int counter = 0;

    while (number <= 70) {
        printf("%d\n", number); // Print the current
number
        number++; // Increment the number
        counter++; // Increment the counter

        // Check if 7 numbers have been printed, and
insert a newline
        if (counter == 7) {
            printf("\n");
            counter = 0; // Reset the counter
        }
    }

    return 0;
}
```

Task 10: make a program prints out numbers between 1 and 100: which are multiples of 2, or multiples of 3, but **NOT** multiple of 6

```
#include <stdio.h>

int main() {
    for (int number = 1; number <= 100; number++) {
        // Check if the number is a multiple of 2 or 3 BUT
        NOT 6.
        if ((number % 2 == 0 || number % 3 == 0) && (number
% 6 != 0)) {
            printf("%d\n", number);
        }
    }

    printf("\n");
    return 0;
}
```