ASCII MASTER FLOW — PANEL 1/12: Five-region world map

MEDITERRANEAN BASIN -> largest expression
CALIFORNIA + CENTRAL CHILE -> west coasts
CAPE -> south-west South Africa
SW / SOUTH AUSTRALIA -> fifth region
MUST REMEMBER: Mediterranean Cs climate results from summer subtropical-high subsidence and winter westerly cyclone/frontal rain on western margins, supporting sclerophyll vegetation, winter cereals, vines, olives and high summer fire risk.
MUST REMEMBER: Mediterranean Cs climate results from summer subtropical-high subsidence and winter westerly cyclone/frontal rain on western margins, supporting sclerophyll vegetation, winter cereals, vines, olives and high summer fire risk.

ASCII MASTER FLOW — PANEL 2/12: Seasonal pressure switch

```
SUMMER -> subtropical high shifts poleward
SUBSIDENCE -> clear sky and drought
WINTER -> westerlies shift equatorward
DEPRESSIONS -> frontal rain arrives
```

ASCII MASTER FLOW — PANEL 3/12: Climate identity firewall

MEDITERRANEAN -> summer dry / winter wet
MONSOON -> summer wet / winter drier
EASTERN MARGIN -> rain through much of year
RULE -> rainfall season outranks latitude alone

ASCII MASTER FLOW — PANEL 4/12: Local-wind matrix

```
SIROCCO -> hot, dusty, Sahara origin
MISTRAL -> cold, Rhone-valley outflow
BORA -> cold, Adriatic downslope wind
TRAP -> local Mediterranean winds are not all hot
```

ASCII MASTER FLOW — PANEL 5/12: Sclerophyll design

```
LEAF -> small, hard, waxy or leathery
ROOT -> deep access to stored moisture
BARK -> drought and fire protection
STRUCTURE -> scrub or open woodland
```

ASCII MASTER FLOW — PANEL 6/12: Regional scrub names

```
MAQUIS -> Mediterranean basin
CHAPARRAL -> California
MALLEE -> Australia
FORM CONVERGES -> species remain regional
```

ASCII MASTER FLOW — PANEL 7/12: Growth-season calendar

```
AUTUMN -> rain returns after drought
WINTER -> moisture but cooler growth
SPRING -> best moisture-temperature overlap
SUMMER -> drought and fire stress
```

ASCII MASTER FLOW — PANEL 8/12: Agricultural system

WINTER RAIN -> cereals and soil recharge
DEEP-ROOTED TREES -> survive dry summer
SUN + IRRIGATION -> fruit and vegetables
MARKETS -> high-value export horticulture

ASCII MASTER FLOW — PANEL 9/12: Wildfire chain

WET SEASON -> biomass and fine fuel
SUMMER DROUGHT -> fuel desiccation
HEAT + WIND + IGNITION -> rapid spread
LAND MANAGEMENT -> exposure and recovery

ASCII MASTER FLOW — PANEL 10/12: India analogue map

```
KASHMIR -> temperate fruit valleys
HIMACHAL -> Kullu and Shimla apple belts
UTTARAKHAND -> suitable hill orchards
MAHARASHTRA -> grape belt, not Cs climate
CLOSE DISTINCTION: Mediterranean climate is not confined to the Mediterranean Basin, winter
  rainfall is not monsoonal reversal, and chaparral, maquis, fynbos and mallee are regional
  analogues rather than identical floras.
```


```
CLOSE DISTINCTION: Mediterranean climate is not confined to the Mediterranean Basin, winter
  rainfall is not monsoonal reversal, and chaparral, maquis, fynbos and mallee are regional
  analogues rather than identical floras.
```

ASCII MASTER FLOW — PANEL 11/12: Apple viability ladder

```
WINTER CHILL -> cultivar-specific dormancy
SITE -> frost, hail, aspect and water
HARVEST -> grading and storage
MARKET -> roads, cold chain and timing
EVIDENCE LIMIT: Fire is climate-enabled but ignition, fuel management and settlement shape
  disaster; Himalayan fruit belts share horticultural traits but not the complete
  Mediterranean circulation regime.
```


```
EVIDENCE LIMIT: Fire is climate-enabled but ignition, fuel management and settlement shape
  disaster; Himalayan fruit belts share horticultural traits but not the complete
  Mediterranean circulation regime.
```

ASCII MASTER FLOW — PANEL 12/12: Mediterranean answer spine

```
LOCATE -> western margins at 30-45 degrees
DERIVE -> summer high / winter westerlies
LINK -> sclerophyll, crops and fire
QUALIFY -> India is an orchard analogue only
```