FULL SIMULATION SET 03

UPSC Civil Services Preliminary Examination - CSAT Paper II

DETAILED SOLUTIONS / ANSWER KEY | Time: 2 Hours | Maximum Marks: 200

Quick Key

1-A	2-B	3-C	4-D	5-A	6-B	7-C	8-D	9-A	10-B
11-C	12-D	13-A	14-B	15-C	16-D	17-A	18-B	19-C	20-D
21-A	22-B	23-C	24-D	25-A	26-B	27-C	28-D	29-A	30-B
31-C	32-D	33-A	34-B	35-C	36-D	37-A	38-B	39-C	40-D
41-A	42-B	43-C	44-D	45-A	46-B	47-C	48-D	49-A	50-B
51-C	52-D	53-A	54-B	55-C	56-D	57-A	58-B	59-C	60-D
61-A	62-B	63-C	64-D	65-A	66-B	67-C	68-D	69-A	70-B
71-C	72-D	73-A	74-B	75-C	76-D	77-A	78-B	79-C	80-D

Detailed solutions

Q1. Answer: A | Reading Comprehension

Passage: A rural enterprise trained women in food processing. Income rose where training was paired with quality certification and market links; training alone produced skills without reliable sales. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which option best states the central idea?

A. Skills generate income when connected to standards and markets. - CORRECT: Correct. The central idea joins the intervention's benefit to the condition that makes it effective.

B. The intervention should be abandoned in every setting. - INCORRECT: Incorrect: The intervention should be abandoned in every setting. does not follow the stated data. The central idea joins the intervention's benefit to the condition that makes it effective.

C. The passage proves that implementation conditions never matter. - INCORRECT: Incorrect: The passage proves that implementation conditions never matter. is an intermediate, sign or operation error. The central idea joins the intervention's benefit to the condition that makes it effective.

D. The passage recommends maximising only the most visible input. - INCORRECT: Incorrect: The passage recommends maximising only the most visible input. ignores a condition or uses the wrong base. The central idea joins the intervention's benefit to the condition that makes it effective.

Method / explanation: The central idea joins the intervention's benefit to the condition that makes it effective.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q2. Answer: B | Reading Comprehension

Passage: A rural enterprise trained women in food processing. Income rose where training was paired with quality certification and market links; training alone produced skills without reliable sales. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which inference is best supported?

A. Every stakeholder responds identically in all circumstances. - INCORRECT: Incorrect: Every stakeholder responds identically in all circumstances. does not follow the stated data. The inference is limited to what the passage's comparison supports.

B. Training completion is not the same as commercial success. - CORRECT: Correct. The inference is limited to what the passage's comparison supports.

C. The opposite outcome must occur whenever one condition changes. - INCORRECT: Incorrect: The opposite outcome must occur whenever one condition changes. is an intermediate, sign or operation error. The inference is limited to what the passage's comparison supports.

D. A policy not discussed in the passage is legally compulsory. - INCORRECT: Incorrect: A policy not discussed in the passage is legally compulsory. ignores a condition or uses the wrong base. The inference is limited to what the passage's comparison supports.

Method / explanation: The inference is limited to what the passage's comparison supports.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q3. Answer: C | Reading Comprehension

Passage: A rural enterprise trained women in food processing. Income rose where training was paired with quality certification and market links; training alone produced skills without reliable sales. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which assumption is necessary for the reasoning?

A. The intervention has no cost under any condition. - INCORRECT: Incorrect: The intervention has no cost under any condition. does not follow the stated data. The necessary assumption connects the observed mechanism to the stated conclusion.

B. No alternative explanation can ever exist. - INCORRECT: Incorrect: No alternative explanation can ever exist. is an intermediate, sign or operation error. The necessary assumption connects the observed mechanism to the stated conclusion.

C. Buyers valued certification or dependable quality. - CORRECT: Correct. The necessary assumption connects the observed mechanism to the stated conclusion.

D. All participants possess identical preferences and resources. - INCORRECT: Incorrect: All participants possess identical preferences and resources. ignores a condition or uses the wrong base. The necessary assumption connects the observed mechanism to the stated conclusion.

Method / explanation: The necessary assumption connects the observed mechanism to the stated conclusion.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q4. Answer: D | Reading Comprehension

Passage: A rural enterprise trained women in food processing. Income rose where training was paired with quality certification and market links; training alone produced skills without reliable sales. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. The author's tone is best described as:

A. unreservedly celebratory - INCORRECT: Incorrect: unreservedly celebratory does not follow the stated data. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

B. hostile and dismissive - INCORRECT: Incorrect: hostile and dismissive is an intermediate, sign or operation error. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

C. unrelated and indifferent - INCORRECT: Incorrect: unrelated and indifferent ignores a condition or uses the wrong base. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

D. balanced - CORRECT: Correct. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

Method / explanation: The passage recognises both achievement and limitation, so an absolute tone is unsupported.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q5. Answer: A | Reading Comprehension

Passage: A bus corridor reserved lanes during peak hours. Travel time became predictable even when average speed changed little. Reliability allowed workers to plan transfers and reduced the penalty of uncertainty. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which option best states the central idea?

A. Predictability can be a major transport benefit even without large speed gains. - CORRECT: Correct. The central idea joins the intervention's benefit to the condition that makes it effective.

B. The intervention should be abandoned in every setting. - INCORRECT: Incorrect: The intervention should be abandoned in every setting. does not follow the stated data. The central idea joins the intervention's benefit to the condition that makes it effective.

C. The passage proves that implementation conditions never matter. - INCORRECT: Incorrect: The passage proves that implementation conditions never matter. is an intermediate, sign or operation error. The central idea joins the intervention's benefit to the condition that makes it effective.

D. The passage recommends maximising only the most visible input. - INCORRECT: Incorrect: The passage recommends maximising only the most visible input. ignores a condition or uses the wrong base. The central idea joins the intervention's benefit to the condition that makes it effective.

Method / explanation: The central idea joins the intervention's benefit to the condition that makes it effective.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q6. Answer: B | Reading Comprehension

Passage: A bus corridor reserved lanes during peak hours. Travel time became predictable even when average speed changed little. Reliability allowed workers to plan transfers and reduced the penalty of uncertainty. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which inference is best supported?

A. Every stakeholder responds identically in all circumstances. - INCORRECT: Incorrect: Every stakeholder responds identically in all circumstances. does not follow the stated data. The inference is limited to what the passage's comparison supports.

B. Average speed can hide variation in journey time. - CORRECT: Correct. The inference is limited to what the passage's comparison supports.

C. The opposite outcome must occur whenever one condition changes. - INCORRECT: Incorrect: The opposite outcome must occur whenever one condition changes. is an intermediate, sign or operation error. The inference is limited to what the passage's comparison supports.

D. A policy not discussed in the passage is legally compulsory. - INCORRECT: Incorrect: A policy not discussed in the passage is legally compulsory. ignores a condition or uses the wrong base. The inference is limited to what the passage's comparison supports.

Method / explanation: The inference is limited to what the passage's comparison supports.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q7. Answer: C | Reading Comprehension

Passage: A bus corridor reserved lanes during peak hours. Travel time became predictable even when average speed changed little. Reliability allowed workers to plan transfers and reduced the penalty of uncertainty. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which assumption is necessary for the reasoning?

A. The intervention has no cost under any condition. - INCORRECT: Incorrect: The intervention has no cost under any condition. does not follow the stated data. The necessary assumption connects the observed mechanism to the stated conclusion.

B. No alternative explanation can ever exist. - INCORRECT: Incorrect: No alternative explanation can ever exist. is an intermediate, sign or operation error. The necessary assumption connects the observed mechanism to the stated conclusion.

C. Travellers value lower uncertainty when planning connections. - CORRECT: Correct. The necessary assumption connects the observed mechanism to the stated conclusion.

D. All participants possess identical preferences and resources. - INCORRECT: Incorrect: All participants possess identical preferences and resources. ignores a condition or uses the wrong base. The necessary assumption connects the observed mechanism to the stated conclusion.

Method / explanation: The necessary assumption connects the observed mechanism to the stated conclusion.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q8. Answer: D | Reading Comprehension

Passage: A bus corridor reserved lanes during peak hours. Travel time became predictable even when average speed changed little. Reliability allowed workers to plan transfers and reduced the penalty of uncertainty. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. The author's tone is best described as:

A. unreservedly celebratory - INCORRECT: Incorrect: unreservedly celebratory does not follow the stated data. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

B. hostile and dismissive - INCORRECT: Incorrect: hostile and dismissive is an intermediate, sign or operation error. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

C. unrelated and indifferent - INCORRECT: Incorrect: unrelated and indifferent ignores a condition or uses the wrong base. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

D. favourable but qualified - CORRECT: Correct. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

Method / explanation: The passage recognises both achievement and limitation, so an absolute tone is unsupported.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q9. Answer: A | Reading Comprehension

Passage: A nutrition programme distributed fortified food. Coverage was high, but anaemia fell slowly where infections and poor sanitation persisted. The supplement addressed one pathway, not every cause. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which option best states the central idea?

A. Single nutritional interventions cannot overcome all causes of anaemia. - CORRECT: Correct. The central idea joins the intervention's benefit to the condition that makes it effective.

B. The intervention should be abandoned in every setting. - INCORRECT: Incorrect: The intervention should be abandoned in every setting. does not follow the stated data. The central idea joins the intervention's benefit to the condition that makes it effective.

C. The passage proves that implementation conditions never matter. - INCORRECT: Incorrect: The passage proves that implementation conditions never matter. is an intermediate, sign or operation error. The central idea joins the intervention's benefit to the condition that makes it effective.

D. The passage recommends maximising only the most visible input. - INCORRECT: Incorrect: The passage recommends maximising only the most visible input. ignores a condition or uses the wrong base. The central idea joins the intervention's benefit to the condition that makes it effective.

Method / explanation: The central idea joins the intervention's benefit to the condition that makes it effective.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q10. Answer: B | Reading Comprehension

Passage: A nutrition programme distributed fortified food. Coverage was high, but anaemia fell slowly where infections and poor sanitation persisted. The supplement addressed one pathway, not every cause. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which inference is best supported?

A. Every stakeholder responds identically in all circumstances. - INCORRECT: Incorrect: Every stakeholder responds identically in all circumstances. does not follow the stated data. The inference is limited to what the passage's comparison supports.

B. High distribution coverage need not ensure equivalent health outcomes. - CORRECT: Correct. The inference is limited to what the passage's comparison supports.

C. The opposite outcome must occur whenever one condition changes. - INCORRECT: Incorrect: The opposite outcome must occur whenever one condition changes. is an intermediate, sign or operation error. The inference is limited to what the passage's comparison supports.

D. A policy not discussed in the passage is legally compulsory. - INCORRECT: Incorrect: A policy not discussed in the passage is legally compulsory. ignores a condition or uses the wrong base. The inference is limited to what the passage's comparison supports.

Method / explanation: The inference is limited to what the passage's comparison supports.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q11. Answer: C | Reading Comprehension

Passage: A nutrition programme distributed fortified food. Coverage was high, but anaemia fell slowly where infections and poor sanitation persisted. The supplement addressed one pathway, not every cause. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which assumption is necessary for the reasoning?

A. The intervention has no cost under any condition. - INCORRECT: Incorrect: The intervention has no cost under any condition. does not follow the stated data. The necessary assumption connects the observed mechanism to the stated conclusion.

B. No alternative explanation can ever exist. - INCORRECT: Incorrect: No alternative explanation can ever exist. is an intermediate, sign or operation error. The necessary assumption connects the observed mechanism to the stated conclusion.

C. Infection and sanitation independently affect anaemia. - CORRECT: Correct. The necessary assumption connects the observed mechanism to the stated conclusion.

D. All participants possess identical preferences and resources. - INCORRECT: Incorrect: All participants possess identical preferences and resources. ignores a condition or uses the wrong base. The necessary assumption connects the observed mechanism to the stated conclusion.

Method / explanation: The necessary assumption connects the observed mechanism to the stated conclusion.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q12. Answer: D | Reading Comprehension

Passage: A nutrition programme distributed fortified food. Coverage was high, but anaemia fell slowly where infections and poor sanitation persisted. The supplement addressed one pathway, not every cause. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. The author's tone is best described as:

A. unreservedly celebratory - INCORRECT: Incorrect: unreservedly celebratory does not follow the stated data. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

B. hostile and dismissive - INCORRECT: Incorrect: hostile and dismissive is an intermediate, sign or operation error. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

C. unrelated and indifferent - INCORRECT: Incorrect: unrelated and indifferent ignores a condition or uses the wrong base. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

D. qualified - CORRECT: Correct. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

Method / explanation: The passage recognises both achievement and limitation, so an absolute tone is unsupported.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q13. Answer: A | Reading Comprehension

Passage: A police station published service standards. Complaints about delay fell only after applicants received dated receipts and an appeal contact. A promise became enforceable when citizens could prove and escalate non-compliance. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which option best states the central idea?

A. Service standards need traceability and escalation to become effective. - CORRECT: Correct. The central idea joins the intervention's benefit to the condition that makes it effective.

B. The intervention should be abandoned in every setting. - INCORRECT: Incorrect: The intervention should be abandoned in every setting. does not follow the stated data. The central idea joins the intervention's benefit to the condition that makes it effective.

C. The passage proves that implementation conditions never matter. - INCORRECT: Incorrect: The passage proves that implementation conditions never matter. is an intermediate, sign or operation error. The central idea joins the intervention's benefit to the condition that makes it effective.

D. The passage recommends maximising only the most visible input. - INCORRECT: Incorrect: The passage recommends maximising only the most visible input. ignores a condition or uses the wrong base. The central idea joins the intervention's benefit to the condition that makes it effective.

Method / explanation: The central idea joins the intervention's benefit to the condition that makes it effective.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q14. Answer: B | Reading Comprehension

Passage: A police station published service standards. Complaints about delay fell only after applicants received dated receipts and an appeal contact. A promise became enforceable when citizens could prove and escalate non-compliance. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which inference is best supported?

A. Every stakeholder responds identically in all circumstances. - INCORRECT: Incorrect: Every stakeholder responds identically in all circumstances. does not follow the stated data. The inference is limited to what the passage's comparison supports.

B. Publication alone may not alter administrative behaviour. - CORRECT: Correct. The inference is limited to what the passage's comparison supports.

C. The opposite outcome must occur whenever one condition changes. - INCORRECT: Incorrect: The opposite outcome must occur whenever one condition changes. is an intermediate, sign or operation error. The inference is limited to what the passage's comparison supports.

D. A policy not discussed in the passage is legally compulsory. - INCORRECT: Incorrect: A policy not discussed in the passage is legally compulsory. ignores a condition or uses the wrong base. The inference is limited to what the passage's comparison supports.

Method / explanation: The inference is limited to what the passage's comparison supports.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q15. Answer: C | Reading Comprehension

Passage: A police station published service standards. Complaints about delay fell only after applicants received dated receipts and an appeal contact. A promise became enforceable when citizens could prove and escalate non-compliance. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which assumption is necessary for the reasoning?

A. The intervention has no cost under any condition. - INCORRECT: Incorrect: The intervention has no cost under any condition. does not follow the stated data. The necessary assumption connects the observed mechanism to the stated conclusion.

B. No alternative explanation can ever exist. - INCORRECT: Incorrect: No alternative explanation can ever exist. is an intermediate, sign or operation error. The necessary assumption connects the observed mechanism to the stated conclusion.

C. Receipts and appeal contacts enabled accountability. - CORRECT: Correct. The necessary assumption connects the observed mechanism to the stated conclusion.

D. All participants possess identical preferences and resources. - INCORRECT: Incorrect: All participants possess identical preferences and resources. ignores a condition or uses the wrong base. The necessary assumption connects the observed mechanism to the stated conclusion.

Method / explanation: The necessary assumption connects the observed mechanism to the stated conclusion.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q16. Answer: D | Reading Comprehension

Passage: A police station published service standards. Complaints about delay fell only after applicants received dated receipts and an appeal contact. A promise became enforceable when citizens could prove and escalate non-compliance. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. The author's tone is best described as:

A. unreservedly celebratory - INCORRECT: Incorrect: unreservedly celebratory does not follow the stated data. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

B. hostile and dismissive - INCORRECT: Incorrect: hostile and dismissive is an intermediate, sign or operation error. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

C. unrelated and indifferent - INCORRECT: Incorrect: unrelated and indifferent ignores a condition or uses the wrong base. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

D. institutional - CORRECT: Correct. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

Method / explanation: The passage recognises both achievement and limitation, so an absolute tone is unsupported.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q17. Answer: A | Reading Comprehension

Passage: A solar irrigation subsidy lowered pumping costs. Groundwater use increased in villages without metering, while feeder separation and water budgeting moderated extraction elsewhere. Clean energy solved an emissions problem but could intensify a resource problem. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which option best states the central idea?

A. Policies can solve one externality while worsening another unless incentives are aligned. - CORRECT: Correct. The central idea joins the intervention's benefit to the condition that makes it effective.

B. The intervention should be abandoned in every setting. - INCORRECT: Incorrect: The intervention should be abandoned in every setting. does not follow the stated data. The central idea joins the intervention's benefit to the condition that makes it effective.

C. The passage proves that implementation conditions never matter. - INCORRECT: Incorrect: The passage proves that implementation conditions never matter. is an intermediate, sign or operation error. The central idea joins the intervention's benefit to the condition that makes it effective.

D. The passage recommends maximising only the most visible input. - INCORRECT: Incorrect: The passage recommends maximising only the most visible input. ignores a condition or uses the wrong base. The central idea joins the intervention's benefit to the condition that makes it effective.

Method / explanation: The central idea joins the intervention's benefit to the condition that makes it effective.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q18. Answer: B | Reading Comprehension

Passage: A solar irrigation subsidy lowered pumping costs. Groundwater use increased in villages without metering, while feeder separation and water budgeting moderated extraction elsewhere. Clean energy solved an emissions problem but could intensify a resource problem. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which inference is best supported?

A. Every stakeholder responds identically in all circumstances. - INCORRECT: Incorrect: Every stakeholder responds identically in all circumstances. does not follow the stated data. The inference is limited to what the passage's comparison supports.

B. Renewable energy does not automatically ensure sustainable water use. - CORRECT: Correct. The inference is limited to what the passage's comparison supports.

C. The opposite outcome must occur whenever one condition changes. - INCORRECT: Incorrect: The opposite outcome must occur whenever one condition changes. is an intermediate, sign or operation error. The inference is limited to what the passage's comparison supports.

D. A policy not discussed in the passage is legally compulsory. - INCORRECT: Incorrect: A policy not discussed in the passage is legally compulsory. ignores a condition or uses the wrong base. The inference is limited to what the passage's comparison supports.

Method / explanation: The inference is limited to what the passage's comparison supports.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q19. Answer: C | Reading Comprehension

Passage: A solar irrigation subsidy lowered pumping costs. Groundwater use increased in villages without metering, while feeder separation and water budgeting moderated extraction elsewhere. Clean energy solved an emissions problem but could intensify a resource problem. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. Which assumption is necessary for the reasoning?

A. The intervention has no cost under any condition. - INCORRECT: Incorrect: The intervention has no cost under any condition. does not follow the stated data. The necessary assumption connects the observed mechanism to the stated conclusion.

B. No alternative explanation can ever exist. - INCORRECT: Incorrect: No alternative explanation can ever exist. is an intermediate, sign or operation error. The necessary assumption connects the observed mechanism to the stated conclusion.

C. Pumping decisions respond to the marginal cost of electricity. - CORRECT: Correct. The necessary assumption connects the observed mechanism to the stated conclusion.

D. All participants possess identical preferences and resources. - INCORRECT: Incorrect: All participants possess identical preferences and resources. ignores a condition or uses the wrong base. The necessary assumption connects the observed mechanism to the stated conclusion.

Method / explanation: The necessary assumption connects the observed mechanism to the stated conclusion.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q20. Answer: D | Reading Comprehension

Passage: A solar irrigation subsidy lowered pumping costs. Groundwater use increased in villages without metering, while feeder separation and water budgeting moderated extraction elsewhere. Clean energy solved an emissions problem but could intensify a resource problem. The episode also warns against reading an aggregate improvement as proof that every group benefited equally. A sound evaluation must distinguish the formal input, the mechanism through which people can use it, and the distribution of gains or burdens when implementation conditions differ. The author's tone is best described as:

A. unreservedly celebratory - INCORRECT: Incorrect: unreservedly celebratory does not follow the stated data. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

B. hostile and dismissive - INCORRECT: Incorrect: hostile and dismissive is an intermediate, sign or operation error. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

C. unrelated and indifferent - INCORRECT: Incorrect: unrelated and indifferent ignores a condition or uses the wrong base. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

D. cautionary - CORRECT: Correct. The passage recognises both achievement and limitation, so an absolute tone is unsupported.

Method / explanation: The passage recognises both achievement and limitation, so an absolute tone is unsupported.

Trap: Choose the qualified claim; reject universal language not supported by the passage.

Q21. Answer: A | Numeracy

What is the remainder when 188^2 + 3x188 + 5 is divided by 10?

A. 3 - CORRECT: Correct. Reduce 188 modulo 10, then evaluate r^2+3r+5 modulo 10; the remainder is 3.

B. 4 - INCORRECT: Incorrect: 4 does not follow the stated data. Reduce 188 modulo 10, then evaluate r^2+3r+5 modulo 10; the remainder is 3.

C. 5 - INCORRECT: Incorrect: 5 is an intermediate, sign or operation error. Reduce 188 modulo 10, then evaluate r^2+3r+5 modulo 10; the remainder is 3.

D. 6 - INCORRECT: Incorrect: 6 ignores a condition or uses the wrong base. Reduce 188 modulo 10, then evaluate r^2+3r+5 modulo 10; the remainder is 3.

Method / explanation: Reduce 188 modulo 10, then evaluate r^2+3r+5 modulo 10; the remainder is 3.

Trap: Reduce each term modulo the divisor; do not expand the large square unnecessarily.

Q22. Answer: B | Numeracy

Two numbers are obtained by doubling 24 and tripling 39. What is their HCF?

A. 4 - INCORRECT: Incorrect: 4 does not follow the stated data. The derived numbers are 48 and 117; Euclid's algorithm gives gcd(48, 117) = 3.

B. 3 - CORRECT: Correct. The derived numbers are 48 and 117; Euclid's algorithm gives gcd(48, 117) = 3.

C. 5 - INCORRECT: Incorrect: 5 is an intermediate, sign or operation error. The derived numbers are 48 and 117; Euclid's algorithm gives gcd(48, 117) = 3.

D. 1872 - INCORRECT: Incorrect: 1872 ignores a condition or uses the wrong base. The derived numbers are 48 and 117; Euclid's algorithm gives gcd(48, 117) = 3.

Method / explanation: The derived numbers are 48 and 117; Euclid's algorithm gives gcd(48, 117) = 3.

Trap: Apply the transformation before computing the HCF.

Q23. Answer: C | Numeracy

How many positive divisors does 144 have?

A. 14 - INCORRECT: Incorrect: 14 does not follow the stated data. 144 = 2^4 x 3^2, so divisor count = (5)(3) = 15.

B. 16 - INCORRECT: Incorrect: 16 is an intermediate, sign or operation error. 144 = 2^4 x 3^2, so divisor count = (5)(3) = 15.

C. 15 - CORRECT: Correct. 144 = 2^4 x 3^2, so divisor count = (5)(3) = 15.

D. 8 - INCORRECT: Incorrect: 8 ignores a condition or uses the wrong base. 144 = 2^4 x 3^2, so divisor count = (5)(3) = 15.

Method / explanation: 144 = 2^4 x 3^2, so divisor count = (5)(3) = 15.

Trap: Add one to every prime exponent before multiplying.

Q24. Answer: D | Numeracy

What is the unit digit of (6^14) x (10^8)?

A. 1 - INCORRECT: Incorrect: 1 does not follow the stated data. Find each unit-digit cycle separately and multiply the two terminal digits modulo 10; the result is 0.

B. 2 - INCORRECT: Incorrect: 2 is an intermediate, sign or operation error. Find each unit-digit cycle separately and multiply the two terminal digits modulo 10; the result is 0.

C. 3 - INCORRECT: Incorrect: 3 ignores a condition or uses the wrong base. Find each unit-digit cycle separately and multiply the two terminal digits modulo 10; the result is 0.

D. 0 - CORRECT: Correct. Find each unit-digit cycle separately and multiply the two terminal digits modulo 10; the result is 0.

Method / explanation: Find each unit-digit cycle separately and multiply the two terminal digits modulo 10; the result is 0.

Trap: Do not add the unit digits of the factors.

Q25. Answer: A | Numeracy

The arithmetic sequence begins 6, 11, 16. What is the sum of its first 9 terms?

A. 234.0 - CORRECT: Correct. S_n=n/2[2a+(n-1)d]=9/2[2x6+8x5]=234.0.

B. 229.0 - INCORRECT: Incorrect: 229.0 does not follow the stated data. S_n=n/2[2a+(n-1)d]=9/2[2x6+8x5]=234.0.

C. 239.0 - INCORRECT: Incorrect: 239.0 is an intermediate, sign or operation error. S_n=n/2[2a+(n-1)d]=9/2[2x6+8x5]=234.0.

D. 46 - INCORRECT: Incorrect: 46 ignores a condition or uses the wrong base. S_n=n/2[2a+(n-1)d]=9/2[2x6+8x5]=234.0.

Method / explanation: S_n=n/2[2a+(n-1)d]=9/2[2x6+8x5]=234.0.

Trap: The last term is not the sum.

Q26. Answer: B | Numeracy

After multiplying 10209 by 9, what is the sum of the decimal digits of the product?

A. 26 - INCORRECT: Incorrect: 26 does not follow the stated data. 10209x9=91881; adding the digits of 91881 gives 27.

B. 27 - CORRECT: Correct. 10209x9=91881; adding the digits of 91881 gives 27.

C. 28 - INCORRECT: Incorrect: 28 is an intermediate, sign or operation error. 10209x9=91881; adding the digits of 91881 gives 27.

D. 29 - INCORRECT: Incorrect: 29 ignores a condition or uses the wrong base. 10209x9=91881; adding the digits of 91881 gives 27.

Method / explanation: 10209x9=91881; adding the digits of 91881 gives 27.

Trap: The divisibility-by-9 check verifies the digit sum but does not by itself give its unreduced value.

Q27. Answer: C | Numeracy

How many integers from 18 through 126, inclusive, are divisible by 9 but not by 18?

A. 5 - INCORRECT: Incorrect: 5 does not follow the stated data. Count multiples of 9 (13) and subtract multiples of 18 (7); result 6.

B. 7 - INCORRECT: Incorrect: 7 is an intermediate, sign or operation error. Count multiples of 9 (13) and subtract multiples of 18 (7); result 6.

C. 6 - CORRECT: Correct. Count multiples of 9 (13) and subtract multiples of 18 (7); result 6.

D. 8 - INCORRECT: Incorrect: 8 ignores a condition or uses the wrong base. Count multiples of 9 (13) and subtract multiples of 18 (7); result 6.

Method / explanation: Count multiples of 9 (13) and subtract multiples of 18 (7); result 6.

Trap: Multiples of the larger divisor are a subset and must be excluded once.

Q28. Answer: D | Numeracy

The values are 15, 21, 27, 33. If the smallest falls by 3 and the largest rises by 6, what is the new mean?

A. 24.0 - INCORRECT: Incorrect: 24.0 does not follow the stated data. The adjusted values are [12, 21, 27, 39]; their total 99 divided by 4 gives 24.75.

B. 25.75 - INCORRECT: Incorrect: 25.75 is an intermediate, sign or operation error. The adjusted values are [12, 21, 27, 39]; their total 99 divided by 4 gives 24.75.

C. 26.75 - INCORRECT: Incorrect: 26.75 ignores a condition or uses the wrong base. The adjusted values are [12, 21, 27, 39]; their total 99 divided by 4 gives 24.75.

D. 24.75 - CORRECT: Correct. The adjusted values are [12, 21, 27, 39]; their total 99 divided by 4 gives 24.75.

Method / explanation: The adjusted values are [12, 21, 27, 39]; their total 99 divided by 4 gives 24.75.

Trap: Apply both changes to the total before dividing.

Q29. Answer: A | Algebra

If 3x + 6 = 30, what is x?

A. 8 - CORRECT: Correct. Subtract 6 and divide by 3: x = 8.

B. 7 - INCORRECT: Incorrect: 7 does not follow the stated data. Subtract 6 and divide by 3: x = 8.

C. 9 - INCORRECT: Incorrect: 9 is an intermediate, sign or operation error. Subtract 6 and divide by 3: x = 8.

D. 24 - INCORRECT: Incorrect: 24 ignores a condition or uses the wrong base. Subtract 6 and divide by 3: x = 8.

Method / explanation: Subtract 6 and divide by 3: x = 8.

Trap: Undo addition before division.

Q30. Answer: B | Algebra

If 2(x - 3) = 8, what is x when x is a positive integer and the displayed equality is supplemented by x + 3 = 10?

A. 6 - INCORRECT: Incorrect: 6 does not follow the stated data. The second equation fixes x: x + 3 = 10, hence x = 7.

B. 7 - CORRECT: Correct. The second equation fixes x: x + 3 = 10, hence x = 7.

C. 8 - INCORRECT: Incorrect: 8 is an intermediate, sign or operation error. The second equation fixes x: x + 3 = 10, hence x = 7.

D. 14 - INCORRECT: Incorrect: 14 ignores a condition or uses the wrong base. The second equation fixes x: x + 3 = 10, hence x = 7.

Method / explanation: The second equation fixes x: x + 3 = 10, hence x = 7.

Trap: An identity alone cannot determine x; use the independent equation.

Q31. Answer: C | Algebra

The sum of two consecutive integers is 23. What is the smaller integer?

A. 12 - INCORRECT: Incorrect: 12 does not follow the stated data. Let the integers be x and x+1. Then 2x+1=23, so x=11.

B. 10 - INCORRECT: Incorrect: 10 is an intermediate, sign or operation error. Let the integers be x and x+1. Then 2x+1=23, so x=11.

C. 11 - CORRECT: Correct. Let the integers be x and x+1. Then 2x+1=23, so x=11.

D. 23 - INCORRECT: Incorrect: 23 ignores a condition or uses the wrong base. Let the integers be x and x+1. Then 2x+1=23, so x=11.

Method / explanation: Let the integers be x and x+1. Then 2x+1=23, so x=11.

Trap: The question asks for the smaller integer.

Q32. Answer: D | Algebra

Five years ago A was half of A's age 16 years from now. What is A's present age?

A. 21 - INCORRECT: Incorrect: 21 does not follow the stated data. Let present age be x. Then x-5 = (x+16)/2; solving gives x=26.

B. 31 - INCORRECT: Incorrect: 31 is an intermediate, sign or operation error. Let present age be x. Then x-5 = (x+16)/2; solving gives x=26.

C. 13 - INCORRECT: Incorrect: 13 ignores a condition or uses the wrong base. Let present age be x. Then x-5 = (x+16)/2; solving gives x=26.

D. 26 - CORRECT: Correct. Let present age be x. Then x-5 = (x+16)/2; solving gives x=26.

Method / explanation: Let present age be x. Then x-5 = (x+16)/2; solving gives x=26.

Trap: Translate both time references from the present.

Q33. Answer: A | Algebra

What is the positive solution of x^2 = 81?

A. 9 - CORRECT: Correct. x = plus or minus 9; the positive solution is 9.

B. -9 - INCORRECT: Incorrect: -9 does not follow the stated data. x = plus or minus 9; the positive solution is 9.

C. 81 - INCORRECT: Incorrect: 81 is an intermediate, sign or operation error. x = plus or minus 9; the positive solution is 9.

D. 10 - INCORRECT: Incorrect: 10 ignores a condition or uses the wrong base. x = plus or minus 9; the positive solution is 9.

Method / explanation: x = plus or minus 9; the positive solution is 9.

Trap: The word positive removes the negative root.

Q34. Answer: B | Algebra

Which value is the least integer satisfying 2x + 1 > 20?

A. 9 - INCORRECT: Incorrect: 9 does not follow the stated data. 2x > 19, so x > 9.5; the least integer is 10.

B. 10 - CORRECT: Correct. 2x > 19, so x > 9.5; the least integer is 10.

C. 11 - INCORRECT: Incorrect: 11 is an intermediate, sign or operation error. 2x > 19, so x > 9.5; the least integer is 10.

D. 20 - INCORRECT: Incorrect: 20 ignores a condition or uses the wrong base. 2x > 19, so x > 9.5; the least integer is 10.

Method / explanation: 2x > 19, so x > 9.5; the least integer is 10.

Trap: A strict inequality excludes the boundary.

Q35. Answer: C | Percentages

A grant equals 25% of Rs 360. An administrative surcharge of 8% is then applied to the grant. What is the final amount?

A. 90 - INCORRECT: Incorrect: 90 does not follow the stated data. First grant=25/100x360=90; then multiply by 108/100 to get 97.2.

B. 89.2 - INCORRECT: Incorrect: 89.2 is an intermediate, sign or operation error. First grant=25/100x360=90; then multiply by 108/100 to get 97.2.

C. 97.2 - CORRECT: Correct. First grant=25/100x360=90; then multiply by 108/100 to get 97.2.

D. 118.8 - INCORRECT: Incorrect: 118.8 ignores a condition or uses the wrong base. First grant=25/100x360=90; then multiply by 108/100 to get 97.2.

Method / explanation: First grant=25/100x360=90; then multiply by 108/100 to get 97.2.

Trap: The surcharge applies to the grant, not to the original amount.

Q36. Answer: D | Percentages

A value of 1000 rises by 11% and then falls by 6%. What is the final value?

A. 1050 - INCORRECT: Incorrect: 1050 does not follow the stated data. Successive multipliers give 1000 x 1.11 x 0.94 = 1043.4.

B. 1050.0 - INCORRECT: Incorrect: 1050.0 is an intermediate, sign or operation error. Successive multipliers give 1000 x 1.11 x 0.94 = 1043.4.

C. 1053.4 - INCORRECT: Incorrect: 1053.4 ignores a condition or uses the wrong base. Successive multipliers give 1000 x 1.11 x 0.94 = 1043.4.

D. 1043.4 - CORRECT: Correct. Successive multipliers give 1000 x 1.11 x 0.94 = 1043.4.

Method / explanation: Successive multipliers give 1000 x 1.11 x 0.94 = 1043.4.

Trap: Successive percentages are not simply netted.

Q37. Answer: A | Ratios

Rs 600 is divided in the ratio 5:3. What is the first share?

A. 375.0 - CORRECT: Correct. First share = 600 x 5/(5+3) = 375.0.

B. 370.0 - INCORRECT: Incorrect: 370.0 does not follow the stated data. First share = 600 x 5/(5+3) = 375.0.

C. 380.0 - INCORRECT: Incorrect: 380.0 is an intermediate, sign or operation error. First share = 600 x 5/(5+3) = 375.0.

D. 75.0 - INCORRECT: Incorrect: 75.0 ignores a condition or uses the wrong base. First share = 600 x 5/(5+3) = 375.0.

Method / explanation: First share = 600 x 5/(5+3) = 375.0.

Trap: Use ratio parts, not either raw ratio number.

Q38. Answer: B | Averages

Groups of 23 and 33 have averages 43 and 63. What is their combined average?

A. 53.0 - INCORRECT: Incorrect: 53.0 does not follow the stated data. Weighted mean = (23x43+33x63)/(56) = 54.79.

B. 54.79 - CORRECT: Correct. Weighted mean = (23x43+33x63)/(56) = 54.79.

C. 53.79 - INCORRECT: Incorrect: 53.79 is an intermediate, sign or operation error. Weighted mean = (23x43+33x63)/(56) = 54.79.

D. 55.79 - INCORRECT: Incorrect: 55.79 ignores a condition or uses the wrong base. Weighted mean = (23x43+33x63)/(56) = 54.79.

Method / explanation: Weighted mean = (23x43+33x63)/(56) = 54.79.

Trap: Do not average group averages without weights.

Q39. Answer: C | Percentages

An article costs Rs 650, is marked for a 18% profit, and then receives a 7% rebate on that marked selling price. What is the realised price?

A. 767.0 - INCORRECT: Incorrect: 767.0 does not follow the stated data. Marked selling price=767.0; realised price=767.0x93/100=713.31.

B. 721.5 - INCORRECT: Incorrect: 721.5 is an intermediate, sign or operation error. Marked selling price=767.0; realised price=767.0x93/100=713.31.

C. 713.31 - CORRECT: Correct. Marked selling price=767.0; realised price=767.0x93/100=713.31.

D. 720.31 - INCORRECT: Incorrect: 720.31 ignores a condition or uses the wrong base. Marked selling price=767.0; realised price=767.0x93/100=713.31.

Method / explanation: Marked selling price=767.0; realised price=767.0x93/100=713.31.

Trap: Profit and rebate use different successive bases.

Q40. Answer: D | Percentages

A marked price of Rs 1100 is discounted by 13%. What is the sale price?

A. 1087 - INCORRECT: Incorrect: 1087 does not follow the stated data. Sale price = 1100 x 87/100 = 957.0.

B. 1243.0 - INCORRECT: Incorrect: 1243.0 is an intermediate, sign or operation error. Sale price = 1100 x 87/100 = 957.0.

C. 944.0 - INCORRECT: Incorrect: 944.0 ignores a condition or uses the wrong base. Sale price = 1100 x 87/100 = 957.0.

D. 957.0 - CORRECT: Correct. Sale price = 1100 x 87/100 = 957.0.

Method / explanation: Sale price = 1100 x 87/100 = 957.0.

Trap: A percentage discount is not a rupee subtraction.

Q41. Answer: A | Ratios

A mixture contains milk and water in the ratio 6:5. In 44 litres, how many litres are milk?

A. 24.0 - CORRECT: Correct. Milk = 44 x 6/(6+5) = 24.0.

B. 23.0 - INCORRECT: Incorrect: 23.0 does not follow the stated data. Milk = 44 x 6/(6+5) = 24.0.

C. 4.0 - INCORRECT: Incorrect: 4.0 is an intermediate, sign or operation error. Milk = 44 x 6/(6+5) = 24.0.

D. 25.0 - INCORRECT: Incorrect: 25.0 ignores a condition or uses the wrong base. Milk = 44 x 6/(6+5) = 24.0.

Method / explanation: Milk = 44 x 6/(6+5) = 24.0.

Trap: The first term of the ratio denotes milk.

Q42. Answer: B | Averages

The average of 8 values is 43. After adding 55, what is the new average?

A. 43 - INCORRECT: Incorrect: 43 does not follow the stated data. Old total 344; new average = (344+55)/9 = 44.33.

B. 44.33 - CORRECT: Correct. Old total 344; new average = (344+55)/9 = 44.33.

C. 49.0 - INCORRECT: Incorrect: 49.0 is an intermediate, sign or operation error. Old total 344; new average = (344+55)/9 = 44.33.

D. 45.33 - INCORRECT: Incorrect: 45.33 ignores a condition or uses the wrong base. Old total 344; new average = (344+55)/9 = 44.33.

Method / explanation: Old total 344; new average = (344+55)/9 = 44.33.

Trap: Recover the old total before adding a value.

Q43. Answer: C | Time and Work

A can finish a task in 11 days and B in 15 days. How many days will they take together?

A. 26 - INCORRECT: Incorrect: 26 does not follow the stated data. Combined rate = 1/11+1/15; time = 165/(26) = 6.35 days.

B. 13.0 - INCORRECT: Incorrect: 13.0 is an intermediate, sign or operation error. Combined rate = 1/11+1/15; time = 165/(26) = 6.35 days.

C. 6.35 - CORRECT: Correct. Combined rate = 1/11+1/15; time = 165/(26) = 6.35 days.

D. 4 - INCORRECT: Incorrect: 4 ignores a condition or uses the wrong base. Combined rate = 1/11+1/15; time = 165/(26) = 6.35 days.

Method / explanation: Combined rate = 1/11+1/15; time = 165/(26) = 6.35 days.

Trap: Add rates, not times.

Q44. Answer: D | Time and Work

15 workers finish a job in 15 days at equal efficiency. How many days will 21 workers take?

A. 15 - INCORRECT: Incorrect: 15 does not follow the stated data. Worker-days stay constant: 15x15=21xd, so d=10.71.

B. 21.0 - INCORRECT: Incorrect: 21.0 is an intermediate, sign or operation error. Worker-days stay constant: 15x15=21xd, so d=10.71.

C. 11.71 - INCORRECT: Incorrect: 11.71 ignores a condition or uses the wrong base. Worker-days stay constant: 15x15=21xd, so d=10.71.

D. 10.71 - CORRECT: Correct. Worker-days stay constant: 15x15=21xd, so d=10.71.

Method / explanation: Worker-days stay constant: 15x15=21xd, so d=10.71.

Trap: For fixed work, workers and days vary inversely.

Q45. Answer: A | Time and Work

Two pipes fill a tank in 9 and 11 hours. If opened together, how long do they take?

A. 4.95 - CORRECT: Correct. Rates add: 1/9+1/11; reciprocal gives 4.95 hours.

B. 20 - INCORRECT: Incorrect: 20 does not follow the stated data. Rates add: 1/9+1/11; reciprocal gives 4.95 hours.

C. 10.0 - INCORRECT: Incorrect: 10.0 is an intermediate, sign or operation error. Rates add: 1/9+1/11; reciprocal gives 4.95 hours.

D. 5.95 - INCORRECT: Incorrect: 5.95 ignores a condition or uses the wrong base. Rates add: 1/9+1/11; reciprocal gives 4.95 hours.

Method / explanation: Rates add: 1/9+1/11; reciprocal gives 4.95 hours.

Trap: Both are inlet pipes.

Q46. Answer: B | Time and Work

An inlet fills a tank in 8 hours while a leak empties it in 23 hours. How long to fill together?

A. 5.94 - INCORRECT: Incorrect: 5.94 does not follow the stated data. Net rate = 1/8-1/23; time = 12.27 hours.

B. 12.27 - CORRECT: Correct. Net rate = 1/8-1/23; time = 12.27 hours.

C. 15 - INCORRECT: Incorrect: 15 is an intermediate, sign or operation error. Net rate = 1/8-1/23; time = 12.27 hours.

D. 8 - INCORRECT: Incorrect: 8 ignores a condition or uses the wrong base. Net rate = 1/8-1/23; time = 12.27 hours.

Method / explanation: Net rate = 1/8-1/23; time = 12.27 hours.

Trap: An outlet rate must be subtracted.

Q47. Answer: C | Time and Work

A is 5 times as efficient as B. If B alone takes 50 days, how many days does A take?

A. 50 - INCORRECT: Incorrect: 50 does not follow the stated data. Time is inverse to efficiency: 50/5=10 days.

B. 5 - INCORRECT: Incorrect: 5 is an intermediate, sign or operation error. Time is inverse to efficiency: 50/5=10 days.

C. 10 - CORRECT: Correct. Time is inverse to efficiency: 50/5=10 days.

D. 15 - INCORRECT: Incorrect: 15 ignores a condition or uses the wrong base. Time is inverse to efficiency: 50/5=10 days.

Method / explanation: Time is inverse to efficiency: 50/5=10 days.

Trap: Greater efficiency means less time.

Q48. Answer: D | Time and Work

A team completes 0.43 of a job. What fraction remains, rounded to two decimals?

A. 0.43 - INCORRECT: Incorrect: 0.43 does not follow the stated data. Remaining work = 1 - 0.43 = 0.57.

B. 1.43 - INCORRECT: Incorrect: 1.43 is an intermediate, sign or operation error. Remaining work = 1 - 0.43 = 0.57.

C. 0.67 - INCORRECT: Incorrect: 0.67 ignores a condition or uses the wrong base. Remaining work = 1 - 0.43 = 0.57.

D. 0.57 - CORRECT: Correct. Remaining work = 1 - 0.43 = 0.57.

Method / explanation: Remaining work = 1 - 0.43 = 0.57.

Trap: Completed and remaining fractions sum to one.

Q49. Answer: A | Speed and Distance

A vehicle's total journey time is 6 hours, including a halt of 45 minutes. It moves at 60 km/h whenever in motion. What distance is covered?

A. 315.0 - CORRECT: Correct. Moving time=6-45/60=5.25 hours; distance=60x5.25=315.0 km.

B. 360 - INCORRECT: Incorrect: 360 does not follow the stated data. Moving time=6-45/60=5.25 hours; distance=60x5.25=315.0 km.

C. 255.0 - INCORRECT: Incorrect: 255.0 is an intermediate, sign or operation error. Moving time=6-45/60=5.25 hours; distance=60x5.25=315.0 km.

D. 375.0 - INCORRECT: Incorrect: 375.0 ignores a condition or uses the wrong base. Moving time=6-45/60=5.25 hours; distance=60x5.25=315.0 km.

Method / explanation: Moving time=6-45/60=5.25 hours; distance=60x5.25=315.0 km.

Trap: Remove halt time before multiplying by speed.

Q50. Answer: B | Speed and Distance

Over 300 km, how many hours are saved by increasing speed from 43 to 63 km/h?

A. 15.0 - INCORRECT: Incorrect: 15.0 does not follow the stated data. Time saved = 300/43 - 300/63 = 2.21 hours.

B. 2.21 - CORRECT: Correct. Time saved = 300/43 - 300/63 = 2.21 hours.

C. 3.21 - INCORRECT: Incorrect: 3.21 is an intermediate, sign or operation error. Time saved = 300/43 - 300/63 = 2.21 hours.

D. 1.21 - INCORRECT: Incorrect: 1.21 ignores a condition or uses the wrong base. Time saved = 300/43 - 300/63 = 2.21 hours.

Method / explanation: Time saved = 300/43 - 300/63 = 2.21 hours.

Trap: Subtract travel times, not speeds.

Q51. Answer: C | Speed and Distance

A 210-metre train moves at 54 km/h. How many seconds does it take to clear a 105-metre platform?

A. 14.0 - INCORRECT: Incorrect: 14.0 does not follow the stated data. Total distance=210+105; 54 km/h=15 m/s; time=21.00 s.

B. 23.0 - INCORRECT: Incorrect: 23.0 is an intermediate, sign or operation error. Total distance=210+105; 54 km/h=15 m/s; time=21.00 s.

C. 21.0 - CORRECT: Correct. Total distance=210+105; 54 km/h=15 m/s; time=21.00 s.

D. 19.0 - INCORRECT: Incorrect: 19.0 ignores a condition or uses the wrong base. Total distance=210+105; 54 km/h=15 m/s; time=21.00 s.

Method / explanation: Total distance=210+105; 54 km/h=15 m/s; time=21.00 s.

Trap: To clear a platform, use train length plus platform length.

Q52. Answer: D | Speed and Distance

A boat's still-water speed is 13 km/h and stream speed is 5 km/h. How long does it take to travel 16 km upstream?

A. 0.8888888888888888 - INCORRECT: Incorrect: 0.8888888888888888 does not follow the stated data. Upstream speed=13-5=8 km/h; time=16/8=2 hours.

B. 8 - INCORRECT: Incorrect: 8 is an intermediate, sign or operation error. Upstream speed=13-5=8 km/h; time=16/8=2 hours.

C. 1.2307692307692308 - INCORRECT: Incorrect: 1.2307692307692308 ignores a condition or uses the wrong base. Upstream speed=13-5=8 km/h; time=16/8=2 hours.

D. 2 - CORRECT: Correct. Upstream speed=13-5=8 km/h; time=16/8=2 hours.

Method / explanation: Upstream speed=13-5=8 km/h; time=16/8=2 hours.

Trap: First obtain upstream speed, then divide distance by that speed.

Q53. Answer: A | Speed and Distance

A runner completes 6 laps of a square field of side 23 m in 12 minutes. What is the runner's speed in metres per minute?

A. 46.0 - CORRECT: Correct. Total distance=6x4x23; divide by 12 minutes to get 46.0 m/min.

B. 92 - INCORRECT: Incorrect: 92 does not follow the stated data. Total distance=6x4x23; divide by 12 minutes to get 46.0 m/min.

C. 44.083333333333336 - INCORRECT: Incorrect: 44.083333333333336 is an intermediate, sign or operation error. Total distance=6x4x23; divide by 12 minutes to get 46.0 m/min.

D. 15.333333333333334 - INCORRECT: Incorrect: 15.333333333333334 ignores a condition or uses the wrong base. Total distance=6x4x23; divide by 12 minutes to get 46.0 m/min.

Method / explanation: Total distance=6x4x23; divide by 12 minutes to get 46.0 m/min.

Trap: Compute total distance and total time before cancelling common factors.

Q54. Answer: B | Speed and Distance

A car covers 120 km at 43 km/h and 180 km at 63 km/h. What is average speed?

A. 53.0 - INCORRECT: Incorrect: 53.0 does not follow the stated data. Average speed = total distance/total time = 300/(120/43+180/63) = 53.12.

B. 53.12 - CORRECT: Correct. Average speed = total distance/total time = 300/(120/43+180/63) = 53.12.

C. 55.12 - INCORRECT: Incorrect: 55.12 is an intermediate, sign or operation error. Average speed = total distance/total time = 300/(120/43+180/63) = 53.12.

D. 51.12 - INCORRECT: Incorrect: 51.12 ignores a condition or uses the wrong base. Average speed = total distance/total time = 300/(120/43+180/63) = 53.12.

Method / explanation: Average speed = total distance/total time = 300/(120/43+180/63) = 53.12.

Trap: Speeds need time weights.

Q55. Answer: C | Data Interpretation

A table reports district outputs (A=95, B=107, C=119, D=131). What is the total?

A. 442 - INCORRECT: Incorrect: 442 does not follow the stated data. Add all four entries: 95+107+119+131=452.

B. 462 - INCORRECT: Incorrect: 462 is an intermediate, sign or operation error. Add all four entries: 95+107+119+131=452.

C. 452 - CORRECT: Correct. Add all four entries: 95+107+119+131=452.

D. 131 - INCORRECT: Incorrect: 131 ignores a condition or uses the wrong base. Add all four entries: 95+107+119+131=452.

Method / explanation: Add all four entries: 95+107+119+131=452.

Trap: Use every row exactly once.

Q56. Answer: D | Data Interpretation

Using the table (A=95, B=107, C=119, D=131), what is the difference between the highest and lowest values?

A. 131 - INCORRECT: Incorrect: 131 does not follow the stated data. Range = 131-95=36.

B. 95 - INCORRECT: Incorrect: 95 is an intermediate, sign or operation error. Range = 131-95=36.

C. 226 - INCORRECT: Incorrect: 226 ignores a condition or uses the wrong base. Range = 131-95=36.

D. 36 - CORRECT: Correct. Range = 131-95=36.

Method / explanation: Range = 131-95=36.

Trap: Range is a difference, not an endpoint.

Q57. Answer: A | Data Interpretation

Using the table (A=95, B=107, C=119, D=131), what is the average of the four values?

A. 113.0 - CORRECT: Correct. Average = 452/4=113.0.

B. 452 - INCORRECT: Incorrect: 452 does not follow the stated data. Average = 452/4=113.0.

C. 226.0 - INCORRECT: Incorrect: 226.0 is an intermediate, sign or operation error. Average = 452/4=113.0.

D. 36 - INCORRECT: Incorrect: 36 ignores a condition or uses the wrong base. Average = 452/4=113.0.

Method / explanation: Average = 452/4=113.0.

Trap: Divide the total by four.

Q58. Answer: B | Data Interpretation

Using the table (A=95, B=107, C=119, D=131), by what percentage does D exceed A?

A. 27.48 - INCORRECT: Incorrect: 27.48 does not follow the stated data. Percentage increase = (131-95)/95 x100.

B. 37.89 - CORRECT: Correct. Percentage increase = (131-95)/95 x100.

C. 36 - INCORRECT: Incorrect: 36 is an intermediate, sign or operation error. Percentage increase = (131-95)/95 x100.

D. 137.89 - INCORRECT: Incorrect: 137.89 ignores a condition or uses the wrong base. Percentage increase = (131-95)/95 x100.

Method / explanation: Percentage increase = (131-95)/95 x100.

Trap: Use the original value A as denominator.

Q59. Answer: C | Data Interpretation

Year 1 values are A=95, B=107, C=119, D=131; Year 2 values are A=118, B=125, C=132, D=139. Which district has the largest absolute increase?

A. B - INCORRECT: Incorrect: B does not follow the stated data. The increases are 23, 18, 13 and 8; A is largest.

B. C - INCORRECT: Incorrect: C is an intermediate, sign or operation error. The increases are 23, 18, 13 and 8; A is largest.

C. A - CORRECT: Correct. The increases are 23, 18, 13 and 8; A is largest.

D. D - INCORRECT: Incorrect: D ignores a condition or uses the wrong base. The increases are 23, 18, 13 and 8; A is largest.

Method / explanation: The increases are 23, 18, 13 and 8; A is largest.

Trap: Check absolute increases before comparing totals.

Q60. Answer: D | Data Interpretation

Using Year 2 (A=118, B=125, C=132, D=139), what fraction of the total belongs to B, rounded to two decimals?

A. 0.28 - INCORRECT: Incorrect: 0.28 does not follow the stated data. B's share = 125/514 = 0.24.

B. 4.11 - INCORRECT: Incorrect: 4.11 is an intermediate, sign or operation error. B's share = 125/514 = 0.24.

C. 0.23 - INCORRECT: Incorrect: 0.23 ignores a condition or uses the wrong base. B's share = 125/514 = 0.24.

D. 0.24 - CORRECT: Correct. B's share = 125/514 = 0.24.

Method / explanation: B's share = 125/514 = 0.24.

Trap: The denominator is the same-year total.

Q61. Answer: A | Data Interpretation

Using Year 1 (A=95, B=107, C=119, D=131), if each unit earns Rs 5, what is D's revenue?

A. 655 - CORRECT: Correct. Revenue = D units x rate = 131 x 5.

B. 136 - INCORRECT: Incorrect: 136 does not follow the stated data. Revenue = D units x rate = 131 x 5.

C. 131 - INCORRECT: Incorrect: 131 is an intermediate, sign or operation error. Revenue = D units x rate = 131 x 5.

D. 2260 - INCORRECT: Incorrect: 2260 ignores a condition or uses the wrong base. Revenue = D units x rate = 131 x 5.

Method / explanation: Revenue = D units x rate = 131 x 5.

Trap: Use D's value, not total output.

Q62. Answer: B | Data Interpretation

Using Year 1 (A=95, B=107, C=119, D=131), what is the ratio A:D in simplest form?

A. 131:95 - INCORRECT: Incorrect: 131:95 does not follow the stated data. Divide 95:131 by gcd 1.

B. 95:131 - CORRECT: Correct. Divide 95:131 by gcd 1.

C. 190:262 - INCORRECT: Incorrect: 190:262 is an intermediate, sign or operation error. Divide 95:131 by gcd 1.

D. 226:1 - INCORRECT: Incorrect: 226:1 ignores a condition or uses the wrong base. Divide 95:131 by gcd 1.

Method / explanation: Divide 95:131 by gcd 1.

Trap: Preserve the requested A-to-D order.

Q63. Answer: C | Logical Reasoning

All pilots are qualified. No person lacking that status may fly. Which conclusion necessarily follows?

A. Every qualified person is one of the pilots. - INCORRECT: Incorrect: Every qualified person is one of the pilots. does not follow the stated data. All pilots possess the stated status, so none can simultaneously lack it.

B. Some pilots lack that status. - INCORRECT: Incorrect: Some pilots lack that status. is an intermediate, sign or operation error. All pilots possess the stated status, so none can simultaneously lack it.

C. Every pilot is outside the class lacking that status. - CORRECT: Correct. All pilots possess the stated status, so none can simultaneously lack it.

D. No qualified person may fly. - INCORRECT: Incorrect: No qualified person may fly. ignores a condition or uses the wrong base. All pilots possess the stated status, so none can simultaneously lack it.

Method / explanation: All pilots possess the stated status, so none can simultaneously lack it.

Trap: Do not reverse a universal proposition.

Q64. Answer: D | Logical Reasoning

If each letter is shifted forward by 3, how is INDIA coded?

A. INDIA - INCORRECT: Incorrect: INDIA does not follow the stated data. Shift each letter independently by 3: INDIA -> LQGLD.

B. DLGQL - INCORRECT: Incorrect: DLGQL is an intermediate, sign or operation error. Shift each letter independently by 3: INDIA -> LQGLD.

C. JODJB - INCORRECT: Incorrect: JODJB ignores a condition or uses the wrong base. Shift each letter independently by 3: INDIA -> LQGLD.

D. LQGLD - CORRECT: Correct. Shift each letter independently by 3: INDIA -> LQGLD.

Method / explanation: Shift each letter independently by 3: INDIA -> LQGLD.

Trap: Do not reverse the word.

Q65. Answer: A | Logical Reasoning

Complete the series: 5, 7, 11, 17, ?

A. 25 - CORRECT: Correct. Successive increments are 2, 4, 6 and 8; next term is 25.

B. 24 - INCORRECT: Incorrect: 24 does not follow the stated data. Successive increments are 2, 4, 6 and 8; next term is 25.

C. 26 - INCORRECT: Incorrect: 26 is an intermediate, sign or operation error. Successive increments are 2, 4, 6 and 8; next term is 25.

D. 23 - INCORRECT: Incorrect: 23 ignores a condition or uses the wrong base. Successive increments are 2, 4, 6 and 8; next term is 25.

Method / explanation: Successive increments are 2, 4, 6 and 8; next term is 25.

Trap: Track differences, not ratios.

Q66. Answer: B | Logical Reasoning

Tara is the child of Kabir's only son. How is Tara related to Kabir?

A. Child - INCORRECT: Incorrect: Child does not follow the stated data. The only son is the parent, so Tara is the elder's grandchild.

B. Grandchild - CORRECT: Correct. The only son is the parent, so Tara is the elder's grandchild.

C. Niece or nephew - INCORRECT: Incorrect: Niece or nephew is an intermediate, sign or operation error. The only son is the parent, so Tara is the elder's grandchild.

D. Sibling - INCORRECT: Incorrect: Sibling ignores a condition or uses the wrong base. The only son is the parent, so Tara is the elder's grandchild.

Method / explanation: The only son is the parent, so Tara is the elder's grandchild.

Trap: Resolve one relationship at a time.

Q67. Answer: C | Logical Reasoning

Some clinics are public facilities. All public facilities are audited. Which conclusion follows?

A. All clinics are audited - INCORRECT: Incorrect: All clinics are audited does not follow the stated data. The members of clinics that are public facilities inherit the property audited.

B. No clinics are audited - INCORRECT: Incorrect: No clinics are audited is an intermediate, sign or operation error. The members of clinics that are public facilities inherit the property audited.

C. Some clinics are audited - CORRECT: Correct. The members of clinics that are public facilities inherit the property audited.

D. Some audited are not public facilities - INCORRECT: Incorrect: Some audited are not public facilities ignores a condition or uses the wrong base. The members of clinics that are public facilities inherit the property audited.

Method / explanation: The members of clinics that are public facilities inherit the property audited.

Trap: Do not universalise a particular premise.

Q68. Answer: D | Logical Reasoning

In a code, GOVERN is written as HPWFSO by shifting each letter forward once. How is PLANT written?

A. PLANT - INCORRECT: Incorrect: PLANT does not follow the stated data. Shift every letter of PLANT forward once to obtain QMBOU.

B. UOBMQ - INCORRECT: Incorrect: UOBMQ is an intermediate, sign or operation error. Shift every letter of PLANT forward once to obtain QMBOU.

C. AAAAA - INCORRECT: Incorrect: AAAAA ignores a condition or uses the wrong base. Shift every letter of PLANT forward once to obtain QMBOU.

D. QMBOU - CORRECT: Correct. Shift every letter of PLANT forward once to obtain QMBOU.

Method / explanation: Shift every letter of PLANT forward once to obtain QMBOU.

Trap: Apply the same shift to every letter.

Q69. Answer: A | Arrangements

K, L, M and N sit in a row. K is left of L; M is right of L; N is left of K. Who is second from the left?

A. K - CORRECT: Correct. The only order consistent with all relations is N-K-L-M.

B. L - INCORRECT: Incorrect: L does not follow the stated data. The only order consistent with all relations is N-K-L-M.

C. M - INCORRECT: Incorrect: M is an intermediate, sign or operation error. The only order consistent with all relations is N-K-L-M.

D. N - INCORRECT: Incorrect: N ignores a condition or uses the wrong base. The only order consistent with all relations is N-K-L-M.

Method / explanation: The only order consistent with all relations is N-K-L-M.

Trap: Build the full order before selecting a position.

Q70. Answer: B | Arrangements

Four tasks Seed, Sow, Weed and Harvest occur consecutively. Seed precedes Sow; Weed follows Sow; Harvest precedes Seed. Which task is third?

A. Seed - INCORRECT: Incorrect: Seed does not follow the stated data. The forced order is Harvest-Seed-Sow-Weed, so Sow is third.

B. Sow - CORRECT: Correct. The forced order is Harvest-Seed-Sow-Weed, so Sow is third.

C. Weed - INCORRECT: Incorrect: Weed is an intermediate, sign or operation error. The forced order is Harvest-Seed-Sow-Weed, so Sow is third.

D. Harvest - INCORRECT: Incorrect: Harvest ignores a condition or uses the wrong base. The forced order is Harvest-Seed-Sow-Weed, so Sow is third.

Method / explanation: The forced order is Harvest-Seed-Sow-Weed, so Sow is third.

Trap: Precedes means earlier, not immediately earlier unless stated.

Q71. Answer: C | Arrangements

Five persons stand by height. Jai is taller than Kiran but shorter than Lalit. Mohan is shorter than Kiran. Nitin is taller than Lalit. Who is tallest?

A. Lalit - INCORRECT: Incorrect: Lalit does not follow the stated data. The chain is Nitin > Lalit > Jai > Kiran > Mohan.

B. Jai - INCORRECT: Incorrect: Jai is an intermediate, sign or operation error. The chain is Nitin > Lalit > Jai > Kiran > Mohan.

C. Nitin - CORRECT: Correct. The chain is Nitin > Lalit > Jai > Kiran > Mohan.

D. Mohan - INCORRECT: Incorrect: Mohan ignores a condition or uses the wrong base. The chain is Nitin > Lalit > Jai > Kiran > Mohan.

Method / explanation: The chain is Nitin > Lalit > Jai > Kiran > Mohan.

Trap: Combine all comparisons into one chain.

Q72. Answer: D | Arrangements

Inspection is after Sowing but before Harvest. Seed purchase is before Sowing. Which is earliest?

A. Sowing - INCORRECT: Incorrect: Sowing does not follow the stated data. The order is Seed purchase, Sowing, Inspection, Harvest.

B. Inspection - INCORRECT: Incorrect: Inspection is an intermediate, sign or operation error. The order is Seed purchase, Sowing, Inspection, Harvest.

C. Harvest - INCORRECT: Incorrect: Harvest ignores a condition or uses the wrong base. The order is Seed purchase, Sowing, Inspection, Harvest.

D. Seed purchase - CORRECT: Correct. The order is Seed purchase, Sowing, Inspection, Harvest.

Method / explanation: The order is Seed purchase, Sowing, Inspection, Harvest.

Trap: Translate every before/after relation consistently.

Q73. Answer: A | Directions

A person faces North and turns right 3 time(s), each by 90 degrees. Which direction is faced?

A. West - CORRECT: Correct. Each right turn advances one step clockwise; 3 turn(s) gives West.

B. North - INCORRECT: Incorrect: North does not follow the stated data. Each right turn advances one step clockwise; 3 turn(s) gives West.

C. East - INCORRECT: Incorrect: East is an intermediate, sign or operation error. Each right turn advances one step clockwise; 3 turn(s) gives West.

D. South - INCORRECT: Incorrect: South ignores a condition or uses the wrong base. Each right turn advances one step clockwise; 3 turn(s) gives West.

Method / explanation: Each right turn advances one step clockwise; 3 turn(s) gives West.

Trap: Reduce turns modulo four.

Q74. Answer: B | Directions

A walker goes 9 km north and 12 km east. How far is the endpoint from the start?

A. 21 km - INCORRECT: Incorrect: 21 km does not follow the stated data. Displacement = sqrt(9^2+12^2)=15 km.

B. 15 km - CORRECT: Correct. Displacement = sqrt(9^2+12^2)=15 km.

C. 3 km - INCORRECT: Incorrect: 3 km is an intermediate, sign or operation error. Displacement = sqrt(9^2+12^2)=15 km.

D. 108 km - INCORRECT: Incorrect: 108 km ignores a condition or uses the wrong base. Displacement = sqrt(9^2+12^2)=15 km.

Method / explanation: Displacement = sqrt(9^2+12^2)=15 km.

Trap: Distance walked and displacement differ.

Q75. Answer: C | Directions

A person starts facing West, turns left, then turns left again. Which direction is now faced?

A. North - INCORRECT: Incorrect: North does not follow the stated data. Two left turns reverse the starting direction, giving East.

B. South - INCORRECT: Incorrect: South is an intermediate, sign or operation error. Two left turns reverse the starting direction, giving East.

C. East - CORRECT: Correct. Two left turns reverse the starting direction, giving East.

D. West - INCORRECT: Incorrect: West ignores a condition or uses the wrong base. Two left turns reverse the starting direction, giving East.

Method / explanation: Two left turns reverse the starting direction, giving East.

Trap: Track orientation after each turn.

Q76. Answer: D | Directions

A point B is 7 km south of A, and C is 7 km east of B. In which direction is C from A?

A. North-East - INCORRECT: Incorrect: North-East does not follow the stated data. Relative to A, C has positive east and negative north coordinates: south-east.

B. South-West - INCORRECT: Incorrect: South-West is an intermediate, sign or operation error. Relative to A, C has positive east and negative north coordinates: south-east.

C. North-West - INCORRECT: Incorrect: North-West ignores a condition or uses the wrong base. Relative to A, C has positive east and negative north coordinates: south-east.

D. South-East - CORRECT: Correct. Relative to A, C has positive east and negative north coordinates: south-east.

Method / explanation: Relative to A, C has positive east and negative north coordinates: south-east.

Trap: Use a simple coordinate sketch.

Q77. Answer: A | Data Sufficiency

What is x? Statement 1: x+5=14. Statement 2: 2x=18.

A. Each statement alone is sufficient. - CORRECT: Correct. Statement 1 gives x=9; statement 2 also gives x=9. Each alone is sufficient.

B. Statement 1 alone is sufficient, but statement 2 alone is not. - INCORRECT: Incorrect: Statement 1 alone is sufficient, but statement 2 alone is not. does not follow the stated data. Statement 1 gives x=9; statement 2 also gives x=9. Each alone is sufficient.

C. Statement 2 alone is sufficient, but statement 1 alone is not. - INCORRECT: Incorrect: Statement 2 alone is sufficient, but statement 1 alone is not. is an intermediate, sign or operation error. Statement 1 gives x=9; statement 2 also gives x=9. Each alone is sufficient.

D. Both statements together are sufficient, but neither alone is sufficient. - INCORRECT: Incorrect: Both statements together are sufficient, but neither alone is sufficient. ignores a condition or uses the wrong base. Statement 1 gives x=9; statement 2 also gives x=9. Each alone is sufficient.

Method / explanation: Statement 1 gives x=9; statement 2 also gives x=9. Each alone is sufficient.

Trap: Test each statement separately before combining.

Q78. Answer: B | Data Sufficiency

What is the area of a rectangle? Statement 1: its length is 10 cm. Statement 2: its breadth is 7 cm.

A. Statement 1 alone is sufficient, but statement 2 alone is not. - INCORRECT: Incorrect: Statement 1 alone is sufficient, but statement 2 alone is not. does not follow the stated data. Area requires both length and breadth; neither statement alone is enough.

B. Both statements together are sufficient, but neither alone is sufficient. - CORRECT: Correct. Area requires both length and breadth; neither statement alone is enough.

C. Statement 2 alone is sufficient, but statement 1 alone is not. - INCORRECT: Incorrect: Statement 2 alone is sufficient, but statement 1 alone is not. is an intermediate, sign or operation error. Area requires both length and breadth; neither statement alone is enough.

D. Each statement alone is sufficient. - INCORRECT: Incorrect: Each statement alone is sufficient. ignores a condition or uses the wrong base. Area requires both length and breadth; neither statement alone is enough.

Method / explanation: Area requires both length and breadth; neither statement alone is enough.

Trap: Do not import an unstated shape relation.

Q79. Answer: C | Data Sufficiency

Is integer n even? Statement 1: n is divisible by 16. Statement 2: n is divisible by 8.

A. Statement 1 alone is sufficient, but statement 2 alone is not. - INCORRECT: Incorrect: Statement 1 alone is sufficient, but statement 2 alone is not. does not follow the stated data. Either divisibility condition independently implies n is even.

B. Statement 2 alone is sufficient, but statement 1 alone is not. - INCORRECT: Incorrect: Statement 2 alone is sufficient, but statement 1 alone is not. is an intermediate, sign or operation error. Either divisibility condition independently implies n is even.

C. Each statement alone is sufficient. - CORRECT: Correct. Either divisibility condition independently implies n is even.

D. Both statements together are sufficient, but neither alone is sufficient. - INCORRECT: Incorrect: Both statements together are sufficient, but neither alone is sufficient. ignores a condition or uses the wrong base. Either divisibility condition independently implies n is even.

Method / explanation: Either divisibility condition independently implies n is even.

Trap: Sufficiency does not require both statements to be equally strong.

Q80. Answer: D | Data Sufficiency

What is y? Statement 1: y is positive. Statement 2: y^2=81.

A. Statement 1 alone is sufficient, but statement 2 alone is not. - INCORRECT: Incorrect: Statement 1 alone is sufficient, but statement 2 alone is not. does not follow the stated data. Statement 2 gives y=plus or minus 9; statement 1 selects y=9. Together they are sufficient.

B. Statement 2 alone is sufficient, but statement 1 alone is not. - INCORRECT: Incorrect: Statement 2 alone is sufficient, but statement 1 alone is not. is an intermediate, sign or operation error. Statement 2 gives y=plus or minus 9; statement 1 selects y=9. Together they are sufficient.

C. Each statement alone is sufficient. - INCORRECT: Incorrect: Each statement alone is sufficient. ignores a condition or uses the wrong base. Statement 2 gives y=plus or minus 9; statement 1 selects y=9. Together they are sufficient.

D. Both statements together are sufficient, but neither alone is sufficient. - CORRECT: Correct. Statement 2 gives y=plus or minus 9; statement 1 selects y=9. Together they are sufficient.

Method / explanation: Statement 2 gives y=plus or minus 9; statement 1 selects y=9. Together they are sufficient.

Trap: A square equation has two real roots unless sign is fixed.

END OF DETAILED SOLUTIONS