ASCII MASTER FLOW — PANEL 1/12: Category boundary

```
LAKE -> standing water in an inland basin
RESERVOIR -> artificial or strongly regulated storage
WETLAND -> broader hydrological-ecological category
RAMSAR SITE -> international designation, not basin origin
MUST REMEMBER: Lake classification must follow basin origin—tectonic, volcanic, glacial,
  fluvial, karst, coastal, aeolian, landslide or artificial—then water balance, mixing,
  sediment and succession; Indian wetlands add Ramsar and domestic-governance layers.
```

ASCII MASTER FLOW — PANEL 2/12: Lake-origin tree

```
EARTH MOVEMENT -> tectonic or volcanic basin
ICE / RIVER / COAST -> tarn, ox-bow or lagoon
BLOCKAGE / IMPACT -> landslide dam or crater
HUMAN WORK -> reservoir, bund or excavation
```

ASCII MASTER FLOW — PANEL 3/12: Water-budget equation

```
INPUT -> rain + river + groundwater
OUTPUT -> evaporation + outflow + seepage
STORAGE CHANGE -> inputs minus outputs
ATTRIBUTION -> state period, basin and uncertainty
```

ASCII MASTER FLOW — PANEL 4/12: Lake-change firewall

SUCCESSION -> sediment and organic infilling
EUTROPHICATION -> nutrient-productivity-oxygen shift
SHRINKAGE -> water-budget deficit
RULE -> similar appearance can hide different mechanisms

ASCII MASTER FLOW — PANEL 5/12: Wetland hydroperiod

```
TIMING -> season of inundation
DURATION -> how long water remains
DEPTH + FREQUENCY -> habitat filter
CONNECTIVITY -> river, aquifer or coast link
```

ASCII MASTER FLOW — PANEL 6/12: India lake map

```
WULAR -> Jhelum-linked Kashmir basin
SAMBHAR -> saline Rajasthan closed basin
CHILIKA -> Odisha coastal lagoon
LONAR / KANWAR / BHOJ -> impact / fluvial / artificial
```

ASCII MASTER FLOW — PANEL 7/12: River-lake traps

```
WULAR -> linked to Jhelum
KOLLERU -> between Krishna and Godavari deltas
LOKTAK -> phumdi-bearing lake
RULE -> adjacency does not prove direct feeding
```

ASCII MASTER FLOW — PANEL 8/12: Urban reclamation chain

FILL / NARROW -> storage and drainage lost
RUNOFF -> flood peak and duration rise
POLLUTION -> dilution and habitat decline
EQUITY -> low-lying communities bear shifted risk

ASCII MASTER FLOW — PANEL 9/12: Threat-response matrix

```
SEWAGE / NUTRIENT -> source control + treatment
SEDIMENT -> catchment and erosion management
ENCROACHMENT -> protect hydrological space
INVASIVE / ALTERED FLOW -> ecological and flow restoration
```

ASCII MASTER FLOW — PANEL 10/12: Ramsar status firewall

```
CRITERION -> at least one can support listing
WISE USE -> maintain ecological character
MONTREUX -> priority attention to character change
LIMIT -> listing is not automatic National Park status
CLOSE DISTINCTION: Lake, lagoon, oxbow, reservoir and wetland are not synonyms;
  freshwater/saline and exorheic/endorheic are separate axes, while Ramsar designation is
  international recognition rather than ownership transfer or automatic protection.
```

ASCII MASTER FLOW — PANEL 11/12: India governance chain

```
INVENTORY -> identify and delineate system
NOTIFICATION / RULES -> regulate activities
PLAN / NPCA -> finance and implement management
MONITOR -> prove ecological response
EVIDENCE LIMIT: Area, designation count and ecological status are time-sensitive; shrinkage or
  eutrophication needs inflow, evaporation, abstraction, nutrients, encroachment and catchment
  evidence rather than one-cause attribution.
```

ASCII MASTER FLOW — PANEL 12/12: Lake-wetland answer spine

```
DEFINE -> basin, wetland and status
CLASSIFY -> origin and hydrology
DIAGNOSE -> budget, nutrient or connectivity failure
RESPOND -> basin-scale, monitored and status-aware
```