WARM TEMPERATE EASTERN MARGIN CHINA TYPE

EASTERN-MARGIN WORLD MAP → PRESSURE-REVERSAL MECHANISM → THREE SUB-TYPES COMPARISON → EAST-WEST RAINFALL ASYMMETRY → TYPHOON TRACK MAP → AGRICULTURE-HAZARD DUALITY

Read the thick cyan rail from Stage 00 to the final core synthesis. Each card uses a concept-appropriate structure; the grey E card is optional enrichment only and never repairs missing core content.

● PRIMARY CORE FLOW | ● SUBORDINATE EXTRA | ● APPROVAL / REVIEW

Approval: FALSE • Pending user review • source generation g5 and all prior artifacts unchanged

CORE BEFORE EXTRA • prior artefacts unchanged • exact same master drives poster and tiles

00

STAGE 00 EASTERN-MARGIN WORLD MAP

EASTERN-MARGIN WORLD MAP | CENTRAL AND NORTH CHINA + SOUTHERN JAPAN | TEMPERATE MONSOONAL | SE UNITED STATES | GULF TYPE | SLIGHT-MONSOONAL, GULF OF MEXICO COAST | NATAL + E AUSTRALIA + SE S. AMERICA | NON-MONSOONAL SOUTHERN HEMISPHERE

CHINA → central and north China + southern Japan: temperate monsoonal

SE UNITED STATES → Gulf type: slight-monsoonal, Gulf of Mexico coast → NATAL + E AUSTRALIA + SE S. AMERICA → non-monsoonal southern hemisphere → WESTERN MARGIN (same latitude) → Mediterranean: summer drought contrast

CORE CLAIM
- CHINA → central and north China + southern Japan: temperate monsoonal
- SE UNITED STATES → Gulf type: slight-monsoonal, Gulf of Mexico coast

MECHANISM
- NATAL + E AUSTRALIA + SE S. AMERICA → non-monsoonal southern hemisphere
- WESTERN MARGIN (same latitude) → Mediterranean: summer drought contrast

CONSEQUENCE / LIMIT
- MUST REMEMBER: Warm temperate eastern-margin China type combines humid subtropical latitude, onshore summer flow, convection/cyclones and winter
- continental influence, producing hot wet summers, cooler winters and mixed crops/forests in East Asia and analogous margins.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: MUST REMEMBER: Warm temperate eastern-margin China type combines humid subtropical latitude, onshore summer flow, convection/cyclones and winter continental influence, producing hot wet summers, cooler winters and mixed crops/forests in East Asia and analogous margins.

01

STAGE 01 PRESSURE-REVERSAL MECHANISM

PRESSURE-REVERSAL MECHANISM | INTENSE HEATING OVER ASIAN INTERIOR | LOW PRESSURE | TROPICAL PACIFIC AIR STREAM DRAWN ONSHORE | SUMMER RAIN | COOLING OVER CONTINENTAL MASS | HIGH PRESSURE | COLD DRY AIR MOVES OFFSHORE

CORE CLAIM
- SUMMER → intense heating over Asian interior → low pressure
- INFLOW → tropical Pacific air stream drawn onshore → summer rain

MECHANISM
- WINTER → cooling over continental mass → high pressure
- OUTFLOW → cold dry air moves offshore → drier, cooler winter

CONSEQUENCE / LIMIT
- SUMMER → intense heating over Asian interior → low pressure
- INFLOW → tropical Pacific air stream drawn onshore → summer rain

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: OUTFLOW → cold dry air moves offshore → drier, cooler winter.

02

STAGE 02 THREE SUB-TYPES COMPARISON

THREE SUB-TYPES COMPARISON | CHINA TYPE | TEMPERATE MONSOONAL, HARSHEST WINTER (LARGE ASIAN LANDMASS) | GULF TYPE | SLIGHT-MONSOONAL, SE USA, MODERATE WINTER | NATAL TYPE | NON-MONSOONAL, SOUTHERN HEMISPHERE, MILDEST WINTER | WINTER SEVERITY DEPENDS ON SIZE OF ADJOINING CONTINENTAL MASS

CORE CLAIM	MECHANISM	CONSEQUENCE / LIMIT
CHINA TYPE → temperate monsoonal, harshest winter (large Asian landmass)	NATAL TYPE → non-monsoonal, southern hemisphere, mildest winter	CHINA TYPE → temperate monsoonal, harshest winter (large Asian landmass)
GULF TYPE → slight-monsoonal, SE USA, moderate winter	CAUSE → winter severity depends on size of adjoining continental mass	GULF TYPE → slight-monsoonal, SE USA, moderate winter

CORE CLAIM
- CHINA TYPE → temperate monsoonal, harshest winter (large Asian landmass)
- GULF TYPE → slight-monsoonal, SE USA, moderate winter

MECHANISM
- NATAL TYPE → non-monsoonal, southern hemisphere, mildest winter
- CAUSE → winter severity depends on size of adjoining continental mass

CONSEQUENCE / LIMIT
- CHINA TYPE → temperate monsoonal, harshest winter (large Asian landmass)
- GULF TYPE → slight-monsoonal, SE USA, moderate winter

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CAUSE → winter severity depends on size of adjoining continental mass.

03

STAGE 03 EAST-WEST RAINFALL ASYMMETRY

EAST-WEST RAINFALL ASYMMETRY | EASTERN MARGIN | SUMMER RAIN FROM ONSHORE FLOW, NO SUMMER DROUGHT | WESTERN MARGIN | SUMMER DROUGHT UNDER SUBTROPICAL HIGH, WINTER RAIN | SAME LATITUDE, OPPOSITE PRESSURE-WIND REGIME | HIGHEST-VALUE COMPARISON | IN THE WARM TEMPERATE LATITUDE BELT

CORE CLAIM	MECHANISM	CONSEQUENCE / LIMIT

• GULF TYPE → slight-monsoonal, SE USA, moderate winter

• CAUSE → winter severity depends on size of adjoining continental mass

• GULF TYPE → slight-monsoonal, SE USA, moderate winter

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CAUSE → winter severity depends on size of adjoining continental mass.

03

STAGE 03

EAST-WEST RAINFALL ASYMMETRY

EAST-WEST RAINFALL ASYMMETRY | EASTERN MARGIN | SUMMER RAIN FROM ONSHORE FLOW, NO SUMMER DROUGHT | WESTERN MARGIN | SUMMER DROUGHT UNDER SUBTROPICAL HIGH, WINTER RAIN | SAME LATITUDE, OPPOSITE PRESSURE-WIND REGIME | HIGHEST-VALUE COMPARISON | IN THE WARM TEMPERATE LATITUDE BELT

CORE CLAIM	MECHANISM	CONSEQUENCE / LIMIT
EASTERN MARGIN → summer rain from onshore flow, no summer drought	MECHANISM → same latitude, opposite pressure-wind regime	EASTERN MARGIN → summer rain from onshore flow, no summer drought
WESTERN MARGIN → summer drought under subtropical high, winter rain	HIGHEST-VALUE COMPARISON → in the warm temperate latitude belt	WESTERN MARGIN → summer drought under subtropical high, winter rain

CORE CLAIM
• EASTERN MARGIN → summer rain from onshore flow, no summer drought
• WESTERN MARGIN → summer drought under subtropical high, winter rain

MECHANISM
• MECHANISM → same latitude, opposite pressure-wind regime
• HIGHEST-VALUE COMPARISON → in the warm temperate latitude belt

CONSEQUENCE / LIMIT
• EASTERN MARGIN → summer rain from onshore flow, no summer drought
• WESTERN MARGIN → summer drought under subtropical high, winter rain

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: HIGHEST-VALUE COMPARISON → in the warm temperate latitude belt.

04

STAGE 04

TYPHOON TRACK MAP

TYPHOON TRACK MAP | WARM WESTERN PACIFIC OCEAN, LOW-LATITUDE GENESIS | WESTWARD TOWARD SOUTH CHINA SEA COASTS | LATE SUMMER, JULY TO SEPTEMBER PEAK | WIND, SURGE AND FLOOD ON DENSELY SETTLED COASTAL PLAINS

ORIGIN → warm western Pacific Ocean, low-latitude genesis

TRACK → westward toward South China Sea coasts → SEASON → late summer, July to September peak → IMPACT → wind, surge and flood on densely settled coastal plains

CORE CLAIM
• ORIGIN → warm western Pacific Ocean, low-latitude genesis
• TRACK → westward toward South China Sea coasts

MECHANISM
• SEASON → late summer, July to September peak
• IMPACT → wind, surge and flood on densely settled coastal plains

CONSEQUENCE / LIMIT
• ORIGIN → warm western Pacific Ocean, low-latitude genesis
• TRACK → westward toward South China Sea coasts

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: IMPACT → wind, surge and flood on densely settled coastal plains.

05

STAGE 05

AGRICULTURE-HAZARD DUALITY

AGRICULTURE-HAZARD DUALITY | SUMMER INFLOW | WARM MOIST AIR GIVES LONG WET GROWING SEASON | RICE, TEA, SUGAR-CANE, MAIZE | DENSE RURAL POPULATION | SAME MECHANISM | BRINGS TYPHOONS, FLOODS AND SURGES | RICHNESS AND HAZARD ARISE FROM THE SAME MARITIME SOURCE

SUMMER INFLOW → warm moist air gives long wet growing season → RESULT → rice, tea, sugar-cane, maize: dense rural population → SAME MECHANISM → brings typhoons, floods and surges → PARADOX → richness and hazard arise from the same maritime source

CORE CLAIM
• SUMMER INFLOW → warm moist air gives long wet growing season
• RESULT → rice, tea, sugar-cane, maize: dense rural population

MECHANISM
• SAME MECHANISM → brings typhoons, floods and surges
• PARADOX → richness and hazard arise from the same maritime source

CONSEQUENCE / LIMIT
• SUMMER INFLOW → warm moist air gives long wet growing season
• RESULT → rice, tea, sugar-cane, maize: dense rural population

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: PARADOX → richness and hazard arise from the same maritime source.

06

STAGE 06

INDIA HUMID EASTERN-MARGIN MAP

INDIA HUMID EASTERN-MARGIN MAP | BENGAL PLAIN | WEST BENGAL PLAIN, ABOUT 150 CM BAY-OF-BENGAL MONSOON | BRAHMAPUTRA VALLEY | ASSAM, HOT SUB-HUMID TO PERHUMID | NE INDIA (R.L. SINGH) | NE EXCEPT TRIPURA, SIKKIM, NW W. BENGAL | ABOVE 200 CM IN HUMID NE; JULY 25-33 C

BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon

BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid → NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal → RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

CORE CLAIM
• BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon
• BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

MECHANISM
• NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal
• RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

CONSEQUENCE / LIMIT
• BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon
• BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

06

STAGE 06 INDIA HUMID EASTERN-MARGIN MAP

INDIA HUMID EASTERN-MARGIN MAP · BENGAL PLAIN · WEST BENGAL PLAIN, ABOUT 150 CM BAY-OF-BENGAL MONSOON · BRAHMAPUTRA VALLEY · ASSAM, HOT SUB-HUMID TO PERHUMID · NE INDIA (R.L. SINGH) · NE EXCEPT TRIPURA, SIKKIM, NW W. BENGAL · ABOVE 200 CM IN HUMID NE; JULY 25-33 C

BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon

BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid → NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal → RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

CORE CLAIM
- BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon
- BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

MECHANISM
- NE INDIA (R.L. Singh) → NE except Tripura, Sikkim, NW W. Bengal
- RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C

CONSEQUENCE / LIMIT
- BENGAL PLAIN → West Bengal plain, about 150 cm Bay-of-Bengal monsoon
- BRAHMAPUTRA VALLEY → Assam, hot sub-humid to perhumid

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: RAINFALL → above 200 cm in Humid NE; July 25-33 C, Jan 10-25 C.

07

STAGE 07 MONSOON-BRANCH DISCRIMINATOR

MONSOON-BRANCH DISCRIMINATOR · WHICH MONSOON BRANCH SERVES NE INDIA? · BAY OF BENGAL BRANCH · CORRECT FOR BENGAL-BRAHMAPUTRA REGION · ARABIAN SEA BRANCH · SERVES WESTERN COAST, NOT NE INDIA · EXAM TRAP · THIS IS A STANDARD CLOSE-OPTION PRELIMS DISCRIMINATOR

QUESTION: which monsoon branch serves NE India?

BAY OF BENGAL BRANCH → correct for Bengal-Brahmaputra region → ARABIAN SEA BRANCH → serves western coast, NOT NE India → EXAM TRAP → this is a standard close-option Prelims discriminator

CORE CLAIM
- QUESTION: which monsoon branch serves NE India?
- BAY OF BENGAL BRANCH → correct for Bengal-Brahmaputra region

MECHANISM
- ARABIAN SEA BRANCH → serves western coast, NOT NE India
- EXAM TRAP → this is a standard close-option Prelims discriminator

CONSEQUENCE / LIMIT
- QUESTION: which monsoon branch serves NE India?
- BAY OF BENGAL BRANCH → correct for Bengal-Brahmaputra region

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: EXAM TRAP → this is a standard close-option Prelims discriminator.

08

STAGE 08 FLOOD-FERTILITY PARADOX

FLOOD-FERTILITY PARADOX · HEAVY MONSOON RAIN · ANNUAL FLOODING OF BRAHMAPUTRA FLOODPLAIN · ALLUVIAL FERTILITY RENEWS RICE-TEA ECONOMY EACH YEAR · BANK EROSION, DISPLACEMENT, CROP LOSS, INFRASTRUCTURE DAMAGE · FLOOD MANAGEMENT MUST PRESERVE FERTILITY, NOT EXCLUDE WATER

HEAVY MONSOON RAIN → annual flooding of Brahmaputra floodplain → POSITIVE → alluvial fertility renews rice-tea economy each year → NEGATIVE → bank erosion, displacement, crop loss, infrastructure damage → CONCLUSION → flood management must preserve fertility, not exclude water

CORE CLAIM
- HEAVY MONSOON RAIN → annual flooding of Brahmaputra floodplain
- POSITIVE → alluvial fertility renews rice-tea economy each year

MECHANISM
- NEGATIVE → bank erosion, displacement, crop loss, infrastructure damage
- CONCLUSION → flood management must preserve fertility, not exclude water

CONSEQUENCE / LIMIT
- HEAVY MONSOON RAIN → annual flooding of Brahmaputra floodplain
- POSITIVE → alluvial fertility renews rice-tea economy each year

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CONCLUSION → flood management must preserve fertility, not exclude water.

09

STAGE 09 TEA-INDUSTRY VULNERABILITY

TEA-INDUSTRY VULNERABILITY · CENTRAL TO INDIA'S TEA OUTPUT, WORLD'S 2ND-LARGEST PRODUCER · ERRATIC RAINFALL, DROUGHT, FLOOD · SECOND-FLUSH CROP LOSSES · HUMID EASTERN-MARGIN MONSOON REGIME VARIABILITY · CLIMATE CHANGE LINKS TO NE LIVELIHOODS AND EXPORT CROP · CLOSE DISTINCTION · CHINA TYPE IS AN EASTERN-MARGIN CLIMATE LABEL, NOT CHINA'S

CORE CLAIM	MECHANISM	CONSEQUENCE / LIMIT
ASSAM → central to India's tea output, world's 2nd-largest producer	CAUSE → humid eastern-margin monsoon regime variability	CLOSE DISTINCTION: China type is an eastern-margin climate label, not China's entire climate
RISK → erratic rainfall, drought, flood: second-flush crop losses	SIGNIFICANCE → climate change links to NE livelihoods and export crop	it differs from tropical monsoon by winter temperature and from Laurentian by warmer conditions and different ocean-current/air-mass relations.

CORE CLAIM
- ASSAM → central to India's tea output, world's 2nd-largest producer
- RISK → erratic rainfall, drought, flood: second-flush crop losses

MECHANISM
- CAUSE → humid eastern-margin monsoon regime variability
- SIGNIFICANCE → climate change links to NE livelihoods and export crop

CONSEQUENCE / LIMIT
- CLOSE DISTINCTION: China type is an eastern-margin climate label, not China's entire climate
- it differs from tropical monsoon by winter temperature and from Laurentian by warmer conditions and different ocean-current/air-mass relations.

TEA-INDUSTRY VULNERABILITY · CENTRAL TO INDIA'S TEA OUTPUT, WORLD'S 2ND-LARGEST PRODUCER · ERRATIC RAINFALL, DROUGHT, FLOOD · SECOND-FLUSH CROP LOSSES · HUMID EASTERN-MARGIN MONSOON REGIME VARIABILITY · CLIMATE CHANGE LINKS TO NE LIVELIHOODS AND EXPORT CROP

CLOSE DISTINCTION · CHINA TYPE IS AN EASTERN-MARGIN CLIMATE LABEL, NOT CHINA'S

CORE CLAIM	MECHANISM	CONSEQUENCE / LIMIT
ASSAM → central to India's tea output, world's 2nd-largest producer	CAUSE → humid eastern-margin monsoon regime variability	CLOSE DISTINCTION: China type is an eastern-margin climate label, not China's entire climate
RISK → erratic rainfall, drought, flood: second-flush crop losses	SIGNIFICANCE → climate change links to NE livelihoods and export crop	it differs from tropical monsoon by winter temperature and from Laurentian by warmer conditions and different ocean-current/air-mass relations.

CORE CLAIM

- ASSAM → central to India's tea output, world's 2nd-largest producer
- RISK → erratic rainfall, drought, flood: second-flush crop losses

MECHANISM

- CAUSE → humid eastern-margin monsoon regime variability
- SIGNIFICANCE → climate change links to NE livelihoods and export crop

CONSEQUENCE / LIMIT

- CLOSE DISTINCTION: China type is an eastern-margin climate label, not China's entire climate
- it differs from tropical monsoon by winter temperature and from Laurentian by warmer conditions and different ocean-current/air-mass relations.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: it differs from tropical monsoon by winter temperature and from Laurentian by warmer conditions and different ocean-current/air-mass relations.

10

STAGE 10 TREWARTHA CLASSIFICATION NOTE

TREWARTHA CLASSIFICATION NOTE · HUMID MESOTHERMAL AND TROPICAL-HUMID TYPES IN INDIA · H CLASS · UNDIFFERENTIATED HIGHLAND FOR ELEVATED REGIONS · NE BELT · SPANS SEVERAL CODES DEPENDING ON ELEVATION AND SCHEME · DO NOT FORCE ENTIRE REGION INTO ONE CWG OR · EVIDENCE LIMIT

CORE CLAIM	MECHANISM	CONSEQUENCE / LIMIT
TREWARTHA → humid mesothermal and tropical-humid types in India	NE BELT → spans several codes depending on elevation and scheme	EVIDENCE LIMIT: East-margin similarity does not erase monsoon, current and topographic differences
H CLASS → undifferentiated highland for elevated regions	CAUTION → do not force entire region into one Cwg or Amw code	Northeast India is an anchored comparison whose altitude and exceptional rainfall prevent one-code generalisation.

CORE CLAIM

- TREWARTHA → humid mesothermal and tropical-humid types in India
- H CLASS → undifferentiated highland for elevated regions

MECHANISM

- NE BELT → spans several codes depending on elevation and scheme
- CAUTION → do not force entire region into one Cwg or Amw code

CONSEQUENCE / LIMIT

- EVIDENCE LIMIT: East-margin similarity does not erase monsoon, current and topographic differences
- Northeast India is an anchored comparison whose altitude and exceptional rainfall prevent one-code generalisation.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: EVIDENCE LIMIT: East-margin similarity does not erase monsoon, current and topographic differences; Northeast India is an anchored comparison whose altitude and exceptional rainfall prevent one-code generalisation.

11

STAGE 11 CHINA-TYPE ANSWER SPINE

CHINA-TYPE ANSWER SPINE · WARM TEMPERATE EASTERN MARGIN WITH SUMMER-RAIN REGIME · EAST VS WEST MARGIN AT SAME LATITUDE (HIGHEST-VALUE CONTRAST) · PRESSURE REVERSAL, SUB-TYPES, AGRICULTURE-HAZARD DUALITY · INDIA'S BENGAL-NE AS THE CHINA-TYPE ANALOGUE WITH FLOOD-FERTILITY PARADOX

DEFINE → warm temperate eastern margin with summer-rain regime → **COMPARE → east vs west margin at same latitude (highest-value contrast)** → **EXPLAIN → pressure reversal, sub-types, agriculture-hazard duality** → **APPLY → India's Bengal-NE as the China-type analogue with flood-fertility paradox**

CORE CLAIM

- DEFINE → warm temperate eastern margin with summer-rain regime
- COMPARE → east vs west margin at same latitude (highest-value contrast)

MECHANISM

- EXPLAIN → pressure reversal, sub-types, agriculture-hazard duality
- APPLY → India's Bengal-NE as the China-type analogue with flood-fertility paradox

CONSEQUENCE / LIMIT

- DEFINE → warm temperate eastern margin with summer-rain regime
- COMPARE → east vs west margin at same latitude (highest-value contrast)

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: APPLY → India's Bengal-NE as the China-type analogue with flood-fertility paradox.

E

EXTRA SUBORDINATE ENRICHMENT — ONLY AFTER THE COMPLETE CORE

OPTIONAL ADVANCED ENRICHMENT · HUMID NORTH-EAST (R.L. SINGH) · NE INDIA (EXCEPT TRIPURA) + SIKKIM + NW WEST · JULY TEMP 25–33°C , JANUARY 10–25°C IN THE HUMID · BENGAL & ASSAM PLAIN (KHULLAR) · ~150 CM FROM THE BAY-OF-BENGAL MONSOON BRANCH ; RICE · TREWARTHA'S INDIA SCHEME ADDS AN H HIGHLAND CLASS. · NE INDIA RAIN COMES FROM THE ARABIAN-SEA BRANCH

OPTIONAL SOURCE DEPTH

- Humid North-East (R.L. Singh): NE India (except Tripura) + Sikkim + NW West Bengal; 200 cm rain.
- July temp 25–33°C , January 10–25°C in the Humid NE.
- Bengal & Assam Plain (Khullar): ~150 cm from the Bay-of-Bengal monsoon branch ; rice economy.
- Trewartha's India scheme adds an H highland class.

ADVANCED DEBATE

- NOT: NE India rain comes from the Arabian-Sea branch → it is the Bay-of-Bengal branch .
- NOT: Tripura is part of the "Humid North-East" division → R.L. Singh's division excludes Tripura .
- The Brahmaputra valley's flood–fertility paradox: how the same monsoon regime that sustains rice and
- Climate change and India's tea belt: erratic rainfall, droughts and floods threatening a key export

LEGACY / NUANCE

- Subject: Geography · Tier: Advanced (India-applied) · GS Paper: GS-I Grounded in: D.R.
- Khullar, India: A Comprehensive Geography + Majid Husain, India geography + verified CA.
- = from source book · CAUTION: = inference / standard knowledge · = current affairs.
- The Humid North-East (Majid Husain / R.L.

OPTIONAL STATUS — This optional depth is unnecessary for a competent core answer; use it only for added nuance after the complete core has been written.

END OF MASTER CANVAS • poster embeds this exact master • tiled pages are overlapping crops of the same pixels