

ASCII MASTER FLOW – PANEL 1/12: British-type world map

NW EUROPE -> Britain, France, Belgium, Netherlands, Denmark, Norway

NORTH AMERICA -> British Columbia coast (Rockies block inland)

SOUTHERN HEMISPHERE -> S. Chile, Tasmania, NZ South Island

LATITUDE BELT -> about 45-65 degrees N and S

MUST REMEMBER: Cool temperate western-margin British type follows year-round westerlies, maritime moderation, frequent frontal cyclones and orographic rain, producing mild winters, cool summers, small annual range and deciduous/mixed vegetation.

MUST REMEMBER: Cool temperate western-margin British type follows year-round westerlies, maritime moderation, frequent frontal cyclones and orographic rain, producing mild winters, cool summers, small annual range and deciduous/mixed vegetation.

ASCII MASTER FLOW – PANEL 2/12: Westerly-ocean mechanism

WESTERLIES -> permanent onshore flow from warm ocean

NORTH ATLANTIC DRIFT -> warm current on seaward side

CYCLONIC ACTIVITY -> travelling frontal depressions

RESULT -> mild winters, cool summers, small annual range, rain all year

ASCII MASTER FLOW – PANEL 3/12: Rockies-barrier contrast

NW EUROPE -> no major barrier, oceanic influence far inland

NORTH AMERICA -> Rockies block Westerlies, narrow BC coastal strip

SOUTHERN HEMISPHERE -> narrow landmasses, strong maritime influence

CAUSE -> mountain barriers and land width determine inland reach

ASCII MASTER FLOW – PANEL 4/12: East-west asymmetry diagram

WESTERN MARGIN -> onshore Westerlies, warm current, mild/small range
EASTERN MARGIN -> offshore Westerlies, cold current, cold/large range
WESTERN RAIN -> all year, autumn-winter max, frontal depressions
EASTERN RAIN -> summer max, winter snow, ports freeze

ASCII MASTER FLOW – PANEL 5/12: Four-type comparison matrix

BRITISH -> mild winter, cool summer, small range, all-year rain

LAURENTIAN -> cold winter, warm summer, large range, summer rain

SIBERIAN -> bitterly cold winter, short summer, very large range

CHINA TYPE -> cool-cold winter, hot summer, large range, monsoon rain

ASCII MASTER FLOW – PANEL 6/12: Fog-fisheries mechanism

WARM CURRENT meets COLD CURRENT -> air chilled from below

RESULT -> dense persistent fog (navigation hazard)

MIXING + NUTRIENT SUPPLY -> over broad shallow continental shelf

RESULT -> major fishing ground (but productivity depends on catch levels)

ASCII MASTER FLOW – PANEL 7/12: Deciduous-vegetation identity

BRITISH TYPE -> deciduous: oak, ash, beech, elm, birch

LAURENTIAN -> mixed and coniferous forest

SIBERIAN -> taiga (boreal coniferous)

EXAM TRAP -> British type is deciduous, NOT coniferous

ASCII MASTER FLOW – PANEL 8/12: Maritime economy

DAIRYING + MIXED FARMING -> long grass-growing season, reliable moisture

ICE-FREE PORTS -> year-round trade and shipping

TEMPERATE CEREALS -> reliable growing conditions

EARLY INDUSTRIALISATION -> ports, water, equable climate in NW Europe

ASCII MASTER FLOW – PANEL 9/12: India Himalayan temperate map

MOIST TEMPERATE -> J&K to Arunachal, 1500-3300 m: deodar, oak, fir

CHIR PINE BELT -> NW Himalaya, HP, Uttarakhand, NE: fire-prone

DRY TEMPERATE -> Ladakh margins, Lahaul-Spiti, Kinnaur: chilgoza, juniper

CONTROL -> altitude replaces latitude as the zonation driver

ASCII MASTER FLOW – PANEL 10/12: Deodar species firewall

DEODAR -> *Cedrus deodara*, a CONIFER (cedar family)

EXAM TRAP -> frequently tested: deodar is NOT a broadleaf tree

CHILGOZA -> dry-temperate conifer (*Pinus gerardiana*)

CHIR PINE -> subtropical montane, highly resinous and fire-prone

CLOSE DISTINCTION: Marine west coast differs from Mediterranean summer-dry climate and continental interiors; 'British type' is a climatic shorthand extending to other western margins, not a statement that all Britain is uniform.

CLOSE DISTINCTION: Marine west coast differs from Mediterranean summer-dry climate and continental interiors; 'British type' is a climatic shorthand extending to other western margins, not a statement that all Britain is uniform.

ASCII MASTER FLOW – PANEL 11/12: Water-security-fire chain

FOREST FLOOR SPONGE -> absorbs rain, feeds springs and rivers

FOREST LOSS -> reduced infiltration, spring decline, downstream shortage

CHIR PINE + DRY WEATHER -> fuel accumulation, rapid fire spread

FIRE DAMAGE -> soil loss, regeneration failure, catchment degradation

EVIDENCE LIMIT: North Atlantic circulation, latitude, relief and changing storm tracks jointly matter; Himalayan temperate forests are altitudinal analogues under monsoon influence, not marine-west-coast equivalents.

EVIDENCE LIMIT: North Atlantic circulation, latitude, relief and changing storm tracks jointly matter; Himalayan temperate forests are altitudinal analogues under monsoon influence, not marine-west-coast equivalents.

ASCII MASTER FLOW – PANEL 12/12: British-type answer spine

DEFINE -> cool temperate western margin under permanent Westerlies

COMPARE -> east-west asymmetry: same latitude, opposite climate

EXPLAIN -> maritime moderation, frontal rain, deciduous vegetation

APPLY -> India's Himalayan temperate forests as altitude-based analogue