

ASCII MASTER FLOW – PANEL 1/12: Ambient-emission firewall

AMBIENT STANDARD -> concentration in outdoor receiving air

SOURCE STANDARD -> release from a named stack, vehicle or process

CONSENT CONDITION -> source-specific legal control

AQI -> public communication index

RULE -> never substitute one instrument for another

MUST REMEMBER: Air pollution analysis separates source, primary or secondary pollutant,...

ASCII MASTER FLOW – PANEL 2/12: Concentration-to-exposure chain

MONITOR -> pollutant concentration at place and time

AVERAGING PERIOD -> fixes the measurement window

PERSON LOCATION -> determines contact opportunity

DURATION AND ROUTE -> shape exposure

HEALTH CLAIM -> needs separate epidemiological evidence

ASCII MASTER FLOW – PANEL 3/12: Pollutant formation map

PRIMARY EMISSION -> released directly
PRECURSOR -> enters atmospheric reaction
SUNLIGHT OR OXIDATION -> transformation pathway
SECONDARY POLLUTANT -> formed in air
CONTROL -> address direct emissions and precursors

ASCII MASTER FLOW – PANEL 4/12: PM classification gate

PM2.5 OR PM10 -> aerodynamic size fraction

SIZE -> affects transport and deposition

COMPOSITION -> requires chemical evidence

SOURCE -> requires apportionment evidence

TRAP -> size label alone proves neither composition nor source

ASCII MASTER FLOW – PANEL 5/12: Smog and acid-deposition matrix

SMOG -> precursor emissions plus sunlight-driven chemistry

SURFACE OZONE -> secondary oxidant

ACID DEPOSITION -> sulphur and nitrogen precursor pathway

WET OR DRY -> deposition routes

RULE -> precursor is not the final atmospheric product

ASCII MASTER FLOW – PANEL 6/12: NAAQS data gate

POLLUTANT -> identify exact substance or fraction

UNIT -> preserve the notified unit

AVERAGING PERIOD -> annual, daily or shorter only if sourced

AREA AND COMPLIANCE RULE -> read notification

NO TABLE -> no invented limit

CLOSE DISTINCTION: Emission is not ambient concentration or exposure, AQI is not an...

ASCII MASTER FLOW – PANEL 7/12: AQI statutory boundary

INPUT -> monitored pollutant concentrations

OUTPUT -> public-facing category

NAAQS -> notified ambient standard

SOURCE LIMIT -> separate emission control

VERDICT -> AQI category is not either standard table

ASCII MASTER FLOW – PANEL 8/12: Institution and clearance ladder

CPCB -> national coordination and framework

SPCB OR PCC -> consent, monitoring and enforcement

CTE OR CTO -> source-operation permission layer

ENVIRONMENTAL CLEARANCE -> prior project-appraisal layer

RULE -> approvals remain legally distinct

ASCII MASTER FLOW – PANEL 9/12: Monitoring evidence ladder

STATION -> one location

NETWORK -> spatial coverage

DATA COMPLETENESS -> usable time record

METEOROLOGY -> dispersion and accumulation context

INFERENCE -> scale only as far as evidence supports

ASCII MASTER FLOW – PANEL 10/12: Source-apportionment cube

CITY -> source mix changes by location

SEASON -> activity and meteorology change

POLLUTANT -> PM, ozone and gases have different pathways

METHOD -> model and sampling assumptions matter

NO UNIVERSAL SHARE -> date and scope every estimate

ASCII MASTER FLOW – PANEL 11/12: Programme-response architecture

NCAP -> long-run structural planning

NON-ATTAINMENT -> standards-based classification over a period

GRAP -> episodic graded response

CAQM -> statutory Delhi-NCR regional coordination

NO SUBSTITUTION -> each serves a different function

ASCII MASTER FLOW – PANEL 12/12: Evidence and answer spine

DEFINE -> ambient, emission, concentration and exposure

TRACE -> source, precursor, atmospheric formation and receptor

GOVERN -> NAAQS, AQI, consent, NCAP, GRAP and CAQM

MEASURE -> station, averaging period and apportionment boundary

AUDIT -> target, attainment, current data and PYQ key stay distinct

EVIDENCE LIMIT: MECHANISM / STATUS / CAUSATION: State pollutant, averaging time, unit,...