


COMPLETE LEARNING SESSION

Geography 02 - The Earth's Crust, Rocks / India Geological Structure

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing

Two complete halves

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Original deterministic study visual; labels are explanatory, not textual quotations.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / SESSION INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

Geography 02 - The Earth's Crust, Rocks / India Geological Structure 5

BASIC LEARNING SESSION 5

1. Source audit, syllabus ownership and evidence firewall	5
2. Master vocabulary: what exactly are we studying?	7
3. Crust and lithosphere: related, not identical	8
4. The complete rock cycle: a network, not a conveyor belt	9
5. Igneous rocks: cooling history, composition and texture	10
6. Sedimentary rocks: sediment pathway and field clues	11
7. Metamorphic rocks: protolith, grade and fabric	12
8. Rock properties and applied geography	13
9. Continental drift: Wegener's evidence and limitation	14
10. Sea-floor spreading: oceanic evidence and mass balance	15
11. Plate tectonics: boundary matrix and landform diagnosis	16
12. Ocean-basin evolution: Wilson-cycle analogy	17
13. Isostasy and orogeny	18
14. World-to-India transition: structure expressed as relief	19
15. Scope: geological structure versus physiography and geomorphology	20
16. Geological time, evidence and dating cautions	21
17. Indian plate: Gondwana origin, break-up, drift and collision	23
18. Cratons, shields and the stabilised Peninsular block	24
19. Archaean and Dharwar systems: distribution and terminology control	26
20. Proterozoic Purana basins: Cuddapah and Vindhyan	27
21. Gondwana Supergroup: rift basins, coal and continental sedimentation	29
22. Marine sedimentary basins, coasts and offshore petroleum logic	30
23. Deccan Trap: flood-basalt province and bounded surface linkages	31
24. Himalaya: from geosynclinal language to modern plate tectonics	33
25. Indo-Ganga-Brahmaputra foreland basin and alluvial fill	35
26. Coasts, offshore basins and island-arc versus coral-island distinction	36
27. Major lineaments, faults and rifts	37

28. Structural control of relief, drainage, groundwater and waterfalls	39
29. Geology, minerals, coal and petroleum: association without determinism	41
30. Seismicity: Himalaya, Kachchh and peninsular intraplate events	42
31. Regional comparisons, map skills and answer architecture	44
32. National Critical Mineral Mission: bounded current anchor	45
BASIC MCQS / REMEDIATION	46
33. Forty core diagnostic MCQs	46
34. Eight remedial MCQs	53
PYQS AND ANSWER PRACTICE	54
35. Audited PYQ ledger: nine genuinely relevant or adjacent routes	54
36. UPSC GS-I 2022 Q4 - primary rocks	55
37. UPSC GS-I 2025 Q16 - continents and ocean basins	55
38. UPSC Prelims 2024 Q10 - fold/block mountain matching	55
39. UPSC Prelims 2025 Q25 - continental-drift evidence	56
40. UPSC Prelims 2026 Q34 - Peninsular Block	56
41. UPSC Prelims 2018 Q57 - magnetic reversal and early atmosphere	56
42. UPSC Prelims 2023 Q9 - Amarkantak, Biligirirangan and Seshachalam	57
43. Adjacent UPSC GS-I 2022 Q6 - Deccan Trap resources	57
44. Adjacent UPSC GS-I 2021 Q5 - Gondwanaland and mineral economy	57
45. Four preserved map, chronology and cross-section drills	58
46. Six original solved Mains questions	58
OPTIONAL ADVANCED DEPTH - NOT REQUIRED FOR A CORE ANSWER	60
47. Older Indian rock-system schemes: useful only when declared	60
48. Field identification and metamorphic nuance	61
49. Cratons, mobile belts and ore systems	61
50. Basin architecture beyond the name list	61
51. Deccan hydrogeology and landscape refinement	61
52. Himalayan structural complexity beyond a classroom section	62
53. Foreland, sediment routing and basin response	62
54. Hard-rock aquifers and engineering investigations	62
55. Mineral security without geological overclaim	62
56. Map and answer architecture	62

CONSOLIDATED REGISTER NOTES	62
57. Rapid register - crust, rocks and dynamics	62
58. Rapid register - India's geological architecture	63
59. Thirty exam-ready answer lines	63
60. Last-minute PYQ routes, traps and answer spine	66

Geography 02 - The Earth's Crust, Rocks / India Geological Structure

Learner-v2 generation g2 · Part A - Physical Geography · Prelims GS-I + Mains GS-I

This catalogue topic intentionally combines two full halves: world physical foundations and India's geological architecture. Neither half is compressed into a classification table. The legacy generation remains immutable; this is a new unapproved generation.

Evidence tags: [FACT] directly retrieved or officially verified · [ANALYSIS] reasoned synthesis · [LIMIT] source, scale, dating, ownership or determinism caution.


BASIC LEARNING SESSION

1. Source audit, syllabus ownership and evidence firewall

Classification: CORE PRELIMS + CORE MAINS

Two complete halves

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Master two-half roadmap

The catalogue deliberately joins a world-physical foundation with India's geological architecture. Each half is taught independently and then connected through structure -> process -> surface consequences.

Repository-first audit

Source owner	Retained completely	Ownership boundary
basic/02_The-Earths-Crust-Rocks .md	Rock families, textures, rock cycle, drift evidence, sea-floor spreading, plate boundaries, Wilson-cycle analogy, isostasy/orogeny and the physiographic mechanism	Earth-interior wave proof remains Topic 01; detailed earthquakes remain Topic 03
advanced/02_India-Geological-Structure .md	Older Indian rock-system scheme, Peninsular-Himalayan contrast, resource associations and India map hooks	Taught only in the optional advanced block after core practice
Complete India owner	All 17 modules, evidence distinctions, traps, map drills, PYQ routes and answer architecture	Legacy Markdown/PDFs and approved visuals remain byte-for-byte unchanged
Geography README, official syllabus map, answer-worthiness audit, revision chart and command index	Part A sequence, answer-worthiness, cross-topic ownership and verified demand routes	No inflation of direct Mains frequency
Topics 01, 03, 04, 05, 06, 11 and 31	Moho context; seismicity; weathering/groundwater; drainage; Himalaya; islands; resources	Only bounded mechanism cross-links are used

Local OCR-book audit

- **G.C. Leong, PDF pages 17-22:** directly recovered the three rock families, intrusive/extrusive cooling logic, basic/acid composition language, fold/block mountain mechanisms and Deccan examples.
- **Majid Husain, Indian & World Geography, PDF pages 27-33:** directly recovered texture/composition classification, sedimentary formation, metamorphism, continental drift and collision examples.
- **D. R. Khullar, PDF pages 37-42 after rotation-aware OCR:** recovered India's three geological regions, older fourfold classification, rock-system distribution and Deccan/black-soil link.
- **Majid Husain, Geography of India, PDF pages 9-23:** recovered the geological-structure rationale, Archaean-Dharwar-Cuddapah-Vindhyan-Gondwana-Deccan sequence, Himalayan evolution and Quaternary plain context.
- **NCERT/GSI local check:** no separate searchable local NCERT/GSI monograph added a safer replacement for the repository owners. GSI's current official role is therefore used only through live primary releases.
- **Qdrant:** not required; repository Markdown, OCR pages and primary sources were sufficient.

Live official verification through 22 August 2026

- **[FACT] NCMM approval:** the Union Cabinet approved the National Critical Mineral Mission on **29 January 2025**. The official release covers exploration, mining, beneficiation, processing, recovery from end-of-life products, offshore exploration, recycling, research, stockpiling and overseas asset acquisition.
- **[FACT] Current implementation:** the Geological Survey of India's official 2 April 2026 Field Season 2025-26 conclusion records continued critical-resource assessment, mineral exploration, technology use and geohazard work, with an FS 2026-27 roadmap. No later official source found in the cutoff search displaced that framing.
- **[FACT] Seismic boundary:** BIS public material available through the cutoff still describes four seismic zones-II, III, IV and V-with Zone II least vulnerable and Zone V most severe. Detailed zonation and disaster governance remain Topic 03/Disaster Management.
- **[LIMIT]** No volatile reserve percentage, unsupported plate rate, casual news report or mission target is used as proof of a specific deposit.

2. Master vocabulary: what exactly are we studying?

Classification: CORE PRELIMS + CORE MAINS

Scope and vocabulary

Structure → process → surface consequence → qualification

KEY 1

mineral → rock → lithology

KEY 2

geology → physiography → geomorphology

Geography 02 · original schematic · not to scale

Scope terms

Term	Immediate plain-English meaning	Why it matters
Mineral	naturally occurring substance with a characteristic chemical composition and crystal structure	the constituent of most rocks
Rock	natural aggregate of one or more minerals, mineraloids or organic material	the map-scale material of the crust
Lithology	observable rock character-composition, grain size, texture and bedding/fabric	tells what a mapped rock body is like
Petrology	scientific study of rocks, their origin and transformation	explains rock genesis
Geology	study of Earth materials, structures, history and processes	provides the hidden framework
Physiography	broad surface divisions such as mountains, plateaux and plains	describes regional relief
Geomorphology	study of landforms and the processes that make them	explains surface evolution

[ANALYSIS] Structure → process → surface: lithology, bedding, joints, faults and tectonic setting create a template; weathering, rivers, glaciers, waves and human use modify it. A rock aggregate is therefore not “a mineral”, and a landform cannot be inferred from a rock name alone.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Geological structure is the age, composition and architecture of rocks and tectonic features beneath a region, while physiography is their broad surface expression and geomorphology explains the processes that reshape it.

SUBTOPIC CLOSURE FLOW | Master vocabulary: what exactly are we studying?

1. KEY TERMS / DEFINITIONS

A rock aggregate is therefore not "a mineral", and a landform cannot be inferred from a rock name alone.

2. MECHANISM / ARGUMENT

[ANALYSIS] Structure → process → surface: lithology, bedding, joints, faults and tectonic setting create a template; weathering, rivers, glaciers, waves and human use modify it.

3. CONSEQUENCE / CONTRAST

A rock aggregate is therefore not "a mineral", and a landform cannot be inferred from a rock name alone.

4. UPSC TRAP / ANSWER-USE

A rock aggregate is therefore not "a mineral", and a landform cannot be inferred from a rock name alone.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

3. Crust and lithosphere: related, not identical

Classification: CORE PRELIMS + SUPPORTING MAINS

Crust versus lithosphere

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Crust and lithosphere

Contrast	Continental setting	Oceanic setting
Broad composition	more silica-rich and compositionally varied	more mafic-magnesium- and iron-rich-on average
Density	generally lower	generally higher
Thickness	generally thicker and highly variable	generally thinner and more uniform
Geological survival	can preserve very old crust	continually created and recycled

- **Crust** is compositional; **lithosphere** is mechanical and includes the crust plus rigid uppermost mantle.
- **Asthenosphere** means the weaker, slowly deforming upper-mantle zone beneath the lithosphere; plates move as coherent lithospheric units over it.
- **Sial/sima** are older textbook shorthand for silica-aluminium-rich continental material and silica-magnesium-rich oceanic material. They are useful mnemonics, not complete modern compositional layers.
- **Moho** means the crust-mantle seismic boundary; its wave evidence belongs to Topic 01 and is only cross-linked here.
- **[LIMIT]** Avoid unsafe single values for crust thickness or density. The contrast, mechanism and exceptions earn more marks than a doubtful number.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The crust is Earth's outer compositional shell, whereas the lithosphere is the stronger mechanical layer comprising the crust plus the rigid uppermost mantle.

SUBTOPIC CLOSURE FLOW | Crust and lithosphere: related, not identical

1. KEY TERMS / DEFINITIONS

Crust is compositional; lithosphere is mechanical and includes the crust plus rigid uppermost mantle.

2. MECHANISM / ARGUMENT

The contrast, mechanism and exceptions earn more marks than a doubtful number.

3. CONSEQUENCE / CONTRAST

The contrast, mechanism and exceptions earn more marks than a doubtful number.

4. UPSC TRAP / ANSWER-USE

They are useful mnemonics, not complete modern compositional layers.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + SUPPORTING MAINS

4. The complete rock cycle: a network, not a conveyor belt

Classification: CORE PRELIMS + CORE MAINS

Complete rock cycle


Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Complete rock cycle

MELTING



UPLIFT AND EXPOSURE can return any buried rock to surface weathering.

- **Lithification** means turning loose sediment into rock through compaction and cementation.
- Metamorphism normally occurs without complete melting; if melting occurs, the material re-enters the igneous path.
- Igneous rock may weather directly into sediment, metamorphose, or melt. Sedimentary rock may metamorphose, weather again, or melt. Metamorphic rock may uplift and weather or melt.
- **[TRAP]** "Igneous → sedimentary → metamorphic" is one teaching path, not the only path.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The rock cycle is an open network in which melting, crystallisation, weathering, lithification, metamorphism and uplift can connect any rock family through multiple pathways rather than one fixed sequence.

SUBTOPIC CLOSURE FLOW | The complete rock cycle: a network, not a conveyor belt

1. KEY TERMS / DEFINITIONS

Lithification means turning loose sediment into rock through compaction and cementation.

2. MECHANISM / ARGUMENT

Lithification means turning loose sediment into rock through compaction and cementation.

3. CONSEQUENCE / CONTRAST

Metamorphism normally occurs without complete melting; if melting occurs, the material re-enters the igneous path.

4. UPSC TRAP / ANSWER-USE

[TRAP] "Igneous → sedimentary → metamorphic" is one teaching path, not the only path.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

5. Igneous rocks: cooling history, composition and texture

Classification: CORE PRELIMS + CORE MAINS

Igneous rocks

Structure → process → surface consequence → qualification

KEY 1

intrusive ↔ extrusive

KEY 2

felsic ↔ intermediate ↔ mafic

KEY 3

texture records cooling

Geography 02 · original schematic · not to scale

Igneous texture and composition tree

Intrusive and extrusive occurrence

Setting	Cooling	Common texture	Examples
Intrusive/plutonic-magma cools below surface	slow	coarse crystals	granite, diorite, gabbro
Extrusive/volcanic-lava or fragments cool at/near surface	fast to extremely fast	fine, glassy, vesicular or fragmental	rhyolite, andesite, basalt, obsidian, pumice, tuff

Composition pairs

Composition	Intrusive partner	Extrusive partner	Exam-safe cue
Felsic -silica-rich, commonly light-coloured	granite	rhyolite	relatively viscous magma
Intermediate	diorite	andesite	between felsic and mafic
Mafic -magnesium- and iron-rich, commonly darker	gabbro	basalt	relatively fluid magma

- **Porphyritic** means large crystals embedded in a finer groundmass, showing two-stage cooling.
- **Glassy** means crystals had too little time to grow; **vesicular** means gas bubbles left holes; **pyroclastic** means made of explosive volcanic fragments.
- "Primary rock" is an older genetic phrase for igneous rock because crystallisation creates the original mineral framework. It does **not** mean every igneous exposure is oldest or economically primary.
- India anchor: Deccan basalt is extrusive flood basalt; Peninsular granites and gneisses have different histories and should not be merged with the Deccan province.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Igneous rocks record the cooling history and composition of magma or lava: slow intrusive cooling favours coarse crystals, while rapid extrusive cooling favours fine, glassy or vesicular textures.

SUBTOPIC CLOSURE FLOW | Igneous rocks: cooling history, composition and texture

1. KEY TERMS / DEFINITIONS

Porphyritic means large crystals embedded in a finer groundmass, showing two-stage cooling.

2. MECHANISM / ARGUMENT

"Primary rock" is an older genetic phrase for igneous rock because crystallisation creates the original mineral framework.

3. CONSEQUENCE / CONTRAST

Porphyritic means large crystals embedded in a finer groundmass, showing two-stage cooling.

4. UPSC TRAP / ANSWER-USE

It does not mean every igneous exposure is oldest or economically primary.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

6. Sedimentary rocks: sediment pathway and field clues

Classification: CORE PRELIMS + CORE MAINS

Sedimentary rocks

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Sedimentary formation

ROCK / ORGANIC / DISSOLVED SOURCE
 ↓ weathering
 LOOSE MATERIAL
 ↓ transport by water, wind, ice or gravity
 SORTING + ROUNDING
 ↓ deposition in layers
 BURIAL -> COMPACTION -> CEMENTATION
 ↓
 SEDIMENTARY ROCK

Family	Formation	Examples
Clastic/mechanical	fragments of older rock	conglomerate, sandstone, shale
Chemical	precipitation from solution or evaporation	rock salt and other evaporites; some limestone
Organic/biogenic	accumulation of biological material	coal, chalk and many limestones

- **Bedding/stratification** means depositional layering. Fossils, ripple marks, mud cracks and cross-bedding can reveal environment, current direction, drying or younging.
- Conglomerate has rounded gravel clasts; sandstone is sand-sized; shale is fine mud-rich rock.
- Limestone has several origins; do not call every limestone exclusively organic or chemical.

- **Loess** is wind-deposited silt and **moraine** is glacial debris. They are sediments/deposits unless lithification into rock is demonstrated.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Sedimentary rocks convert weathered, transported or chemically and biologically produced material into layered rock through deposition, compaction and cementation, while preserving clues such as fossils, ripples and mud cracks.

SUBTOPIC CLOSURE FLOW | Sedimentary rocks: sediment pathway and field clues

1. KEY TERMS / DEFINITIONS Bedding/stratification means depositional layering.	2. MECHANISM / ARGUMENT ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Sedimentary rocks convert weathered, transported or chemically and biologically produced material into layered rock through deposition, compaction and cementation, while preserving clues such as fossils, ripples and mud cracks.	3. CONSEQUENCE / CONTRAST Fossils, ripple marks, mud cracks and cross-bedding can reveal environment, current direction, drying or younging.	4. UPSC TRAP / ANSWER-USE Limestone has several origins; do not call every limestone exclusively organic or chemical.
--	--	--	---


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

7. Metamorphic rocks: protolith, grade and fabric

Classification: CORE PRELIMS + CORE MAINS

Metamorphic rocks

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Metamorphic grade and fabric

- **Protolith** means the parent rock before metamorphism.
- Agents are heat, confining pressure, **differential stress**-unequal directed pressure-and chemically active fluids.
- **Contact metamorphism** occurs mainly around hot intrusions; **regional metamorphism** affects wide belts during burial and mountain building; **dynamic metamorphism** concentrates along high-strain fault zones; **hydrothermal alteration** reflects hot reactive fluids.
- **Metamorphic grade** means intensity of temperature-pressure conditions.

Fabric	Plain-English meaning	Distinction
Foliation	planar alignment/layering produced by metamorphism	not sedimentary bedding
Slaty cleavage	very fine planar splitting	characteristic of slate
Schistosity	visible alignment of platy minerals	characteristic of schist

Fabric	Plain-English meaning	Distinction
Gneissic banding	coarse light-dark compositional bands	high-grade fabric, not bedding

Exam-safe paths: shale/mudstone -> slate -> phyllite -> schist -> gneiss is a common increasing-grade teaching sequence, not a universal compulsory path. Limestone/dolostone -> marble; sandstone -> quartzite; basalt can form amphibolite under suitable conditions. Graphite may form from carbon-rich material, but “coal -> graphite” is not a universal one-step rule.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Metamorphism changes a protolith in the solid state through heat, pressure, differential stress and reactive fluids, producing new minerals and fabrics without requiring complete melting.

SUBTOPIC CLOSURE FLOW | Metamorphic rocks: protolith, grade and fabric

1. KEY TERMS / DEFINITIONS

Protolith means the parent rock before metamorphism.

2. MECHANISM / ARGUMENT

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM

Metamorphism changes a protolith in the solid state through heat, pressure, differential stress and reactive fluids, producing new minerals and fabrics without requiring complete melting.

3. CONSEQUENCE / CONTRAST

Agents are heat, confining pressure, differential stress-unequal directed pressure-and chemically active fluids.

4. UPSC TRAP / ANSWER-USE

Exam-safe paths: shale/mudstone -> slate -> phyllite -> schist -> gneiss is a common increasing-grade teaching sequence, not a universal compulsory path.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

8. Rock properties and applied geography

Classification: CORE PRELIMS + CORE MAINS

Rock properties and applied geography

Structure → process → surface consequence → qualification

KEY 1

porosity ≠ permeability

KEY 2

fractures and weathering

KEY 3

soil · aquifer · dam · foundation

Geography 02 · original schematic · not to scale

Rock properties and applications

Property/process	What it controls	Qualification
Porosity	amount of void space	voids may be disconnected
Permeability	ability to transmit fluid	high porosity need not mean high permeability
Joints/fractures	secondary flow paths and weakness planes	can be conduits or barriers depending on filling/orientation
Weathered mantle	soil and shallow aquifer development	thickness varies with climate, relief and time

Property/process	What it controls	Qualification
Mineralogy/texture	weathering products and engineering behaviour	site testing outranks regional generalisation
Bedding/foliation	slope, tunnel, dam and foundation response	orientation relative to load/slope is critical

- Crystalline igneous and metamorphic rocks commonly have low primary pore space but can store groundwater in weathered zones, joints and fractures.
- Basalt aquifers are heterogeneous: vesicular tops and flow contacts may transmit water; compact interiors may not.
- Rock influences soils, building stone, aggregate, metallic-mineral occurrence and landforms, but climate, structure, organisms, drainage and economics modify every outcome.
- A dam, tunnel or foundation requires site investigation; "granite is strong" or "limestone is weak" is not an engineering conclusion.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Rock name alone never determines land use: porosity, permeability, fractures, weathering, structure and site conditions jointly control groundwater, soils, foundations, dams and slope behaviour.

SUBTOPIC CLOSURE FLOW | Rock properties and applied geography

1. KEY TERMS / DEFINITIONS Crystalline igneous and metamorphic rocks commonly have low primary pore space but can store groundwater in weathered zones, joints and fractures.	2. MECHANISM / ARGUMENT A dam, tunnel or foundation requires site investigation; "granite is strong" or "limestone is weak" is not an engineering conclusion.	3. CONSEQUENCE / CONTRAST Basalt aquifers are heterogeneous: vesicular tops and flow contacts may transmit water; compact interiors may not.	4. UPSC TRAP / ANSWER-USE A dam, tunnel or foundation requires site investigation; "granite is strong" or "limestone is weak" is not an engineering conclusion.
---	---	--	---

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

9. Continental drift: Wegener's evidence and limitation

Classification: CORE PRELIMS + CORE MAINS

Continental drift evidence

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Drift evidence

Evidence	Observation	Logic
Shelf-edge fit	South America-Africa fit improves at continental-shelf edges	shorelines are mobile erosional lines
Geological continuity	rock provinces and mountain belts line up	former continuity is simpler than coincidence

Evidence	Observation	Logic
Fossils	same terrestrial organisms on separated southern continents	broad oceans were barriers
Palaeoclimate	glacial deposits in present tropics; coal indicators at high latitude	continents occupied different latitudes
Palaeomagnetism	remanent magnetism records former latitude/rotation	differing apparent polar paths reconcile when continents move

- Wegener proposed **Pangaea**, later divided into northern **Laurasia** and southern **Gondwana**.
- Gondwana here means a southern palaeocontinent. It must later be distinguished from India's Gondwana Supergroup of rocks.
- His evidence was powerful, but proposed driving forces were inadequate. Ocean-floor evidence later supplied the mechanism.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Continental drift became persuasive because shelf-edge fit, matching rock belts, fossils, palaeoclimate and palaeomagnetism independently point to former continental connections, even though Wegener lacked an adequate mechanism.

SUBTOPIC CLOSURE FLOW | Continental drift: Wegener's evidence and limitation

1. KEY TERMS / DEFINITIONS Gondwana here means a southern palaeocontinent.	2. MECHANISM / ARGUMENT Ocean-floor evidence later supplied the mechanism.	3. CONSEQUENCE / CONTRAST Gondwana here means a southern palaeocontinent.	4. UPSC TRAP / ANSWER-USE Answer-use: Classification: CORE PRELIMS + CORE MAINS
--	--	---	---

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

10. Sea-floor spreading: oceanic evidence and mass balance

Classification: CORE PRELIMS + CORE MAINS

Sea-floor spreading

Structure → process → surface consequence → qualification

KEY 1

ridge magma and new crust

KEY 2

symmetrical magnetic stripes

KEY 3

older and deeper away from ridge

KEY 4

trench subduction

Geography 02 · original schematic · not to scale

Sea-floor spreading

UPWELLING AT MID-OCEAN RIDGE
↓
MAGMA SOLIDIFIES AS NEW OCEANIC CRUST
↓ records magnetic polarity
SYMMETRICAL STRIPES MOVE AWAY FROM RIDGE
↓
AGE + SEDIMENT THICKNESS + DEPTH GENERALLY INCREASE
↓

- Magnetic reversals create matching stripe patterns on both ridge flanks.
- Ocean floor is geologically young relative to continental shields because it is recycled.
- Inclined earthquake zones beneath arcs reveal descending slabs.
- **[TRAP]** The Earth does not expand; ridge creation is balanced by trench destruction.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Sea-floor spreading creates young oceanic crust at mid-ocean ridges, records symmetrical magnetic stripes and balances creation by consuming older lithosphere at trenches, so the Earth does not expand.

SUBTOPIC CLOSURE FLOW | Sea-floor spreading: oceanic evidence and mass balance

1. KEY TERMS / DEFINITIONS

Ocean floor is geologically young relative to continental shields because it is recycled.

2. MECHANISM / ARGUMENT

Ocean floor is geologically young relative to continental shields because it is recycled.

3. CONSEQUENCE / CONTRAST

Ocean floor is geologically young relative to continental shields because it is recycled.

4. UPSC TRAP / ANSWER-USE

[TRAP] The Earth does not expand; ridge creation is balanced by trench destruction.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

11. Plate tectonics: boundary matrix and landform diagnosis

Classification: CORE PRELIMS + CORE MAINS

Plate-boundary matrix

Structure → process → surface consequence → qualification

KEY 1

divergent

KEY 2

ocean–ocean / ocean–continent

KEY 3

continent–continent

KEY 4

transform

Geography 02 · original schematic · not to scale

Plate-boundary matrix

Boundary	Motion	Diagnostic products	Example logic
Divergent	plates separate	ridge/rift, new crust, shallow earthquakes, basaltic volcanism	East African Rift/Red Sea
Ocean-ocean convergence	one oceanic plate subducts	trench, island arc, deepening earthquakes	Andaman/Sunda context
Ocean-continent convergence	oceanic plate subducts	trench, continental volcanic arc, fold mountains	Andes
Continent-continent convergence	buoyant continents collide	crustal shortening, thrusting, high plateau, little arc volcanism	Himalaya
Transform	plates slide laterally	strike-slip faults, shallow earthquakes, no crust budget change	ridge offsets/major transforms

- Lithospheric plates move over the asthenosphere; slab pull, ridge-related forces and mantle flow form a coupled system.
- Plate-interior activity occurs at inherited faults, rifts, hot spots and intraplate stress concentrations; boundaries explain global clustering, not every event.
- Andes and Himalaya are both mountains but arise from different convergence types.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Plate boundaries are diagnosed by motion and products: divergence creates crust, subduction destroys oceanic crust, continent collision thickens crust, and transform motion conserves crust while generating shallow earthquakes.

SUBTOPIC CLOSURE FLOW | Plate tectonics: boundary matrix and landform diagnosis

1. KEY TERMS / DEFINITIONS Plate-interior activity occurs at inherited faults, rifts, hot spots and intraplate stress concentrations; boundaries explain global clustering, not every event.	2. MECHANISM / ARGUMENT ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Plate boundaries are diagnosed by motion and products: divergence creates crust, subduction destroys oceanic crust, continent collision thickens crust, and transform motion conserves crust while generating shallow earthquakes.	3. CONSEQUENCE / CONTRAST Plate-interior activity occurs at inherited faults, rifts, hot spots and intraplate stress concentrations; boundaries explain global clustering, not every event.	4. UPSC TRAP / ANSWER-USE Plate-interior activity occurs at inherited faults, rifts, hot spots and intraplate stress concentrations; boundaries explain global clustering, not every event.
--	--	---	---


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

12. Ocean-basin evolution: Wilson-cycle analogy

Classification: CORE MAINS + SUPPORTING PRELIMS

Wilson-cycle analogy

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Wilson-cycle analogy

Stage model	Process	Present-day analogy
Embryonic	continental doming and rifting	East African Rift
Juvenile	narrow sea and young spreading	Red Sea/Gulf of Aden
Mature	broad ocean and passive margins	Atlantic
Declining	extensive subduction around rim	Pacific
Terminal	narrowing remnant sea	Mediterranean
Suture	ocean consumed; collision belt	Himalaya/Tethyan suture

- Passive margins can accumulate thick sediment wedges and host offshore petroleum systems.
- Active margins carry trenches, arcs, major earthquakes and volcanism.
- A basin can stall, reorganise or avoid the ideal sequence; the examples are analogies, not timestamps.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Wilson cycle is an analogy for rifting, ocean opening, subduction, closure and suturing, not a fixed destiny that every ocean basin must complete.

SUBTOPIC CLOSURE FLOW | Ocean-basin evolution: Wilson-cycle analogy

1. KEY TERMS / DEFINITIONS

Active margins carry trenches, arcs, major earthquakes and volcanism.

2. MECHANISM / ARGUMENT

Passive margins can accumulate thick sediment wedges and host offshore petroleum systems.

3. CONSEQUENCE / CONTRAST

Active margins carry trenches, arcs, major earthquakes and volcanism.

4. UPSC TRAP / ANSWER-USE

A basin can stall, reorganise or avoid the ideal sequence; the examples are analogies, not timestamps.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE MAINS + SUPPORTING PRELIMS

13. Isostasy and orogeny

Classification: CORE MAINS + SUPPORTING PRELIMS

Isostasy and orogeny

Structure → process → surface consequence → qualification

KEY 1

Airy: crustal roots

KEY 2

Pratt: density contrast

KEY 3

loading and rebound

KEY 4

shortening and mountain building

Geography 02 · original schematic · not to scale

Isostasy and orogeny

- **Isostasy** means buoyant vertical equilibrium between crust/lithosphere and denser material beneath.
- **Airy concept:** broadly similar crustal density but deeper roots beneath higher relief.
- **Pratt concept:** columns differ in density above a common compensation depth.
- Post-glacial rebound demonstrates unloading response; sediment loading can promote subsidence.
- **Orogeny** means mountain building through convergence, folding, thrusting, metamorphism, crustal thickening and uplift.
- Erosion removes mass, exposes deeper rocks and can produce isostatic response; high relief is therefore dynamic, not a one-time construction.
- **[LIMIT]** Avoid overprecise root depths or rebound rates unless a source is cited.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Isostasy explains vertical crustal adjustment, while orogeny explains mountain building through shortening, thickening and uplift; erosion and unloading can then trigger further isostatic response.

SUBTOPIC CLOSURE FLOW | Isostasy and orogeny

1. KEY TERMS / DEFINITIONS

Isostasy means buoyant vertical equilibrium between crust/lithosphere and denser material beneath.

2. MECHANISM / ARGUMENT

Orogeny means mountain building through convergence, folding, thrusting, metamorphism, crustal thickening and uplift.

3. CONSEQUENCE / CONTRAST

Erosion removes mass, exposes deeper rocks and can produce isostatic response; high relief is therefore dynamic, not a one-time construction.

4. UPSC TRAP / ANSWER-USE

Erosion removes mass, exposes deeper rocks and can produce isostatic response; high relief is therefore dynamic, not a one-time construction.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE MAINS + SUPPORTING PRELIMS

14. World-to-India transition: structure expressed as relief

Classification: CORE MAINS

ANCIENT PENINSULAR SHIELD

↓ collision with Eurasia

HIMALAYAN FOLD-THRUST OROGEN

↓ load bends the Indian plate

INDO-GANGA-BRAHMAPUTRA FORELAND DEPRESSION

↓ filled by Himalayan + Peninsular sediment

NORTHERN ALLUVIAL PLAIN

[ANALYSIS] Structure controls broad relief and resource opportunity, while climate, weathering, rivers and human use modify it.

At the highest school-geography scale, India's **six broad physiographic divisions** are the Himalaya/Northern Mountains, Northern Plain, Peninsular Plateau, Indian Desert, Coastal Plains and Islands. They are used here only as structural expressions, not as substitutes for the later detailed physiography owners.

Broad physiographic expression	Structural mechanism	Consequence only at this owner's boundary
Himalaya	continent collision, shortening and uplift	high relief, perennial headwaters, seismic and erosion context
Northern Plain	flexural foreland and alluvial fill	fertile soils, aquifers, floods and soft-sediment response
Peninsular Plateau, including Western/Eastern Ghats	ancient shield, rifts, lava, denudation and dissected margins	mineral belts, hard-rock aquifers, residual relief, drainage asymmetry
Indian Desert	western cratonic-margin and sedimentary setting, strongly overprinted by aridity and wind	dunes, saline depressions and sparse drainage cannot be reduced to bedrock alone
Coastal plains	passive-margin and deltaic sedimentation	estuary/delta contrast and basin development
Islands	subduction arc versus coral-atoll setting	different hazards and resources

[LIMIT] Detailed physiography, drainage, coasts, islands and mineral distribution remain Topics 05, 10, 11 and 31.

SUBTOPIC CLOSURE FLOW | World-to-India transition: structure expressed as relief

1. KEY TERMS / DEFINITIONS

[ANALYSIS] Structure controls broad relief and resource opportunity, while climate, weathering, rivers and human use modify it.

2. MECHANISM / ARGUMENT

At the highest school-geography scale, India's six broad physiographic divisions are the Himalaya/Northern Mountains, Northern Plain, Peninsular Plateau, Indian Desert, Coastal Plains and Islands.

3. CONSEQUENCE / CONTRAST

They are used here only as structural expressions, not as substitutes for the later detailed physiography owners.

4. UPSC TRAP / ANSWER-USE

They are used here only as structural expressions, not as substitutes for the later detailed physiography owners.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: [ANALYSIS] Structure controls broad relief and resource opportunity, while climate, weathering, rivers and human use modify it.

15. Scope: geological structure versus physiography and geomorphology

Classification: CORE PRELIMS + CORE MAINS

India's three-province skeleton

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Three-province national skeleton

[FACT] Geological structure means the age, lithology, stratigraphic order, folds, faults, joints, basins, cratons and plate-tectonic relations of rocks beneath a region. Physiography describes the broad surface divisions; geomorphology explains the processes and forms of relief.

[ANALYSIS] The three are linked but not interchangeable. The Peninsular Plateau is a physiographic division; its cratons, mobile belts, rifts, sedimentary basins and basalt cover are geological structure; its scarps, residual hills, waterfalls and valleys are geomorphic expression.

[FACT] A useful national framework has three interacting provinces: the ancient Peninsular shield, the active Himalayan fold-thrust belt, and the Indo-Ganga-Brahmaputra sediment-filled foreland basin.

[ANALYSIS] Structure operates as an inherited template. Climate, weathering, rivers, vegetation and human action then modify the template. Therefore geology explains pattern and constraint, not every present landform by itself.

[LIMIT] Later Geography topics own detailed physiographic divisions, drainage evolution, soils, minerals and disaster management. This package supplies their geological mechanism and clearly identifies those cross-links.

[ANALYSIS] Exam method: identify the hidden structure, name a region, explain the mechanism, state a surface/resource/hazard consequence, then qualify the relationship.

Evidence/recall matrix

Term	What it asks	India example
Geology	rock age, type, structure and tectonic history	Dharwar belts, Gondwana basins, Himalayan thrusts
Physiography	broad relief division	plateau, mountains, plain, coast, islands
Geomorphology	landform process and evolution	escarpment, gorge, waterfall, delta

Must-know facts

- [FACT] Peninsula = ancient composite shield, not one uniform rock mass.
- [FACT] Himalaya = young fold-thrust system containing sedimentary, metamorphic and crystalline units.
- [FACT] Northern plain = alluvial fill in a foreland setting, not exposed ancient basement.

Common UPSC traps

- **Wrong:** Geological structure is the same as physiography. **Correct:** Structure is subsurface architecture; physiography is broad surface form.
- **Wrong:** The stable peninsula is structurally inactive everywhere. **Correct:** It is relatively stable but retains rifts, faults and intraplate seismicity.

Mains use: [ANALYSIS] Begin an answer by separating structure, relief and process; this prevents the common error of turning a geology question into a list of physiographic divisions.

Cross-link: Geography Topics 03-11 for hazards and landforms; Topic 31 for resources.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM India's geological skeleton consists of an ancient Peninsular shield, an active Himalayan fold-thrust belt and a sediment-filled Indo-Ganga-Brahmaputra foreland basin linked by collision, flexure, erosion and deposition.

SUBTOPIC CLOSURE FLOW | Scope: geological structure versus physiography and geomorphology

1. KEY TERMS / DEFINITIONS

[FACT] Geological structure means the age, lithology, stratigraphic order, folds, faults, joints, basins, cratons and plate-tectonic relations of rocks beneath a region.

2. MECHANISM / ARGUMENT

Physiography describes the broad surface divisions; geomorphology explains the processes and forms of relief.

3. CONSEQUENCE / CONTRAST

Therefore geology explains pattern and constraint, not every present landform by itself.

4. UPSC TRAP / ANSWER-USE

[ANALYSIS] The three are linked but not interchangeable.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

16. Geological time, evidence and dating cautions

Classification: CORE PRELIMS + CORE MAINS

Geological time and evidence

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Geological evidence ladder

[FACT] India's geological record spans ancient crystalline basement, Proterozoic basins, Gondwana continental successions, Mesozoic marine and volcanic episodes, Cenozoic collision-related strata and Quaternary alluvium.

[FACT] Relative dating uses superposition, cross-cutting relations, unconformities, fossils and correlation. It orders events without necessarily assigning a numerical age.

[FACT] Radiometric dating estimates numerical ages from isotope decay systems in suitable minerals. A date may record crystallisation, metamorphism, cooling or later alteration; it must be interpreted geologically.

[FACT] Fossils are especially useful in sedimentary correlations, but many ancient Indian crystalline and Proterozoic successions are unfossiliferous or sparsely fossiliferous.

[FACT] Palaeomagnetism records past field directions and supports plate reconstruction, sea-floor spreading and movement of the Indian plate.

[ANALYSIS] Geological maps integrate field relations, petrography, geochemistry, geochronology and geophysics. Seismic reflection, gravity and magnetic methods extend interpretation beneath alluvium, sea and lava cover.

[LIMIT] Textbook systems differ: older Indian schemes use labels such as Purana, Dravidian and Aryan differently from modern international chronostratigraphy. State the scheme before using it.

[LIMIT] Numerical boundaries and formation ages are revised as dating improves. Relative order is safer in UPSC unless a precise number is source-verified.

Evidence/recall matrix

Evidence	What it can establish	Caution
Lithology/structure	rock character and relations	similar rocks can recur at different ages
Fossils	relative age and environment	not available in all units
Radiometric age	numerical event age	may date metamorphism/cooling, not deposition
Palaeomagnetism	past latitude/rotation and polarity	overprinting must be tested
Seismic imaging	subsurface geometry	interpretive, resolution-dependent

Must-know facts

- [FACT] Unconformity = missing time/erosional or non-depositional gap.
- [FACT] A radiometric date needs an event interpretation.
- [FACT] Stratigraphy is not merely a rock-name list.

Common UPSC traps

- **Wrong:** One isotopic date gives the age of the entire rock system. **Correct:** The dated mineral and geological event must be specified.
- **Wrong:** Archaean, Precambrian and Purana are always exact synonyms. **Correct:** Usage varies by author and stratigraphic convention.

Mains use: [ANALYSIS] Use an evidence ladder: field relation -> dating/correlation -> geophysical image -> tectonic interpretation -> qualification.

Cross-link: Physical Geography Core Topic 02; Science and Technology cross-link for geophysical methods.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM A safe geological chronology combines superposition, cross-cutting relations, unconformities, fossils, radiometric event ages, palaeomagnetism and geophysics; relative order is often safer than memorised numerical ages.

SUBTOPIC CLOSURE FLOW | Geological time, evidence and dating cautions


1. KEY TERMS / DEFINITIONS [FACT] India's geological record spans ancient crystalline basement, Proterozoic basins, Gondwana continental successions, Mesozoic marine and volcanic episodes, Cenozoic collision-related strata and Quaternary alluvium.	2. MECHANISM / ARGUMENT Correct: Usage varies by author and stratigraphic convention.	3. CONSEQUENCE / CONTRAST [FACT] Relative dating uses superposition, cross-cutting relations, unconformities, fossils and correlation.	4. UPSC TRAP / ANSWER-USE [FACT] Stratigraphy is not merely a rock-name list.
ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS			

17. Indian plate: Gondwana origin, break-up, drift and collision

Classification: CORE PRELIMS + CORE MAINS

Indian plate tectonic journey

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Indian plate journey

[FACT] The Indian continental block formed part of Gondwana. Rifting separated blocks, oceanic crust formed between them, and the Indian plate moved northward before colliding progressively with Eurasia.

[FACT] Continental fit, matching ancient rock belts, fossil and sediment correlations, palaeoclimatic indicators and palaeomagnetism together support former continental connections.

[FACT] Sea-floor spreading creates oceanic lithosphere at ridges; subduction consumes it at trenches. The disappearance of Tethyan oceanic domains and India-Eurasia convergence produced crustal shortening and the Himalayan-Tibetan orogen.

[ANALYSIS] Collision was not a single instant across the whole margin. Different sutures, terranes, sedimentary basins and metamorphic events record a prolonged and spatially variable process.

[FACT] Continuing convergence is expressed through active thrusting, earthquakes, uplift, erosion and sediment transfer into the foreland and offshore basins.

[LIMIT] Avoid an unsupported constant plate speed or one exact collision date. Values depend on the time interval, plate circuit and definition of initial versus hard collision.

[ANALYSIS] India is both an ancient continental fragment and part of an active plate system: this explains the contrast between old shield rocks and young Himalayan tectonic architecture.

Evidence/recall matrix

Stage	Process	Indian geological result
Gondwana assembly	continental continuity	shared shield and sediment evidence
Rifting	faulting and basin opening	passive-margin and rift-basin development
Northward motion	Tethys narrowing	marine sediment and arc/suture records
Collision	shortening and thickening	Himalayan thrust belts and Tibetan uplift
Post-collision	erosion and flexure	Siwalik molasse and foreland alluvium

Must-know facts

- [FACT] Gondwana is a palaeocontinent; Gondwana Supergroup is an Indian stratigraphic succession.
- [FACT] Himalayan collision thickens crust rather than creating a volcanic arc like the Andes.
- [FACT] Tethys was an oceanic realm, not one unchanged narrow sea.

Common UPSC traps

- **Wrong:** Gondwanaland and Gondwana coal measures are identical terms. **Correct:** One is a palaeocontinent; the other is a named sedimentary succession.
- **Wrong:** The Himalaya is a subduction volcanic chain. **Correct:** It is primarily a continent-continent collision fold-thrust belt.

Mains use: [ANALYSIS] Present chronology as a process chain and explicitly distinguish evidence from reconstruction.

Cross-link: Core Topic 02 crustal dynamics; Topic 03 earthquakes; Topic 06 Himalayan glaciers.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Indian plate journey links Gondwana rifting, northward motion, Tethyan ocean closure and prolonged India-Eurasia collision to Himalayan uplift, foreland subsidence and continuing seismicity.

SUBTOPIC CLOSURE FLOW | Indian plate: Gondwana origin, break-up, drift and collision

1. KEY TERMS / DEFINITIONS

[FACT] The Indian continental block formed part of Gondwana.

2. MECHANISM / ARGUMENT

[FACT] Sea-floor spreading creates oceanic lithosphere at ridges; subduction consumes it at trenches.

3. CONSEQUENCE / CONTRAST

[ANALYSIS] India is both an ancient continental fragment and part of an active plate system: this explains the contrast between old shield rocks and young Himalayan tectonic architecture.

4. UPSC TRAP / ANSWER-USE

[ANALYSIS] Collision was not a single instant across the whole margin.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

18. Cratons, shields and the stabilised Peninsular block

Classification: CORE PRELIMS + CORE MAINS

Cratons and mobile belts

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Peninsular cratons and mobile belts

[FACT] Peninsular India is a mosaic of ancient cratonic nuclei and intervening mobile belts, later cut by faults, rifts and dykes and locally covered by younger sediments and basalt.

[FACT] Commonly recognised shield blocks include Dharwar in the south, Bastar in central India, Singhbhum in the east, Bundelkhand in north-central India and Aravalli-Bhilwara in the west. Boundaries and nomenclature differ among geological maps.

[FACT] Cratons preserve old continental crust; mobile belts record deformation, metamorphism and accretion between or around them.

[ANALYSIS] Long denudation exposes basement rocks and concentrates resistant residual uplands. Yet later tectonics produced the Narmada-Son, Cambay, Godavari and other structural corridors.

[FACT] Ancient crystalline rocks commonly have low primary porosity; groundwater occurs mainly in weathered mantles, joints, fractures, faults and locally permeable contacts.

[ANALYSIS] Metallic-mineral provinces are strongly associated with ancient shield geology, but ore localisation requires specific magmatic, hydrothermal, sedimentary or metamorphic processes.

[LIMIT] Stable means lower average deformation than an active plate boundary over recent geological time. It does not mean flat, homogeneous, immobile or earthquake-free.

Evidence/recall matrix

Block/belt	Broad region	Exam-safe cue
Dharwar	Karnataka and adjoining south	greenstone/metamorphic belts and metallic-mineral associations
Bastar	Chhattisgarh-central India	ancient shield with mineral and basin margins
Singhbhum	Jharkhand-Odisha	iron-ore and shear-zone associations
Bundelkhand	UP-MP	granite-gneiss basement and residual uplands
Aravalli-Bhilwara	Rajasthan-west	ancient deformed belt and non-ferrous mineral provinces

Must-know facts

- [FACT] Shield = exposed ancient continental crust; craton can include covered stable crust.
- [FACT] Peninsular basement is composite.
- [FACT] Secondary permeability is vital in hard-rock aquifers.

Common UPSC traps

- **Wrong:** All peninsular rocks are Archaean. **Correct:** Proterozoic basins, Gondwana strata, Deccan basalt and younger sediments also occur.
- **Wrong:** Mineral wealth follows age alone. **Correct:** Ore-forming processes and later preservation/localisation are necessary.

Mains use: [ANALYSIS] Use 'mosaic' rather than 'single block'; then connect old crust to relative stability, minerals, hard-rock groundwater and residual relief.

Cross-link: Topic 31 mineral distribution; Topic 04 groundwater; Environment mining impacts.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Peninsular India is a mosaic of cratons and mobile belts later cut by faults, rifts, dykes and basins and partly covered by younger sediments and lava, so stable never means uniform, flat or earthquake-free.

SUBTOPIC CLOSURE FLOW | Cratons, shields and the stabilised Peninsular block

1. KEY TERMS / DEFINITIONS

[FACT] Peninsular India is a mosaic of ancient cratonic nuclei and intervening mobile belts, later cut by faults, rifts and dykes and locally covered by younger sediments and basalt.

2. MECHANISM / ARGUMENT

[FACT] Peninsular India is a mosaic of ancient cratonic nuclei and intervening mobile belts, later cut by faults, rifts and dykes and locally covered by younger sediments and basalt.

3. CONSEQUENCE / CONTRAST

[FACT] Peninsular India is a mosaic of ancient cratonic nuclei and intervening mobile belts, later cut by faults, rifts and dykes and locally covered by younger sediments and basalt.

4. UPSC TRAP / ANSWER-USE

It does not mean flat, homogeneous, immobile or earthquake-free.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

19. Archaean and Dharwar systems: distribution and terminology control

Classification: CORE PRELIMS + CORE MAINS

Ancient shield and Purana basins

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Archaean and Dharwar sequence

[FACT] Older Indian geography texts distinguish fundamental gneiss-granite basement from Dharwar supracrustal and metamorphosed sediment-volcanic belts. Modern geological usage is more refined, so the terms must not be collapsed.

[FACT] Archaean basement rocks include ancient gneisses, granitoids and high-grade metamorphic complexes across large parts of the Peninsula and in crystalline Himalayan cores.

[FACT] Dharwar-type belts are best developed in Karnataka and adjoining southern India, with comparable ancient supracrustal/metamorphic belts in Singhbhum, central India, Aravalli-Delhi sectors and the eastern shield.

[FACT] These belts contain schists, quartzites, iron formations, metavolcanics and associated intrusions; exact stratigraphic grouping varies by geological province.

[ANALYSIS] Their economic importance derives from repeated magmatism, sedimentation, metamorphism and hydrothermal activity, not merely antiquity.

[FACT] Iron, manganese, gold and several base-metal associations occur in ancient shield belts. Named examples such as Kolar or Singhbhum are location anchors, not universal rules for every Dharwar rock.

[LIMIT] Do not repeat old claims that all Archaean rocks are entirely unfossiliferous or that one textbook's age span is definitive. Modern Precambrian geology uses finer subdivisions and evidence.

Evidence/recall matrix

Unit	Exam-safe description	Distribution hook
Fundamental gneiss/granitoid	ancient crystalline basement	wide Peninsular exposure
Dharwar/greenstone belts	metamorphosed supracrustal volcanic-sedimentary belts	Karnataka and other shield provinces
High-grade complexes	gneiss, granulite, charnockite associations	southern and eastern shield sectors
Ore belts	localised mineralised zones	Kolar, Singhbhum, Karnataka-Odisha-central belts

Must-know facts

- [FACT] Dharwar is not all Archaean.
- [FACT] Ancient shield belts are commonly metamorphosed and structurally complex.
- [FACT] Named ore belts are examples, not deterministic pairings.

Common UPSC traps

- **Wrong:** Dharwar is a younger Phanerozoic sedimentary system. **Correct:** It belongs to India's ancient Precambrian shield record.
- **Wrong:** Every gneiss belongs to one formation and age. **Correct:** Gneiss is a rock/texture term and can form in different events.

Mains use: [ANALYSIS] In a classification answer, give lithology, structure, distribution, significance and a terminology caution.

Cross-link: Advanced Topic 31; local OCR: Khullar Ch.2 and Majid Geography of India Ch.1.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Archaean granitoid-gneiss basement and Dharwar-type supracrustal belts form distinct parts of the ancient shield, and their ore associations reflect specific magmatic, sedimentary, metamorphic and hydrothermal histories rather than age alone.

SUBTOPIC CLOSURE FLOW | Archaean and Dharwar systems: distribution and terminology control

1. KEY TERMS / DEFINITIONS

[FACT] Older Indian geography texts distinguish fundamental gneiss-granite basement from Dharwar supracrustal and metamorphosed sediment-volcanic belts.

2. MECHANISM / ARGUMENT

[FACT] These belts contain schists, quartzites, iron formations, metavolcanics and associated intrusions; exact stratigraphic grouping varies by geological province.

3. CONSEQUENCE / CONTRAST

Mains use: [ANALYSIS] In a classification answer, give lithology, structure, distribution, significance and a terminology caution.

4. UPSC TRAP / ANSWER-USE

Modern geological usage is more refined, so the terms must not be collapsed.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

20. Proterozoic Purana basins: Cuddapah and Vindhyan

Classification: CORE PRELIMS + CORE MAINS

Ancient shield and Purana basins

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Purana basin sequence

[FACT] Cuddapah and Vindhyan are major Proterozoic sedimentary basin successions resting unconformably on older basement. Older textbooks group them under Purana, but their detailed ages and correlations are convention-sensitive.

[FACT] The Cuddapah basin is classically developed in Andhra Pradesh, with related Proterozoic successions in central and western India. Thick sandstone, shale, limestone and quartzite record long-lived basin subsidence, sedimentation, deformation and intrusion.

[FACT] Vindhyan rocks form an extensive central Indian succession from eastern Rajasthan through Madhya Pradesh toward the Son valley, with other basin occurrences. Sandstone, shale and limestone dominate.

[ANALYSIS] Basin thickness and repeated unconformities show episodic subsidence and tectonic reorganisation rather than one uninterrupted quiet deposit.

[FACT] Vindhyan sandstones and limestones are important building and industrial materials; the Panna diamond association is a high-yield location cue.

[LIMIT] Resource links must be bounded: a whole system is not uniformly mineralised, and Panna diamonds do not make every Vindhyan sandstone diamond-bearing.

[LIMIT] Avoid treating Cuddapah and Vindhyan as identical, coeval everywhere or simply 'young sedimentary rocks'. They are old Proterozoic basin records with different internal histories.

Evidence/recall matrix

System	Broad lithology	Distribution	Significance
Cuddapah	quartzite, shale, limestone, sandstone; local intrusions	Andhra basin plus central/western exposures	limestone, stone and local mineral occurrences
Vindhyan	sandstone, shale, limestone	Rajasthan-MP-Son belt and related basins	building stone, cement raw material, Panna association

Must-know facts

- [FACT] Cuddapah and Vindhyan overlie older basement.
- [FACT] They are sedimentary basin successions, not cratons.
- [FACT] Terminology and age ranges vary across sources.

Common UPSC traps

- **Wrong:** Vindhyan is a volcanic province. **Correct:** It is dominantly a sedimentary succession.
- **Wrong:** Cuddapah equals the modern Kadapa district only. **Correct:** The name originates there but the geological system is broader.

Mains use: [ANALYSIS] Explain them as long-lived intracratonic basin archives; do not present an unqualified memorised age table.

Cross-link: Topic 08 karst/limestone; Topic 31 resources; History/Art cross-link for building stone only.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Purana is an older Indian label for Proterozoic basin successions such as Cuddapah and Vindhyan, which rest unconformably on older basement and record long-lived sedimentation rather than one uniform mineral province.

SUBTOPIC CLOSURE FLOW | Proterozoic Purana basins: Cuddapah and Vindhyan

1. KEY TERMS / DEFINITIONS

[FACT] Cuddapah and Vindhyan are major Proterozoic sedimentary basin successions resting unconformably on older basement.

2. MECHANISM / ARGUMENT

[FACT] Vindhyan rocks form an extensive central Indian succession from eastern Rajasthan through Madhya Pradesh toward the Son valley, with other basin occurrences.

3. CONSEQUENCE / CONTRAST

Older textbooks group them under Purana, but their detailed ages and correlations are convention-sensitive.

4. UPSC TRAP / ANSWER-USE

[ANALYSIS] Basin thickness and repeated unconformities show episodic subsidence and tectonic reorganisation rather than one uninterrupted quiet deposit.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

21. Gondwana Supergroup: rift basins, coal and continental sedimentation

Classification: CORE PRELIMS + CORE MAINS

Gondwana rift basins

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Gondwana rift basins

[FACT] India's Gondwana successions accumulated mainly in fault-bounded continental basins within the Peninsular shield. They are distinct from Gondwana the palaeocontinent.

[FACT] Major basins follow the Damodar, Son-Mahanadi, Satpura and Godavari structural belts. Faulting and subsidence created accommodation space for river, lake, floodplain and swamp deposits.

[FACT] Lower parts of the succession include glacially influenced deposits in some basins, followed by coal-bearing sandstone-shale cycles and younger continental strata.

[ANALYSIS] Coal linkage is mechanistic: vegetation accumulation in suitable low-oxygen settings, burial during basin subsidence, compaction and coalification, followed by preservation from erosion.

[FACT] Jharia, Raniganj, Bokaro, Talcher-Ib, Singrauli and Singareni are high-yield basin/coalfield anchors. Exact reserve percentages and current production shares belong to dated official resource sources.

[LIMIT] Gondwana coalfields are not simply surface strips along modern rivers. They occupy structural basins whose present drainage may only partly follow inherited troughs.

[LIMIT] Coal presence is not automatic in every Gondwana unit or every rift. Depositional environment, burial history and preservation control workable seams.

Evidence/recall matrix

Basin belt	Named anchors	Structural cue
Damodar	Raniganj, Jharia, Bokaro, Karanpura	faulted east-central troughs
Son-Mahanadi	Singrauli, Korba, Talcher-Ib	linked intracratonic basins
Godavari	Singareni/Godavari Valley	elongate rift/graben setting
Satpura	Pench-Kanhan and adjoining fields	central structural basin

Must-know facts

- [FACT] Gondwana coal basins are rift/fault-linked.
- [FACT] They are continental sedimentary basins.
- [FACT] Coal association is strong but not universal.

Common UPSC traps

- **Wrong:** Gondwana coal occurs in the Deccan Trap. **Correct:** Coal measures are sedimentary and generally predate/underlie or lie outside basalt cover.
- **Wrong:** Gondwana means Palaeozoic only. **Correct:** The Indian succession extends across a broader late Palaeozoic-Mesozoic interval depending on subdivision.

Mains use: [ANALYSIS] A top answer draws a graben cross-section, locates three basin belts and qualifies geology-resource determinism.

Cross-link: Topic 31 owns coal/resource distribution and policy; Environment owns mining impact.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Gondwana Supergroup is a fault-basin continental sedimentary succession with important coal measures; it must not be confused with Gondwana, the southern palaeocontinent.

SUBTOPIC CLOSURE FLOW | Gondwana Supergroup: rift basins, coal and continental sedimentation

1. KEY TERMS / DEFINITIONS

[FACT] India's Gondwana successions accumulated mainly in fault-bounded continental basins within the Peninsular shield.

2. MECHANISM / ARGUMENT

[FACT] Lower parts of the succession include glacially influenced deposits in some basins, followed by coal-bearing sandstone-shale cycles and younger continental strata.

3. CONSEQUENCE / CONTRAST

They are distinct from Gondwana the palaeocontinent.

4. UPSC TRAP / ANSWER-USE

[LIMIT] Gondwana coalfields are not simply surface strips along modern rivers.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

22. Marine sedimentary basins, coasts and offshore petroleum logic

Classification: CORE PRELIMS + CORE MAINS

Marine and offshore sedimentary basins

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Petroleum-system logic

[FACT] India also preserves marine sedimentary records in Kachchh, Rajasthan, Himalayan Tethyan sectors, east-coast basins and younger coastal/offshore basins.

[FACT] Marine transgressions left fossiliferous limestone, sandstone, shale and related strata in Kachchh and other Mesozoic basins. Tethyan Himalayan sequences record environments on the northern continental margin and oceanic realm.

[FACT] Coastal and offshore sedimentary basins include Cambay, Mumbai Offshore, Assam-Arakan, Krishna-Godavari, Cauvery and other margin basins. Names are map anchors; resource status must come from current official basin data.

[ANALYSIS] Petroleum requires an effective source rock, burial and maturation, migration, porous reservoir, seal and trap. Thick sediment alone is necessary in many settings but never sufficient.

[ANALYSIS] Passive-margin subsidence, deltaic sediment supply, rifting and faulting can create favourable basin architecture. Offshore occurrence is therefore geological, not simply because an area is under the sea.

[LIMIT] Do not claim every named basin is equally productive or that all offshore oil is young. Exploration, economics, technology and environmental constraints modify geological potential.

[LIMIT] Detailed hydrocarbon distribution is owned by Geography Topic 31. This section explains basin formation and petroleum-system logic.

Evidence/recall matrix

Setting	Examples	Geological significance
Rift/onshore basin	Cambay, Assam-Arakan	faulted subsiding basin and traps
Passive/offshore margin	Mumbai Offshore, KG, Cauvery	thick sediment, delta/margin architecture
Mesozoic marine basin	Kachchh, Jaisalmer sectors	marine fossils and transgression record
Tethyan belt	Ladakh-Spiti and Himalayan sectors	former continental margin/ocean record

Must-know facts

- [FACT] Hydrocarbons are basin resources, unlike most shield-hosted metallic ores.
- [FACT] Source-reservoir-seal-trap is the minimum answer chain.
- [FACT] Marine strata also occur inland due to past seas.

Common UPSC traps

- **Wrong:** All sedimentary basins contain petroleum. **Correct:** A complete petroleum system and preservation are required.
- **Wrong:** Offshore oil is produced by seawater pressure. **Correct:** It formed from buried organic matter within sedimentary basin systems.

Mains use: [ANALYSIS] Explain offshore concentration through basin evolution, not a memorised field list.

Cross-link: Geography Topic 31 petroleum; Environment Topic 24 coastal regulation.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM A sedimentary basin offers petroleum potential only when source, maturation, migration, reservoir, seal, trap and timing form a complete preserved system, whether onshore or offshore.

SUBTOPIC CLOSURE FLOW | Marine sedimentary basins, coasts and offshore petroleum logic

1. KEY TERMS / DEFINITIONS [FACT] India also preserves marine sedimentary records in Kachchh, Rajasthan, Himalayan Tethyan sectors, east-coast basins and younger coastal/offshore basins.	2. MECHANISM / ARGUMENT [ANALYSIS] Petroleum requires an effective source rock, burial and maturation, migration, porous reservoir, seal and trap.	3. CONSEQUENCE / CONTRAST [ANALYSIS] Petroleum requires an effective source rock, burial and maturation, migration, porous reservoir, seal and trap.	4. UPSC TRAP / ANSWER-USE [ANALYSIS] Petroleum requires an effective source rock, burial and maturation, migration, porous reservoir, seal and trap.
ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS			

23. Deccan Trap: flood-basalt province and bounded surface linkages

Classification: CORE PRELIMS + CORE MAINS

Deccan Trap

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Deccan Trap cross-section

[FACT] The Deccan Trap is a vast flood-basalt province built by repeated, mainly fissure-fed lava flows around the end-Cretaceous to earliest Cenozoic transition.

[FACT] Stacked basalt flows create step-like topography; 'trap' derives from a word for stair/step. Present exposure is concentrated in Maharashtra and extends into Gujarat, Madhya Pradesh, northern Karnataka and adjoining outliers.

[FACT] Flow interiors, vesicular tops, weathered horizons, fractures, dykes and intertrappean beds create strong vertical and lateral variation.

[ANALYSIS] This architecture governs groundwater: compact basalt may transmit little water, while fractures, vesicular zones, weathered contacts and interflow horizons can form aquifers.

[ANALYSIS] Basalt weathering contributes parent material for black soils, but clay mineralogy, drainage, relief, climate and time control the final soil. Deccan Trap is a volcanic province, not a soil type.

[FACT] Differential erosion produces plateaux, mesas, buttes, scarps and flat-topped hills. Later river incision and structural lines organise drainage.

[LIMIT] The cause, duration and environmental effects of Deccan volcanism remain active research fields. Avoid precise eruption pulses or causal claims about mass extinction without a cited scientific source.

[LIMIT] Natural-resource potential of the Deccan Trap is a direct 2022 GS-I application owned by Topic 31; geology here supplies the mechanism.

Evidence/recall matrix

Feature	Geological cause	Surface/resource effect
Step relief	stacked resistant flows	terraced scarps and plateaux
Interflow zone	weathering/vesicles between flows	local groundwater storage
Dyke/fracture	magma intrusion and later jointing	barrier or conduit depending on condition
Black-soil belt	basaltic parent material plus pedogenesis	moisture-retentive clay-rich soils in many tracts

Must-know facts

- [FACT] Deccan Trap = extrusive igneous flood basalt.
- [FACT] Intertrappean beds occur between flows.
- [FACT] Black soil linkage is strong but not monocausal.

Common UPSC traps

- **Wrong:** Deccan Trap is a Gondwana sedimentary system. **Correct:** It is a younger volcanic province.
- **Wrong:** Basalt is uniformly impermeable. **Correct:** Aquifer behaviour varies with fractures, weathering, vesicles and flow contacts.

Mains use: [ANALYSIS] Structure the answer as volcanism -> flow architecture -> relief/aquifer/soil/resource -> qualification.

Cross-link: Topic 04 groundwater; Topic 30 soils/agriculture; Topic 31 Deccan resources.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Deccan Trap is a Late Cretaceous flood-basalt province of stacked fissure-fed flows whose contacts, fractures, vesicular zones and weathering create step relief, black-soil parent material and highly variable aquifers.

SUBTOPIC CLOSURE FLOW | Deccan Trap: flood-basalt province and bounded surface linkages

1. KEY TERMS / DEFINITIONS

[FACT] The Deccan Trap is a vast flood-basalt province built by repeated, mainly fissure-fed lava flows around the end-Cretaceous to earliest Cenozoic transition.

2. MECHANISM / ARGUMENT

[FACT] The Deccan Trap is a vast flood-basalt province built by repeated, mainly fissure-fed lava flows around the end-Cretaceous to earliest Cenozoic transition.

3. CONSEQUENCE / CONTRAST

[LIMIT] The cause, duration and environmental effects of Deccan volcanism remain active research fields.

4. UPSC TRAP / ANSWER-USE

[FACT] The Deccan Trap is a vast flood-basalt province built by repeated, mainly fissure-fed lava flows around the end-Cretaceous to earliest Cenozoic transition.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

24. Himalaya: from geosynclinal language to modern plate tectonics

Classification: CORE PRELIMS + CORE MAINS

Himalayan structural order

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Himalayan structural order

[FACT] Older texts describe Tethyan sediment accumulation in a geosyncline followed by folding. Modern plate tectonics explains the driving mechanism through subduction of oceanic domains, collision, shortening, thrusting, metamorphism and uplift.

[ANALYSIS] 'Geosyncline' can be retained as a historical descriptive term for a long subsiding sedimentary belt, but not as a self-sufficient causal theory.

[FACT] The Himalayan orogen includes Trans-Himalayan magmatic/tectonic units, Tethyan sedimentary sequences, Greater Himalayan crystalline rocks, Lesser Himalayan units and the Siwalik/Sub-Himalayan foreland fold-thrust belt.

[FACT] Major south-verging structures commonly mapped include the Main Central Thrust, Main Boundary Thrust and Himalayan Frontal Thrust/Main Frontal Thrust. The Indus-Tsangpo suture marks a broader collision/suture zone to the

north.

[LIMIT] These structures branch, overlap and vary along strike. A simple north-south classroom cross-section is conceptual and cannot represent every local segment.

[FACT] Siwalik strata are relatively young foreland molasse derived from erosion of the rising Himalaya and folded at the mountain front. They are not the oldest Himalayan rocks.

[ANALYSIS] The Himalaya is not one simple fold. It is an imbricated fold-thrust wedge containing nappes, duplexes, faults, metamorphic cores and sedimentary belts.

[LIMIT] Detailed stratigraphic ages and local thrust order should be quoted only from an appropriate geological map or source; nomenclature can differ.

Evidence/recall matrix

South-north belt	Broad character	High-yield boundary
Siwalik/Sub-Himalaya	young foreland molasse, folded foothills	HFT/MFT at front; MBT to north
Lesser Himalaya	older sedimentary/metasedimentary thrust sheets	MBT-MCT zone
Greater Himalaya	high-grade crystalline/metamorphic core	MCT and northern detachments in detailed models
Tethys/Trans-Himalaya	marine sedimentary and magmatic/suture domains	Indus-Tsangpo suture region

Must-know facts

- [FACT] Himalaya = fold-thrust orogen, not one fold.
- [FACT] Siwalik = foreland molasse belt.
- [FACT] Greater Himalaya includes crystalline/metamorphic units.

Common UPSC traps

- **Wrong:** Siwalik is the oldest Himalayan belt. **Correct:** It is the youngest major outer sedimentary belt.
- **Wrong:** All Himalayan rocks are Tertiary sediments. **Correct:** Older crystalline, metamorphic and sedimentary rocks are incorporated.

Mains use: [ANALYSIS] Contrast the historical geosynclinal description with the modern plate-tectonic mechanism; then draw a labelled cross-section.

Cross-link: Topic 03 seismicity; Topic 06 glaciers; Disaster Management landslides.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Himalaya is a continent-collision fold-thrust orogen containing sedimentary, metamorphic and crystalline belts; unlike the Andes, it is not primarily a volcanic subduction arc.

SUBTOPIC CLOSURE FLOW | Himalaya: from geosynclinal language to modern plate tectonics

1. KEY TERMS / DEFINITIONS

[FACT] Older texts describe Tethyan sediment accumulation in a geosyncline followed by folding.

2. MECHANISM / ARGUMENT

[FACT] Older texts describe Tethyan sediment accumulation in a geosyncline followed by folding.

3. CONSEQUENCE / CONTRAST

Mains use: [ANALYSIS] Contrast the historical geosynclinal description with the modern plate-tectonic mechanism; then draw a labelled cross-section.

4. UPSC TRAP / ANSWER-USE

[ANALYSIS] 'Geosyncline' can be retained as a historical descriptive term for a long subsiding sedimentary belt, but not as a self-sufficient causal theory.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

25. Indo-Ganga-Brahmaputra foreland basin and alluvial fill

Classification: CORE PRELIMS + CORE MAINS

Foreland basin and alluvium

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Foreland basin

[FACT] The Northern Plain occupies a foreland depression between the Himalayan orogen and Peninsular basement, filled by large volumes of Cenozoic and Quaternary sediment.

[FACT] Orogenic loading flexes the Indian plate downward, creating accommodation space. Rivers from the Himalaya and Peninsula deliver gravel, sand, silt and clay into this depression.

[FACT] Coarse piedmont deposits grade basinward into finer alluvium. River migration, avulsion, floodplain deposition and subsidence continually reorganise the surface.

[ANALYSIS] Thick unconsolidated sediment explains level relief, fertile alluvial soils, major aquifers and dense settlement, but also flood, erosion, subsidence and liquefaction sensitivity.

[FACT] The Siwalik belt represents older foreland molasse now incorporated into the mountain front; the modern alluvial plain lies farther south/east as an actively filled basin.

[LIMIT] The plain is not one uniform layer or one age. Basement depth, sediment thickness, river history and tectonic influence vary regionally.

[LIMIT] Detailed bhabar-terai-bhangar-khadar and drainage topics belong later. Here the owner is flexure, sediment fill and structural context.

Evidence/recall matrix

Process	Result	Exam linkage
Flexural subsidence	foredeep/accommodation space	collision-relief connection
Sediment delivery	thick alluvial fill	fertility and aquifers
Channel migration	floodplain and avulsion belts	flood exposure
Soft sediment response	amplification/liquefaction potential	seismic hazard

Must-know facts

- [FACT] Foreland basin forms by flexure under mountain load.
- [FACT] Alluvium masks deeper basement.
- [FACT] Plain stability at surface does not imply low seismic risk.

Common UPSC traps

- **Wrong:** The Northern Plain is an exposed ancient shield. **Correct:** It is a sediment-filled foreland basin.
- **Wrong:** Alluvial ground always reduces earthquake damage. **Correct:** Soft sediment can amplify shaking and liquefy.

Mains use: [ANALYSIS] Show the causal chain: Himalayan loading → flexure → sediment fill → plain resources and hazards.

Cross-link: Topic 05 drainage; Topic 04 groundwater; Topic 03 earthquake effects.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Indo-Ganga-Brahmaputra Plain is not structureless alluvium but a flexural foreland basin whose thick sediment supports fertile soils and aquifers while also influencing floods, subsidence and seismic site response.

SUBTOPIC CLOSURE FLOW | Indo-Ganga-Brahmaputra foreland basin and alluvial fill

1. KEY TERMS / DEFINITIONS

[FACT] The Northern Plain occupies a foreland depression between the Himalayan orogen and Peninsular basement, filled by large volumes of Cenozoic and Quaternary sediment.

2. MECHANISM / ARGUMENT

[FACT] The Northern Plain occupies a foreland depression between the Himalayan orogen and Peninsular basement, filled by large volumes of Cenozoic and Quaternary sediment.

3. CONSEQUENCE / CONTRAST

Cross-link: Topic 05 drainage; Topic 04 groundwater; Topic 03 earthquake effects.

4. UPSC TRAP / ANSWER-USE

[LIMIT] The plain is not one uniform layer or one age.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

26. Coasts, offshore basins and island-arc versus coral-island distinction

Classification: CORE PRELIMS + CORE MAINS

Coasts, offshore and islands

Structure → process → surface consequence → qualification

KEY 1

western rifted margin

KEY 2

eastern deltaic basins

KEY 3

Andaman arc

KEY 4

Lakshadweep atolls

[FACT] India's coasts record rifting, passive-margin subsidence, sedimentation, faulting, volcanism and sea-level change. Its two major island systems have different geological settings.

[FACT] Western India includes the Cambay rift and faulted margin sectors; parts of the west coast show submergent features. East-coast basins receive large deltaic sediment loads and preserve thick sedimentary successions.

[FACT] Andaman-Nicobar lies along an active convergent margin/island-arc system linked to the Sunda-Andaman subduction zone and the continuation of the Arakan-Yoma tectonic trend.

[FACT] Barren Island is an active volcano in this arc setting. The island chain also includes sedimentary and uplifted components; it is not simply a row of volcanic cones.

[FACT] Lakshadweep consists of coral atolls and reef islands developed on a submarine volcanic-ridge foundation in the Arabian Sea. The emergent islands are coral, unlike the tectonic island-arc setting of Andaman-Nicobar.

[ANALYSIS] Geological origin shapes hazard: Andaman-Nicobar faces strong earthquake, tsunami and volcanic contexts; Lakshadweep's low coral islands face reef, freshwater-lens and sea-level vulnerability.

[LIMIT] Detailed coral ecology and coastal regulation belong to Environment/Geography Topics 10-11. This package owns only tectonic foundation and origin distinction.

Evidence/recall matrix

Island/coast	Foundation	Surface expression	Hazard cue
Andaman-Nicobar	subduction-related arc/forearc	elongate islands, volcano and uplifted/sedimentary units	earthquake-tsunami-volcanism
Lakshadweep	submarine ridge/volcanic foundation	coral atolls and reefs	sea-level, erosion, freshwater lens
West coast	rifted/faulted passive margin sectors	narrow coast, estuaries and basins	subsidence/local seismicity
East coast	sedimentary/deltaic margin basins	broad coastal plains and deltas	cyclone-flood-subsidence cross-link

Must-know facts

- [FACT] Andaman-Nicobar = active arc/forearc tectonic setting.
- [FACT] Lakshadweep = coral atolls on submarine volcanic foundation.
- [FACT] Indian coasts contain both rifted and sediment-loaded basin sectors.

Common UPSC traps

- **Wrong:** All Indian islands are coral. **Correct:** Lakshadweep is coral; Andaman-Nicobar has an active tectonic arc setting.
- **Wrong:** Andaman-Nicobar is a continental shield extension. **Correct:** It belongs to an active plate-margin arc system.

Mains use: [ANALYSIS] A two-column island comparison is a high-return Prelims and GS-I device.

Cross-link: Geography Topics 10-11; Environment Topic 24; Disaster Management tsunami owner.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Andaman-Nicobar belongs to an active subduction-related arc-forearc system, whereas Lakshadweep consists of coral atolls on a submarine volcanic-ridge foundation; Indian island geology is therefore not uniform.

SUBTOPIC CLOSURE FLOW | Coasts, offshore basins and island-arc versus coral-island distinction


1. KEY TERMS / DEFINITIONS [FACT] India's coasts record rifting, passive-margin subsidence, sedimentation, faulting, volcanism and sea-level change.	2. MECHANISM / ARGUMENT ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Andaman-Nicobar belongs to an active subduction-related arc-forearc system, whereas Lakshadweep consists of coral atolls on a submarine volcanic-ridge foundation; Indian island geology is therefore not uniform.	3. CONSEQUENCE / CONTRAST The emergent islands are coral, unlike the tectonic island-arc setting of Andaman-Nicobar.	4. UPSC TRAP / ANSWER-USE The island chain also includes sedimentary and uplifted components; it is not simply a row of volcanic cones.
ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS			

27. Major lineaments, faults and rifts

Classification: CORE PRELIMS + CORE MAINS

Faults, rifts and lineaments

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Faults and rifts

[FACT] Peninsular India contains major inherited structural corridors including the Narmada-Son lineament, Tapi trough, Cambay rift and the Godavari and Mahanadi basin systems.

[FACT] The Narmada-Son structural zone crosses central India and is associated with faulting, rift-valley segments, basin development, magmatism and seismicity in different sectors.

[FACT] Narmada and Tapi flow west through structurally controlled troughs. Their valleys cannot be explained by regional eastward slope alone.

[FACT] The Cambay rift is a north-south basin in western India connected to sedimentation and hydrocarbon geology. Godavari and Mahanadi structural basins preserve Gondwana and younger sedimentary histories.

[ANALYSIS] Lineaments can localise erosion, river courses, springs, groundwater fractures, basin margins and renewed stress. Some are composite zones with multiple episodes of reactivation.

[LIMIT] A lineament mapped from imagery is not automatically a proven active fault. Activity requires field, geomorphic, geodetic and seismological evidence.

[LIMIT] Schematic national maps must not imply exact fault traces or legal boundary precision.

Evidence/recall matrix

System	Orientation/region	Key geological link
Narmada-Son	central India, broadly east-west	rift/lineament, basin, magmatic and seismic links
Tapi	west-central India	fault-controlled west-flowing trough
Cambay	Gujarat, broadly north-south	rift basin and hydrocarbon sedimentation
Godavari	south-central/east	Gondwana graben and coal-bearing basin
Mahanadi	east-central	Gondwana and coastal/offshore basin continuation

Must-know facts

- [FACT] Narmada and Tapi are structurally controlled west-flowing rivers.
- [FACT] Rifts can host both sediments and later magmatism.
- [FACT] Lineament does not automatically mean active fault.

Common UPSC traps

- **Wrong:** Every straight river segment proves active faulting. **Correct:** Lithology, joints, inherited structures and slope can all create linear reaches.
- **Wrong:** The Peninsula lacks major tectonic structures. **Correct:** It contains old sutures, faults, rifts and lineaments.

Mains use: [ANALYSIS] Use one map plus one mechanism paragraph; avoid asserting current activity without evidence.

Cross-link: Topic 05 drainage; Topic 03 intraplate seismicity; Topic 31 basin resources.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM A rift is an extensional crustal zone, a graben is a down-dropped fault block, and a lineament is a mapped linear feature that is not automatically an active fault.

SUBTOPIC CLOSURE FLOW | Major lineaments, faults and rifts

1. KEY TERMS / DEFINITIONS

[FACT] Peninsular India contains major inherited structural corridors including the Narmada-Son lineament, Tapi trough, Cambay rift and the Godavari and Mahanadi basin systems.

2. MECHANISM / ARGUMENT

[FACT] Narmada and Tapi flow west through structurally controlled troughs.

3. CONSEQUENCE / CONTRAST

[FACT] The Narmada-Son structural zone crosses central India and is associated with faulting, rift-valley segments, basin development, magmatism and seismicity in different sectors.

4. UPSC TRAP / ANSWER-USE

Their valleys cannot be explained by regional eastward slope alone.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: **CORE PRELIMS + CORE MAINS**

28. Structural control of relief, drainage, groundwater and waterfalls

Classification: **CORE PRELIMS + CORE MAINS**

Structure to surface and resources

Structure → process → surface consequence → qualification

KEY 1

relief

KEY 2

drainage

KEY 3

groundwater

KEY 4

resources

KEY 5

bounded hazards

[ANALYSIS] Geological structure becomes examinable when it explains why relief, rivers, groundwater and resource patterns are spatially organised.

[FACT] Resistant quartzite, granite, gneiss or basalt can form uplands and scarps, while weaker shale or weathered zones erode into valleys. The result is differential erosion, not a simple hard-rock/soft-rock binary everywhere.

[FACT] Faults and joints guide river segments and tributaries, producing rectangular or structurally aligned drainage. Alternating resistant and weak strata can support trellis patterns.

[FACT] Waterfalls and knickpoints often occur at resistant rock bands, fault scarps, lava-flow contacts or rejuvenated reaches. Their persistence depends on erosion rates and downstream base level.

[FACT] In hard-rock terrain groundwater is concentrated in weathered zones, fractures and contacts. In sedimentary basins, primary pore space can be more important; in alluvium, connected sand and gravel bodies form major aquifers.

[ANALYSIS] Structural basins and lineaments influence dam siting, tunnelling, road stability and urban foundations. Engineering decisions require site investigation, not regional rock labels alone.

[LIMIT] Detailed river courses, aquifer statistics and individual waterfall heights belong to later topics and current official datasets.

Evidence/recall matrix

Structural element	Geomorphic/hydrologic expression	Named India cue
Rift/fault trough	linear valley and directed drainage	Narmada-Tapi
Joint/fracture	rectangular drainage and secondary aquifer	hard-rock Peninsula
Basalt flow contact	step relief and interflow aquifer	Deccan Plateau
Layer resistance contrast	cuesta/scarp/knickpoint	sedimentary plateau margins
Foreland alluvium	low gradient and high aquifer storage	Northern Plain

Must-know facts

- [FACT] Structure guides but does not fully fix drainage.
- [FACT] Hard-rock groundwater depends on secondary openings.
- [FACT] Waterfalls can mark lithologic or structural breaks.

Common UPSC traps

- **Wrong:** Crystalline rock contains no groundwater. **Correct:** Weathered and fractured zones can store and transmit water.
- **Wrong:** Every waterfall lies on a fault. **Correct:** Lithologic contrast, rejuvenation and lava contacts are alternative controls.

Mains use: [ANALYSIS] Frame every example as structure -> process -> landform/water outcome -> local qualification.

Cross-link: Geography Topics 04-05; engineering geology is a supporting cross-link.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Geological structure guides scarps, valleys, drainage patterns, waterfalls and groundwater through rock contrasts, bedding, joints and faults, but climate, erosion, base level and human action prevent one-to-one control.

SUBTOPIC CLOSURE FLOW | Structural control of relief, drainage, groundwater and waterfalls

1. KEY TERMS / DEFINITIONS

[FACT] Resistant quartzite, granite, gneiss or basalt can form uplands and scarps, while weaker shale or weathered zones erode into valleys.

2. MECHANISM / ARGUMENT

Mains use: [ANALYSIS] Frame every example as structure -> process -> landform/water outcome -> local qualification.

3. CONSEQUENCE / CONTRAST

The result is differential erosion, not a simple hard-rock/soft-rock binary everywhere.

4. UPSC TRAP / ANSWER-USE

The result is differential erosion, not a simple hard-rock/soft-rock binary everywhere.


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

29. Geology, minerals, coal and petroleum: association without determinism

Classification: CORE PRELIMS + CORE MAINS

Structure to surface and resources

Structure → process → surface consequence → qualification



Geography 02 · original schematic · not to scale

Geology and resources

[FACT] India's resource map reflects ancient shield mineralisation, Gondwana coal basins, sedimentary petroleum systems, coastal placers and weathering-derived ores.

[FACT] Metallic ores such as iron, manganese, gold and base metals cluster in several ancient shield belts because of magmatic, hydrothermal, sedimentary and metamorphic histories.

[FACT] Coal is concentrated in Gondwana structural basins; younger coal also occurs in parts of the north-east. Exact shares must be dated to official Ministry of Coal or GSI/IBM sources.

[FACT] Petroleum and gas occur in sedimentary basins onshore and offshore where a complete petroleum system developed and survived.

[FACT] Lateritic weathering can enrich bauxite or iron under suitable climate, drainage and parent material. Coastal sorting can concentrate heavy-mineral placers.

[ANALYSIS] Geology creates potential; grade, depth, continuity, technology, infrastructure, environmental limits and prices determine whether a deposit becomes a resource or reserve.

[LIMIT] Mining governance, EIA, rehabilitation and mine closure are Environment/Governance owners. Resource distribution and industrial linkage belong primarily to Topic 31.

[FACT] The National Critical Mineral Mission was approved on 29 January 2025; it strengthens exploration, processing, recycling and supply security. It does not imply that all critical minerals lie in one geological province.

Evidence/recall matrix

Geological setting	Likely resource association	Essential qualification
Ancient shield/mobile belt	metallic ores	local mineralising event and grade
Gondwana rift basin	coal	coal-forming facies and preservation
Marine/deltaic basin	petroleum/gas	complete petroleum system
Lateritic surface	bauxite/iron enrichment	climate-drainage-parent control
Coastal placer	heavy minerals	erosion, transport and sorting

Must-know facts

- [FACT] Ore deposit is not the same as economic reserve.
- [FACT] Coal follows basin history; petroleum follows petroleum-system completeness.
- [FACT] NCMM is a current policy anchor, not a geological classification.

Common UPSC traps

- **Wrong:** Old rocks are always mineral-rich. **Correct:** Specific ore-forming and preservation processes are required.
- **Wrong:** A sedimentary basin guarantees oil. **Correct:** Source, maturation, reservoir, seal, trap and timing must align.

Mains use: [ANALYSIS] Use the phrase 'geological necessary condition, not sufficient economic condition'.

Cross-link: Geography Topic 31; Environment EIA/mining; Economy critical-mineral value chains.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Shield belts, Gondwana basins and sedimentary margins are associated respectively with many metallic ores, coal and petroleum, but exploration, grade, preservation, technology, economics and environmental limits decide usable resources.

SUBTOPIC CLOSURE FLOW | Geology, minerals, coal and petroleum: association without determinism

1. KEY TERMS / DEFINITIONS

[FACT] India's resource map reflects ancient shield mineralisation, Gondwana coal basins, sedimentary petroleum systems, coastal placers and weathering-derived ores.

2. MECHANISM / ARGUMENT

[FACT] Metallic ores such as iron, manganese, gold and base metals cluster in several ancient shield belts because of magmatic, hydrothermal, sedimentary and metamorphic histories.

3. CONSEQUENCE / CONTRAST

[FACT] Metallic ores such as iron, manganese, gold and base metals cluster in several ancient shield belts because of magmatic, hydrothermal, sedimentary and metamorphic histories.

4. UPSC TRAP / ANSWER-USE

It does not imply that all critical minerals lie in one geological province.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

30. Seismicity: Himalaya, Kachchh and peninsular intraplate events

Classification: CORE PRELIMS + CORE MAINS

Structure to surface and resources

Structure → process → surface consequence → qualification

KEY 1

relief

KEY 2

drainage

KEY 3

groundwater

KEY 4

resources

KEY 5

bounded hazards

Geography 02 · original schematic · not to scale

Bounded seismic application

[FACT] India's seismicity reflects active plate-boundary deformation in the Himalaya and north-east, subduction near Andaman-Nicobar, and intraplate reactivation in Kachchh and parts of the Peninsula.

[FACT] Himalayan earthquakes release strain on the Main Himalayan Thrust system and connected structures. Thick alluvium in adjoining plains can amplify shaking and liquefy under suitable saturation and grain conditions.

[FACT] Kachchh is an intraplate high-hazard region with inherited rift faults and damaging historical earthquakes, including the 2001 Bhuj event.

[FACT] Peninsular earthquakes such as Koyna, Latur and Jabalpur demonstrate that stable continental crust can reactivate along old weaknesses. Individual event causes require event-specific seismological evidence.

[FACT] Andaman-Nicobar seismicity is linked to the Sunda-Andaman subduction system and includes tsunami-generating megathrust potential.

[FACT] Current public BIS seismic zoning uses Zones II, III, IV and V. Zone V denotes the highest damage-risk category; there is no verified public Zone VI in the current map.

[LIMIT] Zonation is a design/hazard generalisation, not an earthquake prediction. Local soil, basin geometry, building vulnerability and exposure require microzonation and site response analysis.

[LIMIT] Disaster response doctrine, building-code enforcement and preparedness are owned by Disaster Management; geology provides the source and site-condition framework.

Evidence/recall matrix

Tectonic setting	India region	Principal geological control
Collision boundary	Himalaya/foothills	active thrusting and crustal shortening
Strike-slip/complex boundary	north-east	interaction of Himalayan and Indo-Burma systems
Subduction margin	Andaman-Nicobar	megathrust, arc and tsunami context
Intraplate rift/fault	Kachchh	reactivated inherited structures
Stable continental interior	Koyna-Latur-Jabalpur examples	local reactivation; event-specific mechanisms

Must-know facts

- [FACT] Relative stability is not aseismicity.
- [FACT] Alluvium can amplify shaking.
- [FACT] BIS public zoning remains II-V at the 2026 cutoff.

Common UPSC traps

- **Wrong:** Peninsular India cannot have damaging earthquakes. **Correct:** Intraplate reactivation has produced destructive events.
- **Wrong:** Seismic zone predicts the date and magnitude of the next quake. **Correct:** It is a broad design/hazard category, not prediction.

Mains use: [ANALYSIS] Explain source, path/site effect and vulnerability separately; do not equate tectonic activity with disaster magnitude.

Cross-link: Geography Topic 03; Disaster Management earthquake-resilient construction.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM India's seismicity reflects active Himalayan and Andaman plate boundaries plus reactivation of inherited structures such as Kachchh and selected Peninsular faults; seismic zoning is a design generalisation, not earthquake prediction.

SUBTOPIC CLOSURE FLOW | Seismicity: Himalaya, Kachchh and peninsular intraplate events

1. KEY TERMS / DEFINITIONS [FACT] India's seismicity reflects active plate-boundary deformation in the Himalaya and north-east, subduction near Andaman-Nicobar, and intraplate reactivation in Kachchh and parts of the Peninsula.	2. MECHANISM / ARGUMENT [LIMIT] Disaster response doctrine, building-code enforcement and preparedness are owned by Disaster Management; geology provides the source and site-condition framework.	3. CONSEQUENCE / CONTRAST Mains use: [ANALYSIS] Explain source, path/site effect and vulnerability separately; do not equate tectonic activity with disaster magnitude.	4. UPSC TRAP / ANSWER-USE [FACT] India's seismicity reflects active plate-boundary deformation in the Himalaya and north-east, subduction near Andaman-Nicobar, and intraplate reactivation in Kachchh and parts of the Peninsula.
---	--	---	--

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: Classification: CORE PRELIMS + CORE MAINS

31. Regional comparisons, map skills and answer architecture

Classification: CORE PRELIMS + CORE MAINS

Regional comparison, NCMM and answer method

Structure → process → surface consequence → qualification

KEY 1

Peninsula ↔ Himalaya ↔ plain

KEY 2

NCMM value-chain anchor

KEY 3

evidence → mechanism → consequence → limit

Geography 02 · original schematic · not to scale

Regional comparison and answer architecture

[ANALYSIS] UPSC rewards a small accurate map, a causal chain and a qualification more than a long unsupported age table.

[ANALYSIS] Peninsula versus Himalaya: ancient composite shield with inherited structures versus active fold-thrust orogen; relative stability versus high convergence; exposed basement/mineral belts versus tectonic relief and sediment production.

[ANALYSIS] Gondwana basin versus Deccan Trap: fault-bounded continental sedimentary basin with coal measures versus extrusive flood-basalt province with stacked flows.

[ANALYSIS] Siwalik versus Indo-Gangetic alluvium: folded foreland molasse at the mountain front versus younger and continuing basin fill across the plain.

[ANALYSIS] Andaman-Nicobar versus Lakshadweep: active subduction-related arc/forearc setting versus coral atolls on a submarine ridge foundation.

[ANALYSIS] A 10-mark answer needs thesis, 4-5 evidence units and qualification; 15 marks needs map/cross-section and comparison; 20 marks needs regional variation, cross-links and a reasoned verdict.

[LIMIT] A schematic map must be labelled not to scale and should avoid disputed political boundaries. Plot zones and structures, not false precision.

Evidence/recall matrix

Demand	Best visual	Core evidence
Explain Himalayan structure	south-north cross-section	belts, thrusts, foreland basin
Relate geology to resources	rock-system-resource matrix	shield, Gondwana, basin examples
Assess stability	seismic-tectonic map	Himalaya, Kachchh, intraplate events
Compare island origins	two-column sketch	arc/subduction versus coral atoll
Discuss geological structure	three-province India map	Peninsula-Himalaya-plain causal chain

Must-know facts

- [FACT] Map labels should support the argument.
- [FACT] Cross-sections show mechanism better than decorative maps.
- [FACT] Every model answer ends with a qualification.

Common UPSC traps

- **Wrong:** More labels always earn more marks. **Correct:** Only relevant, correctly placed labels support the demand.
- **Wrong:** A conclusion should repeat the introduction. **Correct:** It should deliver a qualified verdict.

Mains use: [ANALYSIS] Use the spine: claim -> named geological evidence/region -> mechanism/significance -> limitation/qualification -> verdict.

Cross-link: Final register notes below; Workbook map and cross-section drills.

32. National Critical Mineral Mission: bounded current anchor

Classification: CORE MAINS + CURRENT LINKAGE

Regional comparison, NCMM and answer method

Structure → process → surface consequence → qualification

KEY 1

Peninsula ↔ Himalaya ↔ plain

KEY 2

NCMM value-chain anchor

KEY 3

evidence → mechanism → consequence → limit

Geography 02 · original schematic · not to scale

NCMM bounded anchor and answer spine

[FACT] The Union Cabinet approved NCMM on 29 January 2025. The primary release covers domestic and offshore exploration, mining, beneficiation, processing, recovery from end-of-life products, recycling, research, stockpiling and overseas asset acquisition.

[FACT] GSI's official 2 April 2026 Field Season conclusion confirms continued critical-resource assessment, mineral exploration, technology-led work and a 2026-27 roadmap.

[ANALYSIS] The mission converts static mineral geography into a value-chain question: occurrence must be followed by exploration, processing, recycling, technology, trade and resilience.

[LIMIT] Mission targets cannot prove a deposit, grade, reserve or specific host rock. Avoid attaching lithium, rare earths or any other mineral to the Deccan or a state without geological evidence.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The National Critical Mineral Mission, approved on 29 January 2025, links domestic and offshore exploration with mining, processing, recycling, research, stockpiling and overseas acquisition, but mission targets do not prove any particular deposit or reserve.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM India's surface geography is best explained as inherited geological structure filtered through tectonics, weathering, climate, erosion, sediment transfer and human use, so every high-scoring answer must connect evidence, mechanism, consequence and limitation.

BASIC MCQS / REMEDIATION

33. Forty core diagnostic MCQs

Correct options rotate strictly **A -> B -> C -> D**, repeated ten times.

Q1. Which statement correctly separates a mineral from a rock?

- A. A mineral has characteristic composition and structure; a rock is an aggregate.
- B. Every rock is one crystal.
- C. Mineral and lithology are synonyms.
- D. A rock must contain metal.

Answer: A. A mineral has characteristic composition and structure; a rock is an aggregate.

Explanation: Minerals are constituents with characteristic chemistry/structure; rocks are natural aggregates and may contain several minerals or non-mineral material.

Q2. Which statement about crust and lithosphere is correct?

- A. They are identical everywhere.
- B. Lithosphere includes crust plus rigid uppermost mantle.
- C. Crust includes the whole asthenosphere.
- D. Lithosphere is only oceanic.

Answer: B. Lithosphere includes crust plus rigid uppermost mantle.

Explanation: The mechanical lithosphere extends below the compositional crust into rigid uppermost mantle.

Q3. Which process turns loose sediment into sedimentary rock?

- A. Melting
- B. Sublimation
- C. Compaction and cementation
- D. Complete metamorphism

Answer: C. Compaction and cementation

Explanation: Lithification is the compaction-and-cementation conversion of deposited sediment into rock.

Q4. Which statement best describes the rock cycle?

- A. It ends after metamorphism.
- B. Only igneous rock can weather.
- C. Sedimentary rock cannot melt.
- D. It contains multiple pathways rather than one fixed sequence.

Answer: D. It contains multiple pathways rather than one fixed sequence.

Explanation: Any family may weather, metamorphose or melt; the cycle is a network.

Q5. Slow cooling at depth most directly favours

- A. coarse crystals in intrusive rock.
- B. glassy basalt.
- C. mud cracks.
- D. slaty cleavage.

Answer: A. coarse crystals in intrusive rock.

Explanation: Slow cooling provides time for crystals to grow.

Q6. Which intrusive-extrusive pair is compositionally related?

- A. Basalt-granite
- B. Gabbro-basalt
- C. Shale-slate
- D. Diorite-rhyolite

Answer: B. Gabbro-basalt

Explanation: Gabbro and basalt are mafic partners with intrusive and extrusive occurrence respectively.

Q7. A porphyritic texture most safely indicates

- A. only chemical sedimentation.
- B. absence of crystals.
- C. two-stage cooling history.
- D. metamorphism without heat.

Answer: C. two-stage cooling history.

Explanation: Large early crystals followed by fine groundmass record changing cooling conditions.

Q8. Which feature is pyroclastic?

- A. A rounded river pebble
- B. A metamorphic foliation
- C. A chemical evaporite
- D. Fragmental volcanic ejecta consolidated into rock

Answer: D. Fragmental volcanic ejecta consolidated into rock

Explanation: Pyroclastic material consists of explosive volcanic fragments such as ash and lapilli.

Q9. Which is a clastic sedimentary rock?

- A. Sandstone
- B. Marble
- C. Basalt
- D. Gneiss

Answer: A. Sandstone

Explanation: Sandstone is made from lithified sand-sized clasts.

Q10. Loess is best described as

- A. lithified coral.
- B. wind-deposited fine sediment.
- C. an intrusive sill.
- D. a metamorphic band.

Answer: B. wind-deposited fine sediment.

Explanation: Loess is fine wind-laid silt and is not automatically lithified.

Q11. Which structure most directly indicates periodic drying of fine sediment?

- A. Vesicles
- B. Gneissic banding
- C. Mud cracks
- D. Batholiths

Answer: C. Mud cracks

Explanation: Polygonal mud cracks form when wet fine sediment dries and contracts.

Q12. Why is limestone classification context-dependent?

- A. It is always igneous.
- B. It never contains fossils.
- C. It cannot precipitate chemically.
- D. It may form through chemical or biogenic pathways.

Answer: D. It may form through chemical or biogenic pathways.

Explanation: Carbonate sediment can be precipitated chemically or built from biological material.

Q13. The parent rock before metamorphism is called

- A. protolith.
- B. pluton.
- C. regolith.
- D. craton.

Answer: A. protolith.

Explanation: Protolith is the immediate parent rock subjected to metamorphism.

Q14. Which pair is correctly matched?

- A. Bedding-metamorphic mineral alignment
- B. Schistosity-visible planar metamorphic fabric
- C. Vesicles-sedimentary fossils
- D. Cleavage-igneous crystal size only

Answer: B. Schistosity-visible planar metamorphic fabric

Explanation: Schistosity is a metamorphic alignment of visible platy minerals.

Q15. Which progression is a common increasing-grade teaching path?

- A. Granite->sandstone->coal
- B. Basalt->limestone->chalk
- C. Shale->slate->phyllite->schist->gneiss
- D. Conglomerate->obsidian->marble

Answer: C. Shale->slate->phyllite->schist->gneiss

Explanation: The sequence is a useful grade path for mud-rich protoliths, with acknowledged exceptions.

Q16. Which caution about graphite is correct?

- A. It is always igneous.
- B. It proves every coal seam metamorphosed.
- C. It is identical to coal.
- D. Carbon-rich material may form graphite, but coal->graphite is not universal.

Answer: D. Carbon-rich material may form graphite, but coal->graphite is not universal.

Explanation: Graphite origin depends on carbon-rich material and metamorphic history; it is not a universal coal transformation.

Q17. Porosity differs from permeability because

- A. porosity is void space while permeability is connected fluid transmission.
- B. permeability is mineral colour.
- C. porosity applies only to granite.
- D. they are exact synonyms.

Answer: A. porosity is void space while permeability is connected fluid transmission.

Explanation: Void quantity and connection are different properties.

Q18. Groundwater in crystalline hard rock commonly depends on

- A. abundant primary pores only.
- B. weathered mantles, joints and fractures.
- C. fossils.
- D. coal seams alone.

Answer: B. weathered mantles, joints and fractures.

Explanation: Secondary openings and weathering dominate many hard-rock aquifers.

Q19. Which is the strongest engineering-geology statement?

- A. All limestone foundations fail.
- B. Granite needs no testing.
- C. Site conditions and discontinuity orientation matter more than rock name alone.
- D. Basalt is uniformly permeable.

Answer: C. Site conditions and discontinuity orientation matter more than rock name alone.

Explanation: Engineering performance depends on discontinuities, orientation, weathering and load, requiring site investigation.

Q20. Which conclusion about black soil is safest?

- A. Every dark rock makes black soil.
- B. Climate is irrelevant.
- C. All basalt aquifers are identical.
- D. Basalt is important parent material, but relief, drainage, climate and time modify the soil.

Answer: D. Basalt is important parent material, but relief, drainage, climate and time modify the soil.

Explanation: Parent basalt matters, but pedogenesis also depends on climate, drainage, relief, organisms and time.

Q21. Why are continental-shelf edges used in drift reconstruction?

- A. They better approximate structural margins than changing shorelines.
- B. They show magnetic stripes.
- C. They are plate boundaries everywhere.
- D. They contain no sediment.

Answer: A. They better approximate structural margins than changing shorelines.

Explanation: Shelf edges are less altered than modern shorelines and better represent continental structure.

Q22. Wegener's central weakness was

- A. lack of fossil evidence.
- B. an inadequate physical mechanism.
- C. absence of continental fit.
- D. denial of Pangaea.

Answer: B. an inadequate physical mechanism.

Explanation: The hypothesis lacked a physically adequate driver until ocean-floor evidence.

Q23. Palaeomagnetism helps continental reconstruction by recording

- A. modern rainfall.
- B. population density.
- C. former field orientation and latitude/rotation.
- D. river discharge.

Answer: C. former field orientation and latitude/rotation.

Explanation: Remanent magnetism can reconstruct past latitude, rotation and polarity.

Q24. Which is not a valid conclusion from matching fossils?

- A. Continents were once connected.
- B. Ocean barriers matter for land organisms.
- C. Several evidence types should be combined.
- D. Identical fossils prove continents never moved.

Answer: D. Identical fossils prove continents never moved.

Explanation: Fossils support former connection; they do not deny movement.

Q25. Symmetrical magnetic stripes are most directly associated with

- A. sea-floor spreading at ridges.
- B. river deposition.
- C. contact metamorphism.
- D. isostatic rebound only.

Answer: A. sea-floor spreading at ridges.

Explanation: Ridge-created crust records alternating polarity as matching bands.

Q26. Why does the Earth not expand under sea-floor spreading?

- A. Ridges stop after one eruption.
- B. Older lithosphere is consumed at subduction zones.
- C. Continents absorb all new crust.
- D. Transform faults destroy crust.

Answer: B. Older lithosphere is consumed at subduction zones.

Explanation: Subduction recycles older oceanic lithosphere and closes the mass budget.

Q27. Which setting produces an island arc?

- A. Continent-continent collision
- B. Transform boundary
- C. Ocean-ocean subduction
- D. Passive margin

Answer: C. Ocean-ocean subduction

Explanation: Ocean-ocean subduction generates a trench and island arc.

Q28. Which distinction is correct?

- A. Andes and Himalaya are identical volcanic arcs.
- B. Transform margins create crust.
- C. Continental collision destroys large volumes of buoyant crust by subduction.
- D. Andes reflect ocean-continent subduction; Himalaya reflect continent collision.

Answer: D. Andes reflect ocean-continent subduction; Himalaya reflect continent collision.

Explanation: The Andes are a continental volcanic arc above subduction; the Himalaya are a collision orogen.

Q29. The juvenile Wilson-cycle analogy is

- A. Red Sea/Gulf of Aden.
- B. Atlantic Ocean.
- C. Pacific Ocean.
- D. Himalayan suture.

Answer: A. Red Sea/Gulf of Aden.

Explanation: The Red Sea is the standard narrow-young-sea analogy.

Q30. The Airy concept emphasises

- A. only density variation with no roots.
- B. deeper crustal roots beneath higher relief.
- C. magnetic reversals.
- D. ocean expansion.

Answer: B. deeper crustal roots beneath higher relief.

Explanation: Airy columns have broadly similar density but different root depth.

Q31. Which chain best describes India's national skeleton?

- A. Shield->volcanic arc->coral plain
- B. Plain->ocean ridge->shield
- C. Peninsular shield->collision Himalaya->foreland basin fill
- D. Himalaya->passive margin->mid-ocean ridge

Answer: C. Peninsular shield->collision Himalaya->foreland basin fill

Explanation: Collision loads and flexes the plate while erosion fills the foreland basin.

Q32. Which statement about a radiometric age is safest?

- A. It always dates sediment deposition.
- B. It replaces stratigraphy.
- C. One date fixes every event in a province.
- D. It dates a mineral event that requires geological interpretation.

Answer: D. It dates a mineral event that requires geological interpretation.

Explanation: Isotopic systems date events recorded by specific minerals, not an entire province automatically.

Q33. Which distinction is correct?

- A. Gondwana is a palaeocontinent; the Gondwana Supergroup is a fault-basin continental rock succession containing major coal measures.
- B. Both are the Deccan Trap.
- C. Both mean the Himalayan foreland.
- D. Gondwana Supergroup is an island arc.

Answer: A. Gondwana is a palaeocontinent; the Gondwana Supergroup is a fault-basin continental rock succession containing major coal measures.

Explanation: The palaeocontinent and Indian stratigraphic succession are distinct concepts; the latter preserves major coal-bearing continental basin successions.

Q34. Peninsular stability most safely means

- A. absence of faults.
- B. lower average recent deformation than active boundaries, not aseismic uniformity.
- C. complete flatness.
- D. only Archaean exposure.

Answer: B. lower average recent deformation than active boundaries, not aseismic uniformity.

Explanation: Relative stability is comparative and compatible with inherited-structure reactivation.

Q35. Cuddapah and Vindhyan are best described as

- A. young volcanic arcs.
- B. modern floodplains.
- C. Proterozoic sedimentary basin successions over older basement.
- D. oceanic trenches.

Answer: C. Proterozoic sedimentary basin successions over older basement.

Explanation: Both are old Proterozoic basin successions over older shield basement.

Q36. Which is not sufficient for petroleum occurrence?

- A. Source rock
- B. Reservoir and seal
- C. Appropriate trap and timing
- D. A sedimentary basin name by itself

Answer: D. A sedimentary basin name by itself

Explanation: A complete petroleum system is required; basin presence alone is insufficient.

Q37. Which Deccan Trap statement is correct?

- A. It is stacked extrusive basalt.
- B. It is a Gondwana coal measure.
- C. It is uniformly impermeable.
- D. It is entirely younger alluvium.

Answer: A. It is stacked extrusive basalt.

Explanation: Repeated fissure-fed basalt flows built the province.

Q38. The simplified south-to-north Himalayan order begins with

- A. Greater Himalaya.
- B. foreland/Siwalik before Lesser and Greater belts.
- C. Tethyan belt south of the plain.
- D. Deccan basalt.

Answer: B. foreland/Siwalik before Lesser and Greater belts.

Explanation: The plain and Siwalik lie south of Lesser, Greater and northern Tethyan/suture domains.

Q39. Which island pairing is correct?

- A. Lakshadweep-active subduction arc
- B. Andaman-stable craton
- C. Andaman-Nicobar-arc setting; Lakshadweep-coral atolls
- D. Both-uniform coral islands

Answer: C. Andaman-Nicobar-arc setting; Lakshadweep-coral atolls

Explanation: The island systems have contrasting tectonic and surface origins.

Q40. Which statement best controls resource determinism?

- A. Every shield is an ore body.
- B. Every Gondwana layer has coal.
- C. Every basin contains oil.
- D. Geology creates potential; processes, grade, preservation, technology and economics decide resources.

Answer: D. Geology creates potential; processes, grade, preservation, technology and economics decide resources.

Explanation: Resource association requires mineralising/depositional process, preservation and economic conversion.

34. Eight remedial MCQs

Rotation continues strictly **A -> B -> C -> D**, repeated twice.

Q41. A learner says 'geological structure and physiography are synonyms'. What is the best correction?

- A. Structure concerns rock and tectonic architecture; physiography concerns broad surface divisions.
- B. Both terms mean relief only.
- C. Physiography concerns mineral chemistry only.
- D. Structure concerns climate zones.

Answer: A. Structure concerns rock and tectonic architecture; physiography concerns broad surface divisions.

Explanation: Geological structure is the concealed rock/tectonic framework; physiography is its broad surface expression.

Q42. A learner equates foliation with bedding. What is the correction?

- A. Both are cooling joints.
- B. Foliation is metamorphic fabric; bedding is depositional layering.
- C. Bedding forms only in marble.
- D. Foliation is a fossil.

Answer: B. Foliation is metamorphic fabric; bedding is depositional layering.

Explanation: The structures can look layered but record different processes.

Q43. A learner calls loess and moraine rocks automatically. What is the correction?

- A. Both are magmas.
- B. Both are metamorphic grades.
- C. They are deposits/sediments unless lithification is shown.
- D. Both are petroleum seals.

Answer: C. They are deposits/sediments unless lithification is shown.

Explanation: A deposit becomes rock only after lithification.

Q44. A learner says 'new crust at ridges proves Earth expansion'. What is the correction?

- A. Ridges destroy continents.
- B. Magnetic stripes are unrelated.
- C. Oceanic crust never ages.
- D. Subduction balances ridge creation.

Answer: D. Subduction balances ridge creation.

Explanation: Ridge creation and trench destruction are paired.

Q45. A learner calls the Himalaya volcanic like the Andes. What is the correction?

- A. Himalaya is primarily a continent-collision fold-thrust orogen.
- B. Andes is a passive margin.
- C. Both lack earthquakes.
- D. Himalaya is an ocean ridge.

Answer: A. Himalaya is primarily a continent-collision fold-thrust orogen.

Explanation: Continent collision creates crustal thickening without an Andes-style volcanic arc.

Q46. A learner says 'stable Peninsula means no earthquakes'. What is the correction?

- A. Only Himalaya has faults.
- B. Inherited rifts and faults can reactivate within a relatively stable plate interior.
- C. Kachchh is an island arc.

- D. Stability predicts dates.

Answer: B. Inherited rifts and faults can reactivate within a relatively stable plate interior.

Explanation: Kachchh, Koyana and Latur disprove the aseismic-peninsula shortcut.

Q47. Which correction best uses the Narmada-Tapi example without overclaiming?

- A. They are glacial valleys unrelated to structure.
- B. Every mapped linear feature is an active fault.
- C. They are structurally controlled west-flowing trough rivers, while present fault activity still needs field, geomorphic, geodetic and seismological evidence.
- D. Their courses prove that tectonic inheritance is absent.

Answer: C. They are structurally controlled west-flowing trough rivers, while present fault activity still needs field, geomorphic, geodetic and seismological evidence.

Explanation: Narmada and Tapi are structural-trough examples, but present fault activity still requires independent evidence.

Q48. A learner uses NCM targets to claim a deposit exists. What is the correction?

- A. Mission policy replaces exploration.
- B. Every target is a reserve.
- C. All critical minerals occur in Deccan basalt.
- D. Mission objectives guide value chains but do not prove a specific deposit or reserve.

Answer: D. Mission objectives guide value chains but do not prove a specific deposit or reserve.

Explanation: Policy intent and exploration targets cannot substitute for geological evidence.

PYQS AND ANSWER PRACTICE

35. Audited PYQ ledger: nine genuinely relevant or adjacent routes

#	Year/paper	Route	Status and provenance
1	2022 GS-I Q4	Primary rocks	Direct; exact local official paper; UPSC publishes no model answer
2	2025 GS-I Q16	Continents/ocean basins	Direct; exact local official paper; independent model
3	2024 Prelims Q10	Fold/block mountains	Direct; local official Set-A paper and key B
4	2025 Prelims Q25	Drift evidence	Direct; local official Set-A paper and key C
5	2026 Prelims Q34	Peninsular Block	Direct; local official Set-A paper; provisional key B
6	2018 Prelims Q57	Magnetic reversal/early atmosphere	Direct; route retained; local official key unavailable; answer explicitly inferred
7	2023 Prelims Q9	Hill-location classification	Direct; exact local official paper; local official key unavailable; answer explicitly inferred
8	2022 GS-I Q6	Deccan Trap resources	Adjacent application; true owner Topic 31
9	2021 GS-I Q5	Gondwanaland/mineral base	Adjacent application; true owner Topic 31

[LIMIT] The audit count remains **nine**. No additional question is labelled a verified PYQ merely because it resembles the subject. The 2026 key remains provisional, and UPSC supplies no official model solutions for Mains.

36. UPSC GS-I 2022 Q4 - primary rocks

Exact local-paper wording: “Describe the characteristics and types of primary rocks.” (10 marks; answer in 150 words)

Independent model solution

[CLAIM] Primary rocks are igneous rocks formed when magma or lava cools and crystallises, providing much of the original mineral material later reworked into sedimentary and metamorphic rocks. [EVIDENCE] Intrusive or plutonic rocks such as granite, diorite and gabbro cool slowly below the surface and commonly develop coarse crystals.

[ANALYSIS] Insulation delays heat loss, allowing crystal growth; later uplift and denudation expose them.

[EVIDENCE] Extrusive rocks such as rhyolite, andesite and basalt cool rapidly at or near the surface and are commonly fine-grained; very rapid cooling can produce glass, while gas escape produces vesicles and explosive fragmentation produces pyroclastic rocks. [EVIDENCE] Composition ranges from felsic to mafic and helps explain colour, density, viscosity and weathering. India’s Deccan flood basalts and Peninsular granitic terrains illustrate the two modes. [LIMIT] “Primary” is genetic, not a claim that every igneous exposure is the oldest or most valuable.

[VERDICT] Mode of occurrence, cooling texture and composition together provide the complete classification.

Why this earns marks: It follows “describe”, gives occurrence and composition, explains texture, uses Indian evidence and qualifies the word “primary”.

37. UPSC GS-I 2025 Q16 - continents and ocean basins

Exact local-paper wording: “Discuss how the changes in shape and sizes of continents and ocean basins of the planet take place due to tectonic movements of the crustal masses.” (15 marks; answer in 250 words)

Independent model solution

[CLAIM] Continents and ocean basins are temporary plate configurations, not permanent containers. [EVIDENCE] Shelf-edge fit, continuous rock belts, common fossils, palaeoclimate and palaeomagnetism establish former continental connections. [MECHANISM] Continental rifting stretches and thins lithosphere; continued divergence creates a narrow sea and then a mature ocean by sea-floor spreading. New basaltic crust records symmetrical magnetic stripes and becomes older and more sediment-covered away from the ridge. [MECHANISM] At convergent margins, oceanic lithosphere subducts, producing trenches and arcs and progressively reducing basin area. When buoyant continents meet, crust shortens and thickens instead of readily subducting, creating sutures, fold-thrust mountains and high plateaux. Transform faults offset boundaries without changing the crust budget. [EVIDENCE] East Africa, Red Sea, Atlantic, Pacific, Mediterranean and the Himalayan-Tethyan suture provide present-day stage analogies. India’s Gondwana separation, northward motion and Eurasian collision demonstrate simultaneous continental translation, ocean closure, mountain building and foreland formation. [LIMIT] The Wilson cycle is conceptual; rates vary and microplates, terranes and inherited structures complicate every margin. [VERDICT] Tectonics continually redistributes land and sea by creating, moving, deforming and recycling lithosphere.

Why this earns marks: It answers both shape and size, integrates evidence with mechanism, uses world and India examples and qualifies the ideal stage model.

38. UPSC Prelims 2024 Q10 - fold/block mountain matching

Exact local Set-A table:

Region	Mountain range	Type stated in question
Central Asia	Vosges	Fold mountain
Europe	Alps	Block mountain
North America	Appalachians	Fold mountain
South America	Andes	Fold mountain

Question: “In how many of the above rows is the given information correctly matched?” A. Only one · B. Only two · C. Only three · D. All four.

OFFICIAL LOCAL SET-A KEY: B.

Vosges is a block mountain, so row 1 is wrong. Alps is a fold mountain, so row 2 is wrong. Appalachians and Andes are fold systems, so rows 3 and 4 are correct. Exactly two rows are correct.

Why this earns marks: The elimination hinge is reversing the first two labels and distinguishing a rift-flank horst from fold belts.

39. UPSC Prelims 2025 Q25 - continental-drift evidence

Exact local Set-A wording:

“Which of the following are the evidences of the phenomenon of continental drift? I. The belt of ancient rocks from Brazil coast matches with those from Western Africa. II. The gold deposits of Ghana are derived from the Brazil plateau when the two continents lay side by side. III. The Gondwana system of sediments from India is known to have its counterparts in six different landmasses of the Southern Hemisphere.”

Options: A. I and III only · B. I and II only · C. I, II and III · D. II and III only.

OFFICIAL LOCAL SET-A KEY: C.

All three are accepted evidence routes: lithological continuity, mineral-source reconstruction and cross-Gondwana stratigraphic correlation.

Why this earns marks: Drift evidence is broader than coastline fit and includes rock, mineral, fossil, climatic and stratigraphic continuity.

40. UPSC Prelims 2026 Q34 - Peninsular Block

Exact local Set-A wording:

“Which of the following geographical features or phenomena is/are associated with the Peninsular Block of India?

1. Submergence of parts of the western coast due to tectonic activity
2. Presence of residual mountain ranges such as the Veliconda hills and Mahendragiri hills
3. Deep, V-shaped river valleys formed by fast-flowing rivers”

Options: A. 1 only · B. 1 and 2 · C. 2 and 3 · D. 3 only.

PROVISIONAL LOCAL SET-A KEY: B - NOT OFFICIALLY FINAL.

Statements 1 and 2 fit standard descriptions of the Peninsular Block. Statement 3 is not a defining general feature of the old denuded shield, even though local incision occurs.

Why this earns marks: It distinguishes isolated youthful valleys from the broad character of an ancient structurally varied block.

41. UPSC Prelims 2018 Q57 - magnetic reversal and early atmosphere

Wording retained by the repository route:

1. The Earth’s magnetic field has reversed every few hundred thousand years.
2. When the Earth was created more than 4000 million years ago, there was 54% oxygen and no carbon dioxide.
3. When living organisms originated, they modified the early atmosphere of the Earth.

Options: A. 1 only · B. 2 and 3 only · C. 1 and 3 only · D. 1, 2 and 3.

INFERRED ANSWER - NOT OFFICIALLY VERIFIED LOCALLY: C (high confidence).

Statement 1 is correct in broad concept though reversals are irregular. Statement 2 is false: the early atmosphere was not oxygen-rich and carbon-dioxide-free. Statement 3 is correct because photosynthetic life altered atmospheric chemistry.

Why this earns marks: The implausible oxygen claim is the elimination hinge; palaeomagnetism and biological atmospheric modification are the valid concepts.

42. UPSC Prelims 2023 Q9 - Amarkantak, Biligirirangan and Seshachalam

Exact local-paper wording:

1. Amarkantak Hills are at the confluence of Vindhya and Sahyadri Ranges.
2. Biligirirangan Hills constitute the easternmost part of Satpura Range.
3. Seshachalam Hills constitute the southernmost part of Western Ghats.

Question: "How many of the statements given above are correct?" A. Only one · B. Only two · C. All three · D. None.

INFERRED ANSWER - NOT OFFICIALLY VERIFIED LOCALLY: D (high confidence).

Amarkantak is linked with the Vindhya-Satpura meeting region, not Sahyadri. Biligirirangan lies in southern Karnataka at an Eastern-Western Ghats linkage, not the Satpura. Seshachalam belongs to the Eastern Ghats in Andhra Pradesh.

Why this earns marks: All three attach a real hill system to the wrong larger range.

43. Adjacent UPSC GS-I 2022 Q6 - Deccan Trap resources

Exact local-paper wording: "Discuss the natural resource potentials of 'Deccan Trap'." (10 marks; answer in 150 words)

Ownership: True owner Geography Topic 31; retained here as a bounded geology application.

Independent model solution

[CLAIM] The Deccan Trap's resource potential arises from stacked basalt flows, weathering and structural discontinuities rather than basalt alone. [EVIDENCE] Basaltic parent material under seasonal conditions supports extensive black/regur soil tracts used for cotton, oilseeds and other crops. [MECHANISM] Clay-rich weathering products retain moisture, though drainage and climate modify productivity. [EVIDENCE] Vesicular flow tops, fractures, weathered contacts, dykes and intertrappean beds form local aquifers; compact interiors may transmit little water. [EVIDENCE] Basalt supplies building stone and aggregate, while step relief, escarpments and incised valleys create selected tourism, transport and hydropower opportunities. [LIMIT] Aquifers are heterogeneous, black soil can face waterlogging or shrink-swell constraints, and NCMM does not prove that all critical minerals occur in basalt. [VERDICT] The Deccan is a soil-water-construction-landscape resource system requiring site-specific management.

Why this earns marks: It derives several resources from flow architecture and weathering and avoids an exaggerated mineral list.

44. Adjacent UPSC GS-I 2021 Q5 - Gondwanaland and mineral economy

Exact local-paper wording: "Despite India being one of the countries of the Gondwanaland, its mining industry contributes much less to its Gross Domestic Product (GDP) in percentage. Discuss." (10 marks; answer in 150 words)

Ownership: True owner Geography Topic 31; retained here to connect geology with economic conversion.

Independent model solution

[CLAIM] Gondwana inheritance helped create diverse Indian mineral settings, but geological endowment is not the same as realised economic value. [EVIDENCE] Ancient Peninsular mobile belts host iron, manganese, gold and base-metal provinces, while faulted Gondwana basins host major coalfields. [MECHANISM] Magmatism, sedimentation, metamorphism, hydrothermal activity, burial and preservation created deposits. [ANALYSIS] Mining's contribution can remain limited because grade and depth vary; exploration is incomplete; transport, beneficiation and processing may lag; prices cycle; and land, ecological and community constraints appropriately raise the cost of extraction. [LIMIT] Gondwanaland cannot explain every ore or petroleum basin, and any GDP share requires a dated official source. [VERDICT] Policy must convert geological knowledge into responsible exploration, value addition, recycling and community-sensitive supply chains instead of equating extraction volume with development.

Why this earns marks: It separates endowment from economic conversion and combines geology, infrastructure, value addition and environmental-social qualification.

45. Four preserved map, chronology and cross-section drills

Drill 1 - Blank India structural map

Mark: Peninsular shield, Himalayan fold-thrust belt, Indo-Ganga-Brahmaputra foreland, Deccan Trap, Dharwar, Singhbhum, Cuddapah, Vindhyan, Damodar-Godavari Gondwana basins, Narmada-Son, Cambay, Andaman-Nicobar and Lakshadweep.

Solution logic: Use broad zones, not false boundaries. Keep the Himalayan arc north, alluvial foreland south of it, shield provinces across the Peninsula, basalt mainly west-central, Gondwana troughs east-/south-central, active arc in the Bay of Bengal and atolls in the Arabian Sea.

Drill 2 - South-to-north Himalayan section

Draw: alluvial foreland -> HFT/MFT -> Siwalik -> MBT -> Lesser Himalaya -> MCT -> Greater Himalayan crystalline -> Tethyan/Trans-Himalayan domain -> Indus-Tsangpo suture region.

Solution caution: Structures branch and vary laterally; the classroom order is conceptual.

Drill 3 - Broad chronology

Arrange: Archaean-Dharwar shield; Cuddapah-Vindhyan; Gondwana; Deccan flood basalt; Himalayan collision/foreland; Quaternary alluvium.

Solution: Archaean-Dharwar -> Cuddapah/Vindhyan -> Gondwana -> Deccan -> Himalayan collision/foreland -> Quaternary alluvium. Events overlap; this is an exam sequence, not a universal boundary table.

Drill 4 - Resource-process matrix

Match: shield/mobile belt-metallic ores; Gondwana rift basin-coal; complete sedimentary system-oil/gas; weathered/fractured hard rock-groundwater; basalt flow contacts-local aquifers; coastal sorting-heavy-mineral placers.

46. Six original solved Mains questions

Original 10-marker 1 - “The rock cycle is a network, not a one-way sequence.” Explain with geographical implications.

Model solution

[THESIS] The rock cycle links igneous, sedimentary and metamorphic rocks through several reversible pathways rather than a fixed classroom chain. [MECHANISM] Magma crystallises into igneous rock; any exposed rock can weather, erode and become sediment; burial, compaction and cementation produce sedimentary rock; heat, pressure and fluids metamorphose any suitable protolith; deep burial can melt rock; uplift exposes all families again. [EVIDENCE] Deccan basalt can weather to black-soil parent material, while Peninsular crystalline rocks yield fractured hard-rock aquifers; limestone can metamorphose into marble and sandstone into quartzite. [ANALYSIS] The network explains why rock age, present exposure and present land use are not identical. [LIMIT] Climate, relief, organisms, structure and time modify every weathering and soil outcome. [VERDICT] The cycle is therefore a material-transfer framework connecting deep Earth processes with soils, water, landforms and resources.

Why this earns marks: It explains pathways, uses Indian evidence, makes a geographic link and avoids the linear-cycle trap.

Original 10-marker 2 - Distinguish India's geological structure from its physiographic divisions. Illustrate with two regions.

Model solution

[THESIS] Geological structure is the rock-and-tectonic architecture beneath India, while physiography is its broad surface expression. [EVIDENCE] The Peninsular Plateau is one physiographic division, but geologically it contains Dharwar, Bastar, Singhbhum and Bundelkhand blocks, Proterozoic basins, Gondwana rifts and Deccan basalt. [MECHANISM] Differential resistance, faulting and long denudation generate residual hills, scarps and structurally guided rivers. [EVIDENCE] The Northern Plain appears as level relief but is a flexural foreland depression filled by Himalayan and Peninsular alluvium. [MECHANISM] Orogenic loading created accommodation and river sediment built the plain. [LIMIT] Climate and rivers continue to reshape both provinces. [VERDICT] Physiography is the visible, modified expression of deeper geology, not a synonym for it.

Why this earns marks: It defines both terms, uses two regions, explains mechanisms and qualifies determinism.

Original 15-marker 1 - Analyse how rock properties control groundwater and engineering suitability.

Model solution

[THESIS] Groundwater and engineering performance depend on void connection, discontinuities, mineral fabric and weathering, not on rock name alone. [EVIDENCE] Sand and gravel aquifers transmit water through connected primary pores, whereas granite, gneiss and schist commonly depend on weathered mantles, joints and fractures. [ANALYSIS] Thus a crystalline terrain can be productive where fracture networks connect, yet nearly dry nearby. [EVIDENCE] In the Deccan Trap, vesicular flow tops and weathered contacts can store water while compact flow interiors and clay-filled fractures impede it. [EVIDENCE] Bedding, foliation and fault orientation influence slope failure, tunnelling and dam abutments; soluble limestone can develop cavities, while swelling clays create foundation movement. [MECHANISM] Water pressure reduces effective strength along discontinuities and weathering weakens mineral bonds. [LIMIT] Regional geology is only a screening tool; drilling, permeability tests, structural mapping and geophysics are required. [VERDICT] Applied geology converts rock properties into a site-specific hydro-mechanical assessment.

Why this earns marks: It covers aquifers and engineering, gives three named settings, explains mechanism and ends with investigation discipline.

Original 15-marker 2 - Explain how Peninsular evolution controls metallic minerals, coal and groundwater.

Model solution

[THESIS] Peninsular resource geography reflects successive crustal episodes rather than one uniformly mineral-rich shield. [EVIDENCE] Ancient Dharwar-Singhbhum-Aravalli belts experienced magmatism, metamorphism and hydrothermal activity, producing local iron, manganese, gold and base-metal provinces. [MECHANISM] Ore localisation required mineralising fluids, structures and preservation. [EVIDENCE] Later faulting formed Damodar, Son-Mahanadi and Godavari Gondwana basins where continental sediment, vegetation, burial and coalification created coal measures. [EVIDENCE] Crystalline rocks possess limited primary porosity, but weathered mantles, joints and faults store groundwater; Deccan basalt adds vesicular contacts and interflow zones. [ANALYSIS] Metallic ore, coal and aquifer maps differ because their processes differ. [LIMIT] Grade, recharge, technology, environmental constraints and economics determine usable resources. [VERDICT] The Peninsula is a layered system of ancient mineralised crust, younger sedimentary basins and structurally controlled aquifers.

Why this earns marks: All three demands receive named regions, distinct mechanisms and an economic-hydrological qualification.

Original 20-marker 1 - Trace the tectonic cycle from continental rifting to collision and assess its relevance to India.

Model solution

[THESIS] Rifting, ocean opening, subduction and collision form an idealised plate cycle that explains changing continents, ocean basins and India's structural contrast. [MECHANISM] Extension domes and fractures continental lithosphere; continued stretching permits magma to create oceanic crust and a narrow sea. Sea-floor spreading enlarges the basin, while passive margins subside and accumulate sediment. Where subduction begins, trenches, arcs and inclined earthquake zones consume oceanic lithosphere. Basin closure brings continents together; buoyant crust shortens, thickens and uplifts into a suture and fold-thrust orogen. [EVIDENCE] East Africa, Red Sea, Atlantic, Pacific, Mediterranean and Himalaya are stage analogies, while magnetic stripes, ocean-floor ages and drift evidence test the sequence. [INDIA] The Indian block separated from Gondwana, moved north, closed Tethyan domains and collided progressively with Eurasia. Collision built the Himalayan-Tibetan orogen, flexed the Indian plate into a foreland basin and fed Siwalik and plain sediment. Earlier rifts also influenced western margins and Peninsular basins. [CONSEQUENCE] The architecture explains Himalayan seismicity, passive-margin petroleum opportunity, Gondwana coal basins and the shield-plain-mountain relief contrast. [LIMIT] The Wilson cycle is not a fixed destiny; terranes, microplates and inherited structures complicate it. [VERDICT] India is a particularly clear example of ancient shield inheritance being reorganised by an ongoing global plate cycle.

Why this earns marks: It traces the full mechanism, identifies evidence, applies it to India and delivers resource, relief and hazard significance with qualification.

Original 20-marker 2 - “India’s geological stability is relative, spatially uneven and socially consequential.” Analyse.

Model solution

[THESIS] Stability compares deformation regimes; it does not divide India into active and inactive halves. [EVIDENCE] The Himalaya and north-east form an active collision system with thrusting, crustal shortening and earthquakes. [MECHANISM] Continuing convergence stores strain, while thick alluvium in adjoining basins can amplify shaking. [EVIDENCE] Andaman-Nicobar lies on a subduction-related arc with earthquake, tsunami and volcanic contexts. [EVIDENCE] Peninsular cratons deform less on average, yet inherited rifts and faults produce intraplate risk in Kachchh and events such as Koyna, Latur and Jabalpur. [ANALYSIS] Far-field stress interacts with local weaknesses; “old” does not mean inert. [SOCIAL CONSEQUENCE] Dense mountain towns, vulnerable masonry, unstable slopes, dams, industrial corridors and soft-sediment cities convert geological processes into unequal risk. Resource consequences are also uneven: shield belts host metallic ores, Gondwana rifts coal, and sedimentary margins petroleum systems. [LIMIT] BIS zonation is a design generalisation rather than prediction, and geological association does not guarantee economic extraction. [VERDICT] Planning must replace the stable/unstable binary with microzonation, site investigation, resilient construction and responsible resource assessment.

Why this earns marks: It interprets every word of the quotation, compares four settings, links process to society/resources and ends with a qualified planning verdict.

Mains answer replication grid

Practice route	Non-negotiable opening	Visual/structure to reproduce	Qualification that prevents overclaim
10-marker: rock cycle	network of multiple pathways	compact cycle with uplift/exposure return	climate, structure and time modify outcomes
10-marker: geology versus physiography	define both terms before comparison	Peninsula and foreland examples	surface form is modified, not mechanically predetermined
15-marker: groundwater and engineering	properties and discontinuities outrank rock name	porosity-permeability and hard-rock fracture matrix	site investigation is indispensable
15-marker: Peninsular resources	successive crustal episodes created different systems	shield metals -> Gondwana coal -> fracture aquifers	association does not guarantee usable grade or yield
20-marker: tectonic cycle	idealised rift-to-suture sequence	Wilson-stage spine plus India application	stage analogies are not a fixed destiny
20-marker: relative stability	compare deformation regimes, not active/inactive halves	Himalaya-Andaman-Kachchh-Peninsula matrix	BIS zones guide design; they do not predict an event

Timed rewrite protocol: reproduce each thesis from memory, add one labelled mechanism visual, use at least two named Indian examples, insert one explicit **[LIMIT]** sentence and finish with a consequence-oriented verdict. A rewrite is complete only when the answer serves every directive word rather than merely listing facts.

OPTIONAL ADVANCED DEPTH - NOT REQUIRED FOR A CORE ANSWER

47. Older Indian rock-system schemes: useful only when declared

Classification: OPTIONAL ADVANCED

Older geography texts use a fourfold **Archaean-Purana-Dravidian-Aryan** scheme. It can organise textbook recall but should not be mixed silently with modern international chronostratigraphy.

Older label	Broad textbook use	Control
Archaean	ancient crystalline basement and associated old belts	Dharwar is not every Archaean rock
Purana	older Proterozoic basin successions	Cuddapah and Vindhyan differ internally
Dravidian	limited Indian Palaeozoic formations	much better developed extra-peninsularly

Older label	Broad textbook use	Control
Aryan	Gondwana to Recent successions in the older scheme	Gondwana here is part of the later succession, not the entire Palaeozoic

[LIMIT] Modern ages and correlations are revised. State “older Indian textbook scheme” before using these labels.

48. Field identification and metamorphic nuance

Classification: OPTIONAL ADVANCED

- Granite, diorite and gabbro provide coarse intrusive end-members; rhyolite, andesite and basalt are broad extrusive partners.
- Slate cleavage, schistosity and gneissic banding are fabrics, not sedimentary beds.
- The shale->slate->phyllite->schist->gneiss path is common but depends on composition and pressure-temperature history.
- Basalt->amphibolite is valid only under suitable metamorphic conditions.
- Graphite can develop from carbon-rich material, but an exam answer should not assert a universal one-step coal transformation.
- [LIMIT] Rock texture does not itself fix formation age.

49. Cratons, mobile belts and ore systems

Classification: OPTIONAL ADVANCED

A **craton** is a long-lived stable continental nucleus; a **shield** is where such old crust is exposed; a **mobile belt** is an ancient deformed/metamorphosed zone between or around nuclei. Dharwar, Bastar, Singhbhum, Bundelkhand and Aravalli-Bhilwara are map hooks, not perfectly agreed polygons.

Ore belts require a mineralising system: source, transport by magma or fluid, structural/chemical trap and preservation. Age alone is not an ore-forming process.

50. Basin architecture beyond the name list

Classification: OPTIONAL ADVANCED

- A **graben** is a down-dropped block between faults; a rift can contain several grabens, uplifts and magmatic segments.
- Gondwana basins preserve continental river, lake, floodplain and swamp environments; coal requires organic accumulation, burial, coalification and preservation.
- Passive-margin basins reflect rifting, subsidence and sediment supply. Deltaic basins can contain rapidly shifting facies and growth faults.
- Marine strata now inland record earlier sea incursions; present coastline is not the key to ancient environment.

51. Deccan hydrogeology and landscape refinement

Classification: OPTIONAL ADVANCED

Individual basalt flows contain compact interiors, vesicular/amygdaloidal tops, weathered contacts and intertrappean sediments. Dykes can act as conduits or barriers depending on fracturing and alteration. Therefore well yield can change sharply across short distances. Step relief is a product of stacked flows plus differential erosion, not simply the original lava surface.

52. Himalayan structural complexity beyond a classroom section

Classification: OPTIONAL ADVANCED

The simplified foreland-Siwalik-Lesser-Greater-Tethyan order hides nappes-large thrust sheets-duplexes-stacked thrust slices-detachments and along-strike variation. "Geosyncline" is retained only as an older descriptive idea of a subsiding sedimentary belt; plate tectonics supplies the causal mechanism.

53. Foreland, sediment routing and basin response

Classification: OPTIONAL ADVANCED

Mountain loading flexes the Indian plate; erosion transfers material to Siwalik molasse-thick mountain-derived sediment-and modern alluvium. Sediment supply, channel avulsion, subsidence and compaction interact. A level plain can therefore possess a deep and active structural history.

54. Hard-rock aquifers and engineering investigations

Classification: OPTIONAL ADVANCED

Remote sensing can map lineaments, but drilling, pumping tests, fracture orientation, weathering depth and geophysics determine aquifer value. Engineering geology adds discontinuity spacing, roughness, infill, groundwater pressure, weathering grade and stress. Regional maps guide investigation; they do not replace it.

55. Mineral security without geological overclaim

Classification: OPTIONAL ADVANCED

NCMM is a value-chain policy, not a new rock system. Its significance lies in linking mapping and exploration to processing, recycling, research, stockpiling and overseas acquisition. A high-scoring answer should separate **occurrence, resource, reserve, processing capability and supply-chain security**.

56. Map and answer architecture

Classification: OPTIONAL ADVANCED

- 10 marks: thesis + 4-5 evidence units + one schematic + qualification.
- 15 marks: add comparison, process chain and regional variation.
- 20 marks: integrate chronology, map/cross-section, resources/hazards and a graded verdict.
- Use: **claim -> named evidence/region -> mechanism -> consequence -> limitation -> verdict**.
- A map is schematic and not to scale; plot only claim-relevant structures and never improvise disputed boundaries.

CONSOLIDATED REGISTER NOTES

57. Rapid register - crust, rocks and dynamics

- **Scope:** mineral ≠ rock; lithology describes rock; petrology explains rock origin; geology provides structure; physiography shows broad relief; geomorphology explains landform process.
- **Crust/lithosphere:** crust is compositional; lithosphere is crust + rigid upper mantle; asthenosphere is weaker beneath.
- **Rock cycle:** crystallisation <-> weathering/transport/lithification <-> metamorphism <-> melting, with uplift/exposure connecting paths.
- **Igneous:** intrusive slow/coarse; extrusive fast/fine; felsic granite-rhyolite, intermediate diorite-andesite, mafic gabbro-basalt; porphyritic/glassy/vesicular/pyroclastic textures.
- **Sedimentary:** clastic, chemical, organic/biogenic; bedding, fossils, ripple marks, mud cracks, cross-bedding; loess/moraine are deposits unless lithified.
- **Metamorphic:** protolith + heat/pressure/stress/fluids; contact/regional/dynamic/hydrothermal; grade; foliation differs from bedding.
- **Properties:** porosity ≠ permeability; fractures/weathering control many hard-rock aquifers; rock name never replaces site investigation.

- **Drift:** shelf fit + geological continuity + fossils + palaeoclimate + palaeomagnetism; Wegener lacked mechanism.
- **Sea floor:** ridge creation + magnetic stripes + age/sediment/depth trend + trench destruction; no expanding Earth.
- **Boundaries:** divergence creates; subduction destroys oceanic crust; collision thickens; transform conserves.
- **Wilson model:** East Africa -> Red Sea -> Atlantic -> Pacific -> Mediterranean -> Himalayan suture, as analogy only.
- **Isostasy/orogeny:** Airy roots, Pratt density; loading/unloading; shortening-thickening-uplift-erosion response.

58. Rapid register - India's geological architecture

- **Skeleton:** ancient composite Peninsula + active Himalayan fold-thrust belt + alluvial foreland basin.
- **Evidence:** superposition, cross-cutting, unconformity, fossils, isotope event age, palaeomagnetism, seismic/gravity/magnetic imaging.
- **Plate journey:** Gondwana rift -> northward drift -> Tethys closure -> prolonged collision -> Himalaya/Tibet + foreland.
- **Peninsula:** Dharwar, Bastar, Singhbhum, Bundelkhand, Aravalli-Bhilwara; later rifts, dykes, basins and Deccan cover; stable ≠ inactive.
- **Archaean/Dharwar:** granitoid-gneiss basement versus supracrustal/metamorphic belts; ore link is process-specific.
- **Purana:** Cuddapah/Vindhyan Proterozoic basins over basement; Panna/building stone are bounded examples.
- **Gondwana:** faulted continental basins; Damodar, Son-Mahanadi, Satpura, Godavari; coal strong but not universal.
- **Petroleum:** Kachchh, Cambay, Rajasthan, Assam-Arakan, KG, Cauvery, Mumbai Offshore; source-maturation-migration-reservoir-seal-trap-timing.
- **Deccan:** Late Cretaceous flood basalt; flows, dykes, intertrappeans; step relief; black-soil parent; heterogeneous aquifers.
- **Himalaya:** foreland/Siwalik-Lesser-Greater-Tethyan/Trans-Himalaya-suture; HFT/MFT, MBT, MCT at exam-safe level; collision, not Andes-type arc.
- **Plain:** flexure + sediment fill; Bhabar-Terai-bhangar-khadar only as structural-sedimentary expression; aquifer/flood/subsidence/site response.
- **Coasts/islands:** western rifted sectors, eastern deltaic basins; Andaman arc versus Lakshadweep atolls.
- **Structures:** Narmada-Son, Tapi, Cambay, Godavari, Kachchh; rift ≠ graben ≠ lineament.
- **Applications:** hard/soft contrasts, joints, faults and bedding guide relief, drainage, waterfalls and water, but never alone.
- **Resources:** shield metals; Gondwana coal; sedimentary-basin petroleum; lateritic/coastal concentration; association ≠ reserve.
- **Seismic boundary:** Himalaya/NE, Andaman and Kachchh plus intraplate examples; BIS II-V is not prediction.
- **NCMM:** 29 January 2025 approval; full value chain; GSI implementation active through 2026; no deposit inference.

59. Thirty exam-ready answer lines

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Geological structure is the age, composition and architecture of rocks and tectonic features beneath a region, while physiography is their broad surface expression and geomorphology explains the processes that reshape it.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The crust is Earth's outer compositional shell, whereas the lithosphere is the stronger mechanical layer comprising the crust plus the rigid uppermost mantle.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The rock cycle is an open network in which melting, crystallisation, weathering, lithification, metamorphism and uplift can connect any rock family through multiple pathways rather than one fixed sequence.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Igneous rocks record the cooling history and composition of magma or lava: slow intrusive cooling favours coarse crystals, while rapid extrusive cooling favours fine, glassy or vesicular textures.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Sedimentary rocks convert weathered, transported or chemically and biologically produced material into layered rock through deposition, compaction and cementation, while preserving clues such as fossils, ripples and mud cracks.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Metamorphism changes a protolith in the solid state through heat, pressure, differential stress and reactive fluids, producing new minerals and fabrics without requiring complete melting.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Rock name alone never determines land use: porosity, permeability, fractures, weathering, structure and site conditions jointly control groundwater, soils, foundations, dams and slope behaviour.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Continental drift became persuasive because shelf-edge fit, matching rock belts, fossils, palaeoclimate and palaeomagnetism independently point to former continental connections, even though Wegener lacked an adequate mechanism.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Sea-floor spreading creates young oceanic crust at mid-ocean ridges, records symmetrical magnetic stripes and balances creation by consuming older lithosphere at trenches, so the Earth does not expand.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Plate boundaries are diagnosed by motion and products: divergence creates crust, subduction destroys oceanic crust, continent collision thickens crust, and transform motion conserves crust while generating shallow earthquakes.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Wilson cycle is an analogy for rifting, ocean opening, subduction, closure and suturing, not a fixed destiny that every ocean basin must complete.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Isostasy explains vertical crustal adjustment, while orogeny explains mountain building through shortening, thickening and uplift; erosion and unloading can then trigger further isostatic response.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM India's geological skeleton consists of an ancient Peninsular shield, an active Himalayan fold-thrust belt and a sediment-filled Indo-Ganga-Brahmaputra foreland basin linked by collision, flexure, erosion and deposition.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM A safe geological chronology combines superposition, cross-cutting relations, unconformities, fossils, radiometric event ages, palaeomagnetism and geophysics; relative order is often safer than memorised numerical ages.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Indian plate journey links Gondwana rifting, northward motion, Tethyan ocean closure and prolonged India-Eurasia collision to Himalayan uplift, foreland subsidence and continuing seismicity.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Peninsular India is a mosaic of cratons and mobile belts later cut by faults, rifts, dykes and basins and partly covered by younger sediments and lava, so stable never means uniform, flat or earthquake-free.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Archaean granitoid-gneiss basement and Dharwar-type supracrustal belts form distinct parts of the ancient shield, and their ore associations reflect specific magmatic, sedimentary, metamorphic and hydrothermal histories rather than age alone.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Purana is an older Indian label for Proterozoic basin successions such as Cuddapah and Vindhyan, which rest unconformably on older basement and record long-lived sedimentation rather than one uniform mineral province.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Gondwana Supergroup is a fault-basin continental sedimentary succession with important coal measures; it must not be confused with Gondwana, the southern palaeocontinent.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM A sedimentary basin offers petroleum potential only when source, maturation, migration, reservoir, seal, trap and timing form a complete preserved system, whether onshore or offshore.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Deccan Trap is a Late Cretaceous flood-basalt province of stacked fissure-fed flows whose contacts, fractures, vesicular zones and weathering create step relief, black-soil parent material and highly variable aquifers.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Himalaya is a continent-collision fold-thrust orogen containing sedimentary, metamorphic and crystalline belts; unlike the Andes, it is not primarily a volcanic subduction arc.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The Indo-Ganga-Brahmaputra Plain is not structureless alluvium but a flexural foreland basin whose thick sediment supports fertile soils and aquifers while also influencing floods, subsidence and seismic site response.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Andaman-Nicobar belongs to an active subduction-related arc-forearc system, whereas Lakshadweep consists of coral atolls on a submarine volcanic-ridge foundation; Indian island geology is therefore not uniform.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM A rift is an extensional crustal zone, a graben is a down-dropped fault block, and a lineament is a mapped linear feature that is not automatically an active fault.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Geological structure guides scarps, valleys, drainage patterns, waterfalls and groundwater through rock contrasts, bedding, joints and faults, but climate, erosion, base level and human action prevent one-to-one control.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM Shield belts, Gondwana basins and sedimentary margins are associated respectively with many metallic ores, coal and petroleum, but exploration, grade, preservation, technology, economics and environmental limits decide usable resources.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM India's seismicity reflects active Himalayan and Andaman plate boundaries plus reactivation of inherited structures such as Kachchh and selected Peninsular faults; seismic zoning is a design generalisation, not earthquake prediction.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM The National Critical Mineral Mission, approved on 29 January 2025, links domestic and offshore exploration with mining, processing, recycling, research, stockpiling and overseas acquisition, but mission targets do not prove any particular deposit or reserve.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM India's surface geography is best explained as inherited geological structure filtered through tectonics, weathering, climate, erosion, sediment transfer and human use, so every high-scoring answer must connect evidence, mechanism, consequence and limitation.

60. Last-minute PYQ routes, traps and answer spine

Route	Recall
2022 GS-I primary rocks	occurrence + cooling texture + composition + India example
2025 GS-I tectonic change	evidence + ridge/subduction + Wilson analogy + qualification
2024 fold/block	Vosges block; Alps/Appalachians/Andes fold
2025 drift evidence	all three accepted; official C
2026 Peninsula	statements 1 and 2; provisional B
2018 magnetic/atmosphere	1 and 3; inferred C
2023 hills	all wrong; inferred D
2022 Deccan	soil + water + stone + landscape, with heterogeneity
2021 Gondwanaland	endowment ≠ GDP conversion

Trap sweep: crust ≠ lithosphere · rock ≠ mineral · bedding ≠ foliation · loess/moraine ≠ automatically rock · porosity ≠ permeability · Pangaea/Gondwana ≠ Gondwana Supergroup · ridge creation ≠ Earth expansion · Himalaya ≠ Andes volcanic arc · stable Peninsula ≠ aseismic · sedimentary basin ≠ guaranteed oil · Deccan Trap ≠ coal system · alluvium ≠ structureless · lineament ≠ active fault · NCMM target ≠ deposit.

Final answer spine: definition/thesis -> small map/cross-section -> relative sequence/evidence -> mechanism -> named Indian consequence -> counterpoint/limit -> graded verdict.

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM India's surface geography is best explained as inherited geological structure filtered through tectonics, weathering, climate, erosion, sediment transfer and human use, so every high-scoring answer must connect evidence, mechanism, consequence and limitation.