


SOLVED PRACTICE WORKBOOK

Arctic or Polar Climate - Solved Practice Workbook

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing

LEARNING PATH



Deterministic fallback visual: move from precise concepts through argument and critique to exam application.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / WORKBOOK INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

Arctic or Polar Climate - Solved Practice Workbook	5
BASIC MCQS / REMEDIATION	5
Q1. Which statement correctly explains Polar climate location?	5
Q2. Which option is the safest spatial interpretation of Polar climate location?	5
Q3. Which statement preserves the process boundary for Polar climate location?	5
Q4. Which option avoids the main UPSC trap concerning Polar climate location?	6
Q5. Which statement correctly explains Tundra distribution?	6
Q6. Which option is the safest spatial interpretation of Tundra distribution?	6
Q7. Which statement preserves the process boundary for Tundra distribution?	6
Q8. Which option avoids the main UPSC trap concerning Tundra distribution?	7
Q9. Which statement correctly explains Temperature character?	7
Q10. Which option is the safest spatial interpretation of Temperature character?	7
Q11. Which statement preserves the process boundary for Temperature character?	8
Q12. Which option avoids the main UPSC trap concerning Temperature character?	8
Q13. Which statement correctly explains Cold desert precipitation?	8
Q14. Which option is the safest spatial interpretation of Cold desert precipitation?	8
Q15. Which statement preserves the process boundary for Cold desert precipitation?	9
Q16. Which option avoids the main UPSC trap concerning Cold desert precipitation?	9
Q17. Which statement correctly explains Tundra vegetation?	9
Q18. Which option is the safest spatial interpretation of Tundra vegetation?	10
Q19. Which statement preserves the process boundary for Tundra vegetation?	10
Q20. Which option avoids the main UPSC trap concerning Tundra vegetation?	10
Q21. Which statement correctly explains Brief summer flowering?	11
Q22. Which option is the safest spatial interpretation of Brief summer flowering?	11
Q23. Which statement preserves the process boundary for Brief summer flowering?	11
Q24. Which option avoids the main UPSC trap concerning Brief summer flowering?	11
Q25. Which statement correctly explains Arctic-Antarctic asymmetry?	12
Q26. Which option is the safest spatial interpretation of Arctic-Antarctic asymmetry?	12
Q27. Which statement preserves the process boundary for Arctic-Antarctic asymmetry?	12

Q28. Which option avoids the main UPSC trap concerning Arctic-Antarctic asymmetry?	13
Q29. Which statement correctly explains Ice-albedo feedback mechanism?	13
Q30. Which option is the safest spatial interpretation of Ice-albedo feedback mechanism?	13
Q31. Which statement preserves the process boundary for Ice-albedo feedback mechanism?	14
Q32. Which option avoids the main UPSC trap concerning Ice-albedo feedback mechanism?	14
Q33. Which statement correctly explains Permafrost thaw and carbon?	14
Q34. Which option is the safest spatial interpretation of Permafrost thaw and carbon?	15
Q35. Which statement preserves the process boundary for Permafrost thaw and carbon?	15
Q36. Which option avoids the main UPSC trap concerning Permafrost thaw and carbon?	15
Q37. Which statement correctly explains Sea-level rule?	16
Q38. Which option is the safest spatial interpretation of Sea-level rule?	16
Q39. Which statement preserves the process boundary for Sea-level rule?	16
Q40. Which option avoids the main UPSC trap concerning Sea-level rule?	17
Q41. Which statement correctly explains Arctic shipping prospects?	17
Q42. Which option is the safest spatial interpretation of Arctic shipping prospects?	17
Q43. Which statement preserves the process boundary for Arctic shipping prospects?	18
Q44. Which option avoids the main UPSC trap concerning Arctic shipping prospects?	18
Q45. Which statement correctly explains Arctic governance?	18
Q46. Which option is the safest spatial interpretation of Arctic governance?	19
Q47. Which statement preserves the process boundary for Arctic governance?	19
Q48. Which option avoids the main UPSC trap concerning Arctic governance?	19
Q49. Which statement correctly explains India cold desert Ladakh?	20
Q50. Which option is the safest spatial interpretation of India cold desert Ladakh?	20
Q51. Which statement preserves the process boundary for India cold desert Ladakh?	20
Q52. Which option avoids the main UPSC trap concerning India cold desert Ladakh?	21
Q53. Which statement correctly explains Ladakh cold desert mechanism?	21
Q54. Which option is the safest spatial interpretation of Ladakh cold desert mechanism?	21
Q55. Which statement preserves the process boundary for Ladakh cold desert mechanism?	22
Q56. Which option avoids the main UPSC trap concerning Ladakh cold desert mechanism?	22
Q57. Which statement correctly explains Ladakh land use?	22
Q58. Which option is the safest spatial interpretation of Ladakh land use?	23
Q59. Which statement preserves the process boundary for Ladakh land use?	23

Q60. Which option avoids the main UPSC trap concerning Ladakh land use?	23
Q61. Which statement correctly explains India polar research stations?	24
Q62. Which option is the safest spatial interpretation of India polar research stations?	24
Q63. Which statement preserves the process boundary for India polar research stations?	24
Q64. Which option avoids the main UPSC trap concerning India polar research stations?	25
Q65. Which statement correctly explains India Arctic and Himalayan stations?	25
Q66. Which option is the safest spatial interpretation of India Arctic and Himalayan stations?	25
Q67. Which statement preserves the process boundary for India Arctic and Himalayan stations?	25
Q68. Which option avoids the main UPSC trap concerning India Arctic and Himalayan stations?	26
Q69. Which statement correctly explains India polar legal framework?	26
Q70. Which option is the safest spatial interpretation of India polar legal framework?	26
Q71. Which statement preserves the process boundary for India polar legal framework?	27
Q72. Which option avoids the main UPSC trap concerning India polar legal framework?	27
Q73. Which statement correctly explains Arctic Indigenous peoples?	27
Q74. Which option is the safest spatial interpretation of Arctic Indigenous peoples?	28
Q75. Which statement preserves the process boundary for Arctic Indigenous peoples?	28
Q76. Which option avoids the main UPSC trap concerning Arctic Indigenous peoples?	28
Q77. Which statement correctly explains 2021 GS-I PYQ ownership?	28
Q78. Which option is the safest spatial interpretation of 2021 GS-I PYQ ownership?	29
Q79. Which statement preserves the process boundary for 2021 GS-I PYQ ownership?	29
Q80. Which option avoids the main UPSC trap concerning 2021 GS-I PYQ ownership?	29
PYQS AND ANSWER PRACTICE	30
VERIFIED PYQ OWNERSHIP AUDIT	30
OWNER PYQ LEDGER EXTRACTS	30
PYQ DEMAND CARD 1 - 2021 GS-I	30
ORIGINAL MAINS 1 - 10 MARKS	30
ORIGINAL MAINS 2 - 10 MARKS	31
ORIGINAL MAINS 3 - 15 MARKS	31
ORIGINAL MAINS 4 - 15 MARKS	32
ORIGINAL MAINS 5 - 20 MARKS	32
ORIGINAL MAINS 6 - 20 MARKS	33

Arctic or Polar Climate - Solved Practice Workbook

Authoring-only generation: 2026-09-01. Uses the same verified ownership and strict A-B-C-D rotation as the learning source.

BASIC MCQS / REMEDIATION

Q1. Which statement correctly explains Polar climate location?

A. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. B. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. C. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. D. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall.

Answer: A. Explanation: The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. The other options describe different processes, locations, scales or governance categories.

Q2. Which option is the safest spatial interpretation of Polar climate location?

A. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. B. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. C. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. D. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer.

Answer: B. Explanation: The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. The other options describe different processes, locations, scales or governance categories.

Q3. Which statement preserves the process boundary for Polar climate location?

A. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. B. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. C. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. D. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar.

Answer: C. Explanation: The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. The other options describe different processes, locations, scales or governance categories.

Q4. Which option avoids the main UPSC trap concerning Polar climate location?

A. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. B. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. C. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. D. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months.

Answer: D. Explanation: The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. The other options describe different processes, locations, scales or governance categories.

Q5. Which statement correctly explains Tundra distribution?

A. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. B. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. C. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. D. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer.

Answer: A. Explanation: Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. The other options describe different processes, locations, scales or governance categories.

Q6. Which option is the safest spatial interpretation of Tundra distribution?

A. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. B. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. C. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. D. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar.

Answer: B. Explanation: Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. The other options describe different processes, locations, scales or governance categories.

Q7. Which statement preserves the process boundary for Tundra distribution?

A. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. B. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. C. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. D. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins.

Answer: C. Explanation: Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. The other options describe different processes, locations, scales or governance categories.

Q8. Which option avoids the main UPSC trap concerning Tundra distribution?

A. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. B. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. C. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. D. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears.

Answer: D. Explanation: Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. The other options describe different processes, locations, scales or governance categories.

Q9. Which statement correctly explains Temperature character?

A. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. B. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. C. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. D. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar.

Answer: A. Explanation: Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. The other options describe different processes, locations, scales or governance categories.

Q10. Which option is the safest spatial interpretation of Temperature character?

A. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. B. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. C. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. D. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins.

Answer: B. Explanation: Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. The other options describe different processes, locations, scales or governance categories.

Q11. Which statement preserves the process boundary for Temperature character?

A. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. B. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. C. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. D. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop.

Answer: C. Explanation: Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. The other options describe different processes, locations, scales or governance categories.

Q12. Which option avoids the main UPSC trap concerning Temperature character?

A. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. B. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. C. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. D. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior.

Answer: D. Explanation: Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. The other options describe different processes, locations, scales or governance categories.

Q13. Which statement correctly explains Cold desert precipitation?

A. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. B. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. C. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. D. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins.

Answer: A. Explanation: Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. The other options describe different processes, locations, scales or governance categories.

Q14. Which option is the safest spatial interpretation of Cold desert precipitation?

A. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. B. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. C. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. D. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a

self-reinforcing loop.

Answer: B. Explanation: Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. The other options describe different processes, locations, scales or governance categories.

Q15. Which statement preserves the process boundary for Cold desert precipitation?

A. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. B. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. C. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. D. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism.

Answer: C. Explanation: Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. The other options describe different processes, locations, scales or governance categories.

Q16. Which option avoids the main UPSC trap concerning Cold desert precipitation?

A. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. B. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. C. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. D. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall.

Answer: D. Explanation: Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. The other options describe different processes, locations, scales or governance categories.

Q17. Which statement correctly explains Tundra vegetation?

A. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. B. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. C. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. D. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop.

Answer: A. Explanation: Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. The other options describe different processes, locations, scales or governance categories.

Q18. Which option is the safest spatial interpretation of Tundra vegetation?

A. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. B. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. C. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. D. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism.

Answer: B. Explanation: Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. The other options describe different processes, locations, scales or governance categories.

Q19. Which statement preserves the process boundary for Tundra vegetation?

A. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. B. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. C. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. D. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge.

Answer: C. Explanation: Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. The other options describe different processes, locations, scales or governance categories.

Q20. Which option avoids the main UPSC trap concerning Tundra vegetation?

A. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. B. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. C. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. D. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer.

Answer: D. Explanation: Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. The other options describe different processes, locations, scales or governance categories.

Q21. Which statement correctly explains Brief summer flowering?

A. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. B. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. C. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. D. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism.

Answer: A. Explanation: In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. The other options describe different processes, locations, scales or governance categories.

Q22. Which option is the safest spatial interpretation of Brief summer flowering?

A. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. B. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. C. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. D. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge.

Answer: B. Explanation: In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. The other options describe different processes, locations, scales or governance categories.

Q23. Which statement preserves the process boundary for Brief summer flowering?

A. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. B. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. C. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. D. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping.

Answer: C. Explanation: In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. The other options describe different processes, locations, scales or governance categories.

Q24. Which option avoids the main UPSC trap concerning Brief summer flowering?

A. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. B. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. C. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. D. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar.

Answer: D. Explanation: In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. The other options describe different processes, locations, scales or governance categories.

Q25. Which statement correctly explains Arctic-Antarctic asymmetry?

A. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. B. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. C. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. D. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge.

Answer: A. Explanation: The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. The other options describe different processes, locations, scales or governance categories.

Q26. Which option is the safest spatial interpretation of Arctic-Antarctic asymmetry?

A. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. B. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. C. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. D. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping.

Answer: B. Explanation: The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. The other options describe different processes, locations, scales or governance categories.

Q27. Which statement preserves the process boundary for Arctic-Antarctic asymmetry?

A. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. B. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. C. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. D. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India.

Answer: C. Explanation: The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. The other options describe different processes, locations, scales or governance categories.

Q28. Which option avoids the main UPSC trap concerning Arctic-Antarctic asymmetry?

A. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. B. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. C. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. D. The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins.

Answer: D. Explanation: The Arctic is an ocean surrounded by continents while Antarctica is a continent surrounded by ocean; the Arctic carries mainly floating sea ice plus the Greenland ice sheet, while Antarctica holds a vast grounded ice sheet with floating ice shelves at its margins. The other options describe different processes, locations, scales or governance categories.

Q29. Which statement correctly explains Ice-albedo feedback mechanism?

A. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. B. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. C. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. D. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping.

Answer: A. Explanation: Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. The other options describe different processes, locations, scales or governance categories.

Q30. Which option is the safest spatial interpretation of Ice-albedo feedback mechanism?

A. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. B. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. C. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. D. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India.

Answer: B. Explanation: Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. The other options describe different processes, locations, scales or governance categories.

Q31. Which statement preserves the process boundary for Ice-albedo feedback mechanism?

A. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. B. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. C. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. D. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night.

Answer: C. Explanation: Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. The other options describe different processes, locations, scales or governance categories.

Q32. Which option avoids the main UPSC trap concerning Ice-albedo feedback mechanism?

A. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. B. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. C. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. D. Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop.

Answer: D. Explanation: Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop. The other options describe different processes, locations, scales or governance categories.

Q33. Which statement correctly explains Permafrost thaw and carbon?

A. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. B. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. C. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. D. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India.

Answer: A. Explanation: Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. The other options describe different processes, locations, scales or governance categories.

Q34. Which option is the safest spatial interpretation of Permafrost thaw and carbon?

A. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. B. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. C. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. D. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night.

Answer: B. Explanation: Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. The other options describe different processes, locations, scales or governance categories.

Q35. Which statement preserves the process boundary for Permafrost thaw and carbon?

A. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. B. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. C. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. D. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes.

Answer: C. Explanation: Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. The other options describe different processes, locations, scales or governance categories.

Q36. Which option avoids the main UPSC trap concerning Permafrost thaw and carbon?

A. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. B. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. C. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. D. Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism.

Answer: D. Explanation: Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism. The other options describe different processes, locations, scales or governance categories.

Q37. Which statement correctly explains Sea-level rule?

A. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. B. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. C. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. D. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night.

Answer: A. Explanation: Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. The other options describe different processes, locations, scales or governance categories.

Q38. Which option is the safest spatial interpretation of Sea-level rule?

A. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. B. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. C. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. D. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes.

Answer: B. Explanation: Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. The other options describe different processes, locations, scales or governance categories.

Q39. Which statement preserves the process boundary for Sea-level rule?

A. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. B. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. C. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. D. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture.

Answer: C. Explanation: Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. The other options describe different processes, locations, scales or governance categories.

Q40. Which option avoids the main UPSC trap concerning Sea-level rule?

A. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. B. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. C. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. D. Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge.

Answer: D. Explanation: Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge. The other options describe different processes, locations, scales or governance categories.

Q41. Which statement correctly explains Arctic shipping prospects?

A. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. B. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. C. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. D. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes.

Answer: A. Explanation: Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. The other options describe different processes, locations, scales or governance categories.

Q42. Which option is the safest spatial interpretation of Arctic shipping prospects?

A. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. B. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. C. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. D. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture.

Answer: B. Explanation: Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. The other options describe different processes, locations, scales or governance categories.

Q43. Which statement preserves the process boundary for Arctic shipping prospects?

A. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. B. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. C. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. D. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned.

Answer: C. Explanation: Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. The other options describe different processes, locations, scales or governance categories.

Q44. Which option avoids the main UPSC trap concerning Arctic shipping prospects?

A. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. B. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. C. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. D. Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping.

Answer: D. Explanation: Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping. The other options describe different processes, locations, scales or governance categories.

Q45. Which statement correctly explains Arctic governance?

A. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. B. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. C. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. D. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture.

Answer: A. Explanation: Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. The other options describe different processes, locations, scales or governance categories.

Q46. Which option is the safest spatial interpretation of Arctic governance?

A. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. B. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. C. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. D. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned.

Answer: B. Explanation: Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. The other options describe different processes, locations, scales or governance categories.

Q47. Which statement preserves the process boundary for Arctic governance?

A. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. B. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. C. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. D. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational.

Answer: C. Explanation: Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. The other options describe different processes, locations, scales or governance categories.

Q48. Which option avoids the main UPSC trap concerning Arctic governance?

A. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. B. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. C. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. D. Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India.

Answer: D. Explanation: Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India. The other options describe different processes, locations, scales or governance categories.

Q49. Which statement correctly explains India cold desert Ladakh?

A. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. B. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. C. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. D. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned.

Answer: A. Explanation: India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. The other options describe different processes, locations, scales or governance categories.

Q50. Which option is the safest spatial interpretation of India cold desert Ladakh?

A. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. B. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. C. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. D. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational.

Answer: B. Explanation: India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. The other options describe different processes, locations, scales or governance categories.

Q51. Which statement preserves the process boundary for India cold desert Ladakh?

A. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. B. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. C. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. D. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon.

Answer: C. Explanation: India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. The other options describe different processes, locations, scales or governance categories.

Q52. Which option avoids the main UPSC trap concerning India cold desert Ladakh?

A. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. B. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. C. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. D. India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night.

Answer: D. Explanation: India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night. The other options describe different processes, locations, scales or governance categories.

Q53. Which statement correctly explains Ladakh cold desert mechanism?

A. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. B. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. C. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. D. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational.

Answer: A. Explanation: Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. The other options describe different processes, locations, scales or governance categories.

Q54. Which option is the safest spatial interpretation of Ladakh cold desert mechanism?

A. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. B. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. C. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. D. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon.

Answer: B. Explanation: Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. The other options describe different processes, locations, scales or governance categories.

Q55. Which statement preserves the process boundary for Ladakh cold desert mechanism?

A. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. B. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. C. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. D. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment.

Answer: C. Explanation: Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. The other options describe different processes, locations, scales or governance categories.

Q56. Which option avoids the main UPSC trap concerning Ladakh cold desert mechanism?

A. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. B. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. C. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. D. Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes.

Answer: D. Explanation: Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes. The other options describe different processes, locations, scales or governance categories.

Q57. Which statement correctly explains Ladakh land use?

A. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. B. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. C. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. D. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon.

Answer: A. Explanation: In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. The other options describe different processes, locations, scales or governance categories.

Q58. Which option is the safest spatial interpretation of Ladakh land use?

A. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. B. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. C. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. D. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment.

Answer: B. Explanation: In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. The other options describe different processes, locations, scales or governance categories.

Q59. Which statement preserves the process boundary for Ladakh land use?

A. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. B. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. C. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. D. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading.

Answer: C. Explanation: In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. The other options describe different processes, locations, scales or governance categories.

Q60. Which option avoids the main UPSC trap concerning Ladakh land use?

A. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. B. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. C. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. D. In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture.

Answer: D. Explanation: In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture. The other options describe different processes, locations, scales or governance categories.

Q61. Which statement correctly explains India polar research stations?

A. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. B. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. C. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. D. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment.

Answer: A. Explanation: India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. The other options describe different processes, locations, scales or governance categories.

Q62. Which option is the safest spatial interpretation of India polar research stations?

A. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. B. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. C. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. D. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading.

Answer: B. Explanation: India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. The other options describe different processes, locations, scales or governance categories.

Q63. Which statement preserves the process boundary for India polar research stations?

A. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. B. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. C. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. D. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months.

Answer: C. Explanation: India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. The other options describe different processes, locations, scales or governance categories.

Q64. Which option avoids the main UPSC trap concerning India polar research stations?

A. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. B. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. C. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. D. India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned.

Answer: D. Explanation: India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned. The other options describe different processes, locations, scales or governance categories.

Q65. Which statement correctly explains India Arctic and Himalayan stations?

A. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. B. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. C. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. D. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading.

Answer: A. Explanation: India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. The other options describe different processes, locations, scales or governance categories.

Q66. Which option is the safest spatial interpretation of India Arctic and Himalayan stations?

A. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. B. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. C. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. D. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months.

Answer: B. Explanation: India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. The other options describe different processes, locations, scales or governance categories.

Q67. Which statement preserves the process boundary for India Arctic and Himalayan stations?

A. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. B. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. C. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. D. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when

snow melts and vegetation appears.

Answer: C. Explanation: India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. The other options describe different processes, locations, scales or governance categories.

Q68. Which option avoids the main UPSC trap concerning India Arctic and Himalayan stations?

A. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. B. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. C. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. D. India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational.

Answer: D. Explanation: India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational. The other options describe different processes, locations, scales or governance categories.

Q69. Which statement correctly explains India polar legal framework?

A. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. B. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. C. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. D. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months.

Answer: A. Explanation: India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. The other options describe different processes, locations, scales or governance categories.

Q70. Which option is the safest spatial interpretation of India polar legal framework?

A. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. B. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. C. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. D. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears.

Answer: B. Explanation: India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. The other options describe different processes, locations, scales or governance categories.

Q71. Which statement preserves the process boundary for India polar legal framework?

A. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. B. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. C. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. D. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior.

Answer: C. Explanation: India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. The other options describe different processes, locations, scales or governance categories.

Q72. Which option avoids the main UPSC trap concerning India polar legal framework?

A. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. B. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. C. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. D. India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon.

Answer: D. Explanation: India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon. The other options describe different processes, locations, scales or governance categories.

Q73. Which statement correctly explains Arctic Indigenous peoples?

A. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. B. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. C. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. D. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears.

Answer: A. Explanation: Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. The other options describe different processes, locations, scales or governance categories.

Q74. Which option is the safest spatial interpretation of Arctic Indigenous peoples?

A. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. B. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. C. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. D. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior.

Answer: B. Explanation: Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. The other options describe different processes, locations, scales or governance categories.

Q75. Which statement preserves the process boundary for Arctic Indigenous peoples?

A. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. B. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. C. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. D. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall.

Answer: C. Explanation: Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. The other options describe different processes, locations, scales or governance categories.

Q76. Which option avoids the main UPSC trap concerning Arctic Indigenous peoples?

A. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. B. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. C. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. D. Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment.

Answer: D. Explanation: Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment. The other options describe different processes, locations, scales or governance categories.

Q77. Which statement correctly explains 2021 GS-I PYQ ownership?

A. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. B. The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months. C. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. D. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above

freezing and winters are long and severe, colder in the interior.

Answer: A. Explanation: The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. The other options describe different processes, locations, scales or governance categories.

Q78. Which option is the safest spatial interpretation of 2021 GS-I PYQ ownership?

A. Tundra covers coastal Greenland, the barren grounds of northern Canada and Alaska, and the Arctic seaboard of Eurasia; these lowlands have a few months above freezing when snow melts and vegetation appears. B. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. C. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. D. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall.

Answer: B. Explanation: The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. The other options describe different processes, locations, scales or governance categories.

Q79. Which statement preserves the process boundary for 2021 GS-I PYQ ownership?

A. Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior. B. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. C. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. D. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer.

Answer: C. Explanation: The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. The other options describe different processes, locations, scales or governance categories.

Q80. Which option avoids the main UPSC trap concerning 2021 GS-I PYQ ownership?

A. Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall. B. Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer. C. In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar. D. The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading.

Answer: D. Explanation: The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading. The other options describe different processes, locations, scales or governance categories.

PYQS AND ANSWER PRACTICE

VERIFIED PYQ OWNERSHIP AUDIT

The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by Geography Topic 25. It requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels graded by confidence. No additional PYQ is fabricated.

OWNER PYQ LEDGER EXTRACTS

Historical PYQ Integration (2018-2023)

Status: Question-level PYQ demand is integrated into this owner. **Provenance:** Audited local official-paper routing ledgers: _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2018-2023.md.

- **Years represented:** 2021
- **Paper(s):** GS-I
- **Routed question demands:** 1

Year	Paper	Q	PYQ demand (neutral rendering)	Directive / format	Source status	Owner requirement
2021	GS-I	15	Melting Arctic ice and Antarctic glaciers and weather patterns	Explain · 15 marks · 250 words	Routed to owning topic	Prepare context, core dimensions, evidence/examples, counterpoint and a concise conclusion.

What this owner must now support

- Melting Arctic ice and Antarctic glaciers and weather patterns

The table integrates the examinable demand and paper metadata. It does not turn an unkeyed objective question into a solved answer, and it does not claim that lexical presence alone proves full conceptual sufficiency.

PYQ DEMAND CARD 1 - 2021 GS-I

Demand: Discuss the effects of melting Arctic ice and Antarctic glaciers on weather patterns.

Status: Verified from _PYQ-ROUTING-MAINS-GS1-GS2-ESSAY-2018-2023.md

Model solution: The polar regions transmit change through four channels: (1) Sea-level - only grounded ice loss raises sea level; ice-shelf loss accelerates discharge by removing buttressing. (2) Atmospheric and oceanic circulation - reduced equator-to-pole temperature gradient may weaken and meander the jet stream, but this is an active research question, not settled science. (3) Carbon - permafrost thaw creates a second self-reinforcing feedback releasing CO₂ and methane. (4) Access - retreating sea ice opens routes and resource shelves. The Arctic-Antarctic asymmetry (ocean versus continent; sea ice versus grounded ice) must open the answer. Confidence declines from sea-level through carbon to the weather-pattern link, and an answer that grades this uncertainty is stronger than one that asserts all four equally.

ORIGINAL MAINS 1 - 10 MARKS

Question: Explain why the tundra is treeless and why the polar climate is classified as a cold desert. Answer in about 150 words.

Model thesis: The tundra is treeless because of the short growing season with the warmest month below about 10 degrees Celsius, permafrost preventing deep rooting, poor drainage and wind; precipitation is low and mostly snow, making the polar zone a cold desert by rainfall criteria.

Claim -> named evidence -> analysis -> qualification:

- Mean annual temperature is very low; the warmest month in June or July seldom exceeds about 10 degrees Celsius; no more than about four months rise above freezing and winters are long and severe, colder in the interior.

- Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer.
- Precipitation is low and mostly snow, making the polar climate a cold desert; blizzards are wind-and-snow events caused by wind redistributing existing snow into drifts, not simply heavy snowfall.

Qualified conclusion: The tundra is treeless because of the short growing season with the warmest month below about 10 degrees Celsius, permafrost preventing deep rooting, poor drainage and wind; precipitation is low and mostly snow, making the polar zone a cold desert by rainfall criteria.

ORIGINAL MAINS 2 - 10 MARKS

Question: Distinguish between ice-cap and tundra subdivisions of the polar climate. Answer in about 150 words.

Model thesis: Ice-cap areas such as Greenland are permanently snow-covered with no vegetation; tundra lowlands have a few ice-free months when mosses, lichens and dwarf shrubs appear, providing grazing for reindeer; the distinction is the presence of a brief growing season.

Claim -> named evidence -> analysis -> qualification:

- The polar type of climate and vegetation is found mainly north of the Arctic Circle in the Northern Hemisphere, with two subdivisions: ice-cap covering Greenland and high-latitude highlands under permanent snow, and tundra covering lowlands with a few ice-free months.
- Tundra is treeless; in sheltered spots stunted birches, dwarf willows and undersized alders survive; coastal lowlands carry hardy grasses and reindeer moss which is actually a lichen providing the only pasturage for reindeer.
- In the brief polar summer snow melts and berry-bushes and Arctic flowers bloom briefly before the return of continuous cold; this short growing season controls the entire ecological calendar.

Qualified conclusion: Ice-cap areas such as Greenland are permanently snow-covered with no vegetation; tundra lowlands have a few ice-free months when mosses, lichens and dwarf shrubs appear, providing grazing for reindeer; the distinction is the presence of a brief growing season.

ORIGINAL MAINS 3 - 15 MARKS

Question: Discuss the effects of melting Arctic ice and Antarctic glaciers on weather patterns, distinguishing the mechanisms and their confidence levels. Answer in about 250 words.

Model thesis: Arctic amplification through the ice-albedo feedback accelerates regional warming; sea-level contribution comes from grounded ice only; permafrost thaw adds a carbon feedback; the hypothesised jet-stream weakening and blocking link is the least certain channel and must be presented as actively debated.

Claim -> named evidence -> analysis -> qualification:

- Arctic amplification works through the ice-albedo feedback: as warming causes sea ice and snow to retreat, bright high-albedo surfaces are replaced by dark ocean and bare ground, absorbing far more solar radiation and causing further warming in a self-reinforcing loop.
- Permafrost thaw releases stored carbon as carbon dioxide under dry conditions and methane under waterlogged conditions; this creates a second self-reinforcing feedback loop alongside the ice-albedo mechanism.
- Floating sea-ice melt does not raise sea level; only grounded ice loss from Greenland and Antarctica transfers mass to the ocean; ice-shelf loss removes buttressing and can accelerate grounded-ice discharge.
- The 2021 GS-I Q15 demand on melting Arctic ice and Antarctic glaciers and weather patterns is the only verified PYQ owned by this topic; it requires the Arctic-Antarctic distinction, the amplification mechanism and four transmission channels with confidence grading.

Qualified conclusion: Arctic amplification through the ice-albedo feedback accelerates regional warming; sea-level contribution comes from grounded ice only; permafrost thaw adds a carbon feedback; the hypothesised jet-stream weakening and blocking link is the least certain channel and must be presented as actively debated.

ORIGINAL MAINS 4 - 15 MARKS

Question: Assess Ladakh as India's cold-desert analogue and explain the mechanisms that make it arid. Answer in about 250 words.

Model thesis: Ladakh is a cold desert because the Greater Himalaya blocks the southwest monsoon creating a rain-shadow while high altitude causes intense radiative cooling; winter western disturbances bring light snow; the Changpa pastoral economy and water-harvesting adapt to these constraints.

Claim -> named evidence -> analysis -> qualification:

- India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night.
- Ladakh is a desert because of rain-shadow plus high altitude, not because it is hot; winter western disturbances bring the light snow that is the main precipitation; Husain classes it with the cold desert biome alongside the Sierra Nevada and the Andes.
- In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture.

Qualified conclusion: Ladakh is a cold desert because the Greater Himalaya blocks the southwest monsoon creating a rain-shadow while high altitude causes intense radiative cooling; winter western disturbances bring light snow; the Changpa pastoral economy and water-harvesting adapt to these constraints.

ORIGINAL MAINS 5 - 20 MARKS

Question: Analyse the geopolitical significance of the opening Arctic, integrating the practical constraints on shipping and the governance architecture. Answer in about 300 words.

Model thesis: Retreating sea ice creates shorter routes between NE Asia and NW Europe, but mobile ice, incomplete charting, thin rescue capacity and sparse ports limit traffic to resource export; maritime-law continental-shelf claims, the Arctic forum and India's observer role form the governance layer.

Claim -> named evidence -> analysis -> qualification:

- Retreating summer sea ice lengthens the navigable season along Arctic coasts on routes shorter than Suez or Panama between NE Asia and NW Europe, but practical constraints including mobile ice, incomplete charting, thin rescue capacity, costly insurance and sparse ports limit near-term traffic to resource export and destination shipping.
- Coastal states' rights over the Arctic seabed depend on maritime law including continental-shelf extensions on geological evidence; regional cooperation operates through a state-led forum with observer participation by non-Arctic states including India.
- India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon.
- Arctic Indigenous communities include the Inuit in Greenland, Canada and Alaska, the Sami in northern Fennoscandia and the Nenets and other peoples in Arctic Russia; these communities have diverse livelihoods adapted to the polar environment.

Qualified conclusion: Retreating sea ice creates shorter routes between NE Asia and NW Europe, but mobile ice, incomplete charting, thin rescue capacity and sparse ports limit traffic to resource export; maritime-law continental-shelf claims, the Arctic forum and India's observer role form the governance layer.

ORIGINAL MAINS 6 - 20 MARKS

Question: Design a comprehensive framework linking India's polar research programme, Himalayan cryosphere monitoring and Ladakh cold-desert sustainability. Answer in about 300 words.

Model thesis: India's polar stations at Maitri, Bharati and Himadri track teleconnections between Arctic change and Indian monsoon disruption; connect this to Himalayan glacier monitoring at Himansh and to Ladakh cold-desert sustainability through water-harvesting, pastoral adaptation and infrastructure resilience.

Claim -> named evidence -> analysis -> qualification:

- India's polar research is coordinated by NCPOR in Goa; Antarctic stations are Maitri at Schirmacher Oasis since 1989 and Bharati at Larsemann Hills since 2012; Dakshin Gangotri was the first station from 1983 but was later decommissioned.
- India's Arctic station is Himadri at Ny-Alesund in Svalbard since 2008; the Himalayan station Himansh in Spiti, Himachal Pradesh conducts glacier studies; Dakshin Gangotri is not operational.
- India acceded to the Antarctic Treaty in 1983, has the Indian Antarctic Act 2022 and an Arctic Policy 2022 with six pillars; the research focus is on teleconnections between Arctic sea-ice loss and disruption of the Indian monsoon.
- In the cold deserts of Ladakh and Spiti, priority goes to irrigated agriculture and animal husbandry with water-harvesting devices; the Changpa rear pashmina goats and yak on high pastures, and allied activities include milk, poultry and horticulture.
- India's cold-desert analogue is Ladakh and adjoining trans-Himalayan valleys; the Greater Himalaya blocks the southwest monsoon creating a rain-shadow, while high altitude produces intense insolation by day and sharp radiative cooling by night.

Qualified conclusion: India's polar stations at Maitri, Bharati and Himadri track teleconnections between Arctic change and Indian monsoon disruption; connect this to Himalayan glacier monitoring at Himansh and to Ladakh cold-desert sustainability through water-harvesting, pastoral adaptation and infrastructure resilience.