

ASCII MASTER FLOW – PANEL 1/12: Red List category rail

NE -> criteria not yet applied

DD -> evidence inadequate for a risk assessment

LC -> NT -> VU -> EN -> CR -> EW -> EX

THREATENED -> VU + EN + CR only

RULE -> category is assessed risk, not legal protection

MUST REMEMBER: IUCN Red List categories assess extinction risk through documented...

ASCII MASTER FLOW – PANEL 2/12: Status fields firewall

CATEGORY -> assessed extinction-risk class

CRITERION -> quantitative route supporting the category

TREND -> increasing, stable, decreasing or unknown

SCALE -> global or regional/national assessment

DATE -> assessment vintage; never silently omit it

ASCII MASTER FLOW – PANEL 3/12: Criteria A to E map

- A -> population-size reduction
- B -> restricted range plus applicable subconditions
- C -> small population plus continuing decline
- D -> very small or very restricted population
- E -> quantitative extinction-probability analysis

ASCII MASTER FLOW – PANEL 4/12: One-route decision gate

ASSESS TAXON -> test Criteria A to E

ONE ROUTE MAY SUFFICE -> only for its applicable category

CHECK -> threshold, subcriterion, evidence and scale

DOCUMENT -> category plus criterion plus assessment year

NEVER -> infer a threshold from the category name alone

ASCCII MASTER FLOW – PANEL 5/12: NE and DD diagnostic

WERE THE CRITERIA APPLIED?

NO -> Not Evaluated

YES, BUT EVIDENCE INADEQUATE -> Data Deficient

DD -> uncertainty, not reassurance

RULE -> neither label establishes Least Concern

ASCII MASTER FLOW – PANEL 6/12: Distribution vocabulary

NATIVE -> naturally occurs in the stated region

ENDEMIC -> naturally restricted to the stated region

RARE -> low abundance or occurrence under a stated measure

THREATENED -> VU, EN or CR assessment outcome

RULE -> overlap does not erase distinct meanings

CLOSE DISTINCTION: IUCN category is not Wildlife Protection Act schedule, CITES appendix,...

ASCII MASTER FLOW – PANEL 7/12: Endemism risk pathway

RESTRICTED NATURAL RANGE -> fewer spatial refuges

LOCAL HABITAT LOSS -> affects a larger share of total range

ISOLATION -> weaker natural recolonisation

RESULT -> vulnerability may rise

LIMIT -> endemic does not automatically mean threatened

ASCII MASTER FLOW – PANEL 8/12: Assessment scale lens

GLOBAL ASSESSMENT -> taxon across its global range

REGIONAL ASSESSMENT -> taxon inside a stated region

DIFFERENT SCOPE -> categories may differ

POPULATION TREND -> separately reported field

ANSWER RULE -> state scale, year and evidence

ASCII MASTER FLOW – PANEL 9/12: Assessment workflow

EVIDENCE -> specialist assessment

CRITERIA -> documented application

REVIEW -> consistency and supporting information

PUBLICATION -> category tied to assessment record

REASSESSMENT -> later change needs a dated source

ASCII MASTER FLOW – PANEL 10/12: Red List and Green Status

RED LIST -> extinction risk

GREEN STATUS -> recovery and conservation impact

SAME TAXON -> two different analytical questions

NO SUBSTITUTION -> recovery metric does not erase risk category

USE -> pair risk diagnosis with recovery ambition

ASCII MASTER FLOW – PANEL 11/12: Science law action chain

IUCN RED LIST -> scientific global or regional risk assessment
WILDLIFE LAW -> domestic prohibition, permit and schedule rules
COURT OR AGENCY -> remedy and implementation choices
HABITAT ACTION -> mitigation, connectivity and monitoring
RULE -> no layer automatically determines the next

ASCII MASTER FLOW – PANEL 12/12: PYQ and answer spine

DEFINE -> category, criterion, trend and scale

DISTINGUISH -> endemic, native, rare and threatened

APPLY -> one source-bounded Indian species or habitat route

QUALIFY -> assessment year and no inferred objective key

CONCLUDE -> assessment must translate into habitat and legal action

EVIDENCE LIMIT: MECHANISM / STATUS / CAUSATION: Use taxonomic identity, assessment...