

IUCN RED LIST AND ENDEMISM

RED LIST CATEGORY RAIL → STATUS FIELDS FIREWALL → CRITERIA A TO E → ONE-ROUTE DECISION GATE → NE AND DD DIAGNOSTIC → DISTRIBUTION VOCABULARY

Read the thick cyan rail from Stage 00 to the final core synthesis. Each card uses a concept-appropriate structure; the grey E card is optional enrichment only and never repairs missing core content.

PRIMARY CORE FLOW SUBORDINATE EXTRA APPROVAL / REVIEW

Approval: FALSE • Pending user review • active generation g1 • explicit approval of this exact generation is required • all prior artifacts unchanged

CORE BEFORE EXTRA • prior artefacts unchanged • exact same master drives poster and tiles

00

STAGE 00 RED LIST CATEGORY RAIL

RED LIST CATEGORY RAIL CRITERIA NOT YET APPLIED EVIDENCE INADEQUATE FOR A RISK ASSESSMENT VU + EN + CR ONLY CATEGORY IS ASSESSED RISK, NOT LEGAL PROTECTION

NE → criteria not yet applied

DD → evidence inadequate for a risk assessment

LC → NT → VU → EN → CR → EW → EX

THREATENED → VU + EN + CR only

SYSTEM / LEVEL / DEFINITION

- NE → criteria not yet applied
- DD → evidence inadequate for a risk assessment

STRUCTURE-FUNCTION MECHANISM

- LC → NT → VU → EN → CR → EW → EX
- THREATENED → VU + EN + CR only

SCALE / EVIDENCE LIMIT

- RULE → category is assessed risk, not legal protection
- NE → criteria not yet applied

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: RULE → category is assessed risk, not legal protection.

01

STAGE 01 STATUS FIELDS FIREWALL

STATUS FIELDS FIREWALL ASSESSED EXTINCTION-RISK CLASS QUANTITATIVE ROUTE SUPPORTING THE CATEGORY INCREASING, STABLE, DECREASING OR UNKNOWN GLOBAL OR REGIONAL/NATIONAL ASSESSMENT ASSESSMENT VINTAGE; NEVER SILENTLY OMIT IT

ECOLOGICAL UNIT / PARAMETER

CATEGORY → assessed extinction-risk class

CRITERION → quantitative route supporting the category

DECISIVE DISTINCTION

TREND → increasing, stable, decreasing or unknown

SCALE → global or regional/national assessment

SCALE / STATUS / EXCEPTION

DATE → assessment vintage; never silently omit it

CATEGORY → assessed extinction-risk class

ECOLOGICAL UNIT / PARAMETER

- CATEGORY → assessed extinction-risk class
- CRITERION → quantitative route supporting the category

DECISIVE DISTINCTION

- TREND → increasing, stable, decreasing or unknown
- SCALE → global or regional/national assessment

SCALE / STATUS / EXCEPTION

- DATE → assessment vintage; never silently omit it
- CATEGORY → assessed extinction-risk class

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: DATE → assessment vintage; never silently omit it.

02

STAGE 02 CRITERIA A TO E MAP

CRITERIA A TO E MAP POPULATION-SIZE REDUCTION RESTRICTED RANGE PLUS APPLICABLE SUBCONDITIONS SMALL POPULATION PLUS CONTINUING DECLINE VERY SMALL OR VERY RESTRICTED POPULATION QUANTITATIVE EXTINCTION-PROBABILITY ANALYSIS

ECOLOGICAL UNIT / PARAMETER

A → population-size reduction

B → restricted range plus applicable subconditions

DECISIVE DISTINCTION

C → small population plus continuing decline

D → very small or very restricted population

SCALE / STATUS / EXCEPTION

E → quantitative extinction-probability analysis

A → population-size reduction

ECOLOGICAL UNIT / PARAMETER

- A → population-size reduction
- B → restricted range plus applicable subconditions

DECISIVE DISTINCTION

- C → small population plus continuing decline
- D → very small or very restricted population

SCALE / STATUS / EXCEPTION

- E → quantitative extinction-probability analysis
- A → population-size reduction

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: D → very small or very restricted population.

03

STAGE 03 ONE-ROUTE DECISION GATE

ONE-ROUTE DECISION GATE ASSESS TAXON TEST CRITERIA A TO E ONE ROUTE MAY SUFFICE ONLY FOR ITS APPLICABLE CATEGORY THRESHOLD, SUBCRITERION, EVIDENCE AND SCALE CATEGORY PLUS CRITERION PLUS ASSESSMENT YEAR INFER A THRESHOLD FROM THE CATEGORY NAME ALONE

ASSESS TAXON → test Criteria A to E

ONE ROUTE MAY SUFFICE → only for its applicable category

CHECK → threshold, subcriterion, evidence and scale

DOCUMENT → category plus criterion plus assessment year

NEVER → infer a threshold from the category name alone

SYSTEM INPUT / STARTING CONDITION

ECOLOGICAL PROCESS / TRANSFER

OUTCOME / FEEDBACK / LIMIT

03

ECOLOGICAL UNIT / PARAMETER

- A → population-size reduction
- B → restricted range plus applicable subconditions

DECISIVE DISTINCTION

- C → small population plus continuing decline
- D → very small or very restricted population

SCALE / STATUS / EXCEPTION

- E → quantitative extinction-probability analysis
- A → population-size reduction

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: D → very small or very restricted population.

04

STAGE 03 ONE-ROUTE DECISION GATE

ONE-ROUTE DECISION GATEASSESS TAXONTEST CRITERIA A TO EONE ROUTE MAY SUFFICEONLY FOR ITS APPLICABLE CATEGORYTHRESHOLD, SUBCRITERION, EVIDENCE AND SCALECATEGORY PLUS CRITERION PLUS ASSESSMENT YEARINFER A THRESHOLD FROM THE CATEGORY NAME ALONE

ASSESS TAXON → test Criteria A to EONE ROUTE MAY SUFFICE → only for its applicable categoryCHECK → threshold, subcriterion, evidence and scaleDOCUMENT → category plus criterion plus assessment yearNEVER → infer a threshold from the category name alone

SYSTEM INPUT / STARTING CONDITION

- ASSESS TAXON → test Criteria A to E
- ONE ROUTE MAY SUFFICE → only for its applicable category

ECOLOGICAL PROCESS / TRANSFER

- CHECK → threshold, subcriterion, evidence and scale
- DOCUMENT → category plus criterion plus assessment year

OUTCOME / FEEDBACK / LIMIT

- NEVER → infer a threshold from the category name alone
- ASSESS TAXON → test Criteria A to E

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: NEVER → infer a threshold from the category name alone.

05

STAGE 04 NE AND DD DIAGNOSTIC

NE AND DD DIAGNOSTICWERE THE CRITERIA APPLIED?NOT EVALUATEDYES, BUT EVIDENCE INADEQUATEDATA DEFICIENTUNCERTAINTY, NOT REASSURANCENEITHER LABEL ESTABLISHES LEAST CONCERN

SYSTEM / LEVEL / DEFINITION	STRUCTURE-FUNCTION MECHANISM	SCALE / EVIDENCE LIMIT
WERE THE CRITERIA APPLIED?	YES, BUT EVIDENCE INADEQUATE → Data Deficient	RULE → neither label establishes Least Concern
NO → Not Evaluated	DD → uncertainty, not reassurance	WERE THE CRITERIA APPLIED?

SYSTEM / LEVEL / DEFINITION

- WERE THE CRITERIA APPLIED?
- NO → Not Evaluated

STRUCTURE-FUNCTION MECHANISM

- YES, BUT EVIDENCE INADEQUATE → Data Deficient
- DD → uncertainty, not reassurance

SCALE / EVIDENCE LIMIT

- RULE → neither label establishes Least Concern
- WERE THE CRITERIA APPLIED?

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: DD → uncertainty, not reassurance; RULE → neither label establishes Least Concern.

06

STAGE 05 DISTRIBUTION VOCABULARY

DISTRIBUTION VOCABULARYNATURALLY OCCURS IN THE STATED REGIONNATURALLY RESTRICTED TO THE STATED REGIONLOW ABUNDANCE OR OCCURRENCE UNDER A STATED MEASUREVU, EN OR CR ASSESSMENT OUTCOMEOVERLAP DOES NOT ERASE DISTINCT MEANINGS

ECOLOGICAL UNIT / PARAMETER	DECISIVE DISTINCTION	SCALE / STATUS / EXCEPTION
NATIVE → naturally occurs in the stated region	RARE → low abundance or occurrence under a stated measure	RULE → overlap does not erase distinct meanings
ENDEMIC → naturally restricted to the stated region	THREATENED → VU, EN or CR assessment outcome	NATIVE → naturally occurs in the stated region

ECOLOGICAL UNIT / PARAMETER

- NATIVE → naturally occurs in the stated region
- ENDEMIC → naturally restricted to the stated region

DECISIVE DISTINCTION

- RARE → low abundance or occurrence under a stated measure
- THREATENED → VU, EN or CR assessment outcome

SCALE / STATUS / EXCEPTION

- RULE → overlap does not erase distinct meanings
- NATIVE → naturally occurs in the stated region

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: RULE → overlap does not erase distinct meanings.

STAGE 06 ENDEMISM RISK PATHWAY

ENDEMISM RISK PATHWAYRESTRICTED NATURAL RANGEFEWER SPATIAL REFUGESLOCAL HABITAT LOSSAFFECTS A LARGER SHARE OF TOTAL RANGEWEAKER NATURAL RECOLONISATIONVULNERABILITY MAY RISEENDEMIC DOES NOT AUTOMATICALLY MEAN THREATENED

RESTRICTED NATURAL RANGE → fewer spatial refugesLOCAL HABITAT LOSS → affects a larger share of total rangeISOLATION → weaker natural recolonisationRESULT → vulnerability may rise

SYSTEM / LEVEL / DEFINITION

- RESTRICTED NATURAL RANGE → fewer spatial refuges

STRUCTURE-FUNCTION MECHANISM

- ISOLATION → weaker natural recolonisation

SCALE / EVIDENCE LIMIT

- LIMIT → endemic does not automatically mean threatened


IUCN RED LIST AND ENDEMISM • TILE 2/4 • same master rows 2468-5702 of 10638 • continues below

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: RULE → overlap does not erase distinct meanings.

06

STAGE 06 ENDEMISM RISK PATHWAY

ENDEMISM RISK PATHWAY RESTRICTED NATURAL RANGE FEWER SPATIAL REFUGES LOCAL HABITAT LOSS AFFECTS A LARGER SHARE OF TOTAL RANGE WEAKER NATURAL RECOLONISATION VULNERABILITY MAY RISE ENDEMIC DOES NOT AUTOMATICALLY MEAN THREATENED



ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: LIMIT → endemic does not automatically mean threatened.

07

STAGE 07 ASSESSMENT SCALE LENS

ASSESSMENT SCALE LENS GLOBAL ASSESSMENT TAXON ACROSS ITS GLOBAL RANGE REGIONAL ASSESSMENT TAXON INSIDE A STATED REGION DIFFERENT SCOPE CATEGORIES MAY DIFFER POPULATION TREND




ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: ANSWER RULE → state scale, year and evidence.

08

STAGE 08 ASSESSMENT WORKFLOW

ASSESSMENT WORKFLOW SPECIALIST ASSESSMENT DOCUMENTED APPLICATION CONSISTENCY AND SUPPORTING INFORMATION CATEGORY TIED TO ASSESSMENT RECORD LATER CHANGE NEEDS A DATED SOURCE



ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: REASSESSMENT → later change needs a dated source.

09

STAGE 09 RED LIST AND GREEN STATUS

RED LIST AND GREEN STATUS RED LIST EXTINCTION RISK GREEN STATUS RECOVERY AND CONSERVATION IMPACT SAME TAXON TWO DIFFERENT ANALYTICAL QUESTIONS NO SUBSTITUTION

ECOLOGICAL UNIT / PARAMETER	DECISIVE DISTINCTION	SCALE / STATUS / EXCEPTION
RED LIST → extinction risk	SAME TAXON → two different analytical questions	USE → pair risk diagnosis with recovery ambition
GREEN STATUS → recovery and conservation impact	NO SUBSTITUTION → recovery metric does not erase risk category	RED LIST → extinction risk
ECOLOGICAL UNIT / PARAMETER	DECISIVE DISTINCTION	SCALE / STATUS / EXCEPTION
- RED LIST → extinction risk - GREEN STATUS → recovery and conservation impact	- SAME TAXON → two different analytical questions - NO SUBSTITUTION → recovery metric does not erase risk category	- USE → pair risk diagnosis with recovery ambition - RED LIST → extinction risk

ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: USE → pair risk diagnosis with recovery ambition

09

STAGE 09 RED LIST AND GREEN STATUS

RED LIST AND GREEN STATUS RED LIST EXTINCTION RISK GREEN STATUS RECOVERY AND CONSERVATION IMPACT SAME TAXON TWO DIFFERENT ANALYTICAL QUESTIONS NO SUBSTITUTION

ECOLOGICAL UNIT / PARAMETER	DECISIVE DISTINCTION	SCALE / STATUS / EXCEPTION
RED LIST → extinction risk	SAME TAXON → two different analytical questions	USE → pair risk diagnosis with recovery ambition
GREEN STATUS → recovery and conservation impact	NO SUBSTITUTION → recovery metric does not erase risk category	RED LIST → extinction risk
ECOLOGICAL UNIT / PARAMETER - RED LIST → extinction risk - GREEN STATUS → recovery and conservation impact	DECISIVE DISTINCTION - SAME TAXON → two different analytical questions - NO SUBSTITUTION → recovery metric does not erase risk category	SCALE / STATUS / EXCEPTION - USE → pair risk diagnosis with recovery ambition - RED LIST → extinction risk


ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: USE → pair risk diagnosis with recovery ambition.

10

STAGE 10 SCIENCE LAW ACTION CHAIN

SCIENCE LAW ACTION CHAIN IUCN RED LIST SCIENTIFIC GLOBAL OR REGIONAL RISK ASSESSMENT WILDLIFE LAW DOMESTIC PROHIBITION, PERMIT AND SCHEDULE RULES COURT OR AGENCY REMEDY AND IMPLEMENTATION CHOICES HABITAT ACTION

IUCN RED LIST → scientific global or regional risk assessment




ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: RULE → no layer automatically determines the next.

11

STAGE 11 PYQ AND ANSWER SPINE

PYQ AND ANSWER SPINE CATEGORY, CRITERION, TREND AND SCALE ENDEMIC, NATIVE, RARE AND THREATENED ONE SOURCE-BOUNDED INDIAN SPECIES OR HABITAT ROUTE ASSESSMENT YEAR AND NO INFERRED OBJECTIVE KEY ASSESSMENT MUST TRANSLATE INTO HABITAT AND LEGAL ACTION



ANSWER-GRABBING LINE — WRITE/ADAPT IN THE EXAM: CONCLUDE → assessment must translate into habitat and legal action.

E

EXTRA SUBORDINATE ENRICHMENT — ONLY AFTER THE COMPLETE CORE

OPTIONAL ADVANCED ENRICHMENT WILDLIFE INSTITUTE OF INDIA (WII) CONDUCTS POPULATION-VIABILITY AND HABITAT-USE DECIDES DOMESTIC SCHEDULE LISTING/REVISION UNDER THE WILDLIFE PROTECTION ACT IMPLEMENTATION GAP REASSESSMENT CYCLES FOR IUCN STATUS AND DOMESTIC SCHEDULE REVIEW DATA DEFICIENT (DD) IS A GENUINE ANALYTICAL TRAP EVEN ENDEMISM CLAIMS FOR LESSER-STUDIED TAXONOMIC GROUPS (E.G., MANY INVERTEBRATES)

OPTIONAL ECOLOGICAL PROCESS DEPTH	SCALE, PARAMETER OR STATUS LIMIT	COMPARATIVE RESTORATION NUANCE
- Wildlife Institute of India (WII): conducts population-viability and habitat-use - MoEFCC: decides domestic Schedule listing/revision under the Wildlife Protection Act - CAUTION: Implementation gap: reassessment cycles for IUCN status and domestic Schedule review - CAUTION: Data Deficient (DD) is a genuine analytical trap even at the advanced level: a	- CAUTION: Endemism claims for lesser-studied taxonomic groups (e.g., many invertebrates, fungi) - CAUTION: Population-count figures cited for charismatic species (bustard, tiger, elephant) come - IUCN Red List criteria (A-E) allow a species to be classified as threatened through - The Great Indian Bustard is Critically Endangered; in M.K. Ranjitsinh v. Union of India	- IUCN's Green Status of Species is a separate assessment measuring species recovery - IUCN Red List reassessment cycles and India's Wildlife Protection Act Schedule revisions - Data Deficient status reflects an information gap, not a confirmed low-risk finding. - NOT: A species must show population decline to be Critically Endangered. - It can also

OPTIONAL STATUS — This optional depth is unnecessary for a competent core answer; use it only for added nuance after the complete core has been written.